



FULFILLING
MICROBIOLOGY
NEEDS

PRICE LIST
2022-23





TITAN BIOTECH LIMITED

Manufacturer & Exporter




R. O. & WORKS

Unit I : A-902 A, RIICO Industrial Area, Phase-III, Bhiwadi-301019, (Raj.), India
Unit II : E-540, Industrial Area, Chopanki, Bhiwadi-301707, (Raj.), India

CORPORATE OFFICE

903-909, 9th Floor, Bigjos Tower, Netaji Subhash Place,
Delhi-110034, India

 +91-9999-1687-70

 www.tmmedia.in

 marketing@titanbiotechltd.com



GENERAL TERMS AND CONDITIONS

SERVICES

A team of experts are dedicated to provide the highest levels of technical support and customer service. The Technical service department is available to answer questions about products. Along with it our technical sales representative is equipped with knowledge for product selection and evaluation.

ORDERS

The foremost mandatory point is that the order must carry complete details such as TM Product Code, Product Name, Pack Size and Price. In case the adequate information is not shared, the order will not be processed further. Orders, once placed, will not be edited or cancelled. Orders placed with us for execution, may be supplied directly through our stockist which is company's prerogative. All correspondence related to Purchase Orders should be done at our Headquarters (Delhi, India).

PRICE

The price mentioned in this list are applicable from 1st April 2022. No previous price list is applicable. This price list to be treated for further order and confirm these prices when placing an order. The prices are subject to change without prior notice. With mutual consent, the order will be finalized in case of change in price. All the amendments for the year 2022-23 will be updated on website [www.tmmedia.in/ product catalogue](http://www.tmmedia.in/product-catalogue)

TAXES AND DUTIES

Good and Service Tax (GST) is applicable on the products above the prices mentioned. State Road Permit/ E-Way Bills is also essential (if applicable), without which order despatch will not be processed. In case of any exemptions from GST, the certificate must be shared with the order otherwise GST will be charged extra as applicable.

Our GST No. is 08AAACT0078J1ZA.

STANDARD PACK SIZE

The orders for Culture Media and Media Bases are accepted in lot of 20 X 500 gm, 40 X 100 gm. Order for liquid items like Inorganic Acids, Ammonia Solution, Organic Solvents, other chemicals are accepted in lots of 20 X 500 ml (Plastic Bottles), 4 X 2.5 ltr and 2 X 5 ltr. In case of chemical in powder form, the order size begins with 20 X 500gm. A similar standard is followed for Media supplements and other products. This is essential to avoid breakage during transit. Every possible care is taken care during packaging as a standard operating procedure. Though we cannot assure breakage / leakage on delivery, we accept no responsibility of transportation.

DANGEROUS GOODS

Highly inflammable and corrosive materials are not accepted by road carriers and passenger trains and hence quick delivery cannot be assured.

To know about material safety for product, Material Safety Data Sheet (MSDS) is available on website www.tmmedia.in.

INSURANCE

If requested, the goods can be insured and charged on the invoice.

DELIVERY & FREIGHT

TM Media takes pride to provide the best customer service. As a mandate, the orders are processed and delivered within the specified schedule shared on the sales quote. In case of orders that require special handling, an additional fee might be applicable. All orders of the net value (after discount) of Rs. 25,000/- or more will be supplied F.O.R destination by general road transporter (if the location falls under ODA location supply would be till transporter godown). For orders with net value less than (after discount)Rs. 25,000/-, the consignment will be dispatched on freight to pay basis. The amount mentioned is without GST. This is not applicable for the products on Page no.279-281. Freight charges will be prepaid and added to the invoice as a separate item. There is a minimum charge per shipment for shipping and handling. A hazardous charge will be processed for shipment of hazardous materials. We recommend consolidating all hazardous materials onto a single order if possible to minimize hazardous charges. Please report all questions regarding a shipment to Customer Service within 7 days of receipt.

PAYMENTS

The payment must be made along with orders. In case of credit is given from the date of receipt of the consignment, the terms of payment must be met without any delay. In case the party fails to adhere, an interest of 18% will be charged from the due date. Payments must be made in demand draft, pay order, cheques drawn in favour of "Titan Biotech Ltd."

BANK DETAILS

A/C Name	Titan Biotech Limited
Bank Name	HDFC Bank
A/C No.	50200014683687
Branch Add.	B-34, Ashok Vihar, New Delhi-110052
IFSC Code	HDFC 0001261

STANDING ORDERS

Standing orders are welcome and such requests must be received at least 10 working days prior to the scheduled shipment.

DAMAGE

In the event of damaged goods, it is advised to retain goods and packaging. Kindly advise our office and the local carrier without delay.

RETURNS

Any issue related to product return must be coordinated with our representative. Request for returns must be made within 7 days of receipt. No returns will be entertained if there has been any error from customer. Perishable or temperature sensitive products cannot be returned for any reason. These items include but are not limited to:

- **Blood Culture Media • Reagents • Diagnostic Tests • Prepared Culture Media**
- **Susceptibility and Differentiation Disks • Dehydrated Culture Media • Chemicals**

The return will be accepted after due submission of adequate information, sufficing the reason of return. If the requested information is not received within 7 days we shall consider that we have dealt with complaint and the matter will be treated as "closed". Full and final replacement along with return invoice should be completed within 15 days.

COPYRIGHT

No imitation of our brand logo of TM Media or brand packaging is allowed. If found otherwise, Titan Biotech Ltd has full authority to take such situation in court for legal action. Titan Biotech Ltd will take no responsibility of any damage caused by fake or imitated products. It is advised that the customers must avoid such sellers for their own best interests. To know if the product is authentic, please reach out to marketing@titanbiotechltd.com

TECHNICAL SUPPORT AND DOCUMENTATION

All the product information and quality control specifications, which include ISO guidelines, GMP guidelines, USP/JP/EP/BP and also CLSI guidelines are provided in the TM Media Manual. For a copy of the manual please contact your local Technical Sales Representative or Technical Service at customercare@titanbiotechltd.com Also, for Technical Data (TD), Material Safety Data Sheet (MSDS), Certificates of Analysis (COA) are available 24/7 on www.tmmedia.in.

DISCLAIMER

All the items listed here are for Laboratory use only and we assume no responsibility whatsoever, if used otherwise.

FORCE MAJURE

We and our authorized stockists shall not be responsible for any delay or part supply due to circumstances beyond our control such as riots, strikes, civil commotion, shortage of raw material, natural calamities, government restrictions and budgetary changes by the Government etc. However, the period of delay would be informed to the customers.

JURISDICTION


All disputes are subject to Alwar, Rajasthan jurisdiction only.

DIGITALLY, AROUND THE GLOBE

Our website www.tmmedia.in facilitates our customer with:

- ✓ Anytime access to Technical Data (TD), Certificate of Analysis (COA) and Material Safety Data Sheet (MSDS).
- ✓ Easy search and enquiry for the multiple product.
- ✓ Staying ahead with the relevant information via 'BLOGS' section on our website and regular emails.

Steps to view and download product related documents




Step 1

Browse www.tmmedia.in. Find links to COA, MSDS and TD on the right side of screen. Click on the desired option.


Step 2

Pop-up will appear. In case of TD and MSDS, enter Product Code or Product Name. In case of COA, enter Batch no. / Lot no. Click on 'Submit'.



Step 3

The result page will allow to check the product code and name. The link will let you view/download. You'll also get the email along with related PDF.





TITAN BIOTECH LTD.

We at Titan Biotech Limited have committed our state of the art technology towards quality management and quality assurance. The motto of the company is to achieve customer satisfaction with the desired quality product at competitive cost. The company is invested with well-trained professionals to follow International Quality Standards. The management assures the compliance with periodic reviews and mystery audits. Mandatorily, every production batch is tested and its COA and MSDS are recorded in the pre-defined format.

Suresh Singla
MANAGING DIRECTOR



The Brand-TM Media

With pleasure, we introduce our updated Price list for the financial year 2022 -23. As a commitment to this industry, even this year we have introduced newer products. Titan Biotech Ltd. started its journey in 1992 to pursue innovation in the field of biotechnology and advanced life science. The strong hold on technical expertise has given wings to our business journey with the remarkable market presence in more than 77 countries. Under the brand 'TM Media', Titan Biotech Limited has flourished with its microbiology products in full length around the world.

The Research and Development department supports our objective to evolve and keep pace with the industry's growing needs. The product range has emerged manifold with more than 2000 products for categories including Biological Media Bases, Dehydrated Culture Media, Media Supplements, Readymade Culture Media (in all forms), Molecular Bio Grade Chemicals, Antibiotic Sensitivity Discs, Plant Tissue Culture Media, Laboratory Chemicals and Microbiological Consumables. We understand our customers' choices very well, thus Culture Media are available from veg and non veg sources. TM Media has expatiated its product list for applications in various industries including Pharmaceutical, Nutraceutical, Medical & Diagnostics, Food & Beverages, Biotechnology & Fermentation, Cosmetic, Veterinary & Animal Feed, Agriculture industries as well as for research projects.

Our quality standards of production facility and products are regulated and certified by International organizations. We are glad to have support from Pharmexcil, Capexil, FIEO and AIFPA for trade relations. The entirety of the company is grounded with belief in relationship and quality. We own the responsibility to fulfill customers' particular requirements. The formula has been simple for us that our progress is when our customers progresses.

Suresh Singla

MANAGING DIRECTOR

CERTIFICATES



ISO 13485:2016



FSSC 22000



FSSAI

ISO 11133:2014




"We believe in Quality and relationship"

GMP




ISO 9001:2015

REGISTRATION CERTIFICATE EUROPEAN UNION





LABEL



- | | |
|--|---|
| 1. Product Name | 16. Customer Care Cell (Contact No. & Email ID) |
| 2. Synonym of Product Name | 17. Website URL |
| 3. Use of the Product | 18. ISO Certification 9001:2015 & 11133:2014 |
| 4. Received/Opened Date | 19. QR Code Scan for Technical Data |
| 5. For in Vitro Diagnostics | 20. Product Code Number |
| 6. ISO Certification Number 13485:2016 | 21. Pack Size |
| 7. Caution | 22. Lot/Batch Number |
| 8. Expiry Date | 23. Product's Brand Name |
| 9. Country of Origin | 24. Disposal Procedure |
| 10. Copyright Clause | 25. Instructions for Preparation of Medium |
| 11. Company Name & Address | 26. pH Range |
| 12. Company Logo | 27. Composition of the Medium |
| 13. Symbol for Certification of Good Manufacturing Practices | 28. Formula Weight |
| 14. Symbol for European Conformity | |
| 15. Manufacturer Symbol | |

PACKING



25 Kg

Dehydrated Culture Media



5 Kg



1 Kg



500 gm



250 gm

Molecular Biology Grade Chemicals*



250 gm

500 gm

1 Kg

5 Kg

Lab Chemicals*

Antibiotic Disc



1 Vial : 100 Discs



1 Cartridge : 250 Discs



1 Blister Set : 5 X 50 Discs



500 gm

100 gm

Viral Transport Kit



Ready to Use Culture Media



5 Plates Pack

50 ml

25 ml

*Bulk quantity is available on request

PHARMA MICROBIOLOGY SOLUTIONS



AIR SAMPLER

User- friendly and comprehensive technology

Features	Complete Package
Validated as per BS EN ISO 14698- Part 1, for Physical and Biological efficiency. PC connectivity to meet 21 CFR: Part 2 requirements. Inbuilt adaptors for 90 mm and 55 mm plates.	Air Sampler High Strength Carry Case Charger And Pc Cord Remote Two Petri Plates Find more at Page No. 208

ABSOLUTE EM PLATES

Features	Pack Size
<ul style="list-style-type: none"> Available in 90 mm and 55 mm Gamma Irradiated Triple Packaging 	<ul style="list-style-type: none"> Sterility assurance level SAL 10⁵ Gamma Indicator on label With β- Lactamase Enzyme
Unit of 5 wrapped plates up to total of 20 or 50 plates. Find more at Page No. 168-174	

FLUID THIOGLYCOLLATE MEDIUM (BOTTLE)

Use	Appearance	Pack Size	Product Code
For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms	Light straw colour, clear to slightly opalescent solution with upper 10% or less medium pink on standing	100 ml X 25	TMKH 001S
Find more at Page No. 176			

SOYA CASEIN DIGEST MEDIUM (BOTTLE)

Use	Appearance	Pack Size	Product Code
For the evaluation of sterility in manufacturing processes.	Light yellow colour, clear solution.	100 ml X 10	TMKH 003S
Find more at Page No. 176			

RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (TUBE)

Use	Appearance	Pack Size	Product Code
For the selective enrichment of salmonellae.	Greenish blue colour, clear to slightly opalescent solution	10 ml X 25	TMTH 010
Find more at Page No. 178			

β - LACTAMASE ENZYME

Use	Pack Size	Product Code
For inactivation of a wide range of antibiotics like Penicillins, Cephalosporins, and Carbapenems. (depending upon supplement)	1 Vial	TS 261 TS 262 TS 263 TS 263G TS 264
Find more at Page No. 151		

CLINICAL MICROBIOLOGY SOLUTIONS



MaCCONKEY AGAR

MacConkey in NEW avatar

Use	Appearance	Pack Size	Product Code
For cultivation and differentiation of enteric bacteria and gram positive microorganisms especially Enterococcus faecalis within 18 hours. \F.wt: 55.00 gm/ltr	Powder: Light yellow to pink homogeneous free flowing powder Prepared Medium: Orange red coloured clear to slightly opalescent gel	500 gm	TM 1898

Find more at Page No. 83

VIRAL TRANSPORT KIT

Easy, Safe, Collect & Transport

Use	Appearance	Complete Package	Pack Size	Product Code
Easy, Collect and Transport of Viral Sample.	Red colour clear solution	Viral Transport Medium Throat swab or Nasopharyngeal swab (Provided as per product code)	50 nos.	TMVT 001 TMVT 002 TMVT 003

Find more at Page No. 185

MUELLER HINTON AGAR

Use	Appearance	Size	Product Code
For Cultivation of Neisseria & for determination of susceptibility of microorganisms to antibiotics. Performance is acc. to CLSI (NCCLS) and complies with WHO, FDA and EUCAST. F.wt: 38.00	Powder: Cream to yellow homogeneous free flowing powder. Prepared Medium: Light amber coloured clear to slight opalescent gel	100 gm 500 gm	TM 339

Find more at Page No. 90

SHEEP BLOOD AGAR PLATE

Use	Appearance	Pack Size	Product Code
For isolation, cultivation and detection of fastidious microorganisms like streptococci and pneumococci. Best haemolysis.	Cherry red coloured opaque gel	Unit of 5 wrapped plates up to total of 20 or 50 plates	TMP 017

Find more at Page No. 172

CHROMOGENIC UTI AGAR

Use	Appearance	Pack Size	Product Code
For presumptive identification of microorganisms mainly causing urinary tract infections. F.wt:32.45 gms/ltr	Powder: White to cream homogeneous free flowing powder Prepared Medium: White coloured, opaque gel with precipitate	100gm 500gm	TM 1199

Find more at Page No. 47

ANTIBIOTIC DISCS

Use	Packaging
Used for Antimicrobial susceptibility testing (AST) as per CLSI (NCCLS). Filter Paper disc of 6.0 mm diameter. Abbreviation along with conc. printed on centre of both side of each disc.	Vials (vl) : 1 vl = 100 discs 5vl = 5 x 50 discs Blister (B.set) : 1 B.set = 5 x 50 discs Cartridges (ct) : 5ct= 5 x50disc

Find more at Page No. 187-193

ANAEROBIC JAR

Most Convenient, Rapid & Cost Effective System

Use	Complete Package
Used for cultivation of anaerobic and microaerophilic microorganisms	Polycarbonate jar- 1 unit Sturdy aluminium lid clamp and sealing ring with built in safety feature- 1 unit Aluminium lid with pressure valve, safety valve & 2 way pressure gauge - 1 unit Anaerobic indicator tablet -1x5 or 1x 10 Anaerobic gas pack- 1x 5 Petriplate carrier - 1 unit

Find more at Page No. 200

BLOOD CULTURE BOTTLES

Diagnostic tool for the detection of bacteremia and fungemia



What is blood culture?

A blood culture is a laboratory test in which blood, taken from patient, is inoculated into bottles containing culture media to determine whether infection causing microorganisms are present in the patient's bloodstream.

Why are blood culture bottles important?

- Confirm the presence of microorganism in bloodstream.
- Identify the microbial etiology of the bloodstream infection.
- Help determine the source of infection (e.g., endocarditis).
- Provide an organism for susceptibility testing and optimization of antimicrobial therapy.


How to use blood culture bottles?

- Label the ready to use blood culture bottle. Remove the top seal of the cap.
- Disinfect the part of the rubber stopper which is now exposed.
- Draw patient's blood with the sterile or disposable needle and syringe.
- Transfer the blood sample immediately into the culture bottle by puncturing the rubber stopper with the needle and injecting the blood.
- Incubate at 35-37°C for 24-48 hours and further for 7 days to confirm negative results.

Find more at Page No. 182

BUFFERED PEPTONE WATER BPW BAGS

Reducing the workflow!



Suitable for wide range of samples: Food testing requires a pre-enrichment process to ensure detection of even small levels of microbes in the product. BPW bags solve the purpose and provide the best solution for bulk media handling for microbiologists.

Save Time: BPW bags take the hassle out of media preparation. Eliminates the need for washing of glassware and heat sterilization for media preparation. There is no need to wait for hot media to cool down. BPW bags can be used immediately.

Easy-to-use: Dispense with minimum training.

Cost-effective: No need for weighing of media or sterilization, reducing the burden of media preparation, which frees up resources and equipment.

Flexible: BPW bags allows to cope seamlessly with large fluctuations in workload. They enable the laboratories to be highly flexible and respond efficiently to the media demands of variable sample through-put.

Energy saving: Primary sterilization through autoclaving and terminal sterilization through gamma irradiated, eliminate the need for costly thermal processing.

Safe: Eliminate handling of glassware, weighing of culture media, and the need to add supplementary reagents. Empty bags are completely safe to use.

Quality guaranteed: Compliant with ISO 11133, ISO 6579, ISO 11290, ISO 21528, ISO 6687. Quality certificates are available for every batch, reducing the QC testing needed.

Space-saving: Conveniently packed and takes up relatively little space.

Longer Shelf Life: BPW bags can be kept for up to 12 months when stored as recommended.

Hanging Resistance: Notch on the top of the Media Bag allows the technician to hang the bag. These hanging bags are strong enough to tolerate the pressure that builds in due to the medium in it.

Closed System: The BPW Bags are a closely packed system that will help you keep your worries of media contamination at bay. Just make sure to use under aseptic conditions only.


Easy Disposal: Disposal is not an hassle, empty bag is simply disposed of with normal laboratory waste.

Find more at Page No. 175

PRODUCT SPECIFICATION

TM 426 | VIOLET RED BILE AGAR

Violet Red Bile Agar (VRBA) is a modification of the MacConkey's original formulation is used for the enumeration of coli-aerogenes bacterial group. It is recommended for the isolation and enumeration of coli-aerogenes from water, milk and other dairy products. The medium contains bile salts and crystal violet which serve as inhibitory agents toward some gram-positive microorganisms, especially *Staphylococci*. Neutral red employed as pH indicator. Violet Red Bile is a selective medium used to detect and enumerate lactose-fermenting coliform microorganisms. Lactose-fermenting microorganisms produce pink to red colonies that are generally surrounded by a reddish zone of precipitated bile. Non-lactose-fermenting microorganisms result in colorless colonies. It can be utilized for the presumptive identification of coliforms in milk and other food materials according to the APHA (Standard Methods for the Examination of Milk Products).



Escherichia coli




Aspergillus niger

TM 387 | SABOURAUD DEXTROSE AGAR


Sabouraud Dextrose Agar (SDA) modification of Sabouraud agar (Carlier) is a selective medium primarily used for the isolation of dermatophytes, other fungi and yeasts but also grow filamentous bacteria such as *Nocardia*. This medium is also employed to determine mycological evaluation of food, contamination in cosmetics and clinically to aid in the diagnosis of yeast and fungal infections. The medium's high dextrose concentration and acidic pH (about 5.0) inhibit the growth of bacteria but permits the growth of yeast and fungi. Antibacterial agents can also be added to augment the antibacterial effect. Antibiotics like chloramphenicol, gentamicin, and tetracycline can be added as selective agents to inhibit bacterial overgrowth of competing microorganisms while permitting the successful isolation of fungi and yeasts.

TM 269 | R-2A AGAR

R-2A Agar is designed by Reasoner and Geldreich for the heterotrophic plate count of treated potable water. It is also recommended in standard methods for pour plate, spread plate and membrane filtration technique. The medium's nutritional components favour the growth of injured or stressed organisms. It is also reported to show improved recovery of stress and chlorine tolerant bacteria from drinking water system.



Escherichia coli




Aspergillus brasiliensis

TM 344 | POTATO DEXTROSE AGAR

Potato Dextrose Agar (PDA) is a general-purpose medium used for isolation and enumeration of yeast and moulds. It is recommended for plate count method for foods, dairy products and testing cosmetics. It can also be used for growing clinically significant yeast and molds. The nutritionally rich base (potato infusion) encourages mold sporulation and pigment production in some dermatophytes. Whereas, it can be supplemented with acid or antibiotics to inhibit bacterial growth.

TM 339 | MUELLER HINTON AGAR

Mueller Hinton Agar is a non-differential standard culture medium, used for routine susceptibility testing of non-fastidious microorganisms to antibiotics. It is recommended by FDA, WHO and CLSI for testing the most commonly encountered aerobic and facultative anaerobic bacteria in clinical material. The good batch-to-batch reproducibility, low levels sulfonamide, trimethoprim, tetracycline inhibitors and the non-selective nature of the medium makes it an excellent choice for testing of antibiotics.




Staphylococcus aureus

PRODUCT SPECIFICATION


TMP 017 | SHEEP BLOOD AGAR PLATE

Sheep Blood Agar Plate is ready to use culture media plate containing sheep blood agar which is both differential and enriched medium used for the isolation, cultivation and detection of haemolytic activity of fastidious organisms like *Streptococci*, and *Pneumococci*.

The nutritional components of the medium containing 5% defibrinated sheep blood allows for better recovery of the pathogenic organisms from clinical samples. This medium helps in differentiating the microorganism on the basis of their haemolytic reaction as α , β or γ -haemolytic organisms.



Staphylococcus aureus



Lactobacillus leichmannii


TM 146 | LACTOBACILLUS MRS AGAR

Lactobacillus MRS AGAR (MRS AGAR) is used for the isolation and cultivation of Lactobacilli species from dairy products, food samples, oral cavity, faeces and other sources. It was developed by de Man, Rogosa and Sharpe as an alternative for non-selective cultivation of fastidious lactobacilli.

Lactobacilli MRS Agar contain peptone and dextrose. These ingredients supply nitrogen, carbon and other elements necessary for growth. Polysorbate 80, acetate, magnesium and manganese provide growth factors for culturing a variety of lactobacilli. The above ingredients may inhibit the growth of some organisms other than lactobacilli.

TM 1199 | CHROMOGENIC UTI AGAR

Chromogenic UTI Agar is a differential medium used for presumptive identification of microorganisms causing urinary tract infections. The media facilitates identification of bacterial colonies on the basis of genus specific enzymatic reactions with chromogenic substrates that results in different contrasted colony colours. The media contains two specific chromogenic substrates which are cleaved by enzymes produced by *Enterococcus* spp., *Escherichia coli* and coliforms. *Enterococci* spp producing β -glucosidase grow as blue colonies as they are able to cleave one of the chromogen whereas *E.coli* cleaves the other chromogen and grow as pink colonies.



(A) *E. coli*, (B) *K. pneumoniae*, (C) *S. aureus*
(D) *E. faecalis*, (E) *P. aeruginosa*



Escherichia coli

TM 1898 | MacCONKEY AGAR

MacConkey agar is selective and differential medium for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples. The composition of the medium allows for rapid cultivation of *Enterococcus faecalis* within 18 hours of incubation. The medium is selective against most species of gram-positive bacteria because of the presence of sodium taurocholate. It also allows differentiation among different enteric bacteria on the basis of lactose fermentation, where the lactose fermenters grow as red colonies while the lactose non-fermenters appear as colourless colonies.

TM 386 | SALMONELLA SHIGELLA AGAR

Salmonella Shigella Agar (SS Agar) medium is recommended as differential and selective medium for the isolation of *Salmonella* and *Shigella* species from pathological specimens, suspected foodstuffs and for microbial limit test. The medium inhibits gram positive bacteria and coliforms by the action of the selective inhibitory components brilliant green, bile salts, thiosulphate and citrate. Whereas, differentiation of enteric organisms is achieved by the incorporation of lactose in the medium. Organisms that ferment lactose produce acid which, in the presence of neutral red indicator, results in formation of red colonies. Lactose non fermenter forms colourless colonies. The latter group contains the majority of the intestinal pathogens, including *Salmonella* and *Shigella*. The sodium thiosulfate and ferric citrate enable the detection of hydrogen sulfide production as evidenced by colonies with black centers. This formulation, highly selective, is not recommended for the primary isolation of *Shigella*. Some *Shigella* spp. may be inhibited.




Salmonella Typhimurium


PRODUCT SPECIFICATION

TM 1338 | CHROMOGENIC COLIFORM AGAR W/SLS

Chromogenic Coliform Agar w/ SLS is a selective medium recommended for the detection of *Escherichia coli* and total coliforms in water and food samples. The selectivity of the medium is attributed to Sodium Lauryl Sulphate (SLS) that helps in inhibiting the gram-positive organisms. This media contains a chromogenic mixture which is also known as chromogen i.e. Salmon-Gal and XGLuc. The enzyme β -galactosidase produced by coliforms cleaves Salmon-Gal chromogen, resulting in the salmon red coloration of coliform colonies whereas *E. coli* forms dark blue to violet colored colonies due to cleavage of both the chromogens. Not only this, this medium can be used to confirm *E. coli* by adding a drop of Kovacs reagent (TR008) on dark-blue to violet colony which will change to cherry-red color.



(A) *E. coli*, (B) *S. Enteritidis*
(C) *K. pneumoniae*, (D) *E. aerogenes*




(A) *E. coli*, (B) *C. freundii*
(C) *S. Enteritidis*, (D) *E. aerogenes*

TM 1858 | CHROMOGENIC COLIFORM AGAR

Chromogenic coliform Agar helps in rapid enumeration and differentiation of coliforms and *Escherichia coli* isolated from water samples as per ISO 9308-1. This media is the improved formulations which utilizes a chromogenic substrate for making the detection more rapid & reliable. The media contain the combination of two chromogenic substrates allow the simultaneous detection of coliform bacteria and *E. coli*. The enzyme β -D-galactosidase cleaves salmon- β -D-galactoside, and gives a salmon to red colour to the coliform bacteria. *E. coli* have β -D galactosidase and β -D-glucuronidase enzymes to cleave both the chromogens, which give blue-violet colour to colonies.

TM 436 | TCBS AGAR

TCBS AGAR (VIBRIO SELECTIVE AGAR) is highly selective for the isolation of *Vibrio cholerae* and *V. parahaemolyticus* from clinical specimens and specified in standard methods for food testing. This highly selective medium meets the nutritional requirements of *Vibrio* species and allows competing with intestinal flora. This medium specifically isolates the *Vibrio* species on the basis of the organism's ability to grow at an alkaline pH and high salt concentration. Inhibition of gram-positive bacteria is achieved by the incorporation of Ox bile, which is a synthetic occurring substance and suppresses primarily Enterococci. Sodium citrate and Sodium thiosulphate are the selective agents, providing an alkaline pH to inhibit gram-positive organism and suppress coliforms. Luxuriant growth with yellow appearance is observed on TCBS agar. Whereas *Vibrio parahaemolyticus* with Bluish green colonies.



Vibrio cholerae



Salmonella Typhimurium

TM 492 | XLD AGAR

Xylose Lysine Deoxycholate Agar (XLD) is a moderately selective and differential medium for the isolation and differentiation of gram-negative enteric pathogens from clinical specimens, food and other samples. XLD Agar was especially designed to allow the growth of *Shigella* species, and is a proven medium for the isolation of this organism. It has also been found to be an excellent medium for isolating *Salmonella* species as well. XLD Agar complies with ISO 6579: 2002. XLD agar is also included in the USP microbial limit test for screening specimens for the presence or absence of *Salmonella* and is recommended for the testing of foods, dairy products and water. The medium utilizes xylose fermentation, lysine decarboxylation and H₂S production reactions to differentiate the target organisms. Whereas, the selective agent i.e. sodium deoxycholate helps to inhibit the growth of gram-positive organisms.

TM 365 | BRILLIANT GREEN BILE BROTH 2%

Brilliant Green Bile Broth 2% is one of the most widely used medium for the detection of coliform bacteria in water, dairy products, food and waste water. Formulated as per APHA, this medium is recommended by the ISO 4831:2006 and ISO 4832:2006 for the enumeration of coliforms using the most probable number technique. This medium helps in indicating the presence of faecal coliform using a fermentation reaction, where the coliforms produce gas and this gas production is visible as a trapped bubble inside the inverted Durham's tube.




(A) Control, (B) *E. coli*, (C) *E. aerogenes*

PRODUCT SPECIFICATION

TM 362 | BHI BROTH

BHI Medium is useful for cultivating a wide variety of microorganisms since it is a highly nutritive medium. This medium is recommended by Food and Drug Administration. It is also used to prepare the inocula for antimicrobial susceptibility testing. BHI Broth is a modification of the original formulation of Rosenow, where he added pieces of brain tissues to dextrose broth. BHI Broth is also the preferred medium for anaerobic bacteria, yeasts and moulds. This medium is nutritious and well buffered to support the growth of wide variety of organisms. With the addition of 10% defibrinated sheep blood, it is useful for isolation and cultivation of *Histoplasma capsulatum* and other fungi. For selective isolation of fungi, addition of gentamicin and/or chloramphenicol is recommended. This medium is not suitable for obtaining characteristic haemolytic reactions even after addition of blood because of its glucose content.



A) Control, (B) *S. pyogenes*
(C) *S. aureus*, (D) *S. pneumoniae*



(A) Control, (B) *S. Typhimurium*

TMH 111 | RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH

Rappaport Vassiliadis Salmonella Enrichment Broth is recommended for selective enrichment of *Salmonella* species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.

The medium selectively enriches *Salmonella* by utilizing its three properties which are; the capacity to survive at high osmotic pressure, to grow at slightly low pH and to be resistant to malachite green. *Salmonella typhi* and *S. Paratyphi A* are sensitive to malachite green and may be inhibited.

TM 348 | SIMMONS CITRATE AGAR

Simmons Citrate Agar is used for the differentiation between Enterobacteriaceae and the members of aerogens group on the basis of citrate utilization as sole carbon source by streaking either on slopes in test tubes or as a plate medium in petri dishes. It is recommended for the differentiation of coliforms isolated from water and clinical samples. The medium is virtually a solidified form of Koser citrate medium which, in its original form, suffered from the disadvantage that false appearance of growth occurred when large inoculum were employed.

The microorganisms utilize the citrate increases the pH of the medium and cause a change in colour of the medium from green to blue, thus differentiating themselves from other bacteria. The bacteria which do not utilize citrate remain the colour of the medium remains unchanged.



(A) Control
(B) *E. aerogenes*



+91-9999-1687-70



marketing@titanbiotechltd.com



www.tmmmedia.in



<ul style="list-style-type: none"> • Dehydrated Culture Media (Including Veg.) 	
Dehydrated Culture Media (A to Z)	21-133
Chromogenic Dehydrated Culture Media	134-139
Dehydrated Culture Media (as per BIS)	140-141
Dehydrated Culture Media (as per ISO)	142-146
Harmonized Culture Media (Pharmaceuticals Testing) (as per USP/JP/EP/BP)	147-148
Sterile Dehydrated Culture Media (γ - irradiated)	148-149
• M edia Supplements	150-163 N
• B iological Media Bases (Including Veg.)	164-166
• R eady-To- Use-Media	
Ready-To-Use Media Plates (90mm & 55mm)	167-174
Ready-To-Use Agar & Broth Media	174-177
Ready-To-Use Liquid Medium (Tubes)	177-179
Combo Sterility Kit	179 D
Ready-To-Use Liquid Medium (Tubes) (2 - 2.5ml)	180
Ready-To-Use Kits & Slants / Butts	180-182
Blood Culturing System (Ready-To-Use Broth Media)	182
Transport Swab with Medium	182-183
Viral Transport Swab Kit	185
Universal Transport Kit	185-186
Molecular Transport Kit	186
• A ntibiotic Sensitivity Discs	187-193 E
• D ifferentiation Discs & Test Strips	194
• S taining and Indicator Solution & Readymade Staining Kits	195
• A nalytical Reagent & Standard Solutions	196
• C ulture Strain	197-199 X

I

Microbiological Lab Consumables

Anaerobic Box System, Anaerobic Jar System, Spreaders, Disposable Loops/Needle, Inoculating Metal Loop Holder & Nicrome Loops **200-201**

Culture Vessels and Accessories (Petri Plates)(γ-Irradiated & Nonγ-Irradiated), Stainless Steel Petri Plate Carrier (γ-irradiated), Durham Tubes, McCartney Bottle, Disposable Sterile Bottle **201-203**

Environmental Monitoring Aid, Sampling Aid, HDM Filtration Funnel, Swabs, Cryo Product & Marker Pen **203-205**

Filtration Funnel, Membrane Filtration Funnel, Manifold System **205**

Autoclave Accessories (Disposable Autoclavable Bags) **206**

N

Microbiological Lab Equipments

Infrared Sterilizer for Inoculation Loops **207**

Microbial Air Monitoring Systems (Air Sampler) & Accessories **207-208**

Biological Indicators & Chemical Indicators **209-211**

Plant Tissue Culture Media **212-216**

D **P**lant Tissue Culture Media Ingredients **217-224**

Pure Antibiotic Powder **225-227**

Molecular Biology Grade Chemicals **228-230**

Laboratory Chemicals (EP & AR GRADE) **231-277**

pH Indicator Paper Strips / pH Buffer Capsules **277-278**

E **A**cids & Solvents **278**

Food Grade Chemicals **279-280**

Food Additives **281**

Agro Products **282-283**

Biotecnology & Fermentation Products **284-286**

Pharmaceuticals, Healthcare & Nutraceutical Products **287**

X **V**eterinary & Animal Feed Ingredients **288**



DEHYDRATED CULTURE MEDIA

Dehydrated Culture Medium is a combination of complex nutrient substrates formulated for the cultivation of microorganisms. The components of dehydrated culture medium, must satisfy the nutritional requirements like nitrogen, carbon and trace elements of microorganisms, in order to live and replicate.

CONSTITUENTS	SOURCE
Amino-Nitrogen	Peptone, Protein Hydrolysate, Infusions and Extracts
Energy Sources	Blood Serum, Yeast Extract or Vitamins, Nicotinamide Adenine Dinucleotide
Buffer Salts	Phosphates, Acetates and Citrates
Mineral Salts and Metal	Phosphate, Sulfate, Magnesium, Calcium, Iron
Selective Agents	Chemicals, Antimicrobials and Dyes
Indicator Dyes	Phenol Red, Neutral Red
Gelling Agents	Agar, Gelatine, Alginate, Silica Gel, Gellan Gum

FEATURES

- Longer Hydration time
- Optimum pH range
- Absolute clarity in the medium
- Gel strength of about 300-500 dynes/cm²
- Perfect composition of ingredients

BENEFITS

- Equally spread and longer life of colony size
- Better colony characteristic and performance
- Healthy environment for microorganisms to grow
- Balanced solidification of agar for streaking and spreading
- Healthier and full size colony

GENERAL INSTRUCTIONS FOR USERS

Dissolving of medium: Accurately weigh the appropriate amount of dehydrated medium. Add part of the required amount of distilled water / deionized water and swirl to dissolve. Now add remaining water from the sides of container with gentle heating to dissolve it completely. While performing it one should avoid overheating, scorching or burning.

pH adjustment: The pH value of the media shall produce the equivalent value at 25°C as mentioned on the label. For best results, prepare the medium with distilled or deionised water only. If old material is being used, it is recommended to check pH and correct if necessary before use. pH adjustment (if required) should be carried out with 0.1N Hydrochloric Acid or Sodium Hydroxide Solution.

Sterilization: Generally, sterilization is done at 121°C for 15 mins at 15 psi using autoclave. Volume larger than 2 ltr may require more autoclaving time to achieve proper sterilization. Colour of the media may vary from other brands but the growth of microorganisms will be same as desired.

Pressure-Temperature Relations in autoclave (Figure based on complete replacement of air by steam)

PRESSURE (IN PSI)	TEMPERATURE	
5	109 °C	228°F
10	115 °C	240°F
15	121 °C	250°F
20	126 °C	259°F
25	130 °C	267°F
30	135 °C	275°F

Note: Efficiency of the autoclave should be ascertained from time to time using various biological or chemical indicators (Refer to page 210 - 211)

Adding Enrichment and Supplement: Enrichments and Supplements are heat sensitive. Cool the medium to 45-55°C and add enrichments or supplement to the basal medium. Mix the enrichments or supplements thoroughly.

Dispensing of the Media: Cool the agar based medium to 40-50°C and pour as desired.

For Plating : After autoclaving pour into Petri plates, place them in upright position to cool under laminar flow & immediately cover with lid.

For Broth : After dissolving the media, dispense appropriate quantity (8ml) into the tubes and then autoclave. Sterile broth may be cooled to room temperature or laminar flow as desired.

For Slant : After dissolving the media, dispense appropriate quantity (8ml) into the tubes and then autoclave. Remove from autoclave and keep in slanted position to solidify.

Storage of prepared medium: If the prepared media are not to be used within 24 hours then these should be stored at low temperature i.e. 2-8°C in moisture proof container. Do not refrigerate the medium. Petri plates should be kept in upright position. Also, it is recommended to use Paraffin and then to keep in plastic zip bags when stored at 2-8°C. Ensure it does not retain moisture.

TROUBLESHOOTING GUIDE

Problem	A	B	C	D	E	F	G	H	Other Causes
Abnormal Color of Medium	★	★	★						
Incorrect pH	★	★	★	★	★	★	★		Storage at high temperature hydrolysis of ingredients pH determined at wrong temperature.
Nontypical Precipitate	★	★	★	★	★	★			
Incomplete Solubility					★				Inadequate heating inadequate convection in a too small flask.
Darkening	★			★	★	★			
Toxicity		★	★						Burning and Scorching
Tract Substances		★							Airborne or environmental sources of vitamins.
Loss of Gelation Property				★	★	★		★	Hydrolysis of agar due to pH shift not boiling medium.
Loss of Nutritive Value or Selective or Differential Properties	★			★	★	★	★	★	Burning or scorching presence of strong electrolyte, sugar solutions, deterdents, antiseptics, metallic poisons, protein, materials or ather substances that may inhibit the inoculums.
Contamination									Improper sterilization poor technique in adding enrichments and pouring plates. Non boiling agar containing medium.

A - Deteriorated Dehydrated Medium B - Improperly Washed Glassware C - Impure Water D - Incorrect Weighing
E - Incomplete Mixing F - Overheating G - Repeated Remelting H - Dilution by Too Large Inoculum

DISPOSAL OF MEDIA

All samples and cultures should be handled carefully and should not be discard without autoclaving. These should be discarded after autoclaving at 15 psi (121 °C) for 20 minutes. Whereas, high number of pathogenic organisms can be disastrous to mankind, hence they must be disposed off safely under the approved strict guidelines of biological safety and regulations.

CHECK LIST

- ♦ Read instructions carefully given over the labels and note the best before date of each lot before use.
- ♦ Confirm the physical characteristics of Dehydrated Culture Media, it should be homogenous and free flowing.
- ♦ Since the Culture Media are highly hygroscopic, store them in cool (preferred below 25°C, unless and otherwise specified) and dry place. Protect it from direct sunlight and humid place.
- ♦ Ensure proper capping box after use.
- ♦ Efficiency of the autoclave should be ascertained from time to time using various physical measurements or Biological/Chemicals indicators.
- ♦ Avoid contaminated apparatus and glassware.
- ♦ The petri plates should be sterilized by keeping washed and dried plates in oven at 150°C for 2 hours.
- ♦ Never store the prepared media at 0°C.
- ♦ Bring the stored media to room temperature before use or as per instructions for use.

SAFETY MEASURES

- ♦ Take care while using hazardous chemicals and use methods which reduce the risk of inhalation, ingestion and contact with skin, eyes and clothing. To avoid mishappening wear protective clothing and equipment's.
- ♦ Do not eat, drink or smoke while handling and using chemicals.
- ♦ Wash hands and exposed areas thoroughly and change contaminated clothings.
- ♦ Consult doctor immediately if a ected by chemicals and use appropriate first aid.

Dehydrated Culture Media **A**

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 001	A-1 MEDIUM for determination of faecal coliforms in water and foods by MPN technique		31.50	100 gm 500 gm
TM 1938	AATCC BACTERIOSTASIS AGAR for the detection of antibacterial activity of fabrics		35.00	500 gm
TM 1939	AATCC BACTERIOSTASIS BROTH (FDA BROTH) for routine antibacterial testing of antiseptics and disinfectants		20.00	500 gm
TM 002	AC AGAR for cultivation of various microorganisms especially for sterility testing		35.20	500 gm
TM 003	AC BROTH for cultivation of aerobes and sterility testing of biological products without mercurial preservatives		34.20	500 gm
TM 401	ACETAMIDE AGAR (DOUBLE PACK) for confirmation of Pseudomonas aeruginosa in water samples	(Part I) (Part II)	10.00 22.63	500 gm -
TM 1942	ACETAMIDE AGAR, MODIFIED (DOUBLE PACK) for confirmation of Pseudomonas aeruginosa in water samples	(Part I) (Part II)	03.00 21.73	500 gm -
TM 351	ACETAMIDE BROTH (DOUBLE PACK) for confirmation of Pseudomonas aeruginosa in water samples	(Part I) (Part II)	10.00 07.63	100 gm 500 gm
TM 1943	ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018) for confirmation of non-fermentative Gram-negative bacteria, particularly Pseudomonas aeruginosa	(Part I) (Part II)	02.00 01.40	100 gm 500 gm
TM 1128	ACETAMIDE NUTRIENT BROTH (DOUBLE PACK) for the detection of microbial utilization of acetamide	(Part I) (Part II)	00.56 02.00	100 gm 500 gm
TM 1324	ACETATE AGAR for the isolation and cultivation of Leuconostoc and Pediococcus species		61.90	500 gm
TM 006	ACETATE DIFFERENTIAL AGAR for the differentiation of Shigella species from E.coli and non fermentative gram-negative bacilli		29.18	500 gm
TM 1944	ACETATE DIFFERENTIAL AGAR, MODIFIED for the differentiation of Shigella species from Escherichia coli in accordance with FDA BAM		29.28	500 gm
TM 1129	ACETOBACTER AGAR (GLUCOSE) for maintenance of dextrose positive Acetobacter species		38.00	500 gm
TM 1911	ACETOBACTER BROTH (GLUCOSE) For glucose positive Acetobacter species		23.00	500 gm
TM 1130	ACETOBACTER AGAR (MANNITOL) for maintenance of mannitol positive Acetobacter species		48.00	500 gm
TM 1912	ACETOBACTER BROTH (MANNITOL) For mannitol positive Acetobacter species.		33.00	500 gm
TM 1131	ACETOBACTER AGAR W/LIVER EXTRACT for maintenance of dextrose positive Acetobacter species		57.00	500 gm
TM 1945	ACID AGAR for cultivation of acid tolerant microorganisms from canned food		27.50	500 gm
TM 1946	ACTIDIONE AGAR W/ACTIDIONE® for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds		75.26	500 gm
TM 1947	ACTIDIONE AGAR BASE W/O ACTIDIONE® for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds		75.25	500 gm
TM 1133	ACTINOMYCES AGAR for cultivation and maintenance of anaerobic Actinomyces species		77.22	500 gm
TM 1134	ACTINOMYCES BROTH for cultivation and maintenance of anaerobic Actinomyces species		57.22	500 gm

A Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 007	ACTINOMYCETE ISOLATION AGAR for isolation and propagation of Actinomycetes from soil and water	21.70	500 gm
TM 1948	ADAMS AGAR for examination of sporulation in yeasts	22.70	500 gm
TM 1136	AEROMONAS ISOLATION MEDIUM BASE for selective & differential isolation of Aeromonas hydrophila from clinical & environmental samples	56.30	500 gm
TS 099	AEROMONAS SELECTIVE SUPPLEMENT *	#18 vl	5 vl
TM 1949	AEROMONAS SELECTIVE AGAR (BSIBG AGAR) for the selective isolation of Aeromonas species from food and clinical samples	45.48	500 gm
TM 1137	AEROMONAS STARCH DNA AGAR BASE for selective isolation and enumeration of Aeromonas species from food and clinical samples	52.00	500 gm
TS 097	AMPICILLIN SUPPLEMENT *	#10 vl	5 vl
TM 1482	AEROMONAS PSEUDO SELECTIVE AGAR for detecting Pseudomonas and Aeromonas species in foodstuffs and waste water	44.86	500 gm
TM 1950	AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH CHLORAMPHENICOL) (as per EP/BP) for selective cultivation of yeasts and moulds	61.41	500 gm
TM 1951	AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS) (as per EP/BP) for selective cultivation of yeasts and moulds	61.36	500 gm
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#6 vl	5 vl
TM 1952	AGAR MEDIUM F (CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE) (as per EP/BP) for detection and enumeration of Enterobacteria	50.12	500 gm
TM 977	AGAR MEDIUM J (DEOXYCHOLATE CITRATE AGAR) (as per BP/EP/IP) for selective isolation of enteric pathogens	69.01	100 gm 500 gm
TM 1953	AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per EP) for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods, dairy products	57.59	100 gm 500 gm
TM 1954	AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per BP) for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods, dairy products	58.90	100 gm 500 gm
TM 1955	AGAR MEDIUM M (TRIPLE SUGAR, IRON AGAR) (as per BP/EP) for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation and hydrogen sulphide production	64.02	100 gm 500 gm
TM 636	AGAR MEDIUM O (BAIRD PARKER AGAR BASE) (as per USP/EP/BP) for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl *	#4 vl	5 vl
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 vl 25 vl
TM 1956	AGAR MEDIUM S (R-2 A AGAR) (as per EP/BP) for heterotrophic plate count of treated potable water using longer incubation periods	18.12	500 gm
TM 1326	AK AGAR NO. 2 (SPORULATING AGAR) (ARRET AND KIRSHBAUM MEDIUM) for production of spores of Bacillus subtilis ATCC 6633 which are used as inoculum in detection of Penicillin and other antibiotics	30.80	500 gm
TM 1940	AKI MEDIUM for identification of Vibrio species in accordance with FDA	24.00	500 gm
TM 1889	ALEKSANDROW AGAR for isolation and detection of potassium solubilizing bacteria from soil sample	29.60	500 gm
TM 1890	ALEKSANDROW BROTH for enrichment of potassium solubilizing bacteria from soil samples	09.60	500 gm

Dehydrated Culture Media **A**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1443	ALOA LISTERIA AGAR BASE (L. MONO DIFFERENTIAL AGAR BASE) for selective and differential isolation of <i>Listeria monocytogenes</i>	72.00	100 gm 500 gm
TS 227	L.MONO SELECTIVE SUPPLEMENT I *	#14 vl	5 vl
TS 228	L.MONO SELECTIVE SUPPLEMENT *	#14 vl	5 vl
TS 229	L.MONO ENRICHMENT SUPPLEMENT II *	#14 vl	5 vl
TM 647	ALGAE CULTURE AGAR for isolation and cultivation of algae from soil and water	16.87	500 gm
TM 648	ALGAE CULTURE BROTH for isolation and cultivation of algae from soil and water	01.87	100 gm 500 gm
TM 008	ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 & 2:2007) for detection and enrichment of <i>Vibrio</i> species.	50.00	500 gm
TM 352	ALKALINE PEPTONE WATER (pH 8.4) for enrichment of <i>Vibrio</i> species	20.00	100 gm 500 gm
TMV 352	ALKALINE PEPTONE WATER (pH 8.4) (VEG.) for enrichment of <i>Vibrio</i> species	20.00	100 gm 500 gm
TM 649	ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005) for enrichment of <i>Vibrio</i> species.	15.00	100 gm 500 gm
TM 1878	ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&2:2007) for enrichment of <i>Vibrio</i> species from food and water samples	40.00	100 gm 500 gm
TM 301	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm
TMV 301	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) (VEG.) for sterility testing of turbid or viscous biological products	28.50	100 gm 500 gm
TM 302	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per IP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm
TMV 302	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per IP) (VEG.) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm
TM 1957	ALTERNATIVE THIOGLYCOLLATE MEDIUM, STERILE POWDER for evaluation of sterility in manufacturing process	29.00	500 gm
TM 456	AMIES TRANSPORT MEDIUM W/O. CHARCOAL for transportation and preservation of bacteriological samples	09.75	100 gm 500 gm
TM 009	AMIES TRANSPORT MEDIUM W/ CHARCOAL for transportation and preservation of bacteriological samples	19.75	100 gm 500 gm
TM 556	AMMONIUM PHOSPHATE AGAR for detection of the ability of microorganisms to utilize ammonium phosphate as nitrogen source	26.50	500 gm
TM 1958	AMPICILLIN DEXTRIN AGAR BASE for differential and selective isolation of <i>Aeromonas</i> species from water samples	37.38	500 gm
TS 319	AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT	#14 vl	5 vl
TM 1959	AMPICILLIN DEXTRIN BROTH BASE for differential and selective isolation of <i>Aeromonas</i> species from water samples	22.38	500 gm
TS 319	AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT	#22 vl	5 vl
TM 010	ANAEROBIC AGAR for cultivation of anaerobic bacteria especially <i>Clostridium</i> species	58.00	100 gm 500 gm
TM 011	ANAEROBIC AGAR (BREWER) for isolation and sensitivity testing of anaerobic and microaerophilic organisms	53.00	500 gm
TM 1497	ANAEROBIC BASAL AGAR for cultivation of anaerobic microorganisms, like <i>Bacteroides</i> and other fastidious anaerobes	46.00	500 gm

A Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1498	ANAEROBIC BASAL BROTH for cultivation of anaerobic microorganisms like Bacteroides and other fastidious anaerobes	35.40	500 gm
TM 927	ANAEROBIC BLOOD AGAR BASE for isolation and cultivation of Group A and B Streptococci from clinical samples	40.00	500 gm
TS 095	NEOMYCIN SUPPLEMENT *	#13 vl	5 vl
TM 1960	ANAEROBIC BLOOD AGAR BASE for cultivation of anaerobic microorganisms, including very fastidious organisms from clinical specimens	44.00	500 gm
TS 266	VITAMIN K1 SUPPLEMENT *	#12 vl	5 vl
TM 1961	ANAEROBIC CNA AGAR BASE * for selective isolation of anaerobic Streptococci	44.14	100 gm
TM 1962	ANAEROBIC EGG AGAR BASE Anaerobic Egg Agar Base supplemented with egg yolk emulsion is recommended Clostridium perfringens in foods	55.00	500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#15 vl	5 vl
TM 651	ANAEROBIC FERMENTATION MEDIUM BASE for detection of fermentation reactions of anaerobic microorganisms	40.00	500 gm
TM 1499	ANAEROBIC THIOGLYCOLLATE MEDIUM BASE for cultivation of anaerobes	40.50	500 gm
TM 557	ANAEROBIC TRYPTONE SOYA AGAR for screening anaerobes in cosmetic products like talcum powder	50.41	500 gm
TM 1859	ANDRADE 0.5% LACTOSE PEPTONE WATER for determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	15.01	100 gm 500 gm
TM 1797	ANDRADE LACTOSE PEPTONE WATER to study fermentation reactions of members of the Enterobacteriaceae	25.01	500 gm
TM 012	ANDRADE PEPTONE WATER a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm
TMV 012	ANDRADE PEPTONE WATER (VEG.) a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm
TM 936	ANDRADE PEPTONE WATER (IS : 5887 (Part I and IV) 1976, reaffirmed 2005) A basal medium to study fermentation reactions by adding carbohydrates.	15.10	100 gm 500 gm
TM 652	ANDRADE PEPTONE WATER W/ MEAT EXTRACT a basal medium to study fermentation reactions of members of the Enterobacteriaceae	18.10	500 gm
TM 1963	ANDRADE PEPTONE WATER, MODIFIED for carbohydrate fermentation studies of particularly Enterobacteriaceae members in accordance with FDA BAM, 1998.	23.02	500 gm
TM 390	ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR) for microbiological assay of β -lactam and other antibiotics	30.50	100 gm 500 gm
TMV 390	ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR) (VEG.) for microbiological assay of β -lactam and other antibiotics	30.50	100 gm 500 gm
TM 1729	ANTIBIOTIC ASSAY MEDIUM NO.1 (as per USP) for microbiological assay of β -lactam & other antibiotics	30.50	100 gm 500 gm
TM 359	ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR) for microbiological assay of antibiotics	25.50	500 gm
TMV 359	ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR) (VEG.) for microbiological assay of antibiotics	25.50	500 gm
TM 1731	ANTIBIOTIC ASSAY MEDIUM NO.2 (as per USP) for microbiological assay of antibiotics	25.50	500 gm
TM 1732	ANTIBIOTIC ASSAY MEDIUM B (as per IP) for microbiological assay of antibiotics	25.50	500 gm
TM 1964	ANTIBIOTIC ASSAY MEDIUM B (as per BP) for the microbiological assay of Colistimethate sodium sulphate using Bordetella bronchiseptica and Escherichia coli	44.77	500 gm

Dehydrated Culture Media **A**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 015	ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH) for microbiological assay of antibiotics	17.50	100 gm 500 gm
TMV 015	ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH) (VEG.) for microbiological assay of antibiotics	17.50	100 gm 500 gm
TM 1734	ANTIBIOTIC ASSAY MEDIUM NO. 3 (as per USP) for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm
TM 1735	ANTIBIOTIC ASSAY MEDIUM C (as per IP) for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm
TM 1965	ANTIBIOTIC ASSAY MEDIUM C (as per BP) for turbidimetric assay of a wide variety of antibiotics	19.90	500 gm
TM 427	ANTIBIOTIC ASSAY MEDIUM NO. 4 (YEAST MEAT AGAR) for detection of Penicillin-G in milk using Bacillus stearothermophilus	26.50	500 gm
TMV 427	ANTIBIOTIC ASSAY MEDIUM NO.4 (VEG.) detection of Penicillin-G in milk using Bacillus stearothermophilus	26.50	500 gm
TM 1737	ANTIBIOTIC ASSAY MEDIUM NO. 4 (as per USP) for detection of Penicillin in milk and for microbiological assay of different antibiotics	26.50	500 gm
TM 017	ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT) (as per IP/ USP) for microbiological assay of Streptomycin using Bacillus subtilis	25.50	500 gm
TMV 017	ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR) (VEG.) for microbiological assay of Streptomycin using Bacillus subtilis	25.50	500 gm
TM 1967	ANTIBIOTIC ASSAY MEDIUM E used in the microbiological assay of Neomycin sulphate and Framycetin sulphate using Bacillus subtilis and Bacillus pumilus	28.67	500 gm
TM 1740	ANTIBIOTIC ASSAY MEDIUM E (as per IP) for microbiological assay of Framycetin and Kanamycin using Bacillus subtilis	25.50	500 gm
TM 018	ANTIBIOTIC ASSAY MEDIUM NO. 6 for induction of spore production in Bacillus subtilis strains used in antibiotic assay	30.00	500 gm
TMV 018	ANTIBIOTIC ASSAY MEDIUM NO. 6 (VEG.) for induction of spore production in Bacillus subtilis strains used in antibiotic assay	30.00	500 gm
TM 019	ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TMV 019	ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH) (VEG.) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TM 1743	ANTIBIOTIC ASSAY MEDIUM NO. 8 (as per USP) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TM 1968	ANTIBIOTIC ASSAY MEDIUM F for microbiological assay of Amphotericin B and Nystatin using Saccharomyces cerevisiae and Candida tropicalis	60.00	500 gm
TM 1744	ANTIBIOTIC ASSAY MEDIUM F (as per IP) for microbiological assay of Tetracycline & Oxytetracyline	25.50	500 gm
TM 020	ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR) for assaying the products containing Polymyxin-B	50.00	500 gm
TMV 020	ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR) (VEG.) for assaying the products containing Polymyxin-B	50.00	500 gm
TM 1746	ANTIBIOTIC ASSAY MEDIUM NO. 9 (as per USP) for microbiological plate assay of Carbenicillin, Colistimethate sodium and Polymyxin-B	50.00	500 gm

A Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE
TM 021	ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	(Part I) (Part II)	42.00 Polysorbate 80	500 gm	
TMV 021	ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR) (VEG.) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate sodium	(Part I) (Part II)	42.00 Polysorbate 80	500 gm	
TM 1748	ANTIBIOTIC ASSAY MEDIUM NO. 10 (as per USP) for antibiotic assay of Carbenicillin, Colistimethate sodium and Polymyxin-B	(Part I) (Part II)	42.00	500 gm	
TM 1970	ANTIBIOTIC ASSAY MEDIUM H for the microbiological turbidimetric assay of Apramycin using Salmonella cholerasuis		18.00	500 gm	
TM 1749	ANTIBIOTIC ASSAY MEDIUM H (as per IP) for microbiological plate assay of Carbenicillin and Polymyxin-B	(Part I) (Part II)	42.00	500 gm	
TM 022	ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) for microbiological assay of antibiotics		30.50	100 gm 500 gm	
TMV 022	ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) (VEG.) for microbiological assay of antibiotics		30.50	100 gm 500 gm	
TM 1751	ANTIBIOTIC ASSAY MEDIUM NO. 11 (as per USP) for microbiological assay of antibiotics		30.50	100 gm 500 gm	
TM 1966	ANTIBIOTIC ASSAY MEDIUM D for the microbiological assay of Erythromycin estolate using Klebsiella pneumoniae		19.40	100 gm	
TM 653	ANTIBIOTIC ASSAY MEDIUM D (as per IP) for microbiological assay of antibiotics		30.50	100 gm 500 gm	
TM 023	ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR) for microbiological assay of Amphotericin B & Nystatin using Saccharomyces cerevisiae		62.50	500 gm	
TMV 023	ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR) (VEG.) for microbiological assay of Amphotericin B & Nystatin using Saccharomyces cerevisiae		62.50	500 gm	
TM 024	ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH) for microbiological assay of Candicidin using Saccharomyces cerevisiae		30.00	500 gm	
TMV 024	ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH) (VEG.) for microbiological assay of Candicidin using Saccharomyces cerevisiae		30.00	500 gm	
TM 1753	ANTIBIOTIC ASSAY MEDIUM NO. 13 (as per USP) for turbidimetric microbiological assay of Candicidin using Saccharomyces cerevisiae and to study the effectiveness of antibiotics on yeasts and molds		30.00	500 gm	
TM 025	ANTIBIOTIC ASSAY MEDIUM NO. 19 for microbiological assay of Amphotericin B, Netamycin & Nystatin using Saccharomyces cerevisiae		60.00	500 gm	
TMV 025	ANTIBIOTIC ASSAY MEDIUM NO. 19 (VEG.) for microbiological assay of Amphotericin B, Netamycin & Nystatin using Saccharomyces cerevisiae		60.00	500 gm	
TM 1755	ANTIBIOTIC ASSAY MEDIUM NO. 19 (as per USP) for microbiological assay of Amphotericin B, Netamycin & Nystatin using Saccharomyces cerevisiae		60.00	500 gm	
TM 1969	ANTIBIOTIC ASSAY MEDIUM G for the microbiological assay of Bleomycin sulphate using Mycobacterium smegmatis		38.00	500 gm	
TM 1757	ANTIBIOTIC ASSAY MEDIUM G (as per IP) for microbiological assay of Amphotericin B, and Netamycin using Saccharomyces cerevisiae		60.00	500 gm	
TM 026	ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH) for microbiological assay of Amphotericin B using Candida tropicalis		42.50	500 gm	
TMV 026	ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH) (VEG.) for microbiological assay of Amphotericin B using Candida tropicalis		42.50	500 gm	

Dehydrated Culture Media **A**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 654	ANTIBIOTIC ASSAY MEDIUM NO. 32 for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of Bacillus subtilis ATCC 6633	30.80	500 gm
TMV 654	ANTIBIOTIC ASSAY MEDIUM NO. 32 (VEG.) for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of Bacillus subtilis ATCC 6633	30.80	500 gm
TM 1760	ANTIBIOTIC ASSAY MEDIUM NO. 32 (as per USP) for assay of dihydrostreptomycin and Vancomycin by plate assay method by preparing inoculum of Bacillus subtilis	30.80	500 gm
TM 655	ANTIBIOTIC ASSAY MEDIUM NO. 34 for microbiological assay of Bleomycin by using Mycobacterium smegmatis	23.00	500 gm
TM 1761	ANTIBIOTIC ASSAY MEDIUM NO. 34 (as per USP) for microbiological assay of Bleomycin by using Mycobacterium smegmatis	23.00	500 gm
TM 656	ANTIBIOTIC ASSAY MEDIUM NO. 35 for microbiological assay of Bleomycin using Mycobacterium smegmatis	40.00	500 gm
TMV 656	ANTIBIOTIC ASSAY MEDIUM NO. 35 (VEG.) for microbiological assay of Bleomycin using Mycobacterium smegmatis	40.00	500 gm
TM 1763	ANTIBIOTIC ASSAY MEDIUM NO, 35 (as per USP) for microbiological assay of Bleomycin by using Mycobacterium smegmatis	40.00	500 gm
TM 1971	ANTIBIOTIC ASSAY MEDIUM I for the microbiological turbidimetric assay of Apramycin using Salmonella cholerasuis	18.00	500 gm
TM 1974	ANTIBIOTIC ASSAY MEDIUM NO. 36 a general purpose medium for cultivation of a wide variety of fastidious microorganisms	40.00	100 gm 500 gm
TM 345	ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMV 345	ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP)(VEG.) for isolation of various fastidious microorganisms with or without added blood	40.00	100 gm 500 gm
TM 1767	ANTIBIOTIC ASSAY MEDIUM J (as per IP) for cultivation of various microorganisms and for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm
TMV 1767	ANTIBIOTIC ASSAY MEDIUM J (as per IP) (VEG.) for cultivation of various microorganisms and for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm
TM 332	ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TMV 332	ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH) (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TM 1476	ANTIBIOTIC ASSAY MEDIUM NO. 37 (as per USP) for sterility testing of molds and cultivation of various microorganisms	30.00	100 gm 500 gm
TM 658	ANTIBIOTIC ASSAY MEDIUM NO. 38 for microbiological assay of Ticarcillin using Pseudomonas aeruginosa	45.40	500 gm
TMV 658	ANTIBIOTIC ASSAY MEDIUM NO. 38 (VEG.) for microbiological assay of Ticarcillin using Pseudomonas aeruginosa	45.40	500 gm
TM 1770	ANTIBIOTIC ASSAY MEDIUM NO. 38 (as per USP) for microbiological assay of Ticarcillin using Pseudomonas aeruginosa	45.40	500 gm
TM 659	ANTIBIOTIC ASSAY MEDIUM NO. 39 for microbiological assay of Neomycin and Streptomycin using Klebsiella pneumoniae	17.50	500 gm
TMV 659	ANTIBIOTIC ASSAY MEDIUM NO. 39 (VEG.) for microbiological assay of Neomycin using Klebsiella pneumoniae	17.50	500 gm
TM 1772	ANTIBIOTIC ASSAY MEDIUM NO. 39 (as per USP) for microbiological assay of Neomycin using Klebsiella pneumoniae	17.50	500 gm

A Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 660	ANTIBIOTIC ASSAY MEDIUM NO. 40 for microbiological assay of Thiostrepton using Streptococcus faecium (Enterococcus faecium)	47.10	500 gm
TMV 660	ANTIBIOTIC ASSAY MEDIUM NO. 40 (VEG.) for microbiological assay of Thiostrepton using Streptococcus faecium	47.10	500 gm
TM 1774	ANTIBIOTIC ASSAY MEDIUM NO. 40 (as per USP) for microbiological assay of Thiostrepton using Streptococcus faecium	47.10	500 gm
TM 661	ANTIBIOTIC ASSAY MEDIUM NO. 41 for the microbiological assay of Thiostrepton using Streptococcus faecium as the test organism	46.00	500 gm
TMV 661	ANTIBIOTIC ASSAY MEDIUM NO. 41 (VEG.) for the microbiological assay of Thiostrepton using Streptococcus faecium as the test organism	46.00	500 gm
TM 1776	ANTIBIOTIC ASSAY MEDIUM NO. 41 (as per USP) for the microbiological assay of Thiostrepton using Streptococcus faecium as the test organism	46.00	500 gm
TM 1972	ANTIBIOTIC ASSAY MEDIUM L - AOAC for microbiological assay of Monensin using Bacillus subtilis	28.64	500 gm
TM 1973	ANTIBIOTIC ASSAY MEDIUM M - AOAC for microbiological assay of Lasalocid using Bacillus subtilis	33.64	500 gm
TM 1460	ANTIBIOTIC SULPHONAMIDE SENSITIVITY TEST AGAR (ASS AGAR) for testing antimicrobial activity of antibiotics and sulphonamides and also for detecting the presence of antimicrobial substances	40.04	500 gm
TM 027	ANTIFUNGAL ASSAY AGAR for assay of antifungal activity in pharmaceutical and other products by cylinder plate/disc method	75.76	500 gm
TM 1975	ANTIMICROBIAL INHIBITOR TEST AGAR pH 6.0 for residual analysis of antimicrobial components in meat and organ samples, using Bacillus subtilis	25.00	500 gm
TM 1976	ANTIMYCOTIC SENSITIVITY TEST AGAR for testing antimycotic sensitivity by diffusion method using antimycotic sensitivity discs	85.00	500 gm
TM 1329	APRY AGAR BASE for detection and isolation of acid resistant yeasts, Zygosaccharomyces bacillii and Zygosaccharomyces rouxii in food products	107.50	500 gm
TS 137	POTASSIUM SORBATE 10% (10ml/vl)	#5 vl	5 vl
TM 1330	APRY BROTH BASE for detection and isolation of acid resistant yeasts, Zygosaccharomyces bacillii and Zygosaccharomyces rouxii in food products	82.55	500 gm
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT	#6 vl	5 vl
TM 1323	APT AGAR for cultivation of hetero-fermentative Lactobacilli and other organisms by extra thiamine content	61.20	500 gm
TM 1462	APT BROTH for cultivation of hetero-fermentative Lactic acid bacteria by extra thiamine content	46.20	500 gm
TM 1470	ARABINOSE AGAR BASE for differentiation between Enterococcus faecium & Streptococcus faecalis	54.10	500 gm
TS 168	ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *	#19 vl	5 vl
TM 1140	ARGININE DIHYDROLASE BROTH for detection of Arginine dihydrolase producing microorganisms	19.30	500 gm
TM 1505	L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006) for confirmation of Enetrococcus sakazakii from milk and milk products	09.01	500 gm

Dehydrated Culture Media **A**

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	
TM 1141	ASCOSPORE AGAR for detection of ascosporegenous yeasts		43.50	500 gm	
TM 1977	ASEPTIC PACKING LINE MEDIUM a Fluid medium used in validating aseptic packing lines		17.50	500 gm	
TM 662	ASHBY'S GLUCOSE AGAR for cultivation of Azotobacter species by using glucose as carbon source		40.70	500 gm	
TM 663	ASHBY'S MANNITOL AGAR for isolation of Azotobacter species from soil		40.70	500 gm	
TM 1978	ASHBY'S SUCROSE AGAR for growth and maintenance of Azotobacter species from soil samples		40.70	500 gm	
TM 1979	ASHBY'S SUCROSE BROTH for growth and maintenance of Azotobacter species		25.70	500 gm	
TM 1980	ASPARAGINE BROTH FOR PSEUDOMONAS for presumptive identification and enumeration of Pseudomonas aeruginosa by MPN method		04.24	100 gm 500 gm	
TM 1331	ASLA AGAR BASE for selective isolation and cultivation of Propionibacterium species		16.19	500 gm	
TS 139	PROPIONIBACTERIA GROWTH SUPPLEMENT		#62 vl	5 vl	
TM 664	ASPARAGINE BROTH * for identification and enumeration of Pseudomonas aeruginosa		28.00	100 gm 500 gm	
TM 665	ASPARAGINE GELATIN LACTATE MEDIUM BASE for isolation of sulphur bacteria		152.5	100 gm	
TM 599	ASPARAGINE NITRATE MEDIUM for cultivation and isolation of denitrifying bacteria from soil		27.70	100 gm	
TM 666	ASPARAGINE PROLINE BROTH for cultivation of Pseudomonas aeruginosa from water by membrane filter technique		14.50	100 gm 500 gm	
TMV 666	ASPARAGINE PROLINE BROTH (VEG.) for cultivation of Pseudomonas aeruginosa from water by membrane filter technique		14.50	100 gm 500 gm	
TM 667	ASPERGILLUS DIFFERENTIATION MEDIUM BASE detection of aflatoxin producing Aspergillus species from foods		45.50	500 gm	
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *		#22 vl	5 vl 25 vl	
TM 1941	ATCC 2039 BROTH (DOUBLE PACK) for maintenance of cultures of Streptococci and other microorganisms		22.05	500 gm	
TM 431	AYERS AND JOHNSON AGAR (STOCK CULTURE AGAR) for maintenance of cultures of Streptococci and other microorganisms		50.00	500 gm	
TM 028	AZIDE BLOOD AGAR BASE for selective isolation and cultivation of Staphylococci & Streptococci from mixed bacterial flora		33.20	500 gm	
TM 412	AZIDE DEXTROSE BROTH for detection of faecal Streptococci in water, sewage, food and other materials		34.70	500 gm	
TM 029	AZIDE DEXTROSE BROTH W/ BCP for cultivation of faecal Streptococci in water		34.70	500 gm	
TM 638	AZOSPIRILLUM MEDIUM W/ 0.17% AGAR (DOUBLE PACK) for cultivation of Azospirillum species	(Part I) (Part II)	08.08 04.00	100 gm 500 gm	
TM 1981	AZOSPIRILLUM MEDIUM W/O AGAR (DOUBLE PACK) for cultivation of Azospirillum species	(Part I) (Part II)	06.33 04.00	500 gm -	-

A Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1982	AZOTOBACTER AGAR (GLUCOSE) for isolation and cultivation of Glucose positive Azotobacter species from soil	31.40	500 gm
TM 353	AZOTOBACTER AGAR (DEXTROSE) for isolation and cultivation of dextrose positive Azotobacter species from soil	31.40	500 gm
TM 1648	AZOTOBACTER BROTH (DEXTROSE) for enrichment & cultivation of Azotobacter species from soil	16.40	500 gm
TM 354	AZOTOBACTER AGAR (MANNITOL) for isolation, cultivation and identification of mannitol positive Azotobacter species from soil	41.40	500 gm
TM 1983	AZOTOBACTER BROTH (MANNITOL) for cultivation of mannitol positive Azotobacter species from soil.	26.40	500 gm
TM 1649	AZOTOBACTER MEDIUM (MANNITOL) for isolation, cultivation and enrichment of Azotobacter species	26.40	500 gm
TM 1877	AZOTOBACTER AGAR (SUCROSE) for isolation, cultivation and identification of sucrose positive Azotobacter species from soil	36.37	500 gm
TM 1865	B12 ASSAY AGAR (using E.coli mutant Culture) * for microbiological assay of Vitamin B12 by plate method using E.coli mutant as test organism	51.50	100 gm
TM 1866	B12 ASSAY AGAR (using L.leichmannii) * for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii as test organism	84.50	100 gm
TM 1985	B12 ASSAY MEDIUM (using L.leichmannii) * for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii	84.53	100 gm
TM 1986	B12 ASSAY MEDIUM * for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii	79.36	100 gm
TM 1879	B12 CULTURE AGAR (E.coli Maintenance Medium) (E. coli Mutant Culture Agar) for propagation, cultivation and maintenance of E. coli mutant used in microbiological assay of Vitamin B12	37.85	100 gm
TM 1880	B12 CULTURE AGAR (L.leichmannii Maintenance Medium) for propagation, cultivation and maintenance of L.leichmannii ATCC 7830	42.10	100 gm
TM 030	B.A.G.G BROTH BASE (BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE) for detection of faecal Streptococci from various clinical and non-clinical samples	36.00	500 gm
TM 1984	B.C.P. - D.C.L.S. Agar for the selective isolation of Salmonella and Shigella species	67.52	500 gm
TM 2442	BAT AGAR (ALICYCLOBACILLUS AGAR) for the isolation of Alicyclobacillus species in fruit juices	28.95	500 gm
TM 938	B.C. MOTILITY TEST MEDIUM (BC MOTILITY MEDIUM) for motility testing of Bacillus cereus	23.00	500 gm
TM 035	B.C.G. DEXTROSE AGAR (SNYDER TEST AGAR) for estimation of Lactobacilli, an indication of caries activity	65.00	500 gm
TM 1987	B.D.G - BROTH HAJNA for the detection of enteric bacilli from food and in treated drinking water	35.60	500 gm
TM 033	BG SULPHA AGAR (BRILLIANT GREEN SULPHA AGAR) for isolation and detection of Salmonella species from food	59.09	100 gm 500 gm
TM 1988	BHI CC AGAR (BRAIN HEART INFUSION CC AGAR) * for selective isolation and cultivation of fastidious pathogenic fungi from specimens heavily contaminated with bacteria	52.50	100 gm
TM 1989	BHI AGAR (BRAIN HEART INFUSION AGAR) (SPECIAL INFUSION AGAR) for the cultivation of fastidious pathogenic bacteria, yeasts and moulds from clinical and non clinical samples	52.50	100 gm 500 gm
TM 1990	BHI AGAR MODIFIED (BRAIN HEART INFUSION AGAR, MODIFIED) for the cultivation of a wide variety of organisms like bacteria, yeasts and moulds	53.00	500 gm
TM 1991	BHI AGAR (BRAIN HEART INFUSION AGAR WITH 1% AGAR) for the cultivation of fastidious pathogenic bacteria, yeasts and moulds	47.00	500 gm

Dehydrated Culture Media **B**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1992	BHI W/ 0.1% AGAR (BRAIN HEART INFUSION W/ 0.1% AGAR) for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm
TM 1993	BHI W/ 6.5% NaCL (BRAIN HEART INFUSION BROTH WITH 6.5 % NaCL) for the selective cultivation of salt tolerant microorganisms	97.00	500 gm
TM 1994	BHI AGAR W/ 3.0% AGAR (BRAIN HEART INFUSION AGAR WITH 3.0% AGAR) for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm
TM 1995	BHI W/ PABA(BRAIN HEART INFUSION W/ PABA) for examination of blood from patients under Sulphonamide therapy	37.05	500 gm
TM 1996	BHI AGAR W/ PABA (BRAIN HEART INFUSION W/ PABA AND AGAR) for culturing blood from patients under Sulphonamide therapy	38.05	500 gm
TM 668	B.T.B. LACTOSE AGAR for isolation of pathogenic Staphylococci	33.17	100 gm 500 gm
TM 669	B.T.B. LACTOSE AGAR, MODIFIED for differentiating lactose positive and lactose negative colonies of Enterobacteriaceae	40.04	500 gm
TM 045	BPL AGAR (BRILLIANT GREEN PHENOL RED LACTOSE AGAR) for isolation and identification of Salmonellae except Salmonella Typhi in faeces, urine and milk	30.00	500 gm
TM 216	B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ LIVER EXTRACT) for mass cultivation of anaerobes for vaccine production	30.00	500 gm
TMV 216	B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ VEG. EXTRACT) for mass cultivation of anaerobes for vaccine production	52.00	500 gm
TM 1998	BYE AGAR for the cultivation of Mycoplasma or Pleuropneumonia like organisms and L-forms of bacteria	41.00	500 gm
TM 1120	BACILLUS CEREUS AGAR BASE selective isolation and enumeration of Bacillus cereus	41.00	100 gm 500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#25 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#7 vl	5 vl
TM 1881	BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004) selective isolation and enumeration of Bacillus cereus	46.03	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl
TM 941	BACILLUS DIFFERENTIATION AGAR for differentiation of Bacillus cereus and Bacillus subtilis based on mannitol fermentation	22.00	500 gm
TM 942	BACILLUS MEDIUM (DOUBLE PACK) for cultivation of Bacillus licheniformis	(Part I) 07.50 (Part II) 20.00	100 gm 500 gm
TM 1144	BACTEROIDES BILE ESCULIN AGAR BASE (BBE AGAR BASE) for selective isolation, identification and cultivation of Bacteroides fragilis group	61.51	500 gm
TS 100	BACTEROIDES SELECTIVE SUPPLEMENT *	#17 vl	5 vl

B Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 358	BAIRD PARKER AGAR BASE for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl
TS 004	B. P. SULPHA SUPPLEMENT *	#8 vl	5 vl
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl
TMV 358	BAIRD PARKER AGAR BASE(VEG.) for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	100 gm 500 gm
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl
TS 004	B. P. SULPHA SUPPLEMENT *	#8 vl	5 vl
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl
TM 1999	BAIRD PARKER AGAR BASE (FPT) for the isolation and enumeration of coagulase positive Staphylococci from food and other materials	63.00	100 gm 500 gm
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl
TM 1579	BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 & 2:1999) for isolation & enumeration of coagulase positive Staphylococci from foods & pharma products	56.00	500 gm
TS 001	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl
TM 635	BAIRD PARKER AGAR BASE (IS : 5887 (Part II) 1976, reaffirmed 2005.) for isolation and enumeration of coagulase positive Staphylococci from food and other products.	65.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 VL	5 vl
TM 636	BAIRD PARKER AGAR BASE (AGAR MEDIUM O) (as per USP/EP) for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 VL 25 vl
TMH 119	BAIRD PARKER AGAR BASE (as per EP/IP/BP) for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 VL 25 vl
TM 2000	BAIRD PARKER AGAR W/O EGG YOLK EMULSION recommended for direct enumeration of coagulase positive Staphylococci	47.73	100 gm 500 gm
TM 943	BAIRD PARKER AGAR BASE W/ SULPHA for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl)*	#4 vl	5 vl
TS 002	EGG YOLK EMULSION (100 ml /vl)*	#4 vl	5 vl
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl)*	#3 vl	5 vl
TM 670	BAIRD STAPHYLOCOCCUS ENRICHMENT BROTH BASE for selective enrichment of pathogenic Staphylococci	43.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#12 vl	5 vl 25 vl
TM 032	BALANCED SENSITIVITY TEST MEDIUM for antimicrobial susceptibility testing by agar diffusion	65.02	500 gm

Dehydrated Culture Media **B**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2001	BASAL MINERAL MEDIUM for cultivation of Beggiatoa species	01.53	500 gm
TM 359	BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 2) (as per IP) for microbiological assay of antibiotics	25.50	500 gm
TM 019	BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TM 1743	BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8) (as per USP) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TM 2002	BEER SPOILAGE ISOLATION BROTH for recommended as a selective medium for the detection of contaminating/spoilage microorganisms	109.08	100 gm
TM 2003	BEER SPOILAGE ISOLATION AGAR for selective medium recommended for the detection of contaminating/spoilage microorganisms	69.90	100 gm
TM 2004	BENNET'S AGAR for the sporulation and cultivation of Nocardia and Streptomyces species	29.00	500 gm
TM 1997	BENNET'S BROTH for the cultivation and maintenance of species of Nocardia, Streptomyces and Micromonospora	14.00	500 gm
TM 671	B. MEAT EXTRACT AGAR general purpose medium	33.00	100 gm 500 gm
TM 672	B. MEAT EXTRACT BROTH general purpose medium	18.00	500 gm
TM 1891	BIFIDOBACTERIUM AGAR for the cultivation and maintenance of Bifidobacterium species	49.30	500 gm
TM 1892	BIFIDOBACTERIUM BROTH for the cultivation of Bifidobacterium species	78.65	500 gm
TM 238	Bi.G.G.Y AGAR (NICKERSON MEDIUM) for detection, selective isolation, differentiation & presumptive identification of Candida tropicalis	45.00	500 gm
TM 303	BILE BROTH BASE for cultivation of Enterobacteriaceae group	30.00	100 gm 500 gm
TM 036	BILE ESCULIN AGAR (ISO 10273:1994) for isolation & identification of Yersinia enterocolitica from food and animal feeding products	64.50	100 gm 500 gm
TM 673	BILE ESCULIN AGAR W/ KANAMYCIN for selective isolation and presumptive identification of Bacteroides fragilis from mixed flora	44.60	100 gm 500 gm
TM 037	BILE ESCULIN AGAR BASE for differential & presumptive identification of group D Streptococci from food & pharma products	63.50	500 gm
TS 090	ESCULIN SUPPLEMENT (0.5g/vl) *	#16 vl	5 vl
TM 2005	BILE ESCULIN AGAR, MODIFIED for isolation and presumptive identification of group D Streptococci/Enterococci from food and pharmaceutical products	44.50	500 gm
TM 038	BILE ESCULIN AZIDE AGAR for selective isolation and presumptive identification of faecal Streptococci	56.65	500 gm
TM 1883	BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000) for isolation and presumptive identification of faecal streptococci	56.65	500 gm
TM 2006	BILE ESCULIN AZIDE AGAR, MODIFIED for rapid, selective detection and enumeration of Enterococci and Group D Streptococci	56.25	500 gm
TM 1793	BILE ESCULIN AZIDE BROTH for selective isolation and presumptive identification of faecal Enterococci	43.00	500 gm
TM 2007	BILE ESCULIN AZIDE BROTH, MODIFIED used to differentiate between Enterococci and Group D Streptococci	42.75	500 gm

B Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 304	BILE PEPTONE TRANSPORT MEDIUM for transporting specimens in hot climates prone to Cholera outbreak		25.00	500 gm
TM 410	BILE SALT AGAR for isolation and enumeration of bile tolerant enteric bacilli		43.00	100 gm 500 gm
TM 674	BILE SALT AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005.) for isolation and enumeration of bile tolerant enteric bacilli		40.00	100 gm 500 gm
TM 039	BISMUTH SULPHITE AGAR for selective isolation of Salmonellae from faeces, urine, sewage and other materials		52.33	100 gm 500 gm
TMV 039	BISMUTH SULPHITE AGAR (VEG.) for selective isolation of Salmonellae from faeces, urine, sewage and other materials		52.33	100 gm 500 gm
TM 946	BISMUTH SULPHITE AGAR (as per USP) for selective isolation of Salmonellae from faeces, urine, sewage and other materials		52.32	100 gm 500 gm
TM 414	BISMUTH SULPHITE AGAR (as per IP) (DOUBLE PACK) for selective isolation and identification of Salmonellae	(Part I) (Part II)	40.41 22.54	100 gm 500 gm
TM 2008	BISMUTH SULPHITE AGAR MEDIUM (as per USP) for the selective isolation of Salmonellae from faeces, urine, sewage and other materials		52.32	100 gm 500 gm
TM 2009	BISMUTH SULPHITE AGAR MODIFIED for the selective isolation and preliminary identification of Salmonella Typhi and other Salmonellae from pathological materials, sewage, water supplies, food etc.		40.00	100 gm 500 gm
TM 360	BLOOD AGAR BASE (INFUSION AGAR) for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood		40.00	100 gm 500 gm
TMV 360	BLOOD AGAR BASE (INFUSION AGAR) (VEG.) for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood		40.00	100 gm 500 gm
TM 2010	BLOOD AGAR BASE, MODIFIED for recommended as a base to which blood may be added for use in the isolation and cultivation of fastidious pathogenic microorganisms		33.64	500 gm
TM 040	BLOOD AGAR BASE W/ LOW pH for isolation and cultivation of fastidious organisms after addition of blood		40.00	100 gm 500 gm
TM 041	BLOOD AGAR BASE No. 2 for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms		42.50	100 gm 500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *		#24 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *		#24 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *		#24 vl	5 vl 25 vl
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *		#24 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *		#24 vl	5 vl
TS 011	STREPTO SUPPLEMENT *		#24 vl	5 vl 25 vl
TM 1842	BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017) for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms		42.50	100 gm 500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *		#26 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *		#26 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *		#26 vl	5 vl 25vl
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *		#26 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *		#26 vl	5 vl
TS 011	STREPTO SUPPLEMENT *		#26 vl	5 vl 25 vl

Dehydrated Culture Media **B**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2011	BLOOD AGAR BASE NO. 2 WITH 1.2% AGAR especially to permit the maximum recovery of fastidious pathogenic microorganisms without interfering with their haemolytic reactions	39.50	500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl 25vl
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl
TS 011	STREPTO SUPPLEMENT *	#26 vl	5 vl 25 vl
TM 1145	BLOOD FREE CAMPYLOBACTER BROTH BASE for selective isolation of Campylobacter species	33.50	500 gm
TS 101	CCDA SELECTIVE SUPPLEMENT *	#30 vl	5 vl
TM 1146	BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1&2:2017) for selective isolation and differentiation of Campylobacter species	45.50	500 gm
TS 102	CAMPYLOBACTER SUPPLEMENT V (BFCSA) *	#22 vl	5 vl
TS 103	CAT SELECTIVE SUPPLEMENT *	#22 vl	5 vl
TM 947	BLUE AGAR for study of carbohydrate fermentation by adding carbohydrates	35.08	500 gm
TM 1510	BOLTON BROTH BASE (ISO 10272-1:2017) for selective enrichment of Campylobacter species from foods	27.60	500 gm
TS 179	BOLTON SELECTIVE SUPPLEMENT *	#37 vl	5 vl
TM 044	BORDET GENGOU AGAR BASE for detection and isolation of Bordetella pertussis and Bordetella parapertussis	40.00	500 gm
TS 012	BRODETELLA SELECTIVE SUPPLEMENT *	#25 vl	5 vl
TM 1147	BORDET GENGOU AGAR BASE W/ 1.6% AGAR for detection and isolation of Bordetella pertussis and Bordetella parapertussis	36.00	500 gm
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#28 vl	5 vl
TM 2012	BORDET GENGOU BROTH for the selective enrichment of Bordetella pertussis and Bordetella parapertussis	20.00	500 gm
TM 948	BORIC ACID BROTH for detection and presumptive identification of E.coli on the basis of the ability to grow at 43°C and gas production	34.60	500 gm
TM 581	BRAIN HEART CC AGAR * for selective isolation and cultivation of fastidious fungi like Histoplasma capsulatum and Blastomyces dermatiditis from samples heavily contaminated with bacteria	52.50	100 gm
TM 361	BRAIN HEART INFUSION AGAR for cultivation of fastidious pathogenic bacteria, yeasts and molds	52.00	100 gm 500 gm
TMV 361	BRAIN HEART INFUSION AGAR (VEG.) for cultivation of fastidious pathogenic bacteria, yeasts and molds	52.00	100 gm 500 gm
TM 1990	BRAIN HEART INFUSION AGAR, MODIFIED (BHI AGAR MODIFIED) for the cultivation of a wide variety of organisms like bacteria, yeasts and moulds	53.00	500 gm
TM 1991	BRAIN HEART INFUSION AGAR WITH 1% AGAR (BHI AGAR W/ 1% AGAR) for the cultivation of fastidious pathogenic bacteria, yeasts and moulds	47.00	500 gm
TM 1992	BRAIN HEART INFUSION W/ 0.1% AGAR (BHI W/ 0.1% AGAR) for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm

B Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1993	BRAIN HEART INFUSION BROTH WITH 6.5 % NaCL (BHI W/ 6.5% NaCL) for the selective cultivation of salt tolerant microorganisms	97.00	500 gm
TM 1994	BRAIN HEART INFUSION AGAR WITH 3.0% AGAR (BHI AGAR W/ 3.0% AGAR) for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm
TM 362	BRAIN HEART INFUSION BROTH for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm
TMV 362	BRAIN HEART INFUSION BROTH (VEG.) for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm
TM 1995	BRAIN HEART INFUSION W/ PABA (BHI W/ PABA) for examination of blood from patients under Sulphonamide therapy	37.50	500 gm
TM 1913	BRAIN HEART INFUSION BROTH (ISO 6880-1983) for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations and for enrichment of Staphylococcus aureus	37.00	500 gm
TM 305	BREWER THIOGLYCOLLATE MEDIUM for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm
TMV 305	BREWER THIOGLYCOLLATE MEDIUM (VEG.) for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm
TM 306	BREWER THIOGLYCOLLATE MEDIUM for sterility testing of biological products and for isolation of aerobes and anaerobes	38.50	100 gm 500 gm
TMV 306	BREWER THIOGLYCOLLATE MEDIUM, MODIFIED (LINDEN THIOGLYCOLLATE MEDIUM) (VEG.) for sterility testing of biological products & for isolation of aerobes and anaerobes	38.50	100 gm 500 gm
TM 677	BREWER THIOGLYCOLLATE MEDIUM, MODIFIED for sterility testing of biological products and for isolation of aerobes and anaerobes	20.60	100 gm 500 gm
TM 364	BRILLIANT GREEN AGAR BASE, MODIFIED for selective isolation of Salmonellae other than Salmonella Typhi from faeces and foods etc	58.09	100 gm 500 gm
TS 013	SULPHA SUPPLEMENT *	#18 vl	5 vl
TM 951	BRILLIANT GREEN AGAR MEDIUM (BRILLIANT GREEN AGAR, MODIFIED) (as per USP) for isolation of Salmonellae other than Salmonella Typhi from faeces, foods and dairy products	58.09	100 gm 500 gm
TM 1953	BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR (AGAR MEDIUM L) (as per EP) for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods, dairy products	57.59	100 gm 500 gm
TM 2106	BRILLIANT GREEN AGAR MEDIUM 16. (as per IP) for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods, dairy products etc.	50.09	100 gm 500 gm
TM 047	BRILLIANT GREEN AGAR BASE W/ 1.2% AGAR for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods & dairy products	50.09	100 gm 500 gm
TS 013	SULPHA SUPPLEMENT*	#20 vl	5 vl
TM 046	BRILLIANT GREEN AGAR BASE W/ PHOSPHATES for selective isolation & cultivation of Salmonellae by inhibiting E.coli, Proteus and Pseudomonas species	52.00	500 gm
TS 013	SULPHA SUPPLEMENT*	#20 vl	5 vl
TM 1512	BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975) for selective isolation of Salmonella	54.69	500 gm
TS 013	SULPHA SUPPLEMENT*	#20 vl	5 vl

Dehydrated Culture Media **B**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 952	BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS : 5887 (Part III) 1999, reaffirmed 2005) for selective isolation of Salmonellae by inhibiting E.coli, Proteus and Pseudomonas species	52.00	100 gm 500 gm
TS 013	SULPHA SUPPLEMENT*	#20 vl	5 vl
TM 048	BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR) for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm
TMV 048	BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR) (VEG.) for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm
TM 365	BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (ISO 4831:2006, ISO 4832:2006) for detection and confirmation of coliform bacteria in water and foods	40.00	500 gm
TMV 365	BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (VEG.) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm
TM 678	BRILLIANT GREEN BILE BROTH 2% (BIS) 5401-2-2012 for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm
TM 033	BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR) for isolation and detection of Salmonella species from foods	59.09	100 gm 500 gm
TMV 033	BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR) (VEG.) for isolation and detection of Salmonella species from foods	59.09	100 gm 500 gm
TM 2021	BRILLIANT GREEN PHENOL RED LACTOSE AGAR for selective isolation of Salmonella species from water samples	46.69	500 gm
TM 1463	BROMO CRESOL PURPLE AGAR W/O CARBOHYDRATE (LACTOSE) for detection and confirmation of coliform bacteria in water and foods	28.03	100 gm 500 gm
TM 2016	BROMO CRESOL PURPLE AGAR W/LACTOSE for the isolation of coliforms	28.03	100 gm 500 gm
TM 049	BROMO CRESOL PURPLE AZIDE BROTH for confirmation of the presence of faecal Streptococci in water	35.93	500 gm
TM 568	BROMO CRESOL PURPLE BROTH BASE (YEAST FERMENTATION BROTH BASE) for differentiation of various microorganisms based on their fermentation of specific carbohydrates	18.04	500 gm
TM 2013	BROMO CRESOL PURPLE BROTH W/DEXTROSE for identification of Escherichia coli and coliform bacteria from water samples	28.02	500 gm
TM 2014	BROMOTHYMOL LACTOSE BLUE AGAR It is a selective medium used for the isolation of Gram-negative bacteria from urine & faeces	72.73	500 gm
TM 514	BRUCELLA AGAR BASE for selective isolation and cultivation of Brucella or Campylobacter species	43.10	100 gm 500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl 25vl
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl
TS 011	HORSE SERUM*	#26 vl	5 vl

B Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 514	BRUCELLA AGAR BASE (VEG.) for selective isolation and cultivation of Brucella or Campylobacter species	43.10	100 gm 500 gm
TM 680	BRUCELLA AGAR BASE, MODIFIED for cultivation of Campylobacter species	44.10	500 gm
TS 009	CAMPYLOBACTER SUPPLEMENT-III, (SKIRROW)*	#23 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#24 vl	5 vl 25 vl
TS 014	HORSE SERUM*	600 ml	100 ml
TM 1513	BRUCELLA AGAR BASE W/ 1.0% DEXTROSE for cultivation of Brucella species and for isolation and subculture of anaerobes by adding blood	45.00	500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#36 vl	5 vl 25 vl
TS 014	HORSE SERUM*	900 ml	100 ml
TM 681	BRUCELLA AGAR BASE W/ HEMIN AND VITAMIN K for cultivation of Brucella species and for isolation and subculture of anaerobes by adding blood	43.12	500 gm
TM 050	BRUCELLA BROTH BASE for cultivation & enrichment of Brucella or Campylobacter species	28.10	100 gm 500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#36 vl	5vl 25vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#36 vl	5 vl
TS 014	HORSE SERUM*	890 ml	100 ml
TM 682	BRUCELLA SELECTIVE MEDIUM BASE for isolation and identification of Brucella species	43.50	500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vl	5 vl 25 vl
TM 1514	BRYANT AND BURKEY AGAR for detection and enumeration of spores of lactate fermenting Clostridium in dairy products	34.05	500 gm
TM 683	BRYANT AND BURKEY MEDIUM for detection and enumeration of spores of lactate fermenting Clostridium in dairy products	33.00	500 gm
TM 1464	BRYANT AND BURKEY BROTH BASE (WITH RESAZURIN) for detection and enumeration of spores of lactate fermenting Clostridium in dairy products	31.51	500 gm
TM 030	BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE (B.A.G.G BROTH BASE) for detection of faecal Streptococci from various clinical and non-clinical samples	36.01	500 gm
TM 684	BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE for selective isolation and cultivation of Legionella species	40.00	500 gm
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT *	#5 vl	5 vl 25 vl
TS 016	LEGIONELLA SELECTIVE SUPPLEMENT II *	#5 vl	5 vl
TS 017	LEGIONELLA SELECTIVE SUPPLEMENT III *	#5 vl	5 vl
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *	#5 vl	5 vl
TS 019	LEGIONELLA SUPPLEMENT *	#5 vl	5 vl
TM 1894	BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017) For selective isolation and cultivation of Legionella species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT *	#5 vl	5 vl 25 vl
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *	#5 vl	5 vl
TS 019	LEGIONELLA SUPPLEMENT *	#5 vl	5 vl
TS 254	PCP SUPPLEMENT *	#5 vl	5 vl

Dehydrated Culture Media **B**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 324	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TMV 324	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (VEG.) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TM 685	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (IS: 5887 (Part I, III and IV) 1976, reaffirmed 2005) for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm
TM 2015	BUFFERED GLYCEROL SALINE BASE for collection and transportation of faecal specimens	08.30	100 gm 500 gm
TM 1333	BUFFERED LISTERIA ENRICHMENT BROTH BASE (BLE Broth Base) (as per FDA) for selective isolation of Listeria monocytogenes	48.00	500 gm
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#21 vl	5 vl 25 vl
TMH 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm
TMHV 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) (VEG.) dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm
TM 307	BUFFERED PEPTONE WATER (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017)	20.00	100 gm 500 gm
TMV 307	BUFFERED PEPTONE WATER (VEG.) for pre enrichment of injured Salmonella species prior to selective enrichment and isolation	20.00	100 gm 500 gm
TM 2017	BUFFERED PEPTONE WATER for increasing the recovery of injured Salmonella species from foods prior to selective enrichment and isolation	20.00	100 gm 500 gm
TS 248	EC O157:H7 SELECTIVE SUPPLEMENT *	#17 vl	5 vl 25 vl
TM 686	BUFFERED PEPTONE WATER (IS : 5887 (Part III) 1999, reaffirmed 2005) for pre-enrichment of injured Salmonella species prior to selective enrichment and isolation.	20.07	100 gm 500 gm
TM 1837	BUFFERED PEPTONE WATER (as per EP) for pre enrichment of injured Salmonella species prior to selective enrichment and isolation	16.10	500 gm
TM 2018	BUFFERED PEPTONE WATER (6 FOLD STRENGTH PHOSPHATE BUFFER) a pre-enrichment medium used for increasing the recovery of injured Salmonella species from foods prior to selective enrichment and isolation	45.41	500 gm
TM 2019	BUFFERED PEPTONE WATER WITH NaCl recommended as a diluent for carrying microbial limit test from clinical and non clinical specimens	16.09	500 gm
TM 687	BUFFERED PEPTONE WATER W/ NaCl (as per IP) used as diluents for carrying out microbial limit test	16.09	500 gm
TM 2020	BUFFERED PEPTONE WATER W/ PYRUVATE for the isolation of Enterohemorrhagic E. coli (EHEC)	42.10	100 gm 500 gm
TS 267	ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT) *	#24 vl	5 vl
TM 688	BUFFERED TRYPTONE GLUCOSE YEAST EXTRACT BROTH for cultivation and characterization of Clostridia isolated from food samples	85.00	500 gm
TM 567	BUFFERED YEAST AGAR for cultivation of yeasts and molds in brewery	41.00	500 gm
TM 1934	BURKHOLDERIA CEPACIA AGAR BASE for isolation of Burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	36.52	500 gm

B Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2022	BURKHOLDERIA CEPACIA SELECTIVE AGAR BASE for isolation of Burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	50.06	500 gm
TM 558	BURK'S MEDIUM for isolation and cultivation of nitrogen fixing bacteria like Azotobacter species	21.30	500 gm
TM 559	BUSHNELL HAAS AGAR for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	23.27	500 gm
TM 053	BUSHNELL HAAS BROTH for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	03.27	100 gm 500 gm
TM 1151	CAE AGAR BASE (CITRATE AZIDE ENTEROCOCCUS AGAR BASE) for detection of Enterococci in Meat, dairy product and other food products	58.40	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl
TM 1152	CAL AGAR (CELLOBIOSE ARGININE LYSINE AGAR) for isolation and biochemical identification of Yersinia enterocolitica	46.00	100 gm
TM 1153	CAL BROTH (CELLOBIOSE ARGININE LYSINE BROTH) for isolation and biochemical identification of Yersinia enterocolitica	26.00	100 gm
TM 1154	C. BOTULINUM ISOLATION AGAR BASE for isolation of Clostridium botulinum from food and clinical samples	74.00	500 gm
TS 104	C.B.I. SUPPLEMENT *	#14 vl	5 vl
TS 002	EGG YOLK EMULSION (100 ml /vl)*	#7vl	5 vl
TM 2023	CFC AGAR BASE (CEPHALOTHIN-SODIUM FUSIDATE-CETRIMIDE AGAR) for selective isolation of Pseudomonas species	52.40	100 gm 500 gm
TS 268	MODIFIED CFC SELECTIVE SUPPLEMENT *	#20 vl	5 vl
TM 2024	CFC BROTH BASE for selective isolation of Pseudomonas species	37.40	500 gm
TS 268	MODIFIED CFC SELECTIVE SUPPLEMENT *	#20 vl	5 vl
TM 930	CHO MEDIUM BASE (FERMENTATION BROTH) for studies of anaerobic fermentation by adding carbohydrates	26.00	500 gm
TM 054	C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm
TMV 054	C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) (VEG.) for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm
TM 405	C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm
TMV 405	C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) (VEG.) for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm
TM 2025	C.L.E.D. AGAR BASE W/O INDICATOR for isolation, enumeration and presumptive identification of bacterial flora in the urinary tract	36.13	100 gm 500 gm
TS 269	BROMO THYMOL BLUE SUPPLEMENT*	#14 vl	5 vl
TM 2026	C.L.E.D. AGAR W/BROMO THYMOL BLUE for isolation, enumeration and identification of urinary pathogens on the basis of lactose fermentation	36.15	100 gm 500 gm
TM 1422	CPC AGAR BASE for cultivation of Vibrio species from foods	65.08	100 gm
TS 141	CPC SUPPLEMENT*	#4 vl	5 vl
TM 2027	CPC AGAR BASE W/ 1% CELLOBIOSE for the cultivation and identification of Vibrio species from foods in accordance with FDA BAM, 1998	60.08	100 gm
TS 270	MODIFIED CPC SUPPLEMENTCOLISTIN SELECTIVE SUPPLEMENT *	#4 vl	5 vl
TS 271	COLISTIN SELECTIVE SUPPLEMENT *	#10 vl	5 vl

Dehydrated Culture Media C

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1423	C. PERFRINGENS SPORULATION BROTH for promoting sporulation in Clostridium perfringens	33.10	500 gm
TM 1424	CRAMP AGAR BASE (CONGO RED-ACID MORPHOLINE PROPANE SULPHONIC ACID PIGMENTATION AGAR) for cultivation of Yersinia species with plasmids	32.54	100 gm
TM 954	CSMA BROTH (DISINFECTANT TEST MEDIUM) for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm
TM 2028	C.T. AGAR for cultivation of Myxobacteria species	41.71	500 gm
TM 1155	CVTR MEDIUM (VIRAL TRANSPORT MEDIUM W/ CHARCOAL) for transportation of viral specimens at ambient temperature	20.00	500 gm
TM 1156	CAFFEIC ACID FERRIC CITRATE TEST AGAR (CAFC MEDIUM) for selective and presumptive identification of Cryptococcus neoformans and its differentiation from other species	33.70	100 gm
TM 2029	CALCIUM CARBONATE AGAR for the differentiation of microorganisms especially yeasts based on the production of acid from glucose	75.00	500 gm
TM 560	CALCIUM CASEINATE AGAR for detection and enumeration of proteolytic microorganism in food	30.20	500 gm
TM 1157	CAMPYLO THIOGLYCOLLATE MEDIUM BASE (CAMPY-THIO MEDIUM) for isolation, maintenance and transport of Campylobacter species	26.80	500 gm
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *	#38 vl	5 vl
TM 056	CAMPYLOBACTER AGAR BASE for selective isolation of Campylobacter species from faecal, food and environmental samples	39.50	500 gm
TS 007	CAMPYLOBACTER SUPPLEMENTS I (BLASER-WANG)*	#26 vl	5 vl
TS 009	CAMPYLOBACTER SUPPLEMENTS III (SKIRROW)*	#26 vl	5 vl
TM 1158	CAMPYLOBACTER CEFEX AGAR BASE for isolation and cultivation of Campylobacter species	49.35	500 gm
TS 074	PARK AND SENDER'S SELECTIVE SUPPLEMENT B *	#11 vl	5 vl
TM 1335	CAMPYLOBACTER CEFEX BROTH BASE for selective isolation of Campylobacter species from faecal samples, foods and environment	33.35	500 gm
TS 073	PARK AND SENDER'S SELECTIVE SUPPLEMENT A PARK AND SENDER'S SELECTIVE SUPPLEMENT B *	#15 vl	5 vl
TS 074	PARK AND SENDER'S SELECTIVE SUPPLEMENT B *	#15 vl	5 vl
TM 956	CAMPYLOBACTER ENRICHMENT AGAR BASE (PRESTON ENRICHMENT AGAR BASE) for cultivation of Campylobacter species	37.00	500 gm
TS 067	CAMPYLOBACTER SUPPLEMENT IV (Preston)*	#27 vl	5 vl
TM 603	CAMPYLOBACTER ENRICHMENT BROTH BASE (PRESTON ENRICHMENT BROTH BASE) for selective enrichment and cultivation of Campylobacter species	25.00	500 gm
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*	#40 vl	5 vl
TM 690	CAMPYLOBACTER NITRATE BROTH for identification of Campylobacter species by Nitrate reduction	27.00	500 gm
TM 1517	CANDIDA AGAR for isolation and differentiation of Candida albicans	41.10	500 gm
TM 057	CANDIDA BCG AGAR BASE for primary isolation and identification of Candida species	66.00	500 gm
TM 691	CANDIDA MEDIUM for selective isolation and cultivation of Candida species	35.50	500 gm
TM 1159	CARBOHYDRATE CONSUMPTION BROTH BASE for cultivation and differentiation of Listeria species	16.10	500 gm

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 523	CARBON UTILIZATION AGAR (ISP MEDIUM NO. 9) for characterization of Streptomyces based on carbon utilization	24.83	100 gm 500 gm
TM 2030	CARROT AGAR for sporangial production and study of mating techniques of Phytophthora spp.	19.00	500 gm
TM 415	CARY-BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL) (CARY & BLAIR TRANSPORT MEDIUM) for collection and shipment of clinical specimen	12.60	100 gm 500 gm
TM 569	CASEIN HYDROLYSATE AGAR W/ 1.5% AGAR used as a general purpose culture medium	35.50	500 gm
TM 692	CASEIN HYDROLYSATE AGAR W/ 2.5% AGAR for large scale cultivation of Vibrio cholerae for cholera vaccine production	45.50	500 gm
TM 2031	CASITOSE BROTH for production of staphylococcal enterotoxin for use in Cat test and in serological studies	29.33	500 gm
TM 2032	CASITOSE BROTH, MODIFIED used as a general purpose medium	20.50	500 gm
TM 2033	CASITOSE YEAST EXTRACT BROTH (CAYE) for cultivation of Vibrio cholerae cultures while testing their enterotoxigenicity	36.50	500 gm
TM 2034	CASITOSE YEAST EXTRACT SALTS BROTH BASE (CAYES) for isolation of Escherichia coli in food in accordance with APHA	37.21	500 gm
TM 570	CASEIN HYDROLYSATE BROTH for production of Staphylococcus enterotoxin for use in Cat test and in serological studies	29.33	500 gm
TM 693	CASEIN HYDROLYSATE BROTH, MODIFIED used as general purpose culture medium	20.50	500 gm
TM 694	CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYE) (CASAMINO ACID YEAST EXTRACT BROTH) for cultivation of Bacillus cereus to enhance toxin production and use in the Enterotoxins Test	36.50	500 gm
TM 695	CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYES) (CASAMINO ACID YEAST EXTRACT SALT BROTH) for cultivation of Bacillus cereus to enhance toxin production and use in the Enterotoxins Test	37.20	500 gm
TM 958	CASEIN MAGNESIUM BROTH for cultivation of recombinant strains of E.coli	16.00	500 gm
TM 345	CASEIN SOYA PEPTONE DIGEST AGAR (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (ANTIBIOTIC ASSAY MEDIUM NO. 36) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm 5 kg
TMV 345	CASEIN SOYA PEPTONE DIGEST AGAR (VEG.) (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (VEG.) (ANTIBIOTIC ASSAY MEDIUM NO. 36) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TM 332	CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TMV 332	CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TM 696	CASEIN YEAST MAGNESIUM AGAR (NZYM AGAR) for cultivation of recombinant strains of Escherichia coli	35.98	500 gm
TM 697	CASEIN YEAST MAGNESIUM BROTH (NYZM BROTH) for cultivation of recombinant strains of Escherichia coli	21.00	500 gm
TM 513	CASMAN AGAR for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	43.60	500 gm
TM 611	CASMAN BROTH BASE for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	29.60	500 gm

Dehydrated Culture Media C

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2035	CETRIMIDE AGAR BASE (W 1.3% AGAR) for the selective isolation of Pseudomonas aeruginosa from various materials	44.70	100 gm 500 gm
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#12 vl	5 vl
TM 060	CETRIMIDE AGAR BASE for selective isolation of Pseudomonas aeruginosa from clinical samples	46.70	100 gm 500 gm
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#11 vl	5 vl
TMV 060	CETRIMIDE AGAR BASE (VEG.) for selective isolation of Pseudomonas aeruginosa from clinical samples	46.70	100 gm 500 gm
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#11 vl	5 vl
TM 416	CETRIMIDE AGAR BASE (AGAR MEDIUM) (as per IP) for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm
TMH 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm
TMHV 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) (VEG.) for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm
TM 422	CETRIMIDE BROTH for selective enrichment of Pseudomonas aeruginosa	25.30	100 gm 500 gm
TMV 422	CETRIMIDE BROTH (VEG.) for selective enrichment of Pseudomonas aeruginosa	25.30	100 gm 500 gm
TM 1522	CETRIMIDE BROTH BASE (ISO 8360-2:1988) for cultivation of Pseudomonas aeruginosa from water samples using membrane filter technique	31.90	500 gm
TM 061	CHAPMAN STONE AGAR for selective isolation of Staphylococci causing food poisoning	202.50	500 gm
TM 062	CHARCOAL AGAR BASE for cultivation of fastidious microorganisms like Bordetella pertussis for vaccine production	62.50	500 gm
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#16 vl	5 vl
TM 1160	CHARCOAL BLOOD AGAR BASE for cultivation of Bordetella pertussis for vaccine production & also for maintenance of stock cultures	54.50	500 gm
TM 063	CHARCOAL AGAR BASE W/ NIACIN for cultivation & isolation of Bordetella pertussis & Haemophilus influenzae	51.00	500 gm
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#20 vl	5 vl
TM 604	CHINA BLUE LACTOSE AGAR for differentiation and enumeration of microorganisms in milk	38.30	500 gm
TM 962	CHLAMYDOSPORE AGAR for differentiation of Candida albicans from other Candida on the basis of chlamyospore formation	37.10	100 gm 500 gm
TM 498	CHLORAMPHENICOL YEAST GLUCOSE AGAR (IS : 5403:1999 Reaffirmed 2005) for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm
TMV 498	CHLORAMPHENICOL YEAST GLUCOSE AGAR (VEG.) for selective enumeration of yeasts and molds in milk and milk products	40.00	100 gm 500 gm
TM 2036	CHLORELLA AGAR for the isolation and maintenance of Chlorella species	34.60	500 gm
TM 2037	CHLORELLA BROTH for the cultivation & enumeration of Chlorella species	17.60	500 gm
TM 064	CHOCOLATE AGAR BASE for isolation and cultivation of fastidious microorganisms like Neisseria gonorrhoeae	91.00	500 gm
TS 021	HAEMOGLOBIN POWDER *	45.50	100 gm
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#22 vl	5 vl 25 vl
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#22 vl	5 vl 25 vl

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2264	CHOCOLATE NO. 2 AGAR BASE for the cultural isolation of Neisseria and Haemophilus species from a variety of clinical specimens	76.00	500 gm
TS 021	HAEMOGLOBIN POWDER *		100 gm
TS 272	VITAMINO GROWTH SUPPLEMENT, MODIFIED	#27 vl	5 vl
TM 411	CHOLERA MEDIUM BASE for selective isolation of Vibrio species from samples contaminated with Enterobacteriaceae	65.10	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#2 vl #2 vl	5 vl 25 vl
TM 2038	CHOPPED LIVER BROTH (CL BROTH) for the cultivation and enrichment of anaerobic bacteria from food specimen	112.00	500 gm
TM 065	CHRISTENSEN CITRATE AGAR for differentiation of enteric pathogens and coliforms on the basis of citrate utilization	24.81	100 gm 500 gm
TMV 065	CHRISTENSEN CITRATE AGAR (VEG.) for differentiation of enteric pathogens and coliforms on the basis of citrate utilization	24.81	100 gm 500 gm
TM 066	CHRISTENSEN CITRATE SULPHITE AGAR for differentiation of enteric bacilli based on citrate utilization and H ₂ S production	24.29	500 gm
TM 2039	CHRISTENSEN CITRATE SULPHITE AGAR, W/ 1.5% AGAR For differentiation of enteric bacilli on the basis of citrate utilization and hydrogen sulphide production in accordance with FDA BAM, 1998	25.29	500 gm
TM 1841	CHROMOGENIC A. RAMBACH AGAR - (Part I) & (Part II) For detection and isolation of Salmonella species in clinical sample *	30.70 10 ml	500 gm -
TM 1523	CHROMOGENIC BACILLUS AGAR for isolation & differentiation between various species of Bacillus using chromogenic substrates	49.20	100 gm 500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#21 vl	5 vl 25 vl
TM 2110	CHROMOGENIC BACILLUS AGAR BASE for isolation and differentiation between various species of Bacillus by chromogenic method	49.22	100 gm 500 gm
TS 281	BACILLUS SELECTIVE SUPPLEMENT	#11 vl	5 vl
TM 1885	CHROMOGENIC BACILLUS CEREUS AGAR for isolation and differentiation of Bacillus cereus from food	40.98	100 gm 500 gm
TS 255	BACILLUS CEREUS SELECTIVE SUPPLEMENT*	#25 vl	5 vl
TM 2111	CHROMOGENIC BIFIDOBACTERIUM AGAR for the differentiation of Bifidobacterium and Lactobacillus species	59.48	100 gm 500 gm
TM 2112	CHROMOGENIC CAMPYLOBACTER AGAR BASE for selective isolation and presumptive identification of Campylobacter species	59.53	100 gm 500 gm
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI)*	#01 vl	5 vl 25 vl
TM 1197	CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) for fast isolation and identification of Candida species from mixed flora	42.70	100 gm 500 gm
TM 2113	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE selective and differential medium for rapid isolation and identification of Candida species from mixed cultures	31.02	100 gm 500 gm
TS 282	CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT *	#32 vl	5 vl
TM 1588	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED for fast isolation and identification of Candida species from clinical and non-clinical specimens	42.05	100 gm 500 gm
TS 213	CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT *	#24 vl	5 vl 25 vl
TM 1833	CHROMOGENIC CLED AGAR BASE for isolation and differentiation of UTI pathogens	43.00	500 gm
TM 1858	CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) for determination of coliforms and Escherichia coli in water samples	26.45	100 gm 500 gm

Dehydrated Culture Media C

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2114	CHROMOGENIC CLOSTRIDIAL AGAR BASE for selective isolation and presumptive identification of Clostridium species	47.81	100 gm 500 gm
TM 2115	CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR * (ISO 9308-1:2014) for recommended for detection of total coliforms and Escherichia coli in water samples	25.92	100 gm 500 gm
TM 1338	CHROMOGENIC COLIFORM AGAR W/SLS * for simultaneous detection of total coliforms and Escherichia coli in water and foods	27.00	100 gm 500 gm
TM 2116	CHROMOGENIC COLIFORM AGAR MODIFIED * recommended for the simultaneous detection of Escherichia coli and thermotolerant coliforms in water, milk, dairy products and other food samples	24.00	100 gm 500 gm
TM 2117	CHROMOGENIC COLISTIN RESISTANT AGAR BASE * recommended for isolation and differentiation of gram negative colistin resistant microorganisms	38.50	500 gm
TS 283	CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT *	#13 vl	5 vl
TM 2118	CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR) * (ISO /TS 22964: 2017) recommended for the isolation and identification of Cronobacter sakazakii from food product	32.40	500 gm
TM 1854	CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001) for isolation and differentiation of Escherichia coli O157:H7 from food and environmental samples	28.85	500 gm
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT *	17 vl	5 vl 25 vl
TM 1340	CHROMOGENIC ECC AGAR for presumptive identification of Escherichia coli and other coliforms in food and environmental samples	55.83	100 gm 500 gm
TM 1341	CHROMOGENIC ECC SELECTIVE AGAR BASE * for detection of Escherichia coli and coliforms in water and food samples	26.48	100 gm 500 gm
TS 187	CHROMOGENIC ECC SELECTIVE SUPPLEMENT *	#19 vl	5 vl
TM 2119	CHROMOGENIC E. COLI AGAR for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm
TM 1339	CHROMOGENIC E. COLI AGAR (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) (TBX AGAR) (ISO 16649-1 & 2:2001, ISO 16649-3:2015, ISO 11133:2014) * for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 2120	CHROMOGENIC EC BROTH W/ RUG * recommended for detection of Escherichia coli in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm
TM 2121	CHROMOGENIC EC O157:H7 AGAR, MODIFIED * recommended for isolation and differentiation of Escherichia coli O157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#5 vl	5 vl 25 vl
TM 2441	CHROMOGENIC EC O157:H7 SELECTIVE AGAR BASE, MODIFIED * for presumptive enumeration of Escherichia coli O157:H7 by membrane filtration technique from food samples.	66.82	100 gm 500 gm
TS 313	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED *	#8 vl	5 vl
TM 2122	CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED * for detection of Escherichia coli and coliforms in water and food samples	39.30	500 gm
TM 2123	CHROMOGENIC ENRICHMENT BROTH BASE FOR EC O157:H7 * for isolation and selective differentiation of Escherichia coli O157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT I *	#44 vl	5 vl 25 vl
TM 1343	CHROMOGENIC ECD W/ MUG * for detection of Escherichia coli by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm
TM 1631	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR * for isolation and identification of Enterobacter sakazakii from dairy and food products	51.67	100 gm 500 gm

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1853	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) * for isolation and identification of Cronobacter sakazakii from milk and milk products	30.75	100 gm 500 gm
TM 1344	CHROMOGENIC ENTEROCOCCI BROTH * for identification and differentiation of Enterococci from water	18.59	100 gm 500 gm
TM 1632	CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE for identification and differentiation of Enterococcus faecium from faeces, sewage and water supplies	29.00	100 gm 500 gm
TS 215	CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *	#19 vl	5 vl
TM 1633	CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE * for selective isolation of Klebsiella species from water can be used by membrane filter technique	40.8	100 gm 500 gm
TS 204	CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *	#25 vl	5 vl
TM 2124	CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE * for the selective and differential isolation, enumeration and identification of Listeria monocytogenes and Listeria species based on PCPLC activity	67.2	500 gm
TS 285	LECITHIN SOLUTION *	#16 vl	5 vl
TS 286	MODIFIED L.MONO SELECTIVE SUPPLEMENT *	#16 vl	5 vl
TM 1845	CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR * for selective identification and differentiation of Listeria monocytogenes	70.30	100 gm
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 vl	5 vl
TM 1634	CHROMOGENIC LISTERIA AGAR BASE (Modified) * for selective identification and differentiation of Listeria species	67.25	100 gm 500 gm
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl
TM 004	CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) * for selective identification and differentiation of Listeria species.	70.05	100 gm 500 gm
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT	#15 vl	5 vl
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT	#15 vl	5 vl
TM 1635	CHROMOGENIC MeReSA AGAR BASE * for isolation and identification of Methicillin resistant Staphylococcus aureus from clinical samples	83.30	100 gm 500 gm
TS 206	CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT	#12 vl	5 vl
TS 219	CEFOXITIN SUPPLEMENT *	#12 vl	5 vl
TM 1636	CHROMOGENIC MM AGAR * for identification and differentiation of Salmonella and non-Salmonella from water and clinical samples	49.13	100 gm 500 gm
TM 2127	CHROMOGENIC M-COLICONFIRM BROTH * recommended for detection of E.coli & other total coliforms in water samples by membrane filtration	17.43	500 gm
TS 287	ECC SELECTIVE SUPPLEMENT	#29 vl	5 vl
TS 042	MODIFIED TTC SOLUTION 1% (10 ml/vl) *	#21 vl	5 vl 25 vl
TM 1638	CHROMOGENIC M-LAURYL SULPHATE AGAR * for enumeration and differentiation of E. coli and other coliforms by membrane filter technique	88.00	100 gm 500 gm
TM 1198	CHROMOGENIC OGYE AGAR BASE * for isolation and enumeration of yeasts and moulds from milk and milk products using chromogeni substrates	37.10	100 gm 500 gm
TS 071	OXYTETRA SELECTIVE SUPPLEMENT *	#27 vl	5 vl 25 vl
TM 2125	CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR) * for identification and differentiation of Salmonella species from among the members of Enterobacteriaceae, especially Proteus species	46.82	100 gm 500 gm
TM 1426	CHROMOGENIC SALMONELLA AGAR * for isolation and differentiation of Salmonella species from coliforms	27.90	100 gm 500 gm
TM 1839	CHROMOGENIC SALMONELLA AGAR * for identification of Salmonella species from other organisms in the family Enterobacteriaceae	54.00	100 gm 500 gm
TS 252	SALMONELLA SELECTIVE SUPPLEMENT *	#10 vl	5 vl

Dehydrated Culture Media C

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1824	CHROMOGENIC SALMONELLA AGAR, MODIFIED * for identification and differentiation of Salmonella species from among the members of Enterobacteriaceae, especially Proteus species	42.34	100 gm 500 gm
TM 1337	CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE * for isolation and identification of Staphylococci	63.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl
TM 1339	CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR) (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 2126	CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm
TM 1199	CHROMOGENIC UTI AGAR * for identification and confirmation of microorganisms causing urinary tract infections.	32.45	100 gm 500 gm
TM 1909	CHROMOGENIC UTI AGAR * for presumptive identification of microorganisms mainly causing urinary tract infections	56.80	100 gm 500 gm
TM 1639	CHROMOGENIC UTI AGAR,MODIFIED * for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm
TS 208	DMACA REAGENT (10 ml/vl) TDA REAGENT (10 ml/vl) *	-	1 vl
TS 207	TDA REAGENT (10 ml/vl) *	-	1 vl
TM 1825	CHROMOGENIC UTI SELECTIVE AGAR * for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm
TM 1640	CHROMOGENIC VIBRIO AGAR * for selective isolation and differentiation of Vibrio species	67.50	100 gm 500 gm
TM 1907	CHROMOGENIC VRE MEDIA BASE * for identification of Vancomycin Resistant Enterococci from clinical specimens	50.95	100 gm 500 gm
TS 253	CHROMOGENIC VRE AGAR SUPPLEMENT *	#20 vl	5 vl
TM 2266	CHRYSOIDIN AGAR WITH MUG (OXGALL CHRYSOIDIN AGAR WITH MUG) for the isolation and differentiation of Enterobacteriaceae and several other Gram negative rods. It can also be used for the identification of E. coli from clinical and non-clinical specimens	48.23	500 gm
TM 637	CHU'S MEDIUM NO. 10 for cultivation of Blue Green Algae	0.123	100 gm
TM 501	CIN AGAR (YERSINIA SELECTIVE AGAR BASE) for selective isolation and enumeration Yersinia enterocolitica from clinical and food samples	58.00	500 gm
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl
TM 067	CITRATE AGAR for cultivation of iron bacteria from soil	27.20	100 gm 500 gm
TMV 067	CITRATE AGAR (VEG.) for cultivation of iron bacteria from soil	27.20	100 gm 500 gm
TM 2040	CITRATE AZIDE AGAR for selective cultivation of Enterococci in dairy products	55.41	100 gm 500 gm
TM 2041	CITRATE AZIDE TWEEN CARBONATE BASE for the identification of Enterococci in meat, meat products, dairy products and other foodstuffs	56.00	500 gm
TS 273	CATC SUPPLEMENT*	#18 vl	5 vl
TM 1525	CLAUSEN MEDIUM used as sterility medium as per Nordic Pharmacopoeia Board	40.00	500 gm
TM 644	CLOSTRIDIAL AGAR for selective isolation of pathogenic Clostridia from mixed flora	46.40	100 gm 500 gm
TM 645	CLOSTRIDIUM BROTH BASE for identification of spores of Clostridium tyrobutyricum	35.50	500 gm

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2042	CLOSTRIDIUM BRAZIER AGAR BASE for isolation and differentiation of Clostridium difficile with added supplements	47.66	500 gm
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#9vl	5 vl
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT *	#21vl	5 vl 25 vl
TM 068	CLOSTRIDIUM DIFFICILE AGAR BASE for isolation of Clostridium difficile from food and pathological specimens	69.10	500 gm
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT *	#15 vl	5 vl 25 vl
TM 2043	CLOSTRIDIUM DIFFICILE MANNITOL TAUROCHOLATE BROTH BASE for cultivation of Clostridium difficile from certain clinical specimens	55.63	500 gm
TS 274	CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT *	#9 vl	5 vl
TM 1886	CLOSTRIDIUM PERFRINGENS AGAR for identification and enumeration of Clostridium perfringens from food	60.05	100 gm 500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#9 vl	5 vl
TM 1836	COAGULASE MANNITOL AGAR BASE for isolation and differentiation of pathogenic staphylococci from clinical specimens	47.02	100 gm 500 gm
TM 070	COAGULASE MANNITOL BROTH BASE for detection of coagulase production and mannitol fermentation in differentiation of Staphylococci	35.00	100 gm 500 gm
TM 698	COLIFORM BROTH for isolation and cultivation of coliform organisms from milk and milk products	57.14	500 gm
TM 2132	COLIFORM BROTH, MODIFIED * for the detection and confirmation of Escherichia coli and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates	17.40	100 gm 500 gm
TM 1908	COLIFORM BROTH W/ SLS for detection of E.coli and other Enterobacteriaceae in water samples	15.10	100 gm 500 gm
TM 699	COLIFORM PA BROTH for determination of presence or absence of coliform bacteria in treated water	92.40	500 gm
TMH 116	COLUMBIA AGAR (as per USP/EP/JP/BP) for detection of Clostridium sporogenes from pharmaceutical products.	44.00	100 gm 500 gm
TS 217	GENTAMYCIN SUPPLEMENT	#12 vl	5 vl
TMHV 116	COLUMBIA AGAR (as per USP/EP/JP/BP) (VEG) for detection of Clostridium sporogenes from pharmaceutical products	44.00	100 gm 500 gm
TS 217	GENTAMYCIN SUPPLEMENT		5 vl
TM 701	COLUMBIA AGAR (MEDIUM Q) (as per BP) for detection of Clostridium perfringens from pharma products	44.00	500 gm
TS 217	GENTAMYCIN SUPPLEMENT	#12 vl	5 vl
TM 071	COLUMBIA BLOOD AGAR BASE for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#23 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG)*	#23 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER)*	#23 vl	5 vl 25 vl
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW)*	#23 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl
TS 011	STREPTO SUPPLEMENT*	#23 vl	5 vl 25 vl
TS 089	STAPH-STREPTO SUPPLEMENT*	#23 vl	5 vl
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT*	#23 vl	5 vl
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT*	#23 vl	5 vl
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER)*	#23 vl	5 vl 25 vl
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#23vl	5 vl 25 vl

Dehydrated Culture Media C

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 071	COLUMBIA BLOOD AGAR BASE (VEG.) for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *	#23 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *	#23 vl	5 vl 25 vl
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *	#23 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl
TS 011	STREPTO SUPPLEMENT *	#23 vl	5 vl 25 vl
TS 089	STAPH-STREPTO SUPPLEMENT *	#23 vl	5 vl
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT *	#23 vl	5 vl
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT *	#23 vl	5 vl
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER) *	#23 vl	5 vl 25 vl
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#23 vl	5 vl 25 vl
TM 072	COLUMBIA BLOOD AGAR BASE W/ HEMIN an efficient and enriched base for fastidious microorganisms	44.00	500 gm
TM 2044	COLUMBIA BLOOD AGAR BASE W/ 1% AGAR for isolation and cultivation of fastidious bacteria	39.00	500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#26 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG)*	#26 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER)*	#26 vl	5 vl 25 vl
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW)*	#26 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#26 vl	5 vl
TS 011	STREPTO SUPPLEMENT*	#26 vl	5 vl 25 vl
TS 089	STAPH-STREPTO SUPPLEMENT*	#26 vl	5 vl
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT*	#26 vl	5 vl
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT*	#26 vl	5 vl
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER)*	#26 vl	5 vl 25 vl
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#26 vl	5 vl 25 vl
TM 2045	COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017) recommended for selective detection and enumeration of Campylobacter species from food chain	44.00	500 gm
TM 073	COLUMBIA BROTH BASE for cultivation of fastidious microorganisms from clinical sources	35.00	500 gm
TM 074	COLUMBIA C.N.A. AGAR BASE * for selective isolation of gram positive cocci from clinical and non clinical samples	44.00	500 gm
TM 970	COLUMBIA C.N.A. AGAR BASE (1% AGAR) * for selective isolation of pathogenic gram-positive cocci from clinical and non clinical samples	39.00	500 gm
TM 971	CONN'S AGAR for cultivation of fungi	38.00	500 gm
TM 075	COOKE ROSE BENGAL AGAR BASE for selective isolation and cultivation of fungi	36.54	500 gm
TM 702	COOKED MEAT MEDIUM (R.C. MEDIUM) (MEAT GRANULES) For cultivation of aerobes and anaerobes especially pathogenic Clostridia and also for maintenance of stock cultures	125.00	100 gm 500 gm

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 366	COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE) for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm
TM 703	COOKED MEAT MEDIUM (R.C. MEDIUM) (as per BIS) For cultivation of aerobes and anaerobes especially pathogenic Clostridia and also for maintenance of stock cultures. It is recommended by BIS committee under the specifications IS:5887(Part II)-1976.	115.40	100 gm 500 gm
TM 076	CORN MEAL AGAR for production of chlamydo spores by Candida albicans & maintenance of fungal stock cultures	17.00	100 gm 500 gm
TMV 076	CORN MEAL AGAR (VEG.) for production of chlamydo spores by Candida albicans & maintenance of fungal stock cultures	17.00	100 gm 500 gm
TM 2046	CORN MEAL AGAR W/ DEXTROSE for cultivation of phytopathological and other fungi	19.00	500 gm
TM 972	CORN MEAL PEPTONE YEAST AGAR for cultivation of fungi	64.00	500 gm
TM 1164	CRAIG'S MEDIUM for cultivation of Vibrio cholerae to determine its enterotoxigenicity	34.50	500 gm
TM 2047	CRONOBACTER SELECTIVE BROTH (CSB) (ISO 22964:2017) for screening Cronobacter (formerly Enterobacter sakazakii) from food	28.04	100 gm 500 gm
TS 218	VANCOMYCIN SUPPLEMENT *	#18 vl	5 vl 25 vl
TM 705	CRYSTAL VIOLET LACTOSE AGAR for differentiation of pure cultures of pathogenic and nonpathogenic Staphylococci	33.00	500 gm
TM 706	CRYSTAL VIOLET LACTOSE BROTH for detection of coliforms in water filtration control works	16.00	500 gm
TMV 706	CRYSTAL VIOLET LACTOSE BROTH (VEG.) for detection of coliforms in water filtration control works	16.00	500 gm
TM 1952	CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE (AGAR MEDIUM F) (as per EP/BP) for detection and enumeration of Enterobacteria	50.12	500 gm
TM 516	CULTURE MEDIUM FOR RWC (DISINFECTANT TEST BROTH) (RWC MEDIUM) for determination of phenol coefficients of disinfectants using Salmonella Typhi as a test organism	50.00	100 gm 500 gm
TM 2048	CRYSTAL VIOLET TETRAZOLIUM AGAR BASE for detection of gram-negative psychrotrophic bacteria causing food spoilage	23.50	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#11 vl	5 vl 25 vl
TM 973	CYANOPHYCEAN AGAR for isolation and cultivation of Blue Green algae	20.30	500 gm
TM 2446	CYCLOSERINE-CEFOXITIN FRUCTOSE AGAR (CCFA) for the isolation and presumptive identification of Clostridium difficile, a recognized cause of pseudomembranous (antimicrobial agent-associated) colitis	69.20	500 gm
TS 315	CYCLOSERINE -CEFOXITIN SUPPLEMENT *	#8 vl	5 vl
TM 078	CYSTINE HEART AGAR BASE for isolation, detection and cultivation of saprophytic fungi, yeasts and moulds	51.00	500 gm
TM 707	CYSTINE TELLURITE AGAR BASE for selective isolation and differentiation of Corynebacterium diptheriae types	40.05	500 gm
TS 005	POTASSIUM TELLURITE 1% (1 ml /vl) *	#25 vl	5 vl 25 vl
TM 079	CYSTINE TRYPTONE AGAR for detection & maintenance and subculturing of motility and fermentation studies with the addition of various sugars	28.50	100 gm 500 gm
TM 367	CZAPEK DOX AGAR semisynthetic medium for general cultivation of fungi	49.00	100 gm 500 gm

Dehydrated Culture Media C

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 367	CZAPEK DOX AGAR (VEG.) semisynthetic medium for general cultivation of fungi	49.00	100 gm 500 gm
TM 080	CZAPEK DOX AGAR, MODIFIED for cultivation and maintenance of fungi	45.36	500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#22 vl	5 vl 25 vl
TM 368	CZAPEK DOX BROTH semisynthetic medium for cultivation of fungi	35.00	100 gm 500 gm
TMV 368	CZAPEK DOX BROTH (VEG.) semisynthetic medium for cultivation of fungi	35.00	100 gm 500 gm
TM 1528	CZAPEK DOX LIQUID MEDIUM for cultivation of fungi and bacteria by utilizing sodium nitrate as a nitrogen source	33.40	500 gm
TM 708	CZAPEK MALT AGAR For isolation, detection and cultivation of saprophytic fungi, yeasts and moulds	94.00	100 gm 500 gm
TM 2049	CZAPEK YEAST AUTOLYSATE AGAR (CYA AGAR) for the isolation and cultivation of heat resistant filamentous fungi (molds) from foods	54.75	500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#20 vl	5 vl 25 vl
TM 709	CZAPEK YEAST EXTRACT AGAR for cultivation and maintenance of <i>Aspergillus brasiliensis</i>	51.40	500 gm
TM 081	DNASE TEST AGAR BASE (W/O INDICATOR) * for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic <i>Staphylococci</i>	42.00	100 gm
TS 063	TOLUIDINE BLUE (0.1 gm/vl)	#12 vl	5 vl 25 vl
TM 974	DNASE TEST AGAR W/ METHYL GREEN * for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic <i>Staphylococci</i>	42.05	100 gm
TM 580	DNASE TEST AGAR W/ TOLUIDINE BLUE * for detection of deoxyribonuclease activity of microorganisms and for identification of <i>staphylococci</i>	42.10	100 gm
TMV 580	DNASE TEST AGAR W/ TOLUIDINE BLUE (VEG.) 10 - 25°C for detection of deoxyribonuclease activity of microorganisms and for identification of <i>staphylococci</i>	42.10	100 gm
TM 710	DNASE TEST AGAR BASE (W/O. DNA AND TOLUIDINE BLUE) with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi	40.00	100 gm 500 gm
TM 082	D.C.L.S. AGAR for selective isolation and detection of <i>Salmonella</i> and <i>Shigella</i> species from faecal samples	49.50	100 gm 500 gm
TM 711	D.C.L.S. AGAR, HAJNA for isolation of gram negative enteric bacilli	73.52	100 gm 500 gm
TM 083	D.T.M. AGAR BASE (DERMATOPHYTE TEST AGAR BASE) for selective isolation of dermatophytes	40.20	100 gm 500 gm
TS 028	DERMATO SUPPLEMENT *	#25 vl	5 vl
TM 976	DAVIS SUPPLEMENTED MINIMUM MEDIUM W/O DEXTROSE for enrichment and determination of titre coliforms in water samples	30.60	500 gm
TM 084	DECARBOXYLASE AGAR BASE for differentiation of bacteria based on their ability to decarboxylate the amino acid	24.00	500 gm
TM 085	DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE) for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm
TMV 085	DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE) (VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm
TM 086	DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS : 5887 (Part V) 1976, reaffirmed 2005) for cultivation and differentiation of bacteria based on their decarboxylase activity	09.00	100 gm 500 gm

D Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 087	DEOXYCHOLATE AGAR for direct differential count of coliforms in dairy products and also for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens	45.00	100 gm 500 gm
TM 369	DEOXYCHOLATE CITRATE AGAR for isolation of enteric pathogens especially Salmonella and Shigella species	70.52	100 gm 500 gm
TMV 369	DEOXYCHOLATE CITRATE AGAR (VEG.) for isolation of enteric pathogens especially Salmonella and Shigella species	70.52	100 gm 500 gm
TM 1870	DEOXYCHOLATE CITRATE AGAR MEDIUM (IS : 5887 (Part VII) 1999, reaffirmed 2005) for isolation of Shigella species from food samples.	55.45	100 gm 500 gm
TM 977	DEOXYCHOLATE CITRATE AGAR (AGAR MEDIUM J) (as per BP/EP/IP) for selective isolation of enteric pathogens	69.02	100 gm 500 gm
TM 2051	DESOXYCHOLATE-CITRATE AGAR MEDIUM 14 (as per IP) for the a selective isolation and identification of Salmonellae in accordance	69.02	100 gm 500 gm
TM 1529	DEOXYCHOLATE CITRATE AGAR W/ 1.5% AGAR for the isolation of entric pathogens	48.50	500 gm
TM 088	DEOXYCHOLATE CITRATE AGAR, MODIFIED (HYNES) for selective isolation of Salmonella and Shigella species	52.00	500 gm
TM 714	DEOXYCHOLATE CITRATE AGAR W/O SUCROSE for isolation and identification of enteric pathogens	45.00	100 gm 500 gm
TM 089	DEOXYCHOLATE LACTOSE AGAR for isolation and enumeratrion of coliforms in water, milk and dairy products	42.50	100 gm 500 gm
TM 1546	DEV GELATIN AGAR (GELATIN DEV AGAR) for determination of total microbial count and detection of gelatin liquefying microorganisms	50.00	500 gm
TM 712	DEV GLUCOSE BROTH for detection of microbial decomposition of glucose	28.02	500 gm
TM 713	DEV LACTOSE PEPTONE BROTH for enrichment and determination of titre coliforms in water samples	25.01	500 gm
TM 1617	DEV LACTOSE PEPTONE BROTH for enrichment and determination of titre coliforms in water samples	35.62	500 gm
TM 2050	DEV NUTRIENT AGAR for the enumeration of microorganisms in water, food and other materials	43.00	500 gm
TM 1846	DEV TRYPTOPHAN BROTH for subcultivation of Coliform, differentiation & for indole testing in bacteriological examination of water	16.00	500 gm
TM 334	DEXTROSE AGAR for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm
TMV 334	DEXTROSE AGAR (VEG.) for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm
TM 090	DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED) for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm
TS 275	CC SUPPLEMENT *	#22 vl	5 vl
TMV 090	DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED) (VEG.) for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm
TM 308	DEXTROSE BROTH (GLUCOSE BROTH) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TMV 308	DEXTROSE BROTH (GLUCOSE BROTH) (VEG.) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TM 631	DEXTROSE MANNITOL AGAR (GILLIES AGAR NO. 1) for primary isolation of Salmonella and Shigella and for detection of urease production, dextrose and mannitol fermentation	46.05	500 gm

Dehydrated Culture Media D

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 335	DEXTROSE PEPTONE AGAR (GLUCOSE PEPTONE AGAR) for general cultivation of microorganisms	50.00	500 gm
TM 309	DEXTROSE PEPTONE BROTH for routine sterility testing and for cultivation of fastidious organisms	35.00	500 gm
TM 1165	DEXTROSE PROTEOSE PEPTONE AGAR BASE for isolation of <i>Corynebacterium diphtheriae</i>	42.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (10ml /vl) *	#24 vl	5 vl 25 vl
TM 517	DEXTROSE SALT AGAR for enumeration of yeasts & molds in butter and other dairy products	35.00	500 gm
TM 310	DEXTROSE SALT BROTH for enumeration of yeasts & molds in butter and other dairy products	20.00	500 gm
TM 2052	DEXTROSE STARCH AGAR for propagating pure cultures of <i>Neisseria gonorrhoeae</i> and other fastidious organisms	65.00	500 gm
TM 092	DEXTROSE TRYPTONE AGAR for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods	30.04	500 gm
TM 2053	DEXTROSE TRYPTONE AGAR, MODIFIED for the isolation and cultivation of aciduric and thermophilic aerobic flat-sour sporeformers from canned food, sugar etc	32.29	500 gm
TM 311	DEXTROSE TRYPTONE BROTH for enrichment and cultivation of mesophilic and thermophilic organisms in foods	15.00	500 gm
TM 2054	DEXTROSE TRYPTONE BROTH, MODIFIED for the detection and enumeration of mesophilic and thermophilic aerobic microorganisms in foods	17.29	500 gm
TM 715	DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) for disinfectant testing, where neutralization agent is important for determining its bactericidal activity	54.00	500 gm
TMV 715	DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) (VEG.) for disinfectant testing, where neutralization agent is important for determining its bactericidal activity	54.00	500 gm
TM 716	DEY-ENGLEY NEUTRALIZING BROTH for neutralizing and testing antiseptics and disinfectants	39.00	500 gm
TMV 716	DEY-ENGLEY NEUTRALIZING BROTH (VEG.) for neutralizing and testing antiseptics and disinfectants	39.00	500 gm
TM 1530	DEY-ENGLEY (D/E) NEUTRALIZING BROTH (W/O BROMO CRESOL PURPLE) (as per USP) for neutralization of antiseptics and disinfectants in determining its bactericidal activity	39.00	500 gm
TM 717	DEY-ENGLEY NEUTRALIZING BROTH BASE For disinfectant testing where the neutralization of the antiseptics and disinfectants is important for determining its bactericidal activity.	17.50	500 gm
TM 1900	DEY-ENGLEY NEUTRALIZING BROTH W/ 1.0% SLS & 1.0% TWEEN 80 For environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity	54.00	500 gm
TM 1904	DEY-ENGLEY NEUTRALIZING BROTH W/ 10.0% TWEEN 80 (DOUBLE PACK) For environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity	40.00 10 ml Tween 80	500 gm - -
TM 605	DIAGNOSTIC SENSITIVITY TEST AGAR (DST AGAR) for antibiotic sensitivity testing of fastidious pathogens like <i>Neisseria</i> , <i>Streptococcus</i> and <i>Haemophilus</i> species with blood enrichment	43.00	100 gm 500 gm
TM 477	DIAGNOSTIC STUART'S UREA BROTH BASE (UREA BROTH BASE) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	18.70	100 gm 500 gm
TS 030	UREA 40% (5 ml/vl) *	#268 vl	5 vl 25 VL

D Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 477	DIAGNOSTIC STUART'S UREA BROTH BASE (UREA BROTH BASE) (VEG.) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	18.70	100 gm 500 gm
TS 030	UREA 40% (5 ml/vl) *	#268 vl	5 vl 25 VL
TM 447	DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm
TMV 447	DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR (VEG.) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm
TM 980	DIAMALT AGAR (as per APHA) for isolation and identification of yeasts from water sample	170.00	500 gm
TM 981	DICHLORAN GLYCEROL MEDIUM BASE for selective isolation and enumeration of yeasts and moulds from food samples	31.60	100 gm 500 gm
TM 982	DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL for selective isolation and enumeration of yeasts and moulds from food samples	31.60	100 gm 500 gm
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#32 vl	5 vl 25 vl
TMV 982	DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL (VEG.) for selective isolation and enumeration of yeasts and moulds from food samples	31.60	100 gm 500 gm
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#32 vl	5 vl 25 vl
TM 1852	DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014) for selective isolation of yeasts and molds of significance in food spoilage	31.60	100 gm 500 gm
TM 983	DIFFERENTIAL BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE for selective isolation and differentiation of Legionella species	37.37	100 gm
TS 276	V.P. SUPPLEMENT *	#3 vl	5 vl
TM 1802	DIFFERENTIAL REINFORCED CLOSTRIDIAL AGAR for enumeration and cultivation of Clostridia from water.	42.50	500 gm
TMV 1802	DIFFERENTIAL REINFORCED CLOSTRIDIAL AGAR (VEG.) for enumeration and cultivation of Clostridia from water.	42.50	500 gm
TM 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE for cultivation of Clostridia from water	29.00	100 gm 500 gm
TMV 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (VEG.) for cultivation of Clostridia from water	29.00	100 gm 500 gm
TM 2055	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (ISO 6461-1:1986) for cultivation of Clostridia from water	29.00	500 gm
TM 1166	DIHYDROLASE BROTH BASE for detection of dihydrolase reaction of Vibrio parahaemolyticus	43.00	500 gm
TM 718	DILUTING FLUID A (as per USP) for sterility testing of pharma products	01.00	500 gm
TM 1531	DILUTING FLUID D (as per USP) for sterility testing of pharma products	02.00	500 gm
TM 719	DILUTING FLUID K (as per USP) for sterility testing of pharma products	18.00	500 gm
TM 984	DIPHThERIA VIRULENCE AGAR BASE for determination of toxigenicity of Corynebacterium diphtheriae	37.50	500 gm
TS 134	K L VIRULENCE ENRICHMENT (20ml /vl)	#134 vl	5 vl 25 vl
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#67 vl	5 vl 25 vl
TM 516	DISINFECTANT TEST BROTH (CULTURE MEDIUM FOR RWC) for determination of phenol coefficients of disinfectants using Salmonella Typhi as a test organism	50.00	100 gm 500 gm
TM 313	DISINFECTANT TEST BROTH (USING S. AUREUS as TEST ORGANISM) for enrichment of Staphylococcus aureus	20.00	500 gm

Dehydrated Culture Media D

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 312	DISINFECTANT TEST BROTH (as per AOAC) for checking disinfectants	20.00	500 gm
TM 954	DISINFECTANT TEST MEDIUM (CSMA BROTH) for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm
TM 2056	DOUBLE MODIFIED LYSINE IRON AGAR BASE for selective and differential cultivation of Salmonella species	63.12	100 gm 500 gm
TS 070	NOVOBIOCIN SELECTIVE SUPPLEMENT *	#8 vl	5 vl 25 vl
TM 986	DOUBLE SUGAR AGAR, RUSSELL for differentiation of gram-negative enteric bacilli based on their ability to ferment dextrose and lactose, with or without gas formation	44.00	500 gm
TM 987	DOYLE'S ENRICHMENT BROTH BASE for selective enrichment of Campylobacter species	31.20	500 gm
TS 135	DOYLE'S ANTIBIOTIC SUPPLEMENT *	#32 vl	5 vl 25 vl
TM 1167	DRAKE'S MEDIUM 10 for cultivation of Pseudomonas species from water	23.20	500 gm
TM 1168	DRIGALSKI LACTOSE AGAR, MODIFIED for detection and differentiation of enteric pathogens	40.04	500 gm
TM 1169	DRIGALSKI LITMUS LACTOSE AGAR for detection and differentiation of enteric pathogens	41.20	500 gm
TM 2057	DRIGALSKI SELECTIVE AGAR for the selective isolation of Enterobacteria from urine stool and other clinical samples on the basis of their ability to ferment lactose	49.09	500 gm
TM 1170	DROSOPHILA MEDIUM for cultivation of Drosophila	340.00	500 gm
TM 099	DUBOS BROTH BASE for cultivation of Mycobacterium tuberculosis and other Mycobacterium species	06.50	100 gm 500 gm
TS 178	ALBUMIN GLUCOSE SUPPLEMENT *	#385 vl	5 vl
TM 100	DUBOS OLEIC AGAR BASE for cultivation of Mycobacterium tuberculosis	20.00	100 gm 500 gm
TS 062	OLEIC ALBUMIN SUPPLEMENT *	#125 vl	5 vl 25 vl
TM 720	DUBOS OLEIC BROTH BASE for cultivation of Mycobacterium tuberculosis	05.00	100 gm 500 gm
TS 062	OLEIC ALBUMIN SUPPLEMENT *	#500 vl	5 vl 25 vl
TM 721	DULCITOL SELENITE BROTH (SELENITE BROTH WITH DULCITOL) (DOUBLE PACK) for selective enrichment of Salmonella species	(Part I) 19.00 (Part II) 04.00	500 gm -
TM 985	E.T. MEDIUM for production of Clostridia for enterotoxin production	39.00	500 gm
TMV 417	EC BROTH (VEG.) for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm
TM 2058	EC BLUE BROTH for detection and confirmation of Escherichia coli and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates	17.40	500 gm
TM 2059	EC0157:H7 ENRICHMENT BROTH recommended as an enrichment broth for the rapid growth of E. coli O157:H7 from food samples	22.50	500 gm
TM 2060	EC 0157:H7 SELECTIVE BROTH (TWIN PACK) recommended for the isolation of Escherichia coli O157:H7 from food samples	23.44	500 gm
TM 988	ECD AGAR for selective isolation of coliforms, especially E.coli in water & food by membrane Filter technique	53.00	500 gm

E Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1368	ECD MUG AGAR (ISO 21528-2017) for confirmatory presence of Escherichia coli by fluorescence in UV and positive indole test while inhibiting accompanying intestinal flora	53.07	500 gm
TM 1804	EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993) for selective enrichment of Enterobacteriaceae in bacteriological examination of foods	43.47	500 gm
TMH 107	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm
TMHV 107	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) (VEG.) for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm
TM 989	EE BROTH, MODIFIED for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods	45.00	500 gm
TM 336	EMB AGAR differential for isolation of gram-negative enteric bacteria from clinical and nonclinical samples	36.00	100 gm 500 gm
TMV 336	EMB AGAR (VEG.) differential for isolation of gram-negative enteric bacteria from clinical and nonclinical samples	36.00	100 gm 500 gm
TM 723	EMB AGAR BASE for study of different enteric bacteria by adding different carbohydrates	27.50	100 gm 500 gm
TM 371	EMB AGAR, LEVINE for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50	100 gm 500 gm
TMV 371	EMB AGAR, LEVINE (VEG.) for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50 37.50	100 gm 500 gm
TM 1171	EMB AGAR, LEVINE (IS : 5887 (Part I) 1976, reaffirmed 2005) for isolation, enumeration and differentiation of Enterobacteriaceae	37.50	100 gm 500 gm
TM 2061	EMB AGAR, LEVINE (LEVIN EOSIN- METHYLENE BLUE AGAR) (as per IP) for the isolation, enumeration and differentiation of members of Enterobacteriaceae in accordance with Indian Pharmacopoeia	37.46	100 gm 500 gm
TM 1678	EMB AGAR, LEVINE (as per USP) for isolation, enumeration and differentiation of Enterobacteriaceae	37.45	100 gm 500 gm
TM 314	EMB BROTH for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm
TMV 314	EMB BROTH (VEG.) for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm
TM 1838	ENTEROBACTERIA ENRICHMENT BROTH MOSSEL (as per USP/EP/BP/JP) for enrichment of Enterobacteriaceae of food products	42.93	100 gm 500 gm
TM 955	EDWARD'S MEDIUM BASE, MODIFIED for isolation of Streptococcus agalactiae and other Streptococci associated with bovine mastitis	41.33	100 gm
TM 1173	EDWARDS AND BRUNER SEMISOLID MEDIUM for detection of motility and separation of H and O phases of enteric bacilli	102.00	500 gm
TM 2062	EGG MEAT MEDIUM for the determination of proteolytic activity and maintaining stock cultures of anaerobic	150.00	500 gm
TM 724	EGG YOLK AGAR BASE for isolation and identification of Clostridia and certain other anaerobes	75.10	500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl)*	#7 vl	5 vl
TM 2063	EGG YOLK AGAR BASE, MODIFIED for identification of anaerobic bacteria by means of their egg yolk reaction	50.41	500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#10 vl	5 vl
TM 315	EIJKMAN LACTOSE BROTH for differentiating E. coli from other coliforms based on their ability to liberate gas from lactose	28.50	500 gm
TM 316	ELLIKER BROTH (LACTOBACILLI BROTH) for cultivation of Lactobacilli & Streptococci which are important in dairy industry	48.50	500 gm

Dehydrated Culture Media E

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1174	ELLNERS BROTH for induction of spore formation in Clostridium perfringens	67.60	500 gm
TM 1175	EMERSON AGAR for cultivation of Actinomycetaceae, Streptomycetaceae and molds	41.50	500 gm
TM 1176	EMERSON YSS AGAR for isolation of Actinomycetes and other fungi	40.50	500 gm
TM 372	ENDO AGAR for confirmation of members of coliform group from clinical and non-clinical specimens	41.50	100 gm 500 gm
TM 373	ENDO AGAR BASE for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm
TS 211	BASIC FUCHSIN (6 gm /vl) *	#1 vl	1 vl
TMV 373	ENDO AGAR BASE (VEG.) for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm
TS 211	BASIC FUCHSIN (6 gm /vl) *	#1 vl	1 vl
TM 2064	ENDO AGAR W/ NACL for detection and isolation of pathogenic enteric bacilli	37.70	500 gm
TM 2065	ENDO AGAR MODIFIED for the detection of coliform and other enteric organisms	38.60	500 gm
TM 518	ENDO BROTH for cultivation and enumeration of coliform bacteria from water	23.00	500 gm
TM 1533	ENDO DEV AGAR for isolation and differentiation of Escherichia coli in the bacteriological analysis of water	58.00	500 gm
TM 2066	ENRICHMENT BROTH FOR ECO157:H7 used as an enrichment broth for the growth of E. coli O157:H7	26.50	500 gm
TM 627	ENRICHMENT MEDIUM a highly nutritive medium which can be used for enrichment purpose	64.00	500 gm
TM 2067	ENRICHED THIOLYCOLLATE BROTH for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria	31.06	500 gm
TM 726	ENTAMOEBA MEDIUM for cultivation of Entamoeba histolytica	33.00	500 gm
TM 2068	ENTERIC FERMENTATION BASE used with added carbohydrate and indicator for differentiating microorganisms based on fermentation reactions	18.00	500 gm
TM 2069	ENTEROCOCCUS AGAR BASE for selective isolation and differentiation of Enterococcus faecalis and Enterococcus faecium	54.77	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#10 vl	5 vl 25 vl
TM 727	ENTEROCOCCUS CONFIRMATORY AGAR for confirmation of the presence of Enterococci in water	30.40	500 gm
TM 728	ENTEROCOCCUS CONFIRMATORY BROTH for confirmation of the presence of Enterococci in water	80.40	500 gm
TM 2070	ENTEROCOCCUS DIFFERENTIAL AGAR BASE (TITG AGAR BASE) for selective isolation and differentiation of Enterococcus faecalis and Enterococcus faecium	43.00	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#12 vl	5 vl 25 vl
TM 729	ENTEROCOCCUS PRESUMPTIVE BROTH for detection of Enterococci in water and other materials of sanitary importance	15.40	500 gm
TM 022	ERYTHROMYCIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) for microbiological assay of antibiotics	30.50	100 gm 500 gm
TM 730	ESCULIN AGAR for cultivation and differentiation of bacteria hydrolysing esculin and producing H ₂ S	41.50	500 gm
TM 731	ESCULIN AZIDE BROTH for selective cultivation and identification of Streptococci	37.80	500 gm

E Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 731	ESCULIN AZIDE BROTH (VEG.) for selective cultivation and identification of Streptococci	37.80	500 gm
TM 732	ESCULIN FERMENTATION BROTH for cultivation and differentiation of bacteria based on their ability to hydrolyze esculin	34.50	500 gm
TM 102	ESCULIN IRON AGAR for cultivation and identification of Enterococci based on their ability to hydrolyze esculin	16.50	100 gm
TM 2071	ESCULIN MANNITO AGAR recommended as a selective and differential media for the isolation of Staphylococci and Enterococci based on mannitol fermentation and esculin hydrolysis	54.04	500 gm
TM 103	ETHYL VIOLET AZIDE BROTH (E.V.A BROTH) for selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water	35.80	500 gm
TM 1179	ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS : 5887 (Part II) 1976, reaffirmed 2005) For selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water.	35.80	100 gm 500 gm
TM 991	ETHYL VIOLET AZIDE DEXTROSE AGAR for detecting & confirming Streptococci and faecal pollution indication in water	51.10	500 gm
TM 105	EUGONIC AGAR for cultivation of fastidious microorganisms like Haemophilus, Neisseria, Pasteurella, Brucella and Lactobacillus species	44.40	500 gm
TM 104	EUGONIC BROTH for cultivation of fastidious microorganisms like Haemophilus, Neisseria, Pasteurella, Brucella and Lactobacillus species	29.40	500 gm
TM 2072	EUGONIC LT 100 MEDIUM BASE W/O TWEEN 80 for the cultivation of fastidious microorganisms like Haemophilus, Neissaria, Pasturella, Brucella and Lactobacillus species	47.40	500 gm
TM 2073	EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017) for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products	32.40	500 gm
TM 154	EXTRACT AGAR (FDA AGAR) general purpose medium for routine testing of disinfectants and antiseptics	35.00	500 gm
TM 965	FAGI AGAR for detection of Escherichia coli in water	23.20	500 gm
TM 966	FAGI BROTH for detection of Escherichia coli in water	03.20	100 gm 500 gm
TM 154	FDA AGAR (EXTRACT AGAR) general purpose medium for routine testing of disinfectants and antiseptics	35.00	500 gm
TM 935	FDA BROTH (ATCC BACTERIOSTASIS BROTH) for routine antimicrobial testing of antiseptics and disinfectants	20.00	500 gm
TM 630	FNA MEDIUM (FLUORESCEIN DENITRIFICATION AGAR) for differentiation of Pseudomonas from other bacilli based on their ability to reduce nitrates or nitrites to nitrogen gas denitrification and detection of fluorescein pigment	30.50	500 gm
TM 2074	FEELEY GORMAN AGAR for the isolation and presumptive identification of Legionella species	39.65	500 gm
TM 2075	FEELEY GORMAN BROTH (F.G. BROTH) for the cultivation of Legionella species	22.65	500 gm
TM 2076	FERMENTATION MEDIUM BASE FOR C. PERFRINGENS for determination of fermentation reaction of Clostridium perfringens with added carbohydrate	22.25	500 gm
TM 2077	FERMENTATION MEDIUM FOR NEISSERIA for studying fermentation reaction of fastidious microorganism such as Neisseriae	29.52	500 gm
TM 2078	FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS for studying fermentation by Staphylococcus and Micrococcus species	23.24	500 gm
TM 2079	FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS, W/ 0.2% AGAR for studying fermentation by Staphylococcus species in accordance with FDA BAM, 1998.	23.04	500 gm

Dehydrated Culture Media **F**

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 2080	FLUCONAZOLE TESTING MEDIUM (TWIN PACK) * for fluconazole susceptibility testing using Candida species	(Part I) (Part II)	02.00 29.31	100 gm 500 gm
TM 733	FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK) for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm
TMV 733	FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK) (VEG.) for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm
TM 1536	FLUID CASEIN DIGEST SOYA-LECITHIN POLYSORBATE 20 MEDIUM (DOUBLE PACK) (as per USP/IP) for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm
TM 2081	FLUID LACTOSE MEDIUM as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples		13.00	100 gm 500 gm
TMV 2081	FLUID LACTOSE MEDIUM (VEG.) as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples		13.00	100 gm 500 gm
TM 1537	FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per USP) for detection of coliform bacteria in water, foods and dairy products		13.00	100 gm 500 gm
TM 1538	FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per IP) or detection of coliform bacteria in water, foods and dairy products.		13.00	100 gm 500 gm
TM 734	FLUID LACTOSE MEDIUM W/ SOYA LECITHIN AND POLYSORBATE 20 (DOUBLE PACK) for microbial evaluation of oral hygiene products	(Part I) (Part II)	18.00 40.00	100 gm 500 gm
TM 317	FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) Sterility testing medium for molds and lower bacteria in pharmaceutical preparations		30.00	100 gm 500 gm
TMV 317	FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) (VEG.) sterility testing medium for molds and lower bacteria in pharmaceutical preparations		30.00	100 gm 500 gm
TM 2082	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) an enrichment medium for isolation of Salmonella species from food, dairy & clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm
TM 294	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) (ISO 6579:1993) an enrichment medium for isolation of Salmonella species from food, dairy & clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm
TMV 294	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (VEG.) (DOUBLE PACK) an enrichment medium for isolation of Salmonella species from food, dairy & clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm
TM 1539	FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per USP) (DOUBLE PACK) for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm
TM 1540	FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per IP) (DOUBLE PACK) for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical samples.	(Part I) (Part II)	19.00 04.00	100 gm 500 gm
TM 423	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) for isolation of salmonellae from food, urine, faeces and other material of sanitary importance		46.00	100 gm 500 gm
TMV 423	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) (VEG.) for isolation of salmonellae from food, urine, faeces and other material of sanitary importance		46.00	100 gm 500 gm

F Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1684	FLUID TETRATHIONATE MEDIUM (as per USP) an enrichment medium for isolation of Salmonellae from samples contaminated with Salmonellae	46.00	100 gm 500 gm
TM 2083	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG, MODIFIED for the selective enrichment method for isolating Salmonellae from food and other materials of sanitary importance in accordance with FDA BAM, 1998	35.11	500 gm
TM 2084	FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles	29.75	100 gm 500 gm
TMV 2084	FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) (VEG.) for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles	29.75	100 gm 500 gm
TM 318	FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP) for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm
TMV 318	FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP) (VEG.) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm
TM 319	FLUID THIOGLYCOLLATE MEDIUM (as per IP) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm
TMV 319	FLUID THIOGLYCOLLATE MEDIUM (as per IP) (VEG.) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm
TM 320	FLUID THIOGLYCOLLATE MEDIUM W/ MEAT EXTRACT for sterility testing and for cultivation of aerobic, anaerobic and microaerophilic organisms	34.75	500 gm
TM 2085	FLUID THIOGLYCOLLATE MEDIUM W/0.5% SOYALECITHIN & 4% POLYSORBATE 20 (DOUBLE PACK) this medium is used for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophilic organisms	34.75	500 gm
TM 1689	FLUOROGENIC LMX BROTH MODIFIED (as per MANAFI & OSSMER) selective medium for detection of total coliforms and E.coli from foods and water	17.00	100 gm
TM 1200	FLUOROGENIC PSEUDOMONAS AGAR BASE (MUG PSEUDOMONAS AGAR) * for selective isolation of Pseudomonas aeruginosa by fluorogenic method	46.75	100 gm 500 gm
TM 2086	FOLIC ACID ASSAY MEDIUM * for microbiological assay of Folic Acid using Enterococcus hirae ATCC 8043 as the test organism	74.93	100 gm
TM 2087	FOLIC ACID CASEI MEDIUM, MODIFIED * for the microbiological assay of folic acid in blood serum using Lactobacillus casei ATCC 7469 as the test organism	93.72	100 gm
TM 2088	FOLIC ACID CULTURE AGAR for the maintenance of Enterococcus hirae ATCC 8043	48.00	100 gm
TM 2089	FOLIC ACID INOCULUM MEDIUM for the preparation of inoculum of Enterococcus hirae ATCC 8043	38.00	100 gm
TM 2090	FOLIC ACID MEDIUM, AOAC for the microbiological assay of folic acid using Enterococcus hirae ATCC 8043	111.58	100 gm
TM 2091	FORGET FREDETTE AGAR for selective isolation of anaerobic microorganisms from a mixture of aerobic and anaerobic flora	40.50	500 gm
TM 2092	FRASER BROTH BASE recommended as a primary as well as secondary enrichment medium, for the isolation and enumeration of Listeria monocytogenes from food and animal feeds	54.92	100 gm 500 gm
TS 034	FRASER SUPPLEMENT*	#18 vl	5 vl
TS 035	FRASER SELECTIVE SUPPLEMENT*	#18 vl	5 vl
TM 1472	FRASER BROTH BASE (ISO 11290-1: 2017) for isolation and enumeration of Listeria monocytogenes from food and animal feeds	57.35	100 gm 500 gm
TS 034	FRASER SUPPLEMENT*	#19 vl	5 vl
TS 035	FRASER SELECTIVE SUPPLEMENT*	#19 vl	5 vl

Dehydrated Culture Media **F**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2093	FRASER BROTH BASE, MODIFIED (HALF FRASER BROTH) for the selective enrichment of Listeria species from foods	54.97	500 gm
TS 034	FRASER SUPPLEMENT*	#18 vl	5 vl
TM 2094	FRASER BROTH W/ SUPPLEMENTS for the selective enrichment of Listeria species from food samples	55.47	500 gm
TM 113	FRASER SECONDARY ENRICHMENT BROTH BASE for isolation, cultivation & enrichment of Listeria monocytogenes from foods & environmental samples	57.85	100 gm 500 gm
TS 033	FRASER ENRICHMENT SUPPLEMENT	#9 vl	5 vl
TS 035	FRASER SELECTIVE SUPPLEMENT *	#9 vl	5 vl
TM 1544	FREY MYCOPLASMA BROTH BASE for cultivation of avian Mycoplasma	22.30	500 gm
TS 014	HORSE SERUM *	2.25 ltr	100 ml
TM 2095	FRIIS LIQUID MEDIUM BASE for the detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia	16.04	500 gm
TS 277	FRIIS SUPPLEMENT *	#28 vl	5 vl
TM 2096	FRISS SOLID MEDIUM BASE for the detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia	08.80	500 gm
TM 967	FUCHSIN LACTOSE BROTH for detection of coliforms in water	13.00	500 gm
TM 340	FUNGAL AGAR (MYCOLOGICAL AGAR) or cultivation and maintenance of fungi	35.00	500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl
TM 114	FUNGAL AGAR W/ LOW pH (MYCOLOGICAL AGAR W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm
TM 326	FUNGAL BROTH (MYCOLOGICAL BROTH) for cultivation of fungi	50.00	500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl
TM 115	FUNGAL BROTH W/ LOW pH (MYCOLOGICAL BROTH W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm
TM 1189	FUNGI KIMMIG AGAR BASE for cultivation, isolation, identification and preservation of fungal strains	50.00	500 gm
TM 1542	FUNGOBIOTIC AGAR (MYCOBIO AGAR) for isolation of dermatophytes and other pathogenic fungi	35.55	100 gm
TM 1691	GANB MEDIUM (GENERAL ANAEROBIC BACTERIAL MEDIUM) for cultivation of general anaerobic bacteria in saline water	55.40	500 gm
TM 1347	GARROD ACTINOMYCES MEDIUM for cultivation of pathogenic anaerobic species, like Actinomyces israeli and Actinomyces bovis	39.00	500 gm
TM 1545	GBS MEDIUM BASE for fast detection of group B Streptococci in pathological samples	110.20	500 gm
TS 184	GBS SUPPLEMENT *	#10 vl	5 vl
TS 014	HORSE SERUM *	2.25 ltr	100 ml

G Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 116	GC AGAR BASE for selective isolation and cultivation of Gonococci	36.00	100 gm 500 gm
TS 036	GC SUPPLEMENT W/ANTIBIOTICS *	#14 vl	5 vl 5 vl
TS 021	HAEMOGLOBIN POWDER *	#14 vl	100 gm
TS 038	V.C.N. SUPPLEMENT *	#14 vl	5 vl 25 vl
TS 039	V.C.N.T. SUPPLEMENT *	#14 vl	5 vl 25 vl
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#14 vl	5 vl 25 vl
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5 vl 25 vl
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#14 vl	5 vl 25 vl
TS 043	VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5vl 25 vl
TMV 116	GC AGAR BASE (VEG.) for selective isolation and cultivation of Gonococci	72.00	100 gm 500 gm
TS 036	GC SUPPLEMENT W/ANTIBIOTICS *	#14 vl	5 vl 5 vl
TS 021	HAEMOGLOBIN POWDER *	#14 vl	100 gm
TS 038	V.C.N. SUPPLEMENT *	#14 vl	5 vl 25 vl
TS 039	V.C.N.T. SUPPLEMENT *	#14 vl	5 vl 25 vl
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#14 vl	5 vl 25 vl
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5 vl 25 vl
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#14 vl	5 vl 25 vl
TS 043	VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5vl 25 vl
TM 117	GN BROTH, HAJNA for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm
TMV 117	GN BROTH, HAJNA (VEG.) for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm
TM 1935	GN BROTH MEDIUM 11 (as per IP) for enrichment of Shigella from pharmaceutical products	34.00	100 gm 500 gm
TM 1190	GTC AGAR BASE for cultivation of Enterococci from food within 18 hours	48.75	500 gm
TS 109	GTC SUPPLEMENT *	#21 vl	5 vl
TS 108	SODIUM BICARBONATE SOLUTION (20 ml/vl) *	#11 vl	5 vl
TM 1191	GASSNER LACTOSE AGAR for detection and isolation of pathogenic Enterobacteriaceae from foodstuffs	76.87	500 gm
TM 735	GELATIN AGAR for cultivation and identification of Vibrio species	65.00	500 gm
TM 1122	GELATIN IRON AGAR for detection of gelatin liquefaction and H ₂ S production	159.00	500 gm
TM 2098	GELATIN PEPTONE AGAR for the cultivation of non fastidious bacteria	20.00	500 gm
TM 300	GELATIN MANNITOL SALT AGAR (STAPHYLOCOCCUS AGAR NO. 110) for selective isolation and differentiation of Staphylococci	149.50	100 gm 500 gm

Dehydrated Culture Media G

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1192	GELATIN PHOSPHATE BUFFER for detection of toxin in food products suspected with Clostridium botulinum	06.00	100 gm 500 gm
TM 992	GELATIN PHOSPHATE SALT AGAR (GPS AGAR) for cultivation and characterization of Vibrio cholerae from foods	40.00	500 gm
TM 993	GELATIN SALT AGAR for cultivation and differentiation of Vibrio species from foods	65.00	500 gm
TM 631	GILLIES AGAR NO. 1 (DEXTROSE MANNITOL AGAR) for primary isolation of Salmonella and Shigella and for detection of urease production, dextrose and mannitol fermentation	42.50	500 gm
TM 736	GILLIES AGAR NO. 2 (SUCROSE SALICIN AGAR) for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of Salmonella and Shigella species	48.30	100 gm
TM 118	GIOLITTI-CANTONI BROTH BASE for selective enrichment of Staphylococcus aureus from foods	54.20	500 gm
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#18 vl	5 vl
TM 118A	GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003) for selective enrichment of Staphylococcus aureus from foods	55.20	500 gm
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#18 vl	5 vl
TM 994	GLUCONATE TEST MEDIUM for detection of gluconate oxidizing microorganisms	43.50	500 gm
TM 2099	GLUCOSE AGAR for differentiation of Enterobacteriaceae in urine, water and food samples	20.88	500 gm
TM 1547	GLUCOSE AGAR for determining the fermentation reaction of presumptive Enterobacteriaceae	41.52	500 gm
TM 1548	GLUCOSE AGAR, MODIFIED maintenance medium for stock cultures of a variety of microorganisms	35.00	500 gm
TM 1193	GLUCOSE AZIDE BROTH for enumeration of faecal Streptococci from water by MPN technique	30.30	500 gm
TM 308	GLUCOSE BROTH (DEXTROSE BROTH) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TMV 308	GLUCOSE BROTH (DEXTROSE BROTH) (VEG.) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TM 737	GLUCOSE BROTH (W/O pH indicator) for study of dextrose fermentation	20.00	100 gm 500 gm
TM 738	GLUCOSE CITRATE BROTH BASE for cultivation of fastidious microorganisms	23.00	500 gm
TM 739	GLUCOSE CYSTEINE AGAR BASE W/ THIAMINE for cultivation and enumeration of Pasteurella tularensis by adding blood or Hemin	58.00	100 gm 500 gm
TM 2100	GLUCOSE OF MEDIUM (ISO 21528-2:2017) Recommended for the determination of oxidative and fermentative metabolism of carbohydrates by gram-negative bacteria.	20.38	500 gm
TM 335	GLUCOSE PEPTONE AGAR (DEXTROSE PEPTONE AGAR) for general cultivation of microorganisms	50.00	500 gm
TM 324	GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TMV 324	GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM) (VEG.) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TM 1194	GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) for enrichment of Vibrio parahaemolyticus and marine isolates	(Part I) (Part II) 48.00 04.00	100 gm 500 gm
TM 119	GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS : 5887 (Part V) 1976, reaffirmed 2005) for enrichment of Vibrio parahaemolyticus in drinking water. It is recommended by BIS committee under specification	(Part I) (Part II) 48.00 04.00	100 gm 500 gm

G Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 931	GLUCOSE STARCH AGAR (as per AOAC) for sterility testing of canned foods	68.00	500 gm
TM 1549	GLUCOSE YEAST EXTRACT ACETATE BROTH for cultivation of Lactobacillus species	40.60	500 gm
TM 585	GLUCOSE YEAST EXTRACT AGAR for cultivation of Lactobacilli in pharma products	28.40	100 gm 500 gm
TM 2101	GLUCOSE YEAST EXTRACT BC AGAR MEDIUM recommended for cultivation and enumeration of Bacillus coagulans	31.30	100 gm 500 gm
TM 586	GLUCOSE YEAST PEPTONE AGAR for isolation of yeasts from soil samples	50.00	500 gm
TM 130	GLYCEROL ASPARAGINE AGAR BASE (ISP MEDIUM NO. 5) for cultivation of Streptomyces species as per International Streptomyces Project	23.00	100 gm 500 gm
TM 2102	GLYCEROL MANNITOL ACETAMIDE CETRIMIDE AGAR (DOUBLE PACK) for the enumeration of Pseudomonas aeruginosa from contaminated materials	(Part I) 31.16 (Part II) 10.01	500 gm
TM 2103	GUM LISTERIA MEDIUM for the isolation of Listeria monocytogenes from clinical and non-clinical specimens	18.44	500 gm
TM 519	GREEN YEAST & MOLD BROTH for cultivation of fungi from beverages	73.20	500 gm
TM 1348	H BROTH for preparation of 'H' antigen, used in the identification and differentiation of Salmonella species	21.50	500 gm
TM 1349	HC AGAR BASE for enumeration of molds in cosmetic products supplemented with Polysorbate 80	54.50	500 gm
TM 1350	HS MEDIUM for cultivation of aerobic as well as anaerobic bacteria and sterility testing	29.50	500 gm
TM 298	H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) for large scale cultivation of bacteria for Vaccine production	25.00	500 gm
TMV 298	H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) (VEG.) for large scale cultivation of bacteria for Vaccine production	25.00	500 gm
TM 1352	HAEMOPHILUS TEST AGAR BASE for the susceptibility testing of Haemophilus influenzae	43.00	500 gm
TS 144	HAEMOPHILUS GROWTH SUPPLEMENT *	#24 vl	5 vl
TM 2447	HALF FRASER BROTH - (New Product) For collection and shipment of clinical specimens	55.47	500 gm
TM 2093	HALF FRASER BROTH (FRASER BROTH BASE, MODIFIED) for the selective enrichment of Listeria species from foods	54.97	500 gm
TS 034	FRASER SUPPLEMENT*	#19 vl	5 vl
TM 1937	HALF FRASER BROTH BASE (ISO 11290-1:2017) for the selective enrichment of Listeria species from foods	55.00	500 gm
TS 034	FRASER SUPPLEMENT *	#19 vl	5 vl
TS 035	FRASER SELECTIVE SUPPLEMENT *	#10 vl	5 vl
TM 1871	HALOPHILIC AGAR for isolation and cultivation of halophilic bacteria	325.00	500 gm
TM 1872	HALOPHILIC BROTH for isolation and cultivation of halophilic bacteria	305.00	500 gm
TM 1195	HANAHAN'S BROTH (SOB MEDIUM) for cultivation of recombinant strains of Escherichia coli	28.00	500 gm
TM 374	HARTLEY'S DIGEST BROTH for cultivation of various bacteria from blood especially Streptococci and Corynebacterium diphtheriae	29.00	100 gm 500 gm
TMV 374	HARTLEY'S DIGEST BROTH (VEG.) for cultivation of various bacteria from blood especially Streptococci and Corynebacterium diphtheriae	29.00	100 gm 500 gm
TM 120	HEART INFUSION AGAR (BEEF HEART INFUSION AGAR) for isolation and cultivation of various fastidious microorganisms	40.00	100 gm 500 gm

Dehydrated Culture Media H

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2104	HEART INFUSION AGAR, MODIFIED for isolation and cultivation of fastidious pathogenic microorganisms like Neisseria, Streptococci etc. and for confirmation of diarrheagenic Escherichia coli in accordance with FDA BAM, 1998.	37.50	500 gm
TM 2105	HEART INFUSION YEAST EXTRACT AGAR BASE for the isolation and cultivation of Campylobacter in accordance with FDA BAM 1998.	42.00	500 gm
TS 278	CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA*	#24 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#24 vl	5 vl
TM 520	HEART INFUSION BROTH (BEEF HEART INFUSION BROTH) for isolation and cultivation of various fastidious microorganisms	25.00	100 gm 500 gm
TM 121	HEKTOEN ENTERIC AGAR (ISO 21567:2004) for differential and selective isolation of Salmonella and Shigella species from pathological specimens	76.67	100 gm 500 gm
TMV 121	HEKTOEN ENTERIC AGAR (VEG.) for differential and selective isolation of Salmonella and Shigella species from pathological specimens	76.67	100 gm 500 gm
TM 2107	HEKTOEN ENTERIC AGAR MEDIUM (as per USP) for differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens	72.66	100 gm 500 gm
TM 2108	HEKTOEN ENTERIC AGAR, W/ 1.4% AGAR for the differential isolation of Shigella and Salmonella from food specimens in accordance with FDA BAM, 1998	75.67	500 gm
TM 1196	HEMMES MEDIUM for biochemical differentiation of Salmonella and Shigella on the basis of dextrose, lactose, sucrose fermentation, motility, H ₂ S, indole and urease production	43.00	500 gm
TS 030	UREA 40 % (5ml/vl) *	#268 vl	5 vl 25 vl
TM 1355	HEMORRHAGIC COLI (HC) AGAR for isolation and enumeration with an enzyme labeled monoclonal antibody of Escherichia coli	61.13	500 gm
TM 1356	HERELLEA AGAR for the selective isolation and differentiation of gram-negative, fermentative and non-fermentative organisms especially for differentiation of organisms of Mima and Herellea group	62.27	500 gm
TM 2109	HETEROTROPHIC PLATE COUNT AGAR for heterotrophic plate count of bacteria in water	18.75	100 gm 500 gm
TM 2133	HIGH PLATE COUNT AGAR for obtaining higher colony counts by spread plate or pour plate or membrane filter technique	18.75	500 gm
TM 2134	HIGH SALT NUTRIENT AGAR for the isolation, cultivation and confirmation of salt tolerant Vibrio species	55.00	500 gm
TM 123	HIGH SENSITIVITY TEST AGAR for determination of antibiotic susceptibility of fastidious microorganism	32.00	100 gm 500 gm
TM 1805	HIGH SENSITIVITY TEST BROTH for antimicrobial susceptibility tests	23.40	100 gm 500 gm
TM 969	HIPPURATE HYDROLYSIS BROTH for detection of hippurate hydrolysing microorganisms	35.00	100 gm
TM 996	HOFER'S ALKALINE MEDIUM for selective isolation of Agrobacteria while inhibiting Rhizobium species from soil	26.80	100 gm
TM 1552	HORIE ARABINOSE ETHYL VIOLET BROTH for cultivation and enrichment of Vibrio species	43.00	500 gm
TM 997	HOTTINGER BROTH for cultivation of less fastidious microorganisms and determination of indole production	23.00	100 gm
TM 522	HOYLE MEDIUM BASE for differentiation and isolation of Corynebacterium diphtheriae	40.00	100 gm 500 gm
TS 003	POTASSIUM TELLURITE 3.5% (10ml/vl) *	#13 vl	5 vl

H Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 741	HUGH LEIFSON GLUCOSE MEDIUM for differentiation of Staphylococci from Micrococci by anaerobic fermentation of glucose	45.52	100 gm 500 gm
TM 125	HUGH LEIFSON MEDIUM for detecting aerobic and anaerobic breakdown of glucose	19.35	100 gm 500 gm
TMV 125	HUGH LEIFSON MEDIUM (VEG.) for detecting aerobic and anaerobic breakdown of glucose	19.40	100 gm 500 gm
TM 742	HUGH LEIFSON MEDIUM (IS : 5887 (Part V) 1976, reaffirmed 2005) for detecting aerobic and anaerobic breakdown of glucose.	19.40	100 gm
TM 1351	HYA AGAR for differentiation of Lactobacillus bulgaricus and Streptococcus thermophilis on the basis of colony morphology from yoghurt cultures	36.00	100 gm
TM 126	ISP MEDIUM NO.1 (TRYPTONE YEAST EXTRACT BROTH) a general purpose enrichment medium for fastidious and non fastidious microorganisms	08.00	100 gm 500 gm
TM 397	ISP MEDIUM NO. 2 (YEAST MALT AGAR) for cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#25 vl	5 vl 25 vl
TM 128	ISP MEDIUM NO. 3 for cultivation and characterization of Streptomyces as per International Streptomyces Project	38.00	100 gm 500 gm
TM 129	ISP MEDIUM NO. 4 (INORGANIC SALT STARCH AGAR) for cultivation and characterization of Streptomyces as per International Streptomyces Project	37.00	100 gm 500 gm
TM 130	ISP MEDIUM NO. 5 (GLYCEROL ASPARAGINE AGAR BASE) for cultivation of Streptomyces species as per International Streptomyces Project	23.00	100 gm 500 gm
TM 131	ISP MEDIUM NO.6 (PEPTONE YEAST EXTRACT IRON AGAR) for cultivation and maintenance of Streptomyces as per International Streptomyces project	37.50	100 gm 500 gm
TM 132	ISP MEDIUM NO. 7 (TYROSINE AGAR) for isolation and characterization of Streptomyces as per International Streptomyces Project	23.00	100 gm 500 gm
TM 523	ISP MEDIUM NO. 9 (CARBON UTILIZATION AGAR) for characterization of Streptomyces based on carbon utilization	26.67	100 gm 500 gm
TM 1358	ISOLATION MEDIUM FOR IRON BACTERIA for isolation of iron bacteria, especially those belonging to Sphaerotilus-Leptothrix group	10.90	100 gm 500 gm
TM 1357	ITC BROTH BASE (TTC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE) for selective enrichment and enumeration of Yersinia enterocolitica	76.00	500 gm
TS 131	TICARCILLIN SUPPLEMENT *	#7 vl	5 vl
TS 132	POTASSIUM CHLORATE SUPPLEMENT *	#7 vl	5 vl
TM 2136	IUT MEDIUM BASE for cultivation of Mycobacterium tuberculosis	07.30	100 gm 500 gm
TM 468	INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM) for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm
TMV 468	INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM) (VEG.) for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm
TM 1205	INHIBITORY MOLD AGAR, ULRICH for selective isolation of pathogenic fungi	36.17	500 gm
TM 743	INORGANIC SALT MEDIUM (MODIFIED RAGGIOS MEDIUM) for studying soil microorganisms such as Rhizobium species	04.73	100 gm 500 gm
TM 129	INORGANIC SALT STARCH AGAR (ISP MEDIUM NO. 4) for cultivation and characterization of Streptomyces species as per International Streptomyces Project	37.00	100 gm 500 gm
TM 745	INOSITOL GELATIN MEDIUM (as per APHA) for cultivation of Plesiomonas shigelloides from food samples in accordance with APHA	140.00	500 gm
TM 2137	IRON MEDIUM BASE for presumptive confirmation of Clostridium perfringens from food in accordance with FDA BAM, 1998	01.00	500 gm

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 133	IRON OXIDIZING MEDIUM (DOUBLE PACK) for isolation, cultivation and enrichment of Thiobacillus ferrooxidans	(Part I) (Part II)	04.11 44.22	100 gm 500 gm
TM 109	IRON MILK MEDIUM for cultivation of Clostridium perfringens from foods		101.00	500 gm
TM 296	IRON SULPHITE AGAR for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods		26.00	100 gm 500 gm
TMV 296	IRON SULPHITE AGAR (VEG.) for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods		26.00	100 gm 500 gm
TM 2138	IRON SULPHITE AGAR MODIFIED (ISO 15213:2003) for the enumeration of sulfite – reducing bacteria growing under anaerobic conditions		42.00	500 gm
TM 2139	ISLAM'S MEDIUM BASE FOR GROUP B STREPTOCOCCI for identification and cultivation of group B Streptococci from clinical specimens		45.23	500 gm
TM 1359	J. AGAR BASE for cultivation of Bacillus and Sporolactobacillus species		43.00	500 gm
TM 1360	J. BROTH BASE for cultivation of Bacillus and Sporolactobacillus species		20.00	500 gm
TM 134	JENSEN SEEDLING AGAR for germinating seeds of leguminous plants for studying nodulating ability of Rhizobium isolates		16.70	100 gm 500 gm
TM 746	JENSEN'S BROTH for detection and cultivation of nitrogen fixing bacteria		24.10	100 gm 500 gm
TM 135	JENSEN'S MEDIUM for detection and cultivation of nitrogen fixing bacteria		39.00	100 gm 500 gm
TM 2140	K AGAR for isolation and cultivation of Alicyclobacillus in fruit juices in accordance with Official method of IFU		24.50	100 gm
TM 1206	K.R.A.N.E.P. AGAR BASE for selective enumeration of total Staphylococci from foods		72.00	100 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *		#7 vl	5 vl
TM 136	KF STREPTOCOCCAL AGAR BASE for selective isolation and enumeration of faecal Streptococci in surface water by direct plating or by membrane filter technique		76.40	100 gm 500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *		#7 vl	5 vL 25 vl
TS 045	BROMO CRESOL PURPLE (15 mg/vl)		#7 vl	5 vl
TM 747	KF STREPTOCOCCAL BROTH BASE for detection and enumeration of faecal Streptococci in water and examination of faeces		57.00	100 gm 500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *		#9 vl	5 vL 25 vl
TM 138	KF STREPTOCOCCUS AGAR BASE W/ BCP for detection and enumeration of faecal Streptococci		76.40	100 gm 500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *		#7 vl	5 vL 25 vl
TM 139	KF STREPTOCOCCUS BROTH BASE W/ BCP for detection and enumeration of faecal Streptococci		56.40	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *		#7 vl	5 vL 25 vl
TM 1207	KG AGAR BASE for differentiation of Bacillus cereus and Bacillus thuringiensis based on fast sporulation		19.53	500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *		#26 vl	5 vl
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *		#52 vl	5 vl 25 vl

K Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2141	KANAMYCIN ESCULIN AZIDE AGAR for selective isolation and identification of group D Streptococci in foodstuffs	44.67	100 gm
TM 748	KANAMYCIN ESCULIN AZIDE AGAR BASE for selective isolation and identification of group D Streptococci in foods	44.67	100 gm
TS 068	KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT *	#23 vl	5 vl
TM 2142	KANAMYCIN ESCULIN AZIDE BROTH for selective isolation and identification of group D Streptococci in foodstuffs	32.67	100 gm
TM 749	KANAMYCIN ESCULIN AZIDE BROTH BASE for selective isolation and identification of group D Streptococci in foodstuffs	32.65	100 gm
TS 068	KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT *	#31 vl	5 vl
TM 1208	KAPER'S MEDIUM (as per APHA) for enumeration and identification of Aeromonas hydrophila from foodstuffs	37.92	500 gm
TM 1361	KARMALI CAMPYLOBACTER AGAR BASE for selective isolation and cultivation of thermotolerant Campylobacter species from food and animal feeds	45.00	500 gm
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI)*	#23 vl	5 vl 25 vl
TS 146	CAMPYLOBACTER SELECTIVE SUPPLEMENT W/HEMIN (KARMALI)*	#23 vl	5 vl 25 vl
TM 2143	KAUFFMAN MUELLER'S TETRATHIONATE BROTH BASE (IS:5887(Part I)-1999) recommended as selective enrichment medium for isolation of Shigella species from food samples	132.50	500 gm
TM 1209	KENKNIGHT & MUNAIER'S MEDIUM for isolation of Actinomyces species from soil	16.40	500 gm
TM 2144	KETOGLUCONATE BROTH for use in identifying bacteria that can utilize a-ketogluconate to form α -ketogluconate	27.40	500 gm
TM 1211	KIMMIG FUNGI AGAR BASE for isolation, identification and cultivation of fungi.	50.40	500 gm
TS 110	KIMMIG SELECTIVE SUPPLEMENT *	#20 vl	5 vl
TS 111	GEORGE KIMMIG SELECTIVE SUPPLEMENT *	#20 vl	5 vl
TM 562	KING'S OF MEDIUM BASE for studying oxidation fermentation of carbohydrates by Campylobacter species	00.50	100 gm 500 gm
TM 1362	KING'S MEDIUM A BASE for non-selective isolation, cultivation and pigment production by Pseudomonas species	46.60	500 gm
TM 1363	KING'S MEDIUM B BASE for non-selective isolation, cultivation and pigment production by Pseudomonas species	43.00	500 gm
TM 2145	KING'S MEDIUM B BASE W/ 1.5% AGAR (FDA BAM, 1998) for non-selective isolation, cultivation and pigment production of Pseudomonas species	38.00	500 gm
TM 1869	KING'S MEDIUM B BROTH for detection of pigment production by Pseudomonas species	23.00	500 gm
TM 1366	KIRCHNER MEDIUM BASE, MODIFIED for cultivation of Mycobacterium tuberculosis	15.10	500 gm
TS 014	HORSE SERUM *	3.3 ltr	100 ml
TM 141	KLIGLER IRON AGAR for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H ₂ S production	57.50	100 gm 500 gm
TMV 141	KLIGLER IRON AGAR (VEG.) for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H ₂ S production	57.50	100 gm 500 gm
TM 142	KLIGLER IRON AGAR, MODIFIED for identification of Yersinia enterocolitica and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H ₂ S production	57.30	500 gm

Dehydrated Culture Media **K**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1553	KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003) for identification of Pseudomonas species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H ₂ S production	58.02	500 gm
TM 1554	KOHN TWO TUBE MEDIUM NO. 1 for identification of Enterobacteriaceae on the basis of dextrose and mannitol fermentation and urease production	46.00	100 gm 500 gm
TS 030	UREA 40% (5 ml/vl) *	#55 vl	5 vl 25 vl
TM 1364	KOHN TWO TUBE MEDIUM NO. 2 for identification of Enterobacteriaceae on the basis of sucrose and salicin fermentation, motility, hydrogen sulphide and indole production	48.13	100 gm
TM 143	KOSER CITRATE MEDIUM for differentiation of Escherichia coli and Enterobacter aerogenes on the basis of citrate utilization	05.70	100 gm 500 gm
TMV 143	KOSER CITRATE MEDIUM (VEG.) for differentiation of Escherichia coli and Enterobacter aerogenes on the basis of citrate utilization	05.70	100 gm 500 gm
TM 1365	KRACK BLOOD CULTURE MEDIUM for isolating organisms from blood in bacteremias and maintaining cultures isolated from blood	75.00	100 gm
TM 1367	KUNDRAT AGAR for qualitative detection of residues from antibiotics and other chemotherapeutic agents	40.41	500 gm
TM 2146	KUNDRAT AGAR, MODIFIED for the qualitative detection of residues of antibiotics and other chemotherapeutic agents in animal derived food	40.52	500 gm
TM 1212	KUPFERBERG TRICHOMONAS BROTH BASE (TRICHOMONAS BROTH BASE, KUPFERBERG) for selective isolation and cultivation of Trichomonas species	23.50	500 gm
TS 112	TRICHOMONAS SELECTIVE SUPPLEMENT I *	#44 vl	5 vl
TM 750	L. D. AGAR for identification and cultivation of fastidious anaerobic bacteria	33.22	100 gm 500 gm
TM 960	L.D. ESCULIN AGAR for identification of anaerobic bacteria like Bacteroides species on the basis of esculin hydrolysis	34.62	100 gm 500 gm
TM 1125	L.D. EGG YOLK AGAR BASE for identification of lecithinase activity by anaerobic microorganisms	40.23	100 gm 500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#13 vl	5 vl
TM 2148	L.MONO BLOOD AGAR BASE for the specific isolation and cultivation of Listeria species from food and environmental samples	50.00	500 gm
TS 227	L.MONO SELECTIVE SUPPLEMENT I *	#10 vl	5 vl
TM 1806	L.MONO CONFIRMATORY AGAR BASE for selective and differential isolation of Listeria monocytogenes from clinical & food samples	77.00	100 gm 500 gm
TS 227	L.MONO SELECTIVE SUPPLEMENT I *	#13 vl	5 vl
TS 228	L.MONO SELECTIVE SUPPLEMENT II *	#13 vl	5 vl
TS 229	L.MONO ENRICHMENT SUPPLEMENT II *	#13 vl	5 vl
TM 2149	L.MONO SELECTIVE AGAR BASE for presumptive enumeration of Listeria species using membrane filtration technique	60.42	500 gm
TS 289	LM SELECTIVE SUPPLEMENT *	#9 vl	5 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#9 vl	5 vl
TM 1213	LPM AGAR BASE for isolation and cultivation of Listeria monocytogenes from food and dairy products	50.5	100 gm
TS 113	MOXALACTAM SUPPLEMENT *	#10 vl	5 vl

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 751	L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE) for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl 25 vl
TMV 751	L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE) (VEG.) for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl 25 vl
TM 1474	L B AGAR (Lennox) for propagation and maintenance of E.coli	35.00	500 gm
TM 1475	L B BROTH (Lennox) for propagation and maintenance of E.coli	20.00	500 gm
TM 1369	LACHICA'S MEDIUM BASE for isolation and cultivation of Aeromonas hydrophila from foods stored under different temperature conditions	43.00	100 gm
TS 161	LACHICA'S SUPPLEMENT *	#12 vl	1 vl
TM 752	LACTIC ACID BACTERIA SELECTIVE AGAR BASE for selective isolation of lactic acid bacteria from brewery	77.10	100 gm
TS 069	LACTIC SUPPLEMENT (10 ml/vl) *	#14 vl	5 vl
TM 753	LACTIC ACID BACTERIA SELECTIVE BROTH BASE (RAKA-RAY NO.3 BROTH BASE) for selective isolation of lactic acid bacteria from brewery	58.90	100 gm
TS 069	LACTIC SUPPLEMENT (10 ml/vl) *	#4 vl	5 vl
TM 754	LACTIC AGAR for enumeration and identification of lactic Streptococci and Lactobacilli by pour plate method	63.50	100 gm
TM 642	LACTIC BACTERIA DIFFERENTIAL AGAR for differentiation of homo-fermentative and hetero-fermentative lactic acid bacteria	35.56	500 gm
TM 643	LACTIC BACTERIA DIFFERENTIAL BROTH for differentiation of homo-fermentative and hetero-fermentative lactic acid bacteria	20.56	500 gm
TM 1001	LACTIC PHAGE AGAR for enumeration of bacteriophages active against starter cultures employed in cheese production	50.00	500 gm
TM 1002	LACTIC PHAGE BROTH for enumeration of bacteriophages active against starter cultures employed in cheese production	35.00	500 gm
TM 1555	LACTIC STREAK AGAR (REDDYS DIFFERENTIAL AGAR, MODIFIED) qualitative and quantitative differentiation of lactic streptococci	58.00	500 gm
TM 144	LACTOBACILLI AGAR (AOAC) * for cultivation and maintenance of stock cultures used in microbiological assays of vitamin and amino acids	48.00	100 gm
TMV 144	LACTOBACILLI AGAR (AOAC) (VEG.) * for cultivation and maintenance of stock cultures used in Microbiological assays of vitamin and amino acids	48.00	100 gm
TM 145	LACTOBACILLI BROTH (AOAC) * for preparation of inocula of stock cultures used in microbiological assays of vitamins of group B	38.00	500 gm
TM 316	LACTOBACILLI BROTH (ELLIKER BROTH) for cultivation of Lactobacilli & Streptococci which are important in dairy industry	48.50	500 gm
TM 1370	LACTOBACILLI BULGARICUS AGAR BASE * for isolation and identification of Lactobacillus bulgaricus	70.00	500 gm

Dehydrated Culture Media L

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 755	LACTOBACILLUS HETEROFERM SCREEN AGAR (MRS AGAR, MODIFIED) * for isolation and cultivation of Lactobacillus species from foods	62.20	500 gm
TM 187	LACTOBACILLUS HETEROFERM SCREEN BROTH (MRS BROTH, MODIFIED) * for isolation and cultivation of Lactobacillus species from foods	47.20	500 gm
TM 146	LACTOBACILLUS MRS AGAR (MRS AGAR) for isolation and cultivation of Lactobacillus species	67.15	100 gm 500 gm
TMV 146	LACTOBACILLUS MRS AGAR (MRS AGAR) VEG.) * for isolation and cultivation of Lactobacillus species	67.15	100 gm 500 gm
TM 1556	LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010) * for the isolation and enumeration of lactic acid bacteria from meat and meat products	65.30	500 gm
TM 147	LACTOBACILLUS MRS BROTH (MRS BROTH) for cultivation of Lactobacillus species	55.15	100 gm 500 gm
TMV 147	LACTOBACILLUS MRS BROTH (MRS BROTH) (VEG.) * for cultivation of Lactobacillus species	55.15	100 gm 500 gm
TM 1003	LACTOBACILLUS SELECTION AGAR BASE for isolation and enumeration of Lactobacillus from foods	84.70	500 gm
TMV 1003	LACTOBACILLUS SELECTION AGAR BASE (VEG.) * for isolation and enumeration of Lactobacillus from foods	84.70	500 gm
TM 1004	LACTOBACILLUS SELECTION BROTH BASE * for selective isolation and enumeration of Lactobacilli from foods *	69.70	500 gm
TMV 1004	LACTOBACILLUS SELECTION BROTH BASE (VEG.) * for selective isolation and enumeration of Lactobacilli from foods *	69.70	500 gm
TM 1371	LACTOBACILLI SELECTION OXGALL AGAR BASE * for selective isolation, cultivation and enumeration of Lactobacilli	86.20	500 gm
TM 751	LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE (L.S. DIFFERENTIAL MEDIUM BASE) for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl 25 vl
TM 669	LACTOSE BLUE AGAR (BTB LACTOSE AGAR MODIFIED) for differentiation of lactose fermenting and non-fermenting bacteria of Enterobacteriaceae	40.54	500 gm
TM 1537	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per USP) for detection of coliform bacteria in water, dairy and food products	13.00	100 gm 500 gm
TM 1538	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per IP) for detection of coliform bacteria in water, foods and dairy products as per Standard Methods	13.00	100 gm 500 gm
TM 757	LACTOSE BROTH (FLUID LACTOSE MEDIUM) for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm
TMV 757	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (VEG.) for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm
TM 2152	LACTOSE MONOHYDRATE BROTH (BROTH MEDIUM D) for the detection of coliform bacteria in water, foods, dairy products	13.00	100 gm 500 gm
TM 148	LACTOSE GELATIN MEDIUM for detection of Clostridium species from food samples	135.00	500 gm
TM 149	LACTOSE GELATIN MEDIUM, MODIFIED (AOAC) for detection and presumptive identification of Clostridium perfringens from foods in accordance with AOAC	160.00	500 gm
TM 1215	LACTOSE LECITHIN AGAR * for isolation and differentiation of histotoxic Clostridia from clinical specimens	58.48	500 gm

L Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 734	LACTOSE MEDIUM W/SOYA LECITHIN & POLYSORBATE 20 (DOUBLE PACK) for microbial evaluation of oral hygiene products *	(Part I) (Part II)	18.00 40.00	100 gm 500 gm
TM 758	LACTOSE PEPTONE BROTH for detection of coliform organisms in water		35.00	500 gm
TM 1372	LACTOSE PEPTONE WATER for detection of coliforms in fermentation studies.		25.04	500 gm
TM 1216	LACTOSE SULPHITE BROTH BASE for detection and enumeration of Clostridium perfringens in pharmaceutical products		20.30	500 gm
TM 2153	LACTOSE MONOHYDRATE SULPHITE MEDIUM (MEDIUM R) (as per EP/BP) for detection and enumeration of Clostridium perfringens in pharmaceutical products		19.80	500 gm
TM 1251	LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000) for detection and enumeration of E.coli and other coliforms in water by membrane filtration technique		57.15	100 gm 500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *		#3 vl	5 VL 25 vl
TM 2445	LAKED BLOOD WITH KANAMYCIN AND VANCOMYCIN AGAR (LKV) for the isolation and partial identification of obligately anaerobic gram-negative bacilli. LKV agar is useful for the rapid isolation of Prevotella species		46.61	500 gm
TS 314	KANAMYCIN AND VANCOMYCIN SUPPLEMENT *		#11 vl	5 vl
TM 1430	LANDER TRANSPORT & STORAGE MEDIUM for cultivation and transportation of Campylobacter species		30.00	500 gm
TS 160	LANDER AF SUPPLEMENT B*		#32 vl	1 vl
TS 154	LANDER VPT SUPPLEMENT A*		#32 vl	2 vl
TM 150	LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006) for detection and enumeration of coliform bacteria in water, waste water, dairy products and other food sample		35.60	100 gm 500 gm
TMV 150	LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (VEG.) for detection and enumeration of coliform bacteria in water, dairy products and other foods		35.60	100 gm 500 gm
TM 1829	LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006) For the selective pre-enrichment medium for Cronobacter sakazakii from milk and milk products		64.60	500 gm
TS 280	VANCOMYCIN SUPPLEMENT *		#8 vl	5 vl
TM 151	LAURYL TRYPTOSE MANNITOL BROTH W/TRYPHTOPHAN for detection of Escherichia coli in water		35.80	500 gm
TMV 151	LAURYL TRYPTOSE MANNITOL BROTH W/TRYPHTOPHAN (VEG.) for detection of Escherichia coli in water		35.80	500 gm
TM 1217	LEAD ACETATE AGAR for detection of H2S producing enteric bacteria		36.28	500 gm
TMV 1217	LEAD ACETATE AGAR (VEG.) for detection of H2S producing enteric bacteria		36.28	500 gm
TM 1373	LECITHIN AGAR * for detection of bacterial contamination of surfaces in unprotected and protected areas		53.20	500 gm
TMV 1373	LECITHIN AGAR (VEG.) * for detection of bacterial contamination of surfaces in unprotected and protected areas		53.20	500 gm
TM 1374	LECITHIN DILUENT BROTH * a diluent for cosmetic samples		28.00	500 gm
TM 2154	LEE'S AGAR for differential enumeration of yoghurt starter bacteria (Lactobacillus bulgaricus, Streptococcus thermophilus)		51.52	500 gm
TM 2155	LEE'S MULTIDIFFERENTIAL AGAR used in the brewing industry for the cultivation and identification of brewing bacteria including fastidious type		84.63	500 gm

Dehydrated Culture Media L

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 759	LEGIONELLA AGAR BASE for cultivation of Legionella species	37.00	100 gm
TS 044	LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) *	#6 vl	5 vl
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT *	#6 vl	5 vl 25 vl
TS 019	LEGIONELLA SUPPLEMENT *	#6 vl	5 vl
TM 1218	LEGIONELLA AGAR BASE for cultivation of Legionella species	25.00	500 gm
TS 114	LEGIONELLA GROWTH SUPPLEMENT (BCYE) *	#40 vl	5 vl
TS 114A	LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) *	#40 vl	5 vl
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *	#40 vl	5 vl 25 vl
TS 116	LEGIONELLA BMPA SELECTIVE SUPPLEMENT *	#40 vl	5 vl 25vl
TS 195	LEGIONELLA GROWTH SUPPLEMENT W/O. L-CYSTEINE *	#40 vl	5 vl 25 vl
TM 2156	LEGIONELLA AGAR BASE W/O CHARCOAL with the addition of charcoal supplement is used for the cultivation of Legionella species	25.00	500 gm
TS 114	LEGIONELLA GROWTH SUPPLEMENT (BCYE) *	#40 vl	5 vl
TS 114A	LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) *	#40 vl	5 vl
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *	#40 vl	5 vl 25 vl
TS 116	LEGIONELLA BMPA SELECTIVE SUPPLEMENT *	#40 vl	5 vl 25vl
TS 195	LEGIONELLA GROWTH SUPPLEMENT W/O. L-CYSTEINE *	40 vl	5 vl 25 vl
TS 291	STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR *	40 vl	5 vl 25 vl
TM 760	LEGIONELLA ENRICHMENT BROTH BASE for enrichment of Legionella species	27.50	100 gm
TS 044	LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) *	#8 vl	5 vl
TM 1007	LEIFSON AGAR for isolation of Salmonella and Shigella species from clinical and non-clinical samples	47.42	500 gm
TMV 1007	LEIFSON AGAR (VEG.) for isolation of Salmonella and Shigella species from clinical and non-clinical samples	47.42	500 gm
TM 1008	LEIFSON DEOXYCHOLATE AGAR, MODIFIED for selective isolation and differentiation of Salmonella and Shigella species	48.50	500 gm
TM 156	LETHEEN AGAR * determination of phenol coefficient of quaternary ammonium compounds using E.coli or Staphylococcus aureus	32.00	500 gm
TMV 156	LETHEEN AGAR (VEG.) determination of phenol coefficient of quaternary ammonium compounds using E.coli or Staphylococcus aureus	32.00	500 gm
TM 1557	LETHEEN AGAR W/ TRITON X-100 * for screening cosmetic products for microbial contamination by adding Triton X-100	41.70	500 gm
TM 157	LETHEEN AGAR, MODIFIED * for screening cosmetic products for microbial contamination	54.00	500 gm
TMV 157	LETHEEN AGAR, MODIFIED (VEG.) * for screening cosmetic products for microbial contamination	54.00	500 gm
TM 2157	LETHEEN AGAR I MODIFIED recommended to determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	59.10	500 gm

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1558	LETHEEN BROTH (as per USP) for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	25.70	500 gm
TM 158	LETHEEN BROTH, AOAC * for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	25.70	500 gm
TMV 158	LETHEEN BROTH, AOAC (VEG.) * for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	25.70	500 gm
TM 159	LETHEEN BROTH, MODIFIED (as per FDA) * for screening cosmetic products to check microbial contamination	42.80	500 gm
TMV 159	LETHEEN BROTH, MODIFIED (as per FDA) (VEG.) * for screening cosmetic products to check microbial contamination	42.80	500 gm
TM 2158	LETHEEN BROTH I MODIFIED recommended for screening cosmetic products for microbial contamination	42.80	500 gm
TM 1219	LETHEEN BROTH W/ TRITON X-100 for testing microbial contamination in cosmetic products	26.70	500 gm
TM 2159	LEVINE EOSIN-METHYLENE BLUE AGAR MEDIUM (as per USP) for the isolation, enumeration and differentiation of members of Enterobacteriaceae	37.46	100 gm 500 gm
TM 2160	LEVINTHALS MEDIUM BASE for cultivation of Haemophilus species	45.00	500 gm
TM 1220	LIMABEAN AGAR for cultivation of phytopathological and other fungi	23.00	500 gm
TM 2161	LIN'S CUPRIC SULFATE MEDIUM differential medium for the detection of wild yeasts	40.15	100 gm 500 gm
TM 1221	LIPOVITELLIN SALT MANNITOL AGAR BASE for selective isolation and identification of Staphylococci on the basis of lipase production and mannitol fermentation from clinical and non-clinical specimens	111.00	500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#5 vl	5 vl
TM 1222	LIQUOID BROTH for testing blood samples from bacteremic cases	37.50	500 gm
TMV 1222	LIQUOID BROTH (VEG.) for testing blood samples from bacteremic cases	37.50	500 gm
TM 1375	LISTERIA CONFIRMATORY AGAR BASE for cultivation of Listeria species	77.00	500 gm
TS 147	LISTERIA SELECTIVE SUPPLEMENT A *	#13 vl	5 vl
TS 148	LISTERIA SELECTIVE SUPPLEMENT B *	#13 vl	5 vl
TS 149	LISTERIA ENRICHMENT SUPPLEMENT *	#13 vl	5 vl
TM 1223	LISTERIA ENRICHMENT BROTH (DOUBLE PACK) for selective enrichment of Listeria monocytogenes from clinical specimens	(Part I) 26.00 (Part II) 37.00	500 gm -
TM 2128	LISTERIA ENRICHMENT BROTH BASE recommended for the rapid and selective enrichment of Listeria species from food samples in 24 hours	44.00	500 gm
TS 288	RAPID LISTERIA SELECTIVE SUPPLEMENT *	#12 vl	5 vl
TM 1224	LISTERIA ENRICHMENT BROTH, MODIFIED for selective enrichment of Listeria species *	52.00	100 gm 500 gm
TM 1225	LISTERIA ENRICHMENT MEDIUM BASE (UVM) for selective isolation and cultivation of Listeria monocytogenes from clinical specimens	54.35	100 gm 500 gm
TS 117	LISTERIA UVM SUPPLEMENT I *	#19 vl	5 vl
TS 118	LISTERIA UVM SUPPLEMENT II *	#19 vl	5 vl

Dehydrated Culture Media L

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2444	LISTERIA ENRICHMENT MEDIUM BASE (UVM I) for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	54.36	500 gm
TM 1226	LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2:1998) for detection and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	69.00	100 gm 500 gm
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *	#15 vl	5 vl 25 vl
TM 1227	LISTERIA IDENTIFICATION BROTH BASE (PALCAM) for selective enrichment of <i>Listeria</i> species	47.70	100 gm 500 gm
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *	#22 vl	5 vl 25 vl
TM 1377	LISTERIA MOTILITY MEDIUM for testing motility of <i>Listeria monocytogenes</i>	29.60	500 gm
TM 2162	LISTERIA OXFORD AGAR BASE W/ 1.2% AGAR for isolation of specimen <i>Listeria</i> species from food samples in accordance with FDA BAM, 1998	57.50	500 gm
TS 292	LISTERIA MOXALACTAM SUPPLEMENT MODIFIED *	#18 vl	5 vl
TM 2163	LISTERIA OXFORD MEDIUM BASE, MODIFIED for isolation and differentiation of <i>Listeria</i> species from clinical specimens	57.50	500 gm
TS 120	OXFORD LISTERIA SUPPLEMENT *	#18 vl	5 vl
TS 292	LISTERIA MOXALACTAM SUPPLEMENT MODIFIED *	#18 vl	5 vl
TM 1229	LISTERIA OXFORD MEDIUM BASE (ISO 11290-1) for isolation of <i>Listeria</i> species from pathological samples	55.50	100 gm 500 gm
TS 120	OXFORD LISTERIA SUPPLEMENT *	#19 vl	5 vl
TS 121	LISTERIA MOXALACTAM SUPPLEMENT *	#19 vl	5 vl
TM 612	LISTERIA SELECTIVE AGAR (DOUBLE PACK) for selective isolation & cultivation of <i>Listeria</i> species from clinical samples	(Part I) 39.00 (Part II) 37.50	500 gm -
TM 1444	LISTERIA SELECTIVE AGAR BASE for selective isolation and cultivation of <i>Listeria monocytogenes</i>	51.00	500 gm
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#20 vl	5 vl 25 vl
TM 761	LISTERIA SELECTIVE BROTH BASE for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	36.00	500 gm
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#28 vl	5 vl 25 vl
TMV 761	LISTERIA SELECTIVE BROTH BASE (VEG.) For selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	36.00	500 gm
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#28 vl	5 vl 25 vl
TM 2164	LISTERIA SELECTIVE ENRICHMENT BROTH * for selective enrichment of <i>Listeria</i> species in accordance with FDA/IDF-FIL	36.10	500 gm
TM 2165	LISTERIA SELECTIVE PRIMARY BROTH BASE for selective enrichment of <i>Listeria</i> species from foods	53.18	500 gm
TS 293	NAMC LISTERIA SELECTIVE SUPPLEMENT *	#10 vl	5 vl
TM 164	LITMUS LACTOSE AGAR for differentiation of Lactose fermenting and Lactose nonfermenting microorganisms	29.00	500 gm

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 762	LITMUS LACTOSE BILE SALT AGAR (LLBSA) for selective isolation of enteric bacteria on the basis of lactose fermentation	70.50	500 gm
TM 165	LITMUS MILK (LITMUS SM BROTH) for determination and maintenance of Lactobaclli	101.00	100 gm 500 gm
TMV 165	LITMUS MILK (VEG.)(LITMUS SM BROTH) for determination and maintenance of Lactobaclli	101.00	100 gm 500 gm
TM 763	LITMUS MILK (LITMUS SM BROTH) for determination and maintenance of Lactobacilli	105.00	100 gm 500 gm
TM 524	LITTMAN OXGALL AGAR BASE for primary isolation of pathogenic fungi	55.00	500 gm
TM 525	LITTMAN OXGALL BROTH BASE for selective enrichment and cultivation of pathogenic fungi	35.00	500 gm
TM 764	LIVER BROTH for examination of food for Saccharolytic, putrefactive, mesophilic and thermophilic anaerobes	64.00	500 gm
TM 1230	LIVER BROTH, MODIFIED for presumptive and enrichment test of Clostridia & other anaerobes from food & other products	62.00	500 gm
TM 166	LIVER INFUSION AGAR for cultivation of Brucella and other pathogenic anaerobic bacteria	55.00	100 gm 500 gm
TM 167	LIVER INFUSION BROTH for cultivation of Brucella and other anaerobic bacteria	35.00	100 gm 500 gm
TM 765	LIVER MEAT AGAR for cultivation of fastidious anaerobes	34.00	500 gm
TM 2147	LIVER MEAT AGAR, MODIFIED for cultivation of fastidious anaerobic microorganisms	32.50	500 gm
TM 766	LIVER MEAT GLUCOSE CYSTEINE BROTH for cultivation of fastidious anaerobes	32.00	500 gm
TM 767	LIVER MEAT INFUSION AGAR for enumeration of sulphite reducing Clostridia and Clostridium perfringens in water and milk	34.87	500 gm
TM 2150	LIVER VEAL AGAR for the cultivation of fastidious anaerobic organisms	97.00	500 gm
TM 2151	LIVER VEAL AGAR BASE, MODIFIED* for isolation of Clostridium botulinum in accordance with FDA BAM, 1998.	97.00	500 gm
TS 290	EGG YOLK EMULSION, 50%	#5 vl	5 vl
TM 768	LOEFFLER MEDIUM BASE for cultivation of Corynebacterium diphtheriae from clinical samples and confirmation of chromogenesis, proteolysis and the production of ascospores	08.80 08.80	100 gm 500 gm
TS 014	HORSE SERUM*	42.6 ltr	100 ml
TM 2166	LOEFFLER SERUM MEDIUM BASE for the cultivation of Corynebacterium diphtheriae	10.00 10.00	100 gm 500 gm
TM 375	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) for isolation and cultivation of Mycobacterium species	37.24 37.24	100 gm 500 gm
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#54 vl	5 vl

Dehydrated Culture Media L

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TMV 375	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) (VEG.) for isolation and cultivation of Mycobacterium species		37.24	100 gm
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *		#27 vl	500 gm 5 vl
TM 2167	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) (as per IP) (DOUBLE PACK) for isolation and cultivation of Mycobacterium species	(Part I)	11.04	100 gm
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	(Part II)	0.667	500 gm
			#54 vl	5 vl
TM 526	L.J. MEDIUM W/O. STARCH (as per International Standard) for propagation of Mycobacteria		07.24	100 gm
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *		#27 vl	500 gm 5 vl
TM 2168	L.J. MEDIUM MODIFIED used for the isolation of Mycobacterium species from mixed flora		37.24	500 gm
TS 294	LCN SUPPLEMENT *		#14 vl	5 vl 25 vl
TMS 01	L.J. MEDIUM SLANT (10 slants) for cultivation of Mycobacterium tuberculosis		-	1 Kit
TM 407	LURIA AGAR for general cultivation of fastidious and non fastidious microorganisms		35.00	500 gm
TMV 407	LURIA AGAR (VEG.) for general cultivation of fastidious and non fastidious microorganisms		35.00	500 gm
TM 2169	LURIA AGAR BASE, MILLERS MODIFICATION for the cultivation and maintenance of recombinant strains of Escherichia coli with or without addition of glucose		30.50	500 gm
TM 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) for cultivation and maintenance of recombinant strains of Escherichia coli		40.00	500 gm
TMV 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) (VEG.) for cultivation and maintenance of recombinant strains of Escherichia coli		40.00	500 gm
TM 2170	LURIA BERTANI AGAR, MODIFIED for the cultivation and maintenance of recombinant strains of Escherichia coli and may be used for routine cultivation of not particularly fastidious microorganisms		30.00	500 gm
TM 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) for cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms		25.00	500 gm
TMV 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) (VEG.) for cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms		25.00	500 gm
TM 377	LURIA BROTH for the cultivation and maintenance of recombinant strains of Escherichia coli		20.00	500 gm
TMV 377	LURIA BROTH (VEG.) for the cultivation and maintenance of recombinant strains of Escherichia coli		20.00	500 gm
TM 2171	LURIA BROTH BASE, MILLER'S MODIFICATION for the cultivation and maintenance of recombinant strains of Escherichia coli with or without addition of glucose		15.50	500 gm
TM 769	LYSINE ARGININE IRON AGAR (LAI Agar) for isolation and presumptive identification of Yersinia species from milk and milk products		44.56	100 gm
TM 2172	LYSINE ASSAY MEDIUM * for determining lysine concentration by microbiological assay method		105.00	100 gm
TM 169	LYSINE DECARBOXYLASE BROTH for differentiating Salmonella serotype arizonae from the Bethesda Ballerup group of Enterobacteriaceae		14.00 14.00	100 gm 500 gm

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1830	LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006) for differentiating Salmonella serotype arizonae from the Bethesda Ballerup group of Enterobacteriaceae.	09.00 09.00	100 gm 500 gm
TM 2173	L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1-2017) recommended for biochemical confirmation of Vibrio parahaemolyticus and Vibrio cholerae from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm
TM 2174	LYSINE INDOLE MOTILITY MEDIUM, MODIFIED is used as an aid for the identification of members of Enterobacteriaceae on the basis of lysine decarboxylase, indole production and motility	30.02	500 gm
TM 171	LYSINE IRON AGAR for differentiation of enteric organisms especially Salmonella species based on their ability to decarboxylate or deaminate lysine and production of H ₂ S	34.56 34.56	100 gm 500 gm
TMV 171	LYSINE IRON AGAR (VEG.) for differentiation of enteric organisms especially Salmonella species based on their ability to decarboxylate or deaminate lysine and production of H ₂ S	34.56 34.56	100 gm 500 gm
TM 770 TS 070	LYSINE IRON BROTH BASE (LYSINE IRON CYSTINE BROTH BASE) for rapid presumptive detection of Salmonellae in food products and feed materials NOVOBIOCIN SELECTIVE SUPPLEMENT *	25.70 25.70 #20 vl	100 gm 500 gm 5 vl
TM 1010	LYSINE LACTOSE BROTH for determination of lysine decarboxylase activity of lactose nonfermenting members of Enterobacteriaceae especially Salmonellae	24.00	500 gm
TM 172 TS 232	LYSINE MEDIUM BASE for isolation and enumeration of wild yeasts in pitching yeasts POTASSIUM LACTATE 50% (10ml/vl) *	66.00 66.00 #8 vl	100 gm 500 gm 5 vl
TMV 172 TS 232	LYSINE MEDIUM BASE (VEG.) for isolation and enumeration of wild yeasts in pitching yeasts POTASSIUM LACTATE 50% (10ml/vl) *	66.00 66.00 #8 vl	100 gm 500 gm 5 vl
M TM 2175	M9 MINIMAL MEDIUM SALTS (5X) for growing Escherichia coli for molecular biology purpose	56.40	500 gm
TM 2177 TS 042	M-AZIDE BROTH BASE for cultivation and enumeration of Enterococci from water samples using membrane filter technique TTC SOLUTION 1% (10 ml/vl) *	156.40 #4 vl #4 vl	500 gm 5 vl 25 vl
TM 1380	M-BCG YEAST AND MOLD AGAR for the detection of fungi in routine analysis of beverages using membrane filter technique	88.20	500 gm
TM 1231	M-BCG YEAST AND MOLD BROTH for the detection of fungi in routine analysis of beverages using membrane filter technique	73.20	500 gm
TM 2178	M-BCG YEAST AND MOULD BROTH, MODIFIED for the detection of fungi in the routine analysis of beverages	74.13	500 gm
TM 2176	M-BROTH for detecting Salmonellae in foods and feeds by the accelerated enrichment serology procedures	36.23	100 gm
TM 2179	M-BISMUTH SULPHITE BROTH for the detection of Salmonellae by the membrane filter technique	64.65	500 gm
TM 2180	M-BRILLIANT GREEN BROTH for the detection of Salmonellae by the membrane filter technique	76.19	500 gm

Dehydrated Culture Media **M**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2130	M-CP AGAR BASE for isolation and enumeration of Clostridium perfringens from water samples using membrane filtration technique	71.02	100 gm 500 gm
TS 318	M-CP SELECTIVE SUPPLEMENT I *	#14 vl	5 vl
TS 320	M-CP SELECTIVE SUPPLEMENT II *	#14 vl	5 vl
TS 317	M-CP SELECTIVE SUPPLEMENT, MODIFIED *	#14 vl	5 vl
TM 2181	M-DEXTROSE TRYPTONE BROTH for detection and cultivation of thermophilic flat sour microorganisms from food preparations using membrane filter technique	30.04	500 gm
TM 2131	M-E.COLI BROTH * for the detection, differentiation and enumeration of Escherichia coli and coliforms in water samples using membrane filter technique	21.67	100 gm 500 gm
TM 2182	M-EC TEST AGAR for testing Escherichia coli in water samples using membrane filter technique	45.26	500 gm
TM 2183	M-EMB BROTH for the detection of members of the coliform group by the membrane filter technique	84.33	500 gm
TM 174	M-ENDO AGAR, LES for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm
TMV 174	M-ENDO AGAR, LES(VEG.) for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm
TM 175	M-ENDO BROTH for estimation of coliforms in water samples using membrane filter technique	61.50	100 gm 500 gm
TM 773	M-ENDO BROTH MF (MF ENDO MEDIUM) (M-COLIFORM BROTH) for enumeration of coliform bacteria in water samples using one step membrane filter technique	48.00	500 gm
TM 2184	M- ENRICHMENT BROTH for enumeration of bacteria by membrane filter technique and for preliminary enrichment of organisms on membrane filter prior to using selective media	54.00	500 gm
TM 176	M-ENTEROCOCCUS AGAR BASE for isolation and enumeration of Enterococci in sewage, water and foods by membrane filter technique.	41.50	500 gm
TM 2185	M-ENTEROCOCCUS AGAR BASE, MODIFIED for cultivation and enumeration of Enterococci from water samples using membrane filter technique	71.45	100 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 vl 25 vl
TM 178	M-FC AGAR BASE for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#10 vl	5 vl
TMV 178	M-FC AGAR BASE (VEG.) for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#10 vl	5 vl
TM 179	M-FC AGAR BASE MODIFIED for detection & enumeration of Klebsiella in water by membrane filter technique	49.60	500 gm
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#11 vl	5 vl
TM 180	M-FC BROTH BASE for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	37.10	500 gm
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#14 vl	5 vl
TM 2186	M-FC BASAL MEDIUM for enumeration of faecal coliform by membrane filtration technique with the addition of fluorogenic and chromogenic supplement	39.50	500 gm
TS 295	CHROMOGENIC SUPPLEMENT *	#14 vl	5 vl 25 vl
TS 296	MUG SUPPLEMENT (50 MG PER VIAL) *	#13 vl	5 vl
TM 2187	M-FILTER RINSE BROTH used as a rinsing fluid in the membrane filtration procedure	09.00	500 gm

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2188	M-(HPC) HETEROTROPHIC PLATE COUNT AGAR BASE for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	60.00	500 gm
TM 2189	M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	45.00	500 gm
TM 2190	M-HD ENDO BROTH for detection of coliforms in water samples by membrane filter technique	57.14	500 gm
TM 2191	M-HD ENDO BROTH W/ BG for the detection of coliform in highly polluted waters using membrane filter technique	56.44	500 gm
TM 2192	M-KLEB AGAR BASE recommended for selective isolation and differentiation of Klebsiella from water and other sources	36.22	100 gm 500 gm
TS 257	KLEBSIELLA SELECTIVE SUPPLEMENT *	#28 vl	5 vl
TM 1914	M - 7 HR FC AGAR for examination of water and waste water	46.45	100 gm 500 gm
TM 1233	M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE for enumeration of heterotrophic microorganisms from water by membrane filter technique	45.00	500 gm
TM 2193	M-LAURYL SULPHATE AGAR for enumeration of Escherichia coli and coliforms in water, using membrane filter technique	91.20	500 gm
TM 2194	M-LAURYL SULPHATE BROTH for enumeration of Escherichia coli in water using membrane filtration technique.	76.20	500 gm
TM 775	M-LAURYL SULPHATE BROTH (ISO 9308-1:2000) for enumeration of Escherichia coli in water by membrane filter technique	77.20	500 gm
TM 2195	M-MACCONKEY BROTH for detection of lactose fermenting and nonfermenting enteric bacteria using membrane filter technique	49.12	500 gm
TM 2196	M-NUTRIENT BROTH for enumeration of bacteria using membrane filter technique	46.00	500 gm
TM 2197	M-PA AGAR BASE for the detection and isolation of Pseudomonas aeruginosa by membrane filter technique	39.68	500 gm
TS 297	M-PA SELECTIVE SUPPLEMENT *	#13 vl	5 vl
TM 2198	M-PA AGAR for selective detection and isolation of Pseudomonas aeruginosa by membrane filter technique	35.18	500 gm
TM 2199	M-PC BROTH for enumerating microorganisms by membrane filtration	17.00	500 gm
TM 2200	M-STANDARD METHODS BROTH for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	17.00	500 gm
TM 2201	M-STAPHYLOCOCCUS BROTH for detection and isolation of Staphylococci by membrane filter technique	104.55	500 gm
TM 2202	M-TEC AGAR for isolation, differentiation and rapid enumeration of thermotolerant Escherichia coli from water by membrane filtration	45.26	500 gm
TM 2203	M-TERGITOL 7 AGAR BASE for selective isolation and identification of injured coliforms from chlorinated water using membrane filter technique	48.03	500 gm
TM 2204	M-TERGITOL-7 AGAR W/ MEAT EXTRACT as a selective and differential medium for the recovery of injured coliform organisms from chlorinated water by membrane filter technique	53.85	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 vl 25 vl
TM 2205	M-TETRATHIONATE BROTH BASE for selective enrichment of Salmonellae using membrane filter technique	36.00	500 gm

Dehydrated Culture Media **M**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2206	M-TRYPTONE GLUCOSE EXTRACT BROTH for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	18.00	500 gm
TM 2207	M-YEAST AND MOULD BROTH for counting yeasts and moulds in samples by membrane filter technique	73.20	500 gm
TM 2208	M 7 HR FC AGAR for examination of water and waste water	46.45	100 gm 500 gm
TM 2209	6 MFA MEDIUM for cultivation of Aspergillus ochraceous	70.00	500 gm
TM 2210	M16 AGAR (MODIFIED ROGOSA AGAR) * for cultivation and enumeration of lactic streptococci used in manufacture of cheddar cheese	36.00	500 gm
TM 182	M17 AGAR BASE for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	33.25	500 gm
TMV 182	M17 AGAR BASE (VEG.) for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	33.25	500 gm
TM 183	M17 AGAR W/O LACTOSE for isolation and cultivation of lactic Streptococci from dairy products like yoghurt, cheese, etc.	48.25	500 gm
TM 184	M17 AGAR W/ SODIUM GLYCEROPHOSPHATE (DOUBLE PACK) for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	(Part I) 33.25 (Part II) 19.00	100 gm -
TM 185	M17 BROTH for cultivation and isolation of lactic Streptococci and their bacteriophages	42.25	100 gm 500 gm
TM 2211	M17 AGAR WITH GLYCEROPHOSPHATE for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	52.25	100 gm
TM 2212	MP-5 MEDIUM for detection of pectinolytic microorganisms especially those producing polygalacturonase	33.20	500 gm
TM 2213	MP-7 MEDIUM for cultivation of pectinolytic microorganisms especially those producing pectate lyase	33.20	500 gm
TM 1561	MeReSA AGAR BASE for selective isolation and identification of methicillin resistant Staphylococcus aureus from clinical specimens	80.12	500 gm
TS 231	MeReSa SELECTIVE SUPPLEMENT * CEFOXITIN SUPPLEMENT*	#13 vl	5 vl
TM 186	MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM) for identification of Enterobacteriaceae on the basis of motility, indole production and ornithine decarboxylase activity	31.00	500 gm
TMV 186	MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM) (VEG.) for identification of Enterobacteriaceae on the basis of motility, indole production and ornithine decarboxylase activity	31.00	500 gm
TM 781	MIU MEDIUM BASE for detection of motility, urease and indole production	18.00	500 gm
TS 030	UREA 40% (5 ml/vl)*	#28 vl	5 vl 25 vl
TMV 781	MIU MEDIUM BASE (VEG.) for detection of motility, urease and indole production	18.00	500 gm
TS 030	UREA 40% (5 ml/vl)*	#28 vl	5 vl 25 vl
TM 782	MOF MEDIUM (MARINE OXIDATION FERMENTATION MEDIUM) for differentiation of marine bacteria by fermentative and oxidative metabolism of carbohydrates	22.14	500 gm
TM 1024	MOX AGAR for cultivation of Yersinia enterocolitica from foods	46.75	500 gm

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 324	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TMV 324	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (VEG.) useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TM 685	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS : 5887 (Part I, III and IV) 1976, reaffirmed 2005) for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm
TM 146	MRS AGAR (LACTOBACILLUS MRS AGAR) for isolation and cultivation of Lactobacillus species	67.15	100 gm 500 gm
TMV 146	MRS AGAR (LACTOBACILLUS MRS AGAR) (VEG.) * for isolation and cultivation of Lactobacillus species	67.15	100 gm 500 gm
TM 2214	MRS AGAR W/ PH 5.5 * for enrichment, isolation and cultivation of all Lactobacillus species	68.24	100 gm 500 gm
TM 755	MRS AGAR, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN AGAR) * for isolation and cultivation of Lactobacillus species from foods	62.20	500 gm
TM 2215	MRS AGAR, MODIFIED * (ISO 15214:1998) * for isolation and enumeration of mesophilic lactic acid bacteria from food	69.21	500 gm
TM 2443	MRS AGAR, W/LOW pH * for cultivation of all Lactobacillus species from all types of material	64.15	500 gm
TM 147	MRS BROTH (LACTOBACILLUS MRS BROTH) for isolation and cultivation of Lactobacillus species	55.15	100 gm 500 gm
TMV 147	MRS BROTH (LACTOBACILLUS MRS BROTH) (VEG.) * for isolation and cultivation of Lactobacillus species	55.15	100 gm 500 gm
TM 2216	MRS BROTH W/LOW pH * for cultivation of all Lactobacillus species from all types of material	52.15	500 gm
TM 187	MRS BROTH, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN BROTH) * for isolation and cultivation of Lactobacillus species from foods	47.20	500 gm
TM 2217	MRS SELECTIVE AGAR BASE W/CLINDAMYCIN -CIPROFLOXACIN (ISO 20128:2006) recommended for the selective cultivation of Lactic acid bacteria from food	65.15	100 gm 500 gm
TS 298	CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT*	#8 vl	5 vl
TM 2218	MSM BROTH BASE recommended as an enrichment medium for Salmonella species.	12.63	500 gm
TS 299	GROWTH SUPPLEMENT I FOR MSM *	#40 vl	5 vl
TS 300	GROWTH SUPPLEMENT II FOR MSM *	#40 vl	5 vl
TM 2219	M-T 7 Agar recommended for growth and recovery of injured E.coli and total coliforms from water samples by membrane filtration	48.60	500 gm
TM 2220	MUD SF BROTH BASE for detection and enumeration of intestinal Enterococci on surface and waste water by MPN method	53.65	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#10 vl	5 vl 25 vl
TS 157	ENTEROCOCCUS SELECTIVE SUPPLEMENT *	#94 vl	5 vl
TM 1388	MUG SF BROTH BASE for detection and enumeration of intestinal Enterococci on surface and waste water by MPN method	53.65	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#10 vl	5 vl 25 vl
TS 157	ENTEROCOCCUS SELECTIVE SUPPLEMENT *	#94 vl	5 vl
TM 1026	MUG BRILLIANT GREEN BILE BROTH * for detection of Escherichia coli in water and food by a fluorogenic method	40.10	500 gm
TM 1389	MUG BROMOCRESOL PURPLE BROTH W/ LACTOSE * for identification of Escherichia coli and coliform bacteria from water by fluorogenic assay method	36.03	500 gm
TM 1027	MUG EC BROTH * for detection of Escherichia coli in water and food by fluorogenic method	37.00	500 gm

Dehydrated Culture Media **M**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1571	MUG EC BROTH, MODIFIED * recommended for detection and enumeration of Escherichia coli on surface and waste water by miniaturized method (MPN)	42.10	500 gm
TM 1028	MUG LAURYL SULPHATE BROTH * for detection of Escherichia coli in water and food by a fluorogenic method	35.65	500 gm
TM 1572	MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2-1997) * for selective enrichment of presumptive Escherichia coli and other coliforms from milk & milk products. Also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm
TM 1029	MUG MacCONKEY AGAR * for selective isolation and detection of lactose fermenting coliform organisms by fluorogenic method	51.63	500 gm
TM 1391	MUG MFC AGAR * for cultivation and enumeration of faecal coliforms by the membrane filter technique	39.60	500 gm
TM 1030	MUG NUTRIENT AGAR * for detection of Escherichia coli in water and food samples by a fluorogenic method	28.10	500 gm
TM 1031	MUG PLATE COUNT AGAR * for determination of plate count of microorganisms in milk and other dairy products by fluorogenic method	23.60	500 gm
TM 1200	MUG PSEUDOMONAS AGAR BASE (FLUOROGENIC PSEUDOMONAS AGAR BASE) * for selective isolation of Pseudomonas aeruginosa by fluorogenic method	46.75	100 gm 500 gm
TM 1392	MUG SORBITOL AGAR * for isolation and identification of enteropathogenic Escherichia coli associated with infant diarrhoea by fluorogenic method	50.10	500 gm
TM 1235	MUG TRYPTONE SOYA AGAR (MUG CASO AGAR) * for cultivation of fastidious and nonfastidious microorganisms using fluorogenic method	40.10	500 gm
TM 1236	MUG TRYPTONE WATER * for detection of indole production by microorganisms using fluorogenic method	15.05	500 gm
TM 1032	MUG VIOLET RED BILE AGAR * for detection and enumeration of coliform organisms by a fluorogenic method	41.63	500 gm
TM 1033	MY 40 AGAR (OSMOPHILIC AGAR) for isolation and detection of osmophilic microorganisms from food samples	445.00	500 gm
TM 1034	MY 40G AGAR (OSMOPHILIC GLUCOSE AGAR) for isolation and cultivation of osmotolerant microorganisms from foods	427.00	500 gm
TMV 197	MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (VEG.) for isolation and identification of pathogenic Staphylococci and Bacillus species	46.00	100 gm 500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl
TM 2221	MYP AGAR BASE for isolation and identification of Bacillus cereus in accordance with FDA BAM, 1998	46.03	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#6 vl	5 vl
TM 1898	MacCONKEY AGAR for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially Enterococcus faecalis within 18 hours	55.00	100 gm 500 gm
TMH 118	MacCONKEY AGAR (as per USP/EP/BP/JP) for selective isolation and differentiation of E.coli and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	49.53	100 gm 500 gm
TM 337	MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS & 1% LACTOSE) for isolation of coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm
TMV 337	MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS & 1% LACTOSE) (VEG.) for isolation of coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm
TM 379	MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV & NaCl) for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50	100 gm 500 gm

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 379	MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV & NaCl)(VEG.) for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50 51.50	100 gm 500 gm
TM 378	MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV & NaCl.) for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm
TMV 378	MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV & NaCl.) (VEG.) for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm
TMH 378	MacCONKEY AGAR W/O CV, NaCl, W/ 0.5% SODIUM TAUROCHOLATE for the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples	55.04	100 gm 500 gm
TM 232	MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS & 1.2% AGAR W/O CV & NaCl) for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm
TMV 232	MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS & 1.2% AGAR W/O CV & NaCl) (VEG.) for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm
TM 349	MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS & NaCl) for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm
TMV 349	MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS & NaCl) (VEG.) for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm
TM 528	MacCONKEY AGAR (W/O CV, W/ 1.2% AGAR) for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	48.53	500 gm
TM 527	MacCONKEY AGAR (W/O CV, W/ 0.075 NR & BILE SALTS, NaCl) (MacCONKEY AGAR NO.1) for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	52.00	500 gm
TM 2222	MacCONKEY AGAR W/ CV W/O NaCl recommended for the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli	46.53	100 gm 500 gm
TM 2223	MacCONKEY AGAR W/O CV, W/0.5% SODIUM TAUROCHOLATE for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	55.07	500 gm
TM 2224	MacCONKEY AGAR MEDIUM for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria and also for isolation of faecal streptococci	55.37	500 gm
TM 1697	MacCONKEY AGAR MEDIUM (as per USP 31) for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.00	500 gm
TM 1698	MacCONKEY AGAR MEDIUM (as per IP) for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.03	500 gm
TM 1036	MacCONKEY AGAR (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria.	55.07	100 gm 500 gm
TM 198	MacCONKEY AGAR W/ BROMO THYMOL BLUE for detection of lactose fermenting enteric bacteria	51.53	100 gm 500 gm
TM 2225	MacCONKEY AGAR II W/O CV for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	50.03	500 gm
TM 2226	MacCONKEY AGAR W/ MAGNESIUM SULPHATE for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	47.27	100 gm 500 gm
TM 199	MacCONKEY AGAR BASE W/O CARBOHYDRATE for detection of carbohydrate fermentation by adding single or multiple carbohydrates	40.00	500 gm
TM 582	MacCONKEY AGAR, MODIFIED for isolation of Klebsiella species from water samples	50.00	100 gm
TS 257	KLEBSIELLA SELECTIVE SUPPLEMENT *	#4 vl	5 vl
TM 2227	MacCONKEY AGAR, RS for isolating and differentiating Gram negative enteric bacilli from specimens containing swarming strains of Proteus species	53.53	100 gm 500 gm

Dehydrated Culture Media **M**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMH 110	MacCONKEY AGAR (as per USP/EP/BP/JP) for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm
TMHV 110	MacCONKEY AGAR(as per USP/EP/BP/JP) (VEG.) for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm
TM 1875	MacCONKEY BROTH PURPLE W/ BCP (ISO 9308-2-1990) for presumptive identification of coliforms from water	40.01	100 gm 500 gm
TM 529	MacCONKEY BROTH W/ BCP & NaCl (ISO 9308-2:1990) for presumptive identification of coliforms from water, milk and foods etc	40.00	100 gm 500 gm
TMV 529	MacCONKEY BROTH W/ BCP & NaCl (VEG.) for presumptive identification of coliforms from water, milk and foods etc.	40.00	100 gm 500 gm
TM 381	MacCONKEY BROTH W/ BCP (DOUBLE STRENGTH) for presumptive identification of coliforms from large samples	80.00	100 gm 500 gm
TMV 381	MacCONKEY BROTH W/ BCP (DOUBLE STRENGTH) (VEG.) for presumptive identification of coliforms from large samples	80.00	100 gm 500 gm
TM 323	MacCONKEY BROTH W/ BCP W/O NaCl for presumptive identification of coliforms from water, milk and foods	35.00	100 gm 500 gm
TM 1240	MacCONKEY BROTH W/ BCP for presumptive identification of coliforms from water, milk and foods	40.02	100 gm 500 gm
TM 322	MacCONKEY BROTH W/ NEUTRAL RED for selective enrichment and enumeration of coliforms from water	40.00	100 gm 500 gm
TMV 322	MacCONKEY BROTH W/ NEUTRAL RED (VEG.) for selective enrichment and enumeration of coliforms from water	40.00	100 gm 500 gm
TM 1238	MacCONKEY BROTH W/ NEUTRAL RED (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for selective enrichment and enumeration of coliforms.	40.07	500 gm
TM 380	MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) for primary isolation of coliforms from large samples such as water or waste water	80.00	100 gm 500 gm
TMV 380	MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) (VEG.) for primary isolation of coliforms from large samples such as water or waste water	80.00	100 gm 500 gm
TMH 109	MacCONKEY BROTH (as per USP/EP/JP/BP) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm
TMHV 109	MacCONKEY BROTH (as per USP/EP/JP/BP) (VEG.) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm
TM 2229	MacCONKEY BROTH MEDIUM 7. for the selective identification of E.coli from pharmaceutical products in accordance with Indian Pharmacopoeia 2014	35.01	100 gm 500 gm
TM 2230	MacCONKEY BROTH PURPLE (IS: 5401-1:2012) for presumptive identification of coliforms from variety of specimens such as water, milk and food etc	40.02	500 gm
TM 1393	MacCONKEY SORBITOL AGAR BASE (DOUBLE PACK) a selective medium for isolation and detection of Escherichia coli O157:H7 from food and animal feedstuff	50.03	100 gm 500 gm
TS 087	TELLURITE - CEFIXIME SUPPLEMENT *	#20 vl	5 vl
TM 1915	MacCONKEY SORBITOL AGAR BASE (ISO 16654-2001) a selective medium for isolation and detection of Escherichia coli O157:H7	50.03	500 gm
TS 087	TELLURITE - CEFIXIME SUPPLEMENT *	#20 vl	5 vl
TM 2231	MacCONKEY SORBITOL AGAR BASE W/ RHAMNOSE for improved differentiation of Escherichia coli O157:H7 from background flora	56.53	500 gm
TS 301	CEFIXIME SUPPLEMENT *	#18 vl	5 vl

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1241	MAINTENANCE (SCY) MEDIUM for maintenance of iron bacteria	12.26	500 gm
TM 1242	MAINTENANCE MEDIUM FOR B.SUBTILIS ATCC 6633 for maintenance of Bacillus subtilis ATCC 6633 as the test organism for assay of antibiotics	30.50	100 gm
TM 633	MALACHITE GREEN BROTH for selective enrichment of Pseudomonas aeruginosa	25.13	500 gm
TM 202	MALONATE BROTH for differentiation of Enterobacter and Escherichia species on the basis of malonate utilization	08.00	100 gm
TM 203	MALONATE BROTH EWING MODIFIED for differentiation of members of Enterobacteriaceae on the basis of malonate utilization	09.30	100 gm
TM 382	MALT AGAR for cultivation and isolation of yeasts and molds	45.00	100 gm 500 gm
TM 2232	MALT AGAR, W/ 2% AGAR for the detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also used for carrying stock cultures of yeasts and moulds in accordance with FDA BAM, 1998	50.00	500 gm
TS 302	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED *	#10 vl	5 vl
TM 2234	MALT AGAR, MODIFIED for isolation and enumeration of yeasts and moulds from food products in accordance with FDA BAM,1998	40.00	500 gm
TM 2233	2% MALT EXTRACT AGAR for the detection, isolation and enumeration of yeasts and moulds	35.00	500 gm
TM 2235	MALT EXTRACT AGAR BASE for detection and cultivation of Yeasts	61.00	500 gm
TM 204	MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE for detection, isolation and enumeration of yeasts and molds	50.00	500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#20 vl	5 vl 25 vl
TMV 204	MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE (VEG.) for detection, isolation and enumeration of yeasts and molds	50.00	500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#20 vl	5 vl 25 vl
TM 2236	MALT EXTRACT AGAR BASE, MODIFIED AS PER THOM AND CHURCH for isolation, detection and enumeration of yeasts and moulds	31.28	500 gm
TM 205	MALT EXTRACT BROTH BASE for detection and enumeration of yeasts, molds and aciduric microorganisms	20.00	500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#50 vl	5 vl 25 vl
TMV 205	MALT EXTRACT BROTH BASE (VEG.) for detection and enumeration of yeasts, molds and aciduric microorganisms	20.00	500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#50 vl	5 vl 25 vl
TM 1244	MALT EXTRACT BROTH, MODIFIED (as per Thom and Church) for isolation, detection and enumeration of yeasts and moulds	15.00	500 gm
TMV 1244	MALT EXTRACT BROTH, MODIFIED (as per Thom and Church) (VEG.) for cultivation and enumeration of yeasts and molds	15.00	500 gm
TM 2237	MALT EXTRACT GLUCOSE PEPTONE AGAR for isolation and enumeration of yeasts and moulds from food products in accordance with FDA BAM,1998	61.00	500 gm
TM 2238	MALT YEAST AGAR for the cultivation and maintenance of yeast and moulds	41.00	500 gm
TM 2239	MANNITOL AGAR W/ PRILION selective agar medium for isolation and differentiation of Salmonella from Proteus species	54.50	100 gm 500 gm
TM 1843	MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006) for the enumeration of B.cereus in foodstuffs and other samples	46.03	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl

Dehydrated Culture Media **M**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 784	MANNITOL LYSINE AGAR for selective isolation of Salmonellae other than Salmonella Typhi and Salmonella paratyphi A	49.00	500 gm
TM 531	MANNITOL MOTILITY NITRATE MEDIUM for studying mannitol fermentation, nitrate reduction and motility of bacteria	22.04	500 gm
TM 530	MANNITOL MOTILITY TEST MEDIUM for studying mannitol fermentation and motility of bacteria	26.00	100 gm 500 gm
TMV 530	MANNITOL MOTILITY TEST MEDIUM (VEG.) for studying mannitol fermentation and motility of bacteria	26.00	100 gm 500 gm
TM 206	MANNITOL SALT AGAR BASE for selective isolation of pathogenic Staphylococci from clinical and non-clinical samples	111.00	100 gm 500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#3 vl	5 vl
TMV 206	MANNITOL SALT AGAR BASE (VEG.) for selective isolation of pathogenic Staphylococci	111.00	100 gm 500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#3 vl	5 vl
TMH 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) for selective isolation and enumeration of Staphylococci species	111.02	100 gm 500 gm
TS 002	EGG YOLK EMULSION (100ml/vl) *	-	5 vl
TMHV 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.) for selective isolation and enumeration of Staphylococci species	111.02	100 gm
TS 002	EGG YOLK EMULSION (100ml/vl) *	-	5 vl
TM 403	MANNITOL SALT BROTH for selective isolation of presumptive pathogenic Staphylococci	96.00	100 gm 500 gm
TMV 403	MANNITOL SALT BROTH (VEG.) for selective isolation of presumptive pathogenic Staphylococci	96.00	100 gm 500 gm
TM 1454	MANNITOL SELENITE BROTH (DOUBLE PACK) for selective enrichment of Salmonellae from clinical samples	(Part I) 19.00 (Part II) 04.00	500 gm -
TM 2240	MANNITOL SELENITE BROTH W/ BRILLIANT GREEN (DOUBLE PACK) for enrichment of Salmonellae from faeces, food- stuffs and other materials.	(Part I) 23.75 (Part II) 04.00	500 gm -
TM 207	MARINE AGAR 2216 (ZOBELL MARINE AGAR) for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm
TM 208	MARINE BROTH 2216 (ZOBELL MARINE BROTH) for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm
TM 782	MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM) for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates	22.14	500 gm
TMV 782	MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM) (VEG.) for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates	22.14	500 gm
TM 209	MAXIMUM RECOVERY DILUENT a protective and isotonic diluent used for maximal recovery of microorganisms	09.50	500 gm
TM 905	MCBRIDE LISTERIA AGAR BASE for selective isolation and cultivation of Listeria species from clinical samples and food stuff	46.00	500 gm
TS 096	MCBRIDE LISTERIA SUPPLEMENT *	#11 vl	5 vl
TM 210	MCCLUNG TOABE AGAR BASE for detection and isolation of Clostridium perfringens in foods	75.00	500 gm
TS 002	EGG YOLK EMULSION (100ml/vl) *	#7 vl	5 vl
TM 2241	MEAT EXTRACT BROTH for routine cultivation of non fastidious bacteria	18.00	500 gm
TM 1040	MEAT EXTRACT W/ PEPTONE (PEPTED MEAT BROTH) for cultivation and maintenance of Alcaligenes species	28.00	500 gm
TM 864	MEAT INFUSION AGAR (STANDARD INFUSION AGAR) for mass cultivation of microorganisms for vaccine or toxin production	50.00	500 gm
TM 2242	MEDIUM 8. RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH Rappaport Vassiliadis Salmonella Enrichment Broth is recommended for selective enrichment of Salmonella species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of IP.	27.11	500 gm
TM 1041	MEHLMAN'S MAINTENANCE MEDIUM for maintenance of Campylobacter species	38.00	500 gm
TM 1864	MGYP AGAR for isolation and cultivation of wild yeasts in the brewing industry	41.00	500 gm

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1863	MGYP AGAR WITH COPPER for isolation and cultivation of wild yeasts in the brewing industry	41.40	500 gm
TM 614	MICROBIAL CONTENT TEST AGAR (TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN) for detection & enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TMV 614	MICROBIAL CONTENT TEST AGAR (VEG.)(TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN) (VEG.) for presumptive identification of coliforms from water, milk and foods etc	45.70	100 gm 500 gm
TM 2243	MICRO VITAMIN TEST CULTURE AGAR for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	52.10	100 gm
TM 2244	MICRO VITAMIN TEST INOCULUM BROTH for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	37.10	100 gm
TM 590	MIDDLEBROOK 7H9 AGAR BASE for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis	19.60	500 gm
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#51 vl	5 vl
TM 213	MIDDLEBROOK 7H9 BROTH BASE for cultivation and sensitivity testing of Mycobacterium tuberculosis	04.70	500 gm
TS 050		#213 vl	5 vl
TM 214	MIDDLEBROOK 7H10 AGAR BASE for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis	19.47	500 gm
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#52 vl	5 vl
TM 618	MIDDLEBROOK 7H10 AGAR BASE, 'TBL' for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis	19.49	500 gm
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#52 vl	5 vl
TM 786	MIDDLEBROOK 7H11 AGAR BASE for isolation, cultivation and sensitivity testing of Mycobacteria	20.50	500 gm
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#49 vl	5 vl
TM 215	MIDDLEBROOK 7H11 AGAR BASE W/O MALACHITE GREEN for isolation, cultivation and determination of antimicrobial susceptibility of Mycobacteria	20.50	500 gm
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#49 vl	5 vl
TM 445	MILK AGAR for enumeration of bacteria in milk and milk products, rinse waters and ice creams etc.	24.00	100 gm 500 gm
TM 217	MILK AGAR (BROWN AND SCOTT, MODIFIED) - (Part I) & (Part II) for enumeration of Pseudomonas aeruginosa in swimming pool waters	100.00 28.00	500 gm -
TM 218	MILK AGAR W/CETRIMIDE (DOUBLE PACK) - (Part I) & (Part II) for cultivation and enumeration of Pseudomonas aeruginosa in water	133.00 26.40	500 gm -
TM 787	MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS: 13428:1998, reaffirmed 2005) - (Part I) & (Part II) for detection and enumeration of Pseudomonas aeruginosa in water.	100.00 19.80	120 gm 500 gm
TM 788	MILK MEDIUM WITH A REDUCING AGENT for determination of litmus reaction of Clostridium species	115.50	500 gm
TM 1042	MILK SALT AGAR BASE for selective isolation and cultivation of Staphylococcus species	88.00	500 gm
TM 376	MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) for cultivation and maintenance of recombinant strains of Escherichia coli	40.00	500 gm
TMV 376	MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) (VEG.) for cultivation and maintenance of recombinant strains of Escherichia coli	40.00	500 gm
TM 406	MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) for cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm
TMV 406	MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) (VEG.) for cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm
TM 1857	MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005) for enumeration of coliform bacteria in water and wastewater samples	17.70	500 gm
TM 1245	MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) (DOUBLE PACK) for the enumeration of coliform bacteria in water and wastewater	(Part I) (Part II) 22.70 12.70	500 gm

Dehydrated Culture Media M

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1043	MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) for enumeration of coliform bacteria in water	22.70	500 gm
TM 2245	MINERAL MODIFIED GLUTAMATE AGAR BASE (DOUBLE PACK) (ISO 6391:1997) for enumeration of Escherichia coli from meat and meat products	(Part I) 26.29 (Part II) 06.35	500 gm -
TM 591	MINIMAL AGAR for isolation and characterization of nutritional mutants of Escherichia coli	26.60	500 gm
TM 219	MINIMAL BROTH, DAVIS for isolation and characterization of nutritional mutants of Escherichia coli	11.60	500 gm
TM 220	MINIMAL BROTH, DAVIS W/O DEXTROSE for isolation and characterization of nutritional mutants of Escherichia coli	10.60	500 gm
TM 1044	5X MINIMUM SALTS for cultivation of recombinant strains of Escherichia coli	56.40	500 gm
TM 1045	MINIMUM SALTS W/ CASEIN ACID HYDROLYSATE for cultivation of Escherichia coli strains used for genetic and molecular studies	19.54	500 gm
TM 221	MITIS SALIVARIUS AGAR BASE for isolation of Streptococci from mixed cultures, especially Streptococcus mitis, Streptococcus salivarius and Streptococcus faecalis from grossly contaminated specimens	90.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#1 vl	5 vl 25 vl
TMV 221	MITIS SALIVARIUS AGAR BASE (VEG.) for isolation of Streptococci from mixed cultures, especially Streptococcus mitis, Streptococcus salivarius and Streptococcus faecalis from grossly contaminated specimens	90.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#1 vl	5 vl 25 vl
TM 1623	MN AGAR for detection of Leptothrix by its ability to oxidize manganese ions	15.40	500 gm
TM 085	MOELLER DECARBOXYLASE BROTH BASE (DECARBOXYLASE BROTH BASE, MOELLER) for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm
TM 789	MOELLER DECARBOXYLASE BROTH W/ ARGININE HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride	20.52	100 gm
TMV 789	MOELLER DECARBOXYLASE BROTH W/ ARGININE HCl (VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride	20.52	100 gm
TM 790	MOELLER DECARBOXYLASE BROTH W/ LYSINE HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride	20.52	100 gm
TMV 790	MOELLER DECARBOXYLASE BROTH W/ LYSINE HCl(VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride	20.52	100 gm
TM 791	MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride	20.52	100 gm
TMV 791	MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCl (VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride	20.52	100 gm
TM 1398	MOLD INHIBITORY AGAR, ULRICH for isolation of pathogenic fungi	36.17	500 gm
TM 1048	MONSIEUR MEDIUM BASE for selective isolation and differentiation of Vibrio cholerae and other Vibrio from pathological samples	71.00	100 gm 500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#4 vl	5 vl 25 vl
TM 225	MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM) for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm
TMV 225	MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM) (VEG.) for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm
TM 226	MOTILITY MEDIUM S BASE for detection of bacterial motility on the basis of TTC reduction	60.00	500 gm
TS 042	for isolation and differentiation of Candida species *	#9 vl	5 vl 25 vl

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 792	MOTILITY NITRATE MEDIUM, BUFFERED for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test	23.50	500 gm
TM 2246	MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004) for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test	19.50	500 gm
TM 793	MOTILITY SULPHIDE MEDIUM for detection of motility and hydrogen sulphide production by pure cultures	104.44	500 gm
TM 227	MOTILITY TEST MEDIUM for detection of bacterial motility	20.00	500 gm
TM 2247	MOTILITY TEST MEDIUM (EDWARDS AND EWING) for testing motility of enteric bacteria	22.00	500 gm
TM 228	MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS: 5887 (Part I and V) 1976, reaffirmed 2005) for testing motility of enteric bacteria.	22.00	500 gm
TM 2248	MUCATE BROTH for identification of enteropathogenic Escherichia coli and Salmonella species from milk and milk products	20.02	500 gm
TM 2249	MUCATE CONTROL BROTH for identification of enteropathogenic Escherichia coli and Salmonella species from milk and milk products	10.02	500 gm
TM 339	MUELLER HINTON AGAR for cultivation of Neisseria spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm
TMV 339	MUELLER HINTON AGAR (VEG.) for cultivation of Neisseria spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm
TM 2250	MUELLER HINTON AGAR 2% GLUCOSE W/ METHYLENE BLUE Mueller Hinton Agar, Modified (as per CLSI for antifungal) is recommended for testing performing Antifungal Disk Diffusion Susceptibility of yeasts	58.00	500 gm
TM 236	MUELLER HINTON AGAR NO.2 for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby Bauer technique	38.00	100 gm 500 gm
TM 325	MUELLER HINTON BROTH for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm
TMV 325	MUELLER HINTON BROTH (VEG.) for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm
TM 1577	MUELLER HINTON BROTH NO.2 for quantitative susceptibility testing of rapidly growing aerobic and facultative anaerobic bacteria isolated from clinical specimen	22.00	100 gm 500 gm
TM 1400	MUELLER KAUFFMAN TETRATHIONATE BROTH BASE for enrichment and isolation of Salmonellae by surpassing Proteus species	82.00	100 gm 500 gm
TM 1399	MUELLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017) for enrichment and isolation of Salmonellae by suppressing Proteus species	89.42	500 gm
TS 152	MKTT NOVOBIOCIN SUPPLEMENT *	#6 vl	5 vl
TM 1050	MUELLER TELLURITE AGAR BASE for isolation, cultivation and differentiation of Corynebacterium diphtheriae	45.45	500 gm
TS 123	MUELLER TELLURITE SERUM (25 ml/vl) *	#11 vl	5 vl
TM 2251	MUTANS-SANGUIS AGAR for differentiation of Streptococcus mutans & Streptococcus sanguis associated with oral microflora	98.10	500 gm
TM 340	MYCOLOGICAL AGAR (FUNGAL AGAR) for cultivation and maintenance of fungi	35.00	500 gm
TS 049	10%LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl
TM 114	MYCOLOGICAL AGAR W/ LOW pH (FUNGAL AGAR W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm
TS 049	10%LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl

Dehydrated Culture Media **M**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 326	MYCOLOGICAL BROTH (FUNGAL BROTH) for cultivation of fungi	50.00	500 gm
TS 049	10%LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl
TM 115	MYCOLOGICAL BROTH W/ LOW pH (FUNGAL BROTH W/ LOW pH)) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm
TS 049	10%LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl
TM 1933	MYCOBIOTIC AGAR * for the selective isolation and cultivation of pathogenic fungi	35.45	100 gm
TM 233	MYCOPLASMA AGAR BASE (PPLO AGAR BASE) for isolation and cultivation of Mycoplasma species (PPLO)	36.00	100 gm 500 gm
TS 014	HORSE SERUM *	4.2 ltr	100 ml
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	139 vl	5 vl 25 vl
TM 235	MYCOPLASMA BROTH BASE W/ CV (PPLO BROTH BASE W/ CV) or enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	21.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#24 vl	5 vl 25 vl
TS 014	HORSE SERUM *	7.2 ltr	100 ml
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	239 vl	5 vl 25 vl
TM 235	MYCOPLASMA BROTH BASE W/ CV (PPLO BROTH BASE W/ CV) for enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	21.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#24 vl	5 vl 25 vl
TS 014	HORSE SERUM *	7.2 ltr	100 ml
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	239 vl	5 vl 25 vl
TM 794	MYCOPLASMA BROTH BASE W/O CV (PPLO BROTH BASE W/O CV) for enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	21.00	500 gm
TS 014	HORSE SERUM*	#7.2 ltr	100 ml
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT*	#239 vl	5 vl 25 vl
TM 1265	MYCOPLASMA CULTIVATION BROTH BASE for isolation and cultivation of Mycoplasma (PPLO)	25.50	500 gm
TS 052	MYCOPLASMA CULTIVATION SUPPLEMENT *	#196 vl	5 vl 25 vl
TS 014	HORSE SERUM *	-	100 ml
TM 1266	MYCOPLASMA SYNOVIAE MEDIUM BASE for cultivation of avian strains of Mycoplasma	42.30	500 gm
TS 014	HORSE SERUM *	1.2 ltr	100 ml
TM 1267	MYCOPLASMA UROGENITAL MEDIUM BASE for selective isolation of Mycoplasma hominis and Ureaplasma urealyticum	28.65	500 gm
TS 014	HORSE SERUM *	1.8 ltr	100 ml
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#35 vl	5 vl 25 vl
TS 126	UREA SOLUTION 5% (5 ml/vl) *	#35 vl	5 vl 25 vl
TS 249	MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT *	#35 vl	5 vl 25 vl
TM 197	MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS : 5887 (Part VI) 1976, reaffirmed 2005) for detection and isolation of osmophilic microorganisms from food samples	46.00	100 gm 500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl
TM 1481	NBB AGAR BASE MODIFIED * for detection of contaminating spoilage micro organisms in brewery industry	66.27	500 gm
TM 022	NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) for microbiological assay of antibiotics	30.50	100 gm 500 gm

N Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 022	NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) (VEG.) for microbiological assay of antibiotics	30.50	100 gm 500 gm
TM 2253	NEO ENRICHMENT BROTH BASE is a selective enrichment broth for Listeria species from food samples	44.00	500 gm
TS 303	NEO ENRICHMENT SELECTIVE SUPPLEMENT *	#23 vl	5 vl
TM 1051	NEUTRAL RED CHALK LACTOSE AGAR for detection of lactic Streptococci in milk and milk products	49.00	500 gm
TM 1052	NEUTRALISING BUFFER for detection of microorganisms on dairy and food equipments disinfected with chlorine or quarternary ammonium compounds	05.20	100 gm
TM 1269	NEUTRALISING FLUID (as per BP/EP) for neutralising the activity of antimicrobial agents	20.10	500 gm
TM 2254	NIACIN ASSAY MEDIUM * for the microbiological assay of Niacin (Nicotinic Acid) or Niacinamide using Lactobacillus plantarum ATCC 8014 as the test organism	75.12	100 gm
TM 238	NICKERSON MEDIUM (Bi.G.G.Y. AGAR) for selective isolation, differentiation & presumptive identification of Candida albicans & Candida tropicalis	45.00	500 gm
TM 795	NIH AGAR for cultivation & maintenance of isolates from sterility testing of biological products	43.00	100 gm 500 gm
TM 301	NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm
TM 302	NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per IP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm
TM 796	NITRATE AGAR for detection of nitrate reducing bacteria	21.00	500 gm
TMV 796	NITRATE AGAR (VEG.) for detection of nitrate reducing bacteria	21.00	500 gm
TM 239	NITRATE BROTH for detection of nitrate reduction and enumeration of Bacillus cereus	09.00	100 gm 500 gm
TMV 239	NITRATE BROTH (VEG.) for detection of nitrate reduction and enumeration of Bacillus cereus	09.00	100 gm 500 gm
TM 797	NITRATE BROTH (IS : 5887(Part IV)-1999) for detection of nitrate reduction and enumeration of Bacillus cereus.	39.00	100 gm 500 gm
TM 1053	NITROFURANTOIN BROTH BASE for isolation and enrichment of Pseudomonas species	20.00	500 gm
TM 2252	NNN MODIFIED MEDIUM (DOUBLE PACK) - (Part I) & (Part II) for cultivation of Leishmaniae and Trypanosomes	31.00 11.20	100 gm -
TM 2255	NORRIS GLUCOSE NITROGEN FREE MEDIUM for the cultivation of chemoheterotrophic bacteria that can fix atmospheric nitrogen	12.50	100 gm
TM 341	NUTRIENT AGAR for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm
TMV 341	NUTRIENT AGAR (VEG.) for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm
TM 1054	NUTRIENT AGAR for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm
TMV 1054	NUTRIENT AGAR (VEG.) for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm
TM 342	NUTRIENT AGAR W/O NaCl (as per USP) general purpose medium	23.00	100 gm 500 gm
TM 343	NUTRIENT AGAR (as per IP) for general purpose medium which may be used as enriched medium by incorporating blood or other biological fluids	37.00	100 gm 500 gm

Dehydrated Culture Media **N**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1055	NUTRIENT AGAR 1.5% for cultivation of bacteria requiring less nutrition, can be enriched with blood	31.00	100 gm 500 gm
TMV 1055	NUTRIENT AGAR 1.5% (VEG.) for cultivation of bacteria requiring less nutrition, can be enriched with blood	31.00	100 gm 500 gm
TM 2256	NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010) recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm
TM 1038	NUTRIENT AGAR (pH 6.8) a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm
TM 1038A	NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528: 2004, ISO 19250:2010, ISO 6579:2015) a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm
TM 383	NUTRIENT AGAR NO.2 general purpose medium	40.00	100 gm 500 gm
TM 798	NUTRIENT AGAR NO. 2 (IS : 5887 (Part I, II and V) 1976, reaffirmed 2005) general purpose culture medium	40.00	100 gm 500 gm
TM 2257	NUTRIENT AGAR NO. 2, MODIFIED used as a general purpose culture media	45.00	500 gm
TM 1057	NUTRIENT AGAR, (pH 7.0) for cultivation of Salmonella species	23.00	100 gm 500 gm
TM 740	NUTRIENT AGAR (WITH 3% SALT) for cultivation of salt tolerance Vibrio species	55.00	500 gm
TM 1058	NUTRIENT AGAR (W/ MANGANESE) for promoting sporulation in Bacillus species	23.00	500 gm
TM 1056	NUTRIENT AGAR (W/ 1% PEPTONE) general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm
TMV 1056	NUTRIENT AGAR (W/ 1% PEPTONE) (VEG.) general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm
TM 578	NUTRIENT AGAR pH 6.0 (W/ 0.8% NaCl.) for cultivation of bacteria requiring slightly acidic pH	31.00	100 gm 500 gm
TM 2258	NUTRIENT MEDIUM a general purpose medium as per EP	26.05 26.05	100 gm 500 gm
TM 932	NUTRIENT AGAR (OXIDASE) for confirmation of oxidase production by microorganisms	22.00	500 gm
TMV 932	NUTRIENT AGAR (OXIDASE) (VEG.) for confirmation of oxidase production by microorganisms	22.00	500 gm
TM 2259	NUTRIENT AGAR W/TRYPAN BLUE recommended for detection and enumeration of aerobic endospore formers from water samples by membrane filtration	23.02	100 gm 500 gm
TM 2260	NUTRIENT AGAR W/ TYROSINE for cultivation and enumeration of Bacillus cereus in water and food in accordance with FDA BAM, 1998	28.00	500 gm
TM 350	NUTRIENT BROTH for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm
TMV 350	NUTRIENT BROTH (VEG.) for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm
TM 329	NUTRIENT BROTH (W/ 1% PEPTONE) (IP 6579) sterility testing medium for aerobes and for microbial limit test	25.00	100 gm 500 gm
TM 1270	NUTRIENT BROTH (W/ 1% PEPTONE) (IS : 5887 (Part I and II) 1976, reaffirmed 2005, IS : 5887 (Part IV) 1999) general purpose culture medium.	25.00 25.00	100 gm 500 gm

N Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 327	NUTRIENT BROTH (W/O NaCl) pH 6.9 general purpose medium for cultivation of microorganisms	08.00	100 gm 500 gm
TMV 327	NUTRIENT BROTH (W/O NaCl) pH 6.9 (VEG.) general purpose medium for cultivation of microorganisms	08.00	100 gm 500 gm
TM 1823	NUTRIENT BROTH (AOAC) for testing disinfectants in accordance with AOAC, 2000 (under Disinfectants Subchapter 1, Phenol coefficient methods)	20.00	500 gm
TM 1916	NUTRIENT BROTH, NO. 2 for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media.	15.00	500 gm
TM 1917	NUTRIENT BROTH, NO. 3 for the culture and growth of microorganisms.	13.00	500 gm
TM 2261	NUTRIENT BROTH WITH 1% PEPTONE a sterility testing medium for aerobes	25.00	100 gm 500 gm
TMV 2261	NUTRIENT BROTH WITH 1% PEPTONE (VEG.) a sterility testing medium for aerobes	25.00	100 gm 500 gm
TM 241	NUTRIENT GELATIN for detection of gelatine liquefaction by proteolytic microorganisms	128.00	500 gm
TM 1059	NUTRIENT GELATIN (IS : 5887 (Part VII) 1999, reaffirmed 2005) for detection of gelatin liquefaction by proteolytic microorganisms.	158.00	500 gm
TM 534	NUTRITIVE CASEINATE AGAR for enumeration of salt tolerant cocci in brined vegetables	23.04	500 gm
TM 023	NYSTATIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 12) for microbiological assay of Amphotericin B & Nystatin using Saccharomyces cerevisiae	62.50	500 gm
TM 024	NYSTATIN ASSAY BROTH (ANTIBIOTIC ASSAY MEDIUM NO. 13) for microbiological assay of Candicidin using Saccharomyces cerevisiae	30.00	500 gm
TM 242	OF BASAL MEDIUM for differentiation of gram negative bacteria on the basis of fermentative and oxidative metabolism of carbohydrates	09.40	100 gm 500 gm
TM 2262	OPFBL AGAR BASE (OXIDATION FERMENTATION POLYMYXIN BACITRACIN LACTOSE AGAR BASE) with Polymyxin and Bacitracin is recommended for the selective isolation of Burkholderia cepacia from clinical specimens as well as non-clinical samples	32.33	500 gm
TS 304	OPFBL SELECTIVE SUPPLEMENT *	#16 vl	5 vl
TM 243	OAT MEAL AGAR for cultivation of fungi particularly for macrospore formation	72.50	500 gm
TM 2263	OAK WILT FUNGUS AGAR for cultivation of Oak Wilt fungus	50.00	100 gm
TM 1918	ONPG BROTH for the differentiation of microorganisms on the basis of beta-galactosidase activity	13.01 13.01	100 gm 500 gm
TM 1060	ORCHID AGAR (Plant Tissue Culture Media) for germination of orchid seeds	37.00	500 gm
TM 1919	ORANGE SERUM AGAR for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of Lactobacilli, other aciduric organisms and pathogenic fungi	45.50	500 gm
TM 1920	ORANGE SERUM AGAR BROTH for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of Lactobacilli, other aciduric organisms and pathogenic fungi	28.50	500 gm
TM 245	ORNITHINE DECARBOXYLASE BROTH for detection of the ability of microorganisms to decarboxylate ornithine	09.00	100 gm
TM 2265	L-ORNITHINE DECARBOXYLASE BROTH (ISO / TS 22964: 2017) for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm
TM 1033	OSMOPHILIC AGAR (MY 40 AGAR) for detection and isolation of osmophilic microorganisms from food samples	445.00	500 gm
TM 1034	OSMOPHILIC GLUCOSE AGAR (MY 40 G AGAR) for detection and isolation of osmophilic microorganisms from food samples	427.00	500 gm

Dehydrated Culture Media 0

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1402	OXACILLIN RESISTANCE SCREENING AGAR BASE for screening oxacillin resistant microorganisms	103.50	500 gm
TS 153	OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT *	#10 vl	5 vl
TM 2266	OXGALL CHRYSOIDIN AGAR WITH MUG (CHRYSOIDIN AGAR WITH MUG) for the isolation and differentiation of Enterobacteriaceae and several other Gram negative rods. It can also be used for the identification of E. coli from clinical and non-clinical specimens	48.23	500 gm
TM 799	OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE) for selective isolation and enumeration of yeast and molds in food products	37.00	100 gm 500 gm
TS 071	OXYTETRA SELECTIVE SUPPLEMENT*	# 27vl	5 vl 25 vl
TM 1061	OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE) ISO 6611:2004 for isolation and enumeration of yeasts and molds from milk and milk products	37.00	500 gm
TS 071	OXYTETRA SELECTIVE SUPPLEMENT*	#27vl	5 vl 25 vl
TS 128	GENTA-OXY SELECTIVE SUPPLEMENT*	#27vl	5 vl 25 vl
TM 800	OXYTETRA GLUCOSE YEAST AGAR BASE W/ BIOTIN for selective isolation and enumeration of yeasts and molds in food products	37.00	500 gm
TS 071	OXYTETRA SELECTIVE SUPPLEMENT*	#27vl	5 vl 25 vl
TM 571	PA BROTH for detection of presence and absence of coliform bacteria in water	30.50	500 gm
TM 2267	PKU TEST AGAR BASE for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm
TM 2268	PKU TEST AGAR W/ THIENYLALANINE for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm
TM 1434	PL AGAR for isolation and cultivation of Plesiomonas shigelloides from food	43.58	500 gm
TM 1271	PLET AGAR BASE for selective isolation and cultivation of Bacillus anthracis	40.34	500 gm
TS 129	ANTHRACIS SELECTIVE SUPPLEMENT *	#13vl	5 vl
TM 2269	PLET AGAR BASE, MODIFIED for the selective isolation and cultivation of Bacillus anthracis	40.40	500 gm
TS 129	ANTHRACIS SELECTIVE SUPPLEMENT *	#13vl	5 vl
TM 248	PM INDICATOR AGAR (PENICILLIN IN MILK INDICATOR AGAR) (as per AOAC) for rapid detection of trace amounts of Penicillin in milk *	32.00	500 gm
TM 1272	PNY MEDIUM for cultivation and isolation of Lactobacillus species	31.28	100 gm 500 gm
TM 233	PPLO AGAR BASE (MYCOPLASMA AGAR BASE) for isolation and cultivation of Mycoplasma species (PPLO)	36.00	100 gm 500 gm
TS 014	HORSE SERUM *	#7.2 ltr	100 ml
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#139 vl	5 vl 25 vl
TM 235	PPLO BROTH BASE W/ CV (MYCOPLASMA BROTH BASE W/ CV) for enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	21.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl *)	#24vl	5 vl 25 vl
TS014	HORSE SERUM *	#7.2 ltr	100 ml
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#239 vl	5 vl 25 vl
TM 794	PPLO BROTH BASE W/O CV (MYCOPLASMA BROTH BASE W/O CV) for enrichment of Mycoplasma species (PPLO) from clinical specimens and mixed cultures	21.00	500 gm
TS 014	HORSE SERUM *	#7.2 ltr	100 ml
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#239 vl	5 vl 25 vl

P Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1064	PSB BROTH BASE for primary enrichment and enumeration of Yersinia enterocolitica from food	51.00	500 gm
TM 2270	PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273) for primary enrichment and enumeration of Yersinia enterocolitica from food	30.77	500 gm
TM 1273	PSTA ENRICHMENT BROTH BASE (PSB BROTH MODIFIED) for secondary enrichment of Yersinia enterocolitica from foods	05.20	100 gm 500 gm
TM 1274	PAGANO LEVIN BASE for isolation and differentiation of Candida species	66.00	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl)	#8 vl	5 vl 25 vl
TS 095	NEOMYCIN SUPPLEMENT *	#16 vl	5 vl
TM 2273	PAGE'S SALINE used as a rinsing solution of membranes in water filtration for Legionella detection	0.403	100 gm
TM 1403	PARK & SANDER ENRICHMENT BROTH BASE for selective enumeration of thermo-tolerant Campylobacter species from food	28.35	500 gm
TS 073	PARK & SANDER SELECTIVE SUPPLEMENT A *	#15 vl	5 vl
TS 074	PARK & SANDER SELECTIVE SUPPLEMENT B *	#15 vl	5 vl
TM 2274	PARK & SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995) for selective enumeration of thermo-tolerant Campylobacter species from food	29.35	500 gm
TS 073	PARK & SANDER SELECTIVE SUPPLEMENT A *	#15 vl	5 vl
TS 074	PARK & SANDER SELECTIVE SUPPLEMENT B *	#15 vl	5 vl
TM 2275	PEIZER TB MEDIUM BASE for cultivation of Mycobacterium tuberculosis	49.72	500 gm
TM 1584	PENTACHLORO ROSE BENGAL YEAST EXTRACT AGAR BASE (PRYES AGAR) (as per APHA) for the cultivation and differentiation of nephrotoxin producing strains of Penicillium viridicatum and related species isolated from foods in accordance with APHA	190.17 #6 vl	500 gm 5 vl
TS 138	CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT*	#6 vl	5 vl 25 vl
TM 1040	PEPTED MEAT BROTH (MEAT EXTRACT W/ PEPTONE) for cultivation and maintenance of Alcaligenes species	28.00	500 gm
TM 803	PEPTONE IRON AGAR for detection of hydrogen sulphide production by microorganisms	36.58	100 gm
TM 2276	PEPTONE SORBITOL BILE BROTH for identification of Yersinia enterocolitica from dairy products	30.93	500 gm
TM 1844	PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017) - (Part I) & (Part II) For selective enrichment of Yersinia enterocolitica from dairy products	21.00	500 gm
TM 330	PEPTONE WATER general purpose growth medium and used as the base of carbohydrate fermentation media	15.00	100 gm 500 gm
TMV 330	PEPTONE WATER (VEG.) general purpose growth medium and as the base of carbohydrate fermentation media	15.00	100 gm 500 gm
TM 805	PEPTONE WATER (IS : 5887 (Part I) 1976, reaffirmed 2005) General purpose growth medium & as the base of carbohydrate fermentation media	25.00	100 gm 500 gm
TM 806	PEPTONE WATER W/ PHENOL RED for studying fermentation ability of Yersinia enterocolitica	15.00	500 gm
TM 1276	PEPTONE YEAST DEXTROSE AGAR (CANTINO) for cultivation of aquatic fungi like Blastocladiella species	25.50	100 gm
TM 1277	PEPTONE YEAST DEXTROSE BROTH (CANTINO) for cultivation of aquatic fungi like Blastocladiella species	05.50	100 gm
TM 131	PEPTONE YEAST EXTRACT IRON AGAR (ISP MEDIUM NO.6) for cultivation and maintenance of Streptomyces as per International Streptomyces project	37.50	100 gm 500 gm
TM 807	PEPTONIZED MILK AGAR for cultivation of lactic acid bacteria and testing of dairy products	27.00	500 gm
TM 808	PERFRINGENS AGAR BASE (O.P.S.P) for selective isolation and enumeration of Clostridium perfringens from foods	50.50 #20 vl	500 gm 5 vl
TS 158	PERFRINGENS SUPPLEMENT A *	#20 vl	25 vl
TS 159	PERFRINGENS SUPPLEMENT B *	#20 vl	5 vl 25 vl

Dehydrated Culture Media **P**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 615	PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) for presumptive identification and enumeration of Clostridium perfringens from food	47.00	500 gm
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vl	5 vl
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#22 vl	25 vl 5 vl
TS 002	EGG YOLK EMULSION (100ml/vl)*	#6 vl	25 vl 5 vl
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#22 vl	5 vl
TMV 615	PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) (VEG.) for presumptive identification and enumeration of Clostridium perfringens from food	47.00	500 gm
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vl	5 vl 25 vl
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100ml/vl)*	#6 vl	5 vl
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#22 vl	5 vl
TM 1826	PERFRINGENS AGAR BASE (TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE) (ISO 7937: 2004, ISO 14189:2013) for enumeration of Clostridium perfringens from food	42.00	500 gm
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#24 vl	5 vl 25 vl
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#24 vl	5 vl
TM 810	PFIZER SELECTIVE ENTEROCOCCUS AGAR for selective isolation and cultivation of Enterococci	58.00	500 gm
TM 252	PHENOL RED AGAR BASE a basal medium by adding carbohydrates for use in fermentation studies of microorganisms	31.00	100 gm 500 gm
TM 256	PHENOL RED DEXTROSE AGAR for determining of the ability of microorganisms to ferment dextrose	41.00	100 gm 500 gm
TM 2277	PHENOL RED INULIN BROTH recommended for inulin fermentation studies of microorganisms	21.02	100 gm
TM 253	PHENOL RED LACTOSE AGAR for determining of the ability of microorganisms to ferment lactose	41.00	100 gm 500 gm
TM 811	PHENOL RED MALTOSSE AGAR for determining of the ability of microorganisms to ferment maltose	41.00	100 gm 500 gm
TM 254	PHENOL RED MANNITOL AGAR for determining of the ability of microorganisms to ferment mannitol	41.00	100 gm 500 gm
TM 812	PHENOL RED SUCROSE AGAR for determining of the ability of microorganisms to ferment sucrose	41.00	100 gm 500 gm
TM 813	PHENOL RED TARTRATE AGAR for identification and differentiation of Salmonellae on the basis of tartrate utilization	40.02	100 gm
TM 255	PHENOL RED BROTH BASE for determination of fermentation reactions of pure cultures of microorganisms	16.00	100 gm 500 gm
TM 814	PHENOL RED BROTH BASE W/ MEAT EXTRACT for determination of carbohydrates fermentation	16.00	100 gm 500 gm
TM 815	PHENOL RED ADONITOL BROTH for determining of the ability of microorganisms to ferment adonitol	21.00	100 gm
TM 816	PHENOL RED ARABINOSE BROTH for determining the ability of microorganisms to ferment arabinose	21.00	100 gm

P Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 537	PHENOL RED DEXTROSE BROTH for determining the ability of microorganisms to ferment dextrose	21.00	100 gm 500 gm
TM 817	PHENOL RED DULCITOL BROTH for determining the ability of microorganisms to ferment dulcitol	21.00	100 gm
TM 818	PHENOL RED GALACTOSE BROTH for determining microorganisms to ferment galactose	21.00	100 gm
TM 538	PHENOL RED INOSITOL BROTH for determining microorganisms to ferment inositol	21.00	100 gm
TM 257	PHENOL RED LACTOSE BROTH for determining the ability of microorganisms to ferment lactose	21.00	100 gm 500 gm
TM 1921	PHENOL LACTOSE BROTH (ISO 9308-1-2014) for lactose fermentation studies of coliforms	25.02	100 gm 500 gm
TM 539	PHENOL RED MALTOSSE BROTH for determining the ability of microorganisms to ferment maltose	21.00	100 gm 500 gm
TM 258	PHENOL RED MANNITOL BROTH for determining the ability of microorganisms to ferment mannitol	21.00	100 gm 500 gm
TM 819	PHENOL RED RAFFINOSE BROTH for determining the ability of microorganisms to ferment raffinose	21.00	100 gm
TM 820	PHENOL RED RHAMNOSE BROTH for determining the ability of microorganisms to ferment rhamnose	21.00	100 gm
TM 821	PHENOL RED SALICIN BROTH for determining the ability of microorganisms to ferment salicin	21.00	100 gm
TM 540	PHENOL RED SORBITOL BROTH for determining the ability of microorganisms to ferment sorbitol	21.00	100 gm
TM 822	PHENOL RED STARCH BROTH for determining the ability of microorganisms to ferment starch	21.00	100 gm
TM 259	PHENOL RED SUCROSE BROTH for determining the ability of microorganisms to ferment sucrose	21.00	100 gm 500 gm
TM 823	PHENOL RED TREHALOSE BROTH for determining the ability of microorganisms to ferment trehalose	21.00	100 gm
TM 541	PHENOL RED XYLOSE BROTH for determining the ability of microorganisms to ferment D-xylose	21.00	100 gm
TM 197	PHENOL RED EGG YOLK POLYMYXIN AGAR BASE (MYP AGAR BASE) (BIS) for isolation and identification of pathogenic Staphylococci and Bacillus species	46.00	100 gm 500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl
TM 824	PHENOLPHTHALEIN PHOSPHATE AGAR for identification of phosphatase positive Staphylococcus aureus	28.00	100 gm 500 gm
TMV 824	PHENOLPHTHALEIN PHOSPHATE AGAR (VEG.) for identification of phosphatase positive Staphylococcus aureus	28.00	100 gm 500 gm
TM 260	PHENYLALANINE AGAR for differentiation of Proteus & Providencia from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine	26.00	100 gm 500 gm
TM 1067	PHENYLALANINE MALONATE BROTH (SHAW & CLARKE MEDIUM) for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.00	100 gm
TM 2278	PHENYLETHYL ALCOHOL AGAR for the isolation of gram- positive organisms like Staphylococci and Streptococci	42.50	100 gm

Dehydrated Culture Media **P**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2279	PHENYLETHANOL AGAR BASE * for the isolation of gram- positive organisms like Staphylococci and Streptococci	35.50	100 gm
TM 2280	PHENYLETHYL BLOOD AGAR BASE (ANAEROBIC) * for cultivation of fastidious anaerobic bacteria	52.92	100 gm
TM 826	PHOSPHATE BUFFER, APHA, pH 7.2 for preparation of dilution and blanks for testing of water, foods and dairy products	34.00	100 gm 500 gm
TM 2281	PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017) recommended for the preparation of dilutions for Listeria species for further testing form food sample	18.37	500 gm
TM 1067	PHENYLALANINE MALONATE BROTH (SHAW & CLARKE MEDIUM) for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.00	100 gm
TM 2278	PHENYLETHYL ALCOHOL AGAR for the isolation of gram- positive organisms like Staphylococci and Streptococci	42.50	100 gm
TM 2279	PHENYLETHANOL AGAR BASE * for the isolation of gram- positive organisms like Staphylococci and Streptococci	35.50	100 gm
TM 2280	PHENYLETHYL BLOOD AGAR BASE (ANAEROBIC) * for cultivation of fastidious anaerobic bacteria	52.92	100 gm
TM 826	PHOSPHATE BUFFER, APHA, pH 7.2 for preparation of dilution and blanks for testing of water, foods and dairy products	34.00	100 gm 500 gm
TM 2281	PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017) recommended for the preparation of dilutions for Listeria species for further testing form food sample	18.37	500 gm
TM 1068	PHOSPHATE BUFFERED SALINE, pH 7.2 for preparation of dilution and controls	10.79	100 gm 500 gm
TM 2282	PHOSPHATE BUFFERED SALINE (PBS) pH 7.4 for preparation of dilution, blanks for the examination of samples from food, water and other specimens	08.58	100 gm 500 gm
TM 2283	PHOSPHATE BUFFER, pH 8.0 for preparation of dilutions and blanks in accordance with USP	17.25	500 gm
TM 542	PIKE STREPTOCOCCAL BROTH BASE for selective enrichment & cultivation of Streptococci from throat swabs and other clinical samples	30.26	100 gm 500 gm
TM 543	PIKOVSKAYA'S AGAR for detection of phosphate solubilizing soil microorganisms	31.30	100 gm 500 gm
TM 545	PIKOVSKAYA'S BROTH (MEDIUM) for cultivation phosphate solubilizing microorganisms	16.30	500 gm
TM 544	PLATE COUNT AGAR (STANDARD PLATE AGAR) (ISO 4833-1 & 2:2013) for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm
TMV 544	PLATE COUNT AGAR (STANDARD PLATE AGAR) (VEG.) for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm
TM 363	PLATE COUNT AGAR (STANDARD METHODS AGAR) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm
TMV 363	PLATE COUNT AGAR (STANDARD METHODS AGAR) (VEG.) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm
TM 2284	PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN) for sanitary examination of surfaces that is for counts before and after application of disinfectants	29.20	100 gm 500 gm
TM 828	PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN) for sanitary examination of surfaces that is for counts before and after application of disinfectants.	30.00	100 gm 500 gm
TM 408	PLATE COUNT AGAR (SPECIAL) for estimation of microbial counts in raw milk and other dairy products	40.52	500 gm

P Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 829	PLATE COUNT AGAR W/ BCP for enumeration of Lactobacilli in milk products	24.64	500 gm
TM 2285	PLATE COUNT AGAR W/O DEXTROSE recommended for the determination of plate counts of microorganisms in water samples	22.50	500 gm
TM 744	PLESIOMONAS DIFFERENTIAL AGAR (INOSITOL BRILLIANT GREEN BILE AGAR) for selective isolation of Plesiomonas shigelloides and Aeromonas species from foods	52.05	500 gm
TM 020	POLYMYXIN BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO.9) (ANTIBIOTIC ASSAY MEDIUM-H) (as per USP/IP) for assay the products containing Polymyxin-B	50.00	500 gm
TM 021	POLYMYXIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.10) (DOUBLE PACK) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	(Part I) (Part II) Polysorbate 80.00	500 gm
TM 1587	POLYMYXIN PYRUVATE EGG YOLK MANNITOL BROMOTHYMOL BLUE AGAR BASE (PEMBA) for cultivation of Bacillus cereus	44.00	500 gm
TS 002	EGG YOLK EMULSION (100ml/vl) *	#6 vl	5 vl
TS 203	PEMBA SUPPLEMENT *	#114 vl	5 vl 25 vl
TM 830	POLYSORBATE 80 AGAR (DOUBLE PACK) * - for cultivation of variety of microorganisms	(Part I) (Part II) 25.00 10.00	500 gm -
TMV 830	POLYSORBATE 80 AGAR (DOUBLE PACK) (VEG.) * - for cultivation of variety of microorganisms	(Part I) (Part II) 25.00 10.00	500 gm -
TM 1867	POTASSIUM CYANIDE BROTH BASE W/O KCN for differentiation of the members of Enterobacteriaceae on the basis of potassium cyanide toleran	13.86	500 gm
TM 2286	POTATO CARROT AGAR for the reproduction of Pyronema domesticum	24.00	500 gm
TM 344	POTATO DEXTROSE AGAR for isolation and enumeration of yeasts and molds from dairy and other food products	39.00	100 gm 500 gm
TMV 344	POTATO DEXTROSE AGAR (VEG.) for isolation and enumeration of yeasts and molds from dairy and other food products	39.00	100 gm 500 gm
TMH 105	POTATO DEXTROSE AGAR (as per USP/EP/JP/BP) for the cultivation of yeasts and moulds	39.00	100 gm 500 gm
TM 1922	POTATO DEXTROSE W / 2% AGAR for isolation and enumeration of yeasts and moulds from dairy and other food products in accordance with FDA BAM, 1998	44.00	100 gm 500 gm
TS 259	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED	#12 vl	5 vl
TM 1923	POTATO DEXTROSE W/ 3% AGAR for cultivation of yeasts and moulds from dairy and other food products	54.00	500 gm
TM 1924	POTATO DEXTROSE AGAR W/ CHLORAMPHENICOL for the selective isolation and enumeration of yeasts and moulds from dairy and other food products	39.05	500 gm
TM 384	POTATO DEXTROSE AGAR W/ ROSE BENGAL for propagation of ascospores	39.00	500 gm
TM 331	POTATO DEXTROSE BROTH for cultivation and enumeration of yeasts and molds	24.00	500 gm
TM 2287	POTATO DEXTROSE SUCROSE AGAR for the isolation and cultivation of Zygosaccharomyces rouxii from chocolate syrup	659.00	500 gm
TM 2288	POTATO INFUSION AGAR for the isolation of Brucella species	49.00	500 gm
TM 2289	POTATO INFUSION BROTH for the isolation of Brucella species	34.00	500 gm
TM 2290	POTATO MALT AGAR for cultivation and maintenance of smut fungi and other phytopathogenic fungi	105.00	500 gm
TM 834	PRE ENRICHMENT BROTH BASE for isolation and enrichment of Yersinia enterocolitica from foods	39.10	500 gm

Dehydrated Culture Media **P**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2291	PRESERVATIVE RESISTANT YEAST AGAR BASE (PRY) for cultivation of Yeasts	35.00	100 gm 500 gm
TM 2292	PRESPORULATION GROWTH MEDIUM for the growth and sporulation of <i>Saccharomyces cerevisiae</i>	31.00	500 gm
TM 1590	PRESTON AGAR BASE for selective isolation of thermotolerant <i>Campylobacter</i> species	37.00	500 gm
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*	#27 vl	5vl
TMV 1590	PRESTON AGAR BASE (VEG.) for selective isolation of thermotolerant <i>Campylobacter</i> species	37.00	500 gm
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*	#27 vl	5vl
TM 835	PRINGSHEIM'S MEDIUM for cultivation of blue green bacteria	00.24	100 gm
TM 2293	PROSKAUER BECK MEDIUM for the growth and sporulation of <i>Saccharomyces cerevisiae</i>	12.79 12.79	100 gm 500 gm
TM 2294	PROTEOSE AGAR for the cultivation of <i>Vibrio</i> species from foods in accordance with APHA	50.00	500 gm
TM 266	PSEUDOMONAS AGAR F (FOR FLUORESCHEIN) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm
TMV 266	PSEUDOMONAS AGAR F (FOR FLUORESCHEIN) (VEG.) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm
TM 1279	PSEUDOMONAS AGAR F (FOR FLUORESCHEIN) (as per USP) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm
TM 1811	PSEUDOMONAS AGAR FOR DETECTION OF FLUORESCHEIN (as per IP) for detection of fluorescein production by <i>Pseudomonas</i> species	37.23	100 gm 500 gm
TM 2295	PSEUDOMONAS AGAR, MODIFIED (FOR FLUORESCHEIN) for detection of fluorescein production by <i>Pseudomonas</i> species in accordance with FDA BAM, 1998	47.23	500 gm
TM 267	PSEUDOMONAS AGAR P (FOR PYOCYANIN) for detection of Pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm
TMV 267	PSEUDOMONAS AGAR P (FOR PYOCYANIN) (VEG.) for detection of Pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm
TM 1280	PSEUDOMONAS AGAR P (FOR PYOCYANIN) (as per USP) for detection of pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm
TM 1812	PSEUDOMONAS AGAR FOR DETECTION OF PYOCYANIN (as per IP) for detection of pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm
TM 626	PSEUDOMONAS AGAR BASE for selective isolation of <i>Pseudomonas</i> species from environmental samples, food and water	48.40	100 gm 500 gm
TS 075	CETRINIX SUPPLEMENT *	#21 vl	5 vl 25 vl
TS 077	CFC SUPPLEMENT *	#21 vl	5 vl 25 vl
TM 641	PSEUDOMONAS ASPARAGINE BROTH (as per APHA) for presumptive determination of <i>Pseudomonas aeruginosa</i> from water	04.50	100 gm 500 gm
TM 1712	PSEUDOMONAS BROTH F (FOR FLUORESCHEIN) for detection of fluorescein production by <i>Pseudomonas</i> species	23.00	500 gm
TM 1714	PSEUDOMONAS BROTH P (FOR PYOCYANIN) for detection of pyocyanin production by <i>Pseudomonas</i> species	31.40	500 gm
TM 268	PSEUDOMONAS ISOLATION AGAR for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm
TMV 268	PSEUDOMONAS ISOLATION AGAR (VEG.) for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm
TM 2296	PSEUDOMONAS SOLANACEARUM MEDIUM for the cultivation of <i>Pseudomonas solanacearum</i>	33.00	500 gm

P Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 836	PURPLE AGAR BASE for identification of pure cultures of enteric and other microorganisms	31.00	500 gm
TM 837	PURPLE BROTH BASE for identification of pure cultures of enteric and other microorganisms	15.00	500 gm
TM 2297	PURPLE BROTH BASE recommended for the fermentation studies of <i>Listeria monocytogenes</i>	16.02	500 gm
TM 2298	PYRAZINAMIDASE AGAR for identification of <i>Yersinia</i> species in accordance with FDA BAM, 1998	34.00	500 gm
TM 269	R-2A AGAR for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm
TMV 269	R-2A AGAR (VEG.) for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm
TM 1956	R-2 A AGAR (AGAR MEDIUM S) (as per EP/BP) for heterotrophic plate count of treated potable water using longer incubation periods	18.00	500 gm
TM 2299	R2A AGAR, MODIFIED for the enumeration and cultivation of bacteria from potable water	18.12	500 gm
TM 1592	R-2A BROTH for cultivation and maintenance of heterotrophic bacteria from potable waters	03.12	500 gm
TM 838	R-3A AGAR for subculturing of microorganisms recovered on less nutritive R-2A Agar from potable water	21.25	500 gm
TM 1593	R-3A BROTH for cultivation and maintenance of heterotrophic bacteria from potable water	06.25	500 gm
TM 366	COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE) for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm
TM 2300	RPF AGAR BASE (ISO 6888-2:1999) recommended for the enumeration of coagulase positive <i>Staphylococci</i> from food and animal feeding stuff	58.00	500 gm
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#9 vl	5 vl 25 vl
TM 2301	RS MEDIUM BASE for selective isolation, cultivation and presumptive identification of <i>Aeromonas hydrophila</i>	45.43	500 gm
TS 051	NOVOBIOCIN SUPPLEMENT *	#11 vl	5 vl 25 vl
TM 753	RAKA RAY NO. 3 BROTH BASE (LACTIC ACID BACTERIA SELECTIVE BROTH BASE) for selective isolation of lactic acid bacteria from brewery	58.90	100 gm
TS 069	LACTIC SUPPLEMENT (10 ml/vl) *	#4 vl	5 vl
TM 1876	RPMI AGAR W/MOPS 2% DEXTROSE (DOUBLE PACK) for determining susceptibility of microorganisms to antifungal agents	42.91+ 35.00	100 gm 500 gm
TM 516	RWC MEDIUM (CULTURE MEDIUM FOR RWC) for determination of phenol coefficients of disinfectants using <i>Salmonella Typhi</i> as a test organism	50.00	100 gm 500 gm
TM 1201	RAPID COLIFORM AGAR * for detection and confirmation of <i>E.coli</i> and other coliforms on the basis enzyme substrate reaction chromogenic and fluorogenic substrates	31.03	100 gm 500 gm
TM 1202	RAPID COLIFORM BROTH * for detection and confirmation of <i>E.coli</i> and other coliforms on the basis enzyme substrate reaction from water by using chromogenic and fluorogenic substrates	16.03	100 gm 500 gm
TM 839	RAPID ENTEROCOCCI AGAR * for rapid and easy identification and differentiation of Enterococci from water	33.61	100 gm 500 gm
TM 124	RAPID-SENSITIVITY TEST AGAR for antimicrobial susceptibility test	31.40	100 gm 500 gm
TM 1466	RAPID-SENSITIVITY TEST BROTH for antimicrobial susceptibility test	23.40	100 gm 500 gm
TM 270	RAPPAPORT VASSILIADIS MEDIUM for enrichment of <i>Salmonellae</i> based on its ability to multiply selectively at high osmotic pressure, low pH and at 430C, with modest nutritional requirements	49.20	100 gm 500 gm

Dehydrated Culture Media **R**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1281	RAPPAPORT VASSILIADIS MEDIUM for selective enrichment of Salmonellae from food and environmental samples	41.78	100 gm 500 gm
TM 1831	RAPPAPORT VASSILIADIS SOYA BROTH for selective enrichment of Salmonella spp.	33.37	100 gm 500 gm
TM 2302	RAPPAPORT VASSILIADIS R10 MEDIUM for selectively enriching Salmonella species from meat and dairy products, faeces and sewage polluted water	26.62	500 gm
TM 1282	RAPPAPORT VASSILIADIS SOYA BROTH (RVS BROTH) for selective enrichment of Salmonellae species from the food and animal feeding stuff	26.75 26.75	100 gm 500 gm
TMH 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP/IP) for selective enrichment & isolation of Salmonella species from pharmaceutical products	42.50	100 gm 500 gm
TMHV 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENTBROTH (as per USP/EP/JP/BP/IP) (VEG.) for selective enrichment & isolation of Salmonella species from pharmaceutical products	42.50	100 gm 500 gm
TM 1596	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH for selective enrichment of Salmonella species under high osmotic conditions and low pH	27.11	100 gm 500 gm
TM 1070	RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (RVSM) for enrichment and isolation of Salmonellae	26.75	100 gm 500 gm
TM 2303	RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (ISO 6579-1:2017) recommended as selective enrichment medium for the isolation of Salmonella species	26.58	100 gm 500 gm
TM 1283	RAZI'S MEDIUM (SEMISOLID REINFORCED CLOSTRIDIAL MEDIUM W/ ASPARTATE) for maintenance of Campylobacter species	40.00	500 gm
TM 1555	REDDYS DIFFERENTIAL AGAR, MODIFIED (LACTIC STREAK AGAR) qualitative and quantitative differentiation of lactic streptococci	58.00	500 gm
TM 577	REINFORCED CLOSTRIDIAL AGAR for cultivation and enumeration of Clostridia and other anaerobes	51.00	100 gm 500 gm
TMV 577	REINFORCED CLOSTRIDIAL AGAR (VEG.) for cultivation and enumeration of Clostridia and other anaerobes	51.00	100 gm 500 gm
TM 271	REINFORCED CLOSTRIDIAL BROTH for cultivation and enumeration of Clostridia and other anaerobes	38.00	100 gm 500 gm
TMV 271	REINFORCED CLOSTRIDIAL BROTH (VEG.) for cultivation and enumeration of Clostridia and other anaerobes	38.00	100 gm 500 gm
TM 840	REINFORCED CLOSTRIDIAL BROTH W/O AGAR for cultivation and enumeration of Clostridia	37.50	100 gm 500 gm
TMH 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm
TMHV 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) (VEG.) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm
TM 1071	RHAMNOSE BROTH for demonstration of rhamnose fermentation by Listeria monocytogenes	16.02	500 gm
TM 385	RHIZOBIUM MEDIUM for cultivation and isolation of Rhizobium species	31.80	500 gm
TM 1599	RICE EXTRACT AGAR for identification of Candida albicans by means of its chlamydospore production	40.00	500 gm
TM 1600	RICE EXTRACT AGAR for differentiation of yeasts by means of their typical chlamydospores and on the basis of morphological criteria	15.00	500 gm
TM 1072	RICHARD'S SYNTHETIC AGAR for cultivation and isolation of fungi from soil samples	82.50	500 gm
TM 273	RINGER SALT SOLUTION POWDER an isotonic diluent for food, milk and dairy products during microbiological testing	08.91	100 gm

R Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2304	RINSING FLUID used as a rinsing fluid in the membrane filtration procedure	09.00	100 gm 500 gm
TM 1480	RIPPEY CABELLI AGAR BASE for isolation of Aeromonas hydrophila from water samples using membrane filter technique	32.24	100 gm
TS 171	RIPPEY CABELLI SUPPLEMENT*	#7 vl	5 vl
TM 842	ROBINSON MEDIUM FOR ENTAMOEBA (DOUBLE PACK) - Part I - used as a substrate for growth of Amoeba by cultivating E.coli.	(Part I) 40.00	100 gm 500 gm
TM 274	ROGOSA SL AGAR * For selective cultivation of oral, vaginal and faecal Lactobacilli	75.00	500 gm
TMV 274	ROGOSA SL AGAR (VEG.) for selective cultivation of oral, vaginal and faecal Lactobacilli	75.00	500 gm
TM 1073	ROGOSA SL AGAR W/ 0.15% OXGALL for selective isolation of bile tolerant Lactobacilli	86.20	500 gm
TM 275	ROGOSA SL BROTH * for selective cultivation of all Lactobacilli including oral, vaginal and faecal Lactobacilli	60.00	500 gm
TMV 275	ROGOSA SL BROTH (VEG.) * for selective cultivation of all Lactobacilli including oral, vaginal and faecal Lactobacilli	60.00	500 gm
TM 2305	ROGOSA AGAR, MODIFIED for the selective cultivation of Lactobacilli from food	74.40	500 gm
TM 276	ROSE BENGAL AGAR BASE for selective isolation and enumeration of yeasts and molds from environmental materials and foods	31.55	500 gm
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT*	#32 vl	5 vl 25 vl
TM 2306	ROSE BENGAL AGAR W/ CHLORTETRACYCLINE for the selective isolation and enumeration of yeasts and moulds	31.55	500 gm
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#16 vl	5 vl 25 vl
TM 277	ROSE BENGAL CHLORAMPHENICOL AGAR * for selective isolation and enumeration of yeasts and molds from environmental materials and foods	32.15	100 gm 500 gm
TM 2307	RYE AGAR A for the isolation of Phytophthora infestans	95.00	500 gm
TM 2308	RYE AGAR B for sporulation of Phytophthora infestans	95.05	500 gm
TM 1074	SA AGAR BASE (as per APHA) for isolation, cultivation and differentiation of Aeromonas hydrophila from foods by starch hydrolysis	31.00	500 gm
TS 097	AMPICILLIN SUPPLEMENT *	#17 vl	5 vl
TM 563	SABHI AGAR BASE for cultivation and isolation of dermatophytes and other pathogenic fungi	59.00	500 gm
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT*	#17 vl	5 vl 25 vl
TM 280	SBG ENRICHMENT BROTH for selective enrichment of Salmonellae from clinical samples	23.70	100 gm
TM 2309	SBG ENRICHMENT BROTH, MODIFIED (DOUBLE PACK) - (Part I) & (Part II) for Selective Enrichment of Salmonella species	18.67 04.00	100 gm -
TM 2310	SCHWARZ DIFFERENTIAL MEDIUM used in the brewing industry for the differentiation of brewing yeasts from wild yeast	44.50	500 gm
TM 843	SD AGAR for growth of yeasts for molecular biology purposes	46.70	500 gm
TM 281	SDS AGAR (SODIUM DODECYL SULPHATE POLYMYXIN SUCROSE AGAR) (as per APHA) for enrichment, isolation and enumeration of Vibrio vulnificus from sea food samples	66.08	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#16 vl	5 vl 25 vl
TM 844	SF BROTH for selective detection, differentiation and cultivation of Enterococci from other cocci in diagnostic work	36.00	500 gm

Dehydrated Culture Media S

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 845	SF BROTH, MODIFIED for detection of Enterococci in diagnostic work	46.00	500 gm
TM 846	S.F.P. AGAR BASE for presumptive identification and enumeration of Clostridium perfringens in foods	47.00	500 gm
TS 054	S. F. P. SUPPLEMENT (PERFRINGENS S.F.P. SUPPLEMENT) *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100ml/vl) *	#6 vl	5 vl
TM 2311	S.F.P. AGAR BASE for the presumptive identification and enumeration of Clostridium perfringens in foods in accordance with BAM, 1998 FDA	47.00	500 gm
TS 076	T.S.C. SUPPLEMENT (PERFRINGENS T.S.C. SUPPLEMENT) *	#22 vl	5 vl 25 vl
TS 290	EGG YOLK EMULSION, 50% (100 ml/vl) *	#11 vl	5 vl
TM 847	SIM MEDIUM for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm
TMV 847	SIM MEDIUM (VEG.) for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm
TM 2312	SIM MOTILITY MEDIUM, MODIFIED for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli in accordance with FDA BAM	30.00	500 gm
TM 1076	SM SELECTIVE AGAR BASE for isolation and cultivation of Pseudomonas solanacearum	18.66	500 gm
TS 167	SM SELECTIVE SUPPLEMENT	#27 vl	5 vl
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#27 vl	5 vl 25 vl
TM 1284	SOC BROTH a medium for molecular biology	28.00	500 gm
TM 1077	SPS AGAR* for detection of Clostridium perfringens in foods	40.00	500 gm
TMV 1077	SPS AGAR (VEG.) * for detection of Clostridium perfringens in foods	40.00	500 gm
TM 1078	SPS AGAR, MODIFIED * for selective isolation and enumeration of Clostridium perfringens from foodstuffs	41.28	500 gm
TMV 1078	SPS AGAR, MODIFIED (VEG.) * for selective isolation and enumeration of Clostridium perfringens from foodstuffs	41.28	500 gm
TM 386	SS AGAR (SALMONELLA SHIGELLA AGAR) for differential and selective isolation of Salmonella and Shigella species from pathological samples	63.00	100 gm 500 gm
TMV 386	SS AGAR (SALMONELLA SHIGELLA AGAR) (VEG.) for differential and selective isolation of Salmonella and Shigella species from pathological samples	63.00	100 gm 500 gm
TM 588	SS AGAR, MODIFIED for selective isolation & differentiation of Salmonella and Shigella species from clinical materials and food stuff	57.00	500 gm
TM 2313	SS AGAR W/ SUCROSE used for the selective isolation and differentiation of Salmonella and Shigella species	59.03	500 gm
TM 2314	SS SELECTIVE AGAR, IMPROVED, ((DOUBLE PACK) - (Part I) & (Part II)) for the selective detection and isolation of Salmonella and Shigella species	81.00 04.60	500 gm -
TM 1828	S.S AGAR WITH SODIUM DEOXYCHOLATE & CaCl₂(SSDC AGAR) for detection of presumptive pathogenic Yersinia enterocolitica	76.00	100 gm
TM 2315	S.T.A. AGAR BASE for the isolation of Brochothrix thermosphacta from meat products	36.48	500 gm
TS 305	S.T.A. SELECTIVE SUPPLEMENT *	#28 vl	5 vl 25 vl
TM 2316	SABOURAUD AGAR GLUCOSE 4% for cultivation of yeasts, moulds and aciduric microorganisms	65.00	500 gm

S Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 587	SABOURAUD AGAR W/ ANTIBIOTICS (SABOURAUD CYCLOHEXIMIDE CHLORAMPHENICOL AGAR) for selective isolation and cultivation of pathogenic fungi	45.54	100 gm
TM 622	SABOURAUD CHLORAMPHENICOL AGAR for selective isolation and cultivation of yeasts and molds	65.00	100 gm 500 gm
TMV 622	SABOURAUD CHLORAMPHENICOL AGAR (VEG.) for selective isolation and cultivation of yeasts and molds	65.00	100 gm 500 gm
TM 387	SABOURAUD DEXTROSE AGAR for cultivation of yeasts, molds and aciduric microorganisms	65.00	100 gm 500 gm
TMV 387	SABOURAUD DEXTROSE AGAR (VEG.) for cultivation of yeasts, molds and aciduric microorganisms	65.00	100 gm 500 gm
TM 1602	SABOURAUD DEXTROSE AGAR W/ SOYA LECTHIN & POLYSORBATE 80 used for cultivation of yeasts, molds and aciduric bacteria	70.70	500 gm
TM 2317	SABOURAUD DEXTROSE AGAR W/ 3.0% AGAR for cultivation of yeasts, moulds and aciduric microorganisms. (withstands longer autoclaving upto 30 minutes.)	80.00	500 gm
TMH 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm
TMHV 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) (VEG.) for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm
TM 1813	SABOURAUD DEXTROSE AGAR MEDIUM W/ CHLORAMPHENICOL (as per IP) for selective cultivation of yeasts and molds	61.41	100 gm 500 gm
TM 090 TS 275	SABOURAUD DEXTROSE AGAR BASE, MODIFIED (DEXTROSE AGAR BASE, EMMONS) for selective cultivation of pathogenic fungi CC SUPPLEMENT *	47.00 #22 vl	100 gm 500 gm 5 vl
TM 1895	SABOURAUD DEXTROSE AGAR (as per IP 2010) for the cultivation of yeasts, moulds and aciduric bacteria in accordance with Indian Pharmacopoeia, 2010	65.00	500 gm
TM 388	SABOURAUD DEXTROSE BROTH for cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TMV 388	SABOURAUD DEXTROSE BROTH (VEG.) for cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TMH 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TMHV 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) (VEG.) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TM 2318	SABOURAUD DEXTROSE BROTH, MODIFIED for isolation of yeasts and molds from cosmetics in accordance with FDA BAM, 1998	50.00	500 gm
TM 849	SABOURAUD DEXTROSE MALTOSE AGAR for cultivation of yeasts and molds and for testing antimycotic substances	45.00	500 gm
TM 1080 TS 058	SABOURAUD DEXTROSE MALTOSE BROTH for cultivation of molds, yeasts & aciduric organisms as well as testing antimycotic substances POLYMYXIN B SELECTIVE SUPPLEMENT *	30.00 #34 vl	500 gm 5 vl
TM 1951 TS 138	SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS (AGAR MEDIUM C) (as per EP/BP) for selective cultivation of yeasts and moulds CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	61.36 #6 vl	500 gm 5 vl
TM 2320 TS 138	SABOURAUD DEXTROSE AGAR MEDIUM W/ ANTIBIOTICS (as per IP) for selective cultivation of yeasts and moulds CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT*	65.00 #6 vl	500 gm 5 vl

Dehydrated Culture Media S

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2321	SABOURAUD DEXTROSE BROTH MEDIUM 3. (as per IP) for cultivation of yeasts, moulds and aciduric microorganisms	28.18	100 gm 500 gm
TM 287	SABOURAUD MALTOSÉ AGAR for propagation of yeasts and molds, particularly fungi concerned with skin and scalp lesions	65.00	500 gm
TM 288	SABOURAUD MALTOSÉ BROTH for propagation of yeasts and molds, particularly fungi concerned with skin and scalp lesions	50.00	500 gm
TM 2319	SABOURAUD GLUCOSE AGAR W/ANTIBIOTICS for selective cultivation of yeasts and moulds	65.00	500 gm
TS 138	CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT*	#16 vl	5 vl
TM 317	SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM) sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm
TMV 317	SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM) (VEG.) sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm
TM 850	SACCHAROSE BROTH for identification of saccharose fermenting microorganisms	32.53	500 gm
TM 1605	SAKAZAKII DHL AGAR used for detection and isolation of pathogenic Enterobacteriaceae from all types of samples	63.53	500 gm
TM 1606	SALENRICH BROTH for enrichment of sublethally injured Salmonellae from food products	35.00	500 gm
TS 212	SALENRICH SELECTIVE SUPPLEMENT *	#58 vl	5 vl 25 vl
TM 1081	SALINE AGAR for alpha-toxin detection in Clostridium perfringens	23.50	500 gm
TM 2322	SALINE LYSINE DECARBOXYLASE MEDIUM recommended as an identification media to detect lysine decarboxylase activity of Vibrio parahaemolyticus	39.01	100 gm 500 gm
TM 1847	SALINE MEAT YEAST AGAR (ISO 8914:1990) for identification of Vibrio parahaemolyticus from food products and animal feeding products	58.30	500 gm
TM 2323	SALINE NUTRIENT AGAR recommended for isolation and cultivation of Vibrio parahaemolyticus from food products or animal feeding products	53.00	500 gm
TM 2324	SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017) recommended for enrichment of Vibrio parahaemolyticus and Vibrio cholerae species	43.00	500 gm
TM 2325	SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017) recommended as a biochemical test to distinguish between Vibrio species based on salt tolerance	70.00	500 gm
TM 2326	SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017) recommended for detection of Vibrio parahaemolyticus and Vibrio cholerae from food	110.00	500 gm
TM 2327	SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990) recommended for detection of indole production by Vibrio parahaemolyticus	41.00	500 gm
TM 1816	SALMONELLA AGAR, ONOZ for selective isolation and identification of Salmonellae from clinical samples	80.31	500 gm
TM 1286	SALMONELLA DIFFERENTIAL AGAR (DOUBLE PACK) - (Part I) & (Part II) for selective isolation and identification of Salmonellae from clinical samples	25.00 10.00	100 gm 500 gm
TM 1203	SALMONELLA DIFFERENTIAL AGAR, MODIFIED (DOUBLE PACK) - (Part I) & (Part II) for differentiation of Salmonella species from members of Enterobacteriaceae especially	31.00 10.00	100 gm 500 gm
TM 2328	SALMONELLA SELECTIVE ENRICHMENT BROTH BASE for selective isolation and differentiation of Salmonella species	25.00	100 gm 500 gm
TS 306	SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT *	#20 vl	5 vl
TM 2329	SALMONELLA SELECTIVE PRIMARY BROTH a pre-enrichment medium used for recovery Salmonella species from foods prior to selective enrichment and isolation	20.00	500 gm
TM 2330	SALMONELLA SELECTIVE SECONDARY BROTH for selective enrichment and isolation of Salmonellae from food	73.91	500 gm

S Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1082	SALT BROTH, MODIFIED for cultivation and differentiation of the enterococcal group D Streptococci from nonenterococcal group D Streptococci based on salt tolerance	86.02	500 gm
TM 564	SALT MEAT BROTH for isolation of Staphylococci from grossly contaminated samples	150.00	500 gm
TM 851	SALT POLYMYXIN BROTH BASE for detection and enumeration of Vibrio species	33.00	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34 vl	5 vl
TM 1848	SALT POLYMYXIN BROTH BASE (ISO 8914:1990) for detection and enumeration of Vibrio species	29.70	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34 vl	5 vl 25 vl
TM 2331	SAUTONS FLUID MEDIUM BASE for selective enrichment and isolation of Salmonellae from food	03.19	100 gm 500 gm
TM 291	SCHAEDLER AGAR for enumeration of various aerobic and anaerobic bacterial species in gastrointestinal tract	43.41	500 gm
TM 292	SCHAEDLER BROTH for cultivation of wide variety of microorganisms particularly from anaerobic blood cultures	28.41	500 gm
TM 1607	SCHUBERTS ARGININE BROTH for isolation of chlorine damaged Pseudomonas aeruginosa in swimming pool	35.50	500 gm
TM 1075	SCHWARZ DIFFERENTIAL MEDIUM for differentiation of brewing yeasts from wild yeasts	44.50	500 gm
TM 2332	SELECTIVE BROTH FOR MRSA for improved detection of Methicillin Resistant Staphylococcus aureus (MRSA)	46.40	500 gm
TS 307	SELECTIVE SUPPLEMENT FOR MRSA *	#11 vl	5 vl 25 vl
TM 1083	SEA WATER AGAR (DOUBLE PACK) for cultivation of marine microorganism	(Part I) 28.00 (Part II) 37.00	500 gm -
TM 390	SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.1) (as per IP/USP) for microbiological assay of β lactam and other antibiotics	30.50	100 gm 500 gm
TM 1084	SELECTIVE LYSINE AGAR (as per AOAC) for selective isolation and identification of Salmonellae	38.33	500 gm
TM 2333	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) as enrichment media for the isolation of Salmonellae from faeces,urine or other pathological materials.	(Part I) 19.00 (Part II) 04.00	100 gm 500 gm
TM 1840	SELECTIVE STREPTOCOCCUS AGAR for selective isolation of group A Streptococci with blood	43.00	100 gm 500 gm
TM 389	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III and IV) 1976, reaffirmed 2005) (Part I) - (Part I) & (Part II) for isolation and enrichment of Salmonella from faeces, urine or other pathological material.	19.00 04.00	100 gm 500 gm
TMV 389	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (VEG.) - (Part II) for isolation and enrichment of Salmonella from faeces, urine or other pathological material	19.00 04.00	100 gm 500 gm
TM 418	SELENITE F BROTH (SELENITE F BROTH) (DOUBLE PACK) (as per IP) for isolation and enrichment of Salmonella from faeces, urine or other pathological materials	(Part I) 19.00 (Part II) 04.00	100 gm 500 gm
TM 853	SELENITE BROTH BASE W/O BIASELENITE enrichment of Salmonella from food, dairy products and pathological materials	19.00	500 gm
428	SODIUM BIASELENITE	#4vl	100 gm
TM 2334	SELENITE CYSTINE BROTH BASE W/O BIASELENITE for selective enrichment of Salmonella spp. and possibly Shigella sonnei from faeces, urine, water and foodstuffs	19.01	500 gm
428	SODIUM BIASELENITE	#4vl	100 gm

Dehydrated Culture Media S

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 721	SELENITE BROTH W/DULCITOL (DULCITOL SELENITE BROTH) (DOUBLE PACK) for selective enrichment of Salmonella species	(Part I) (Part II)	04.00	500 gm
TM 294	SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK) (ISO 6579:1993) an enrichment medium for isolation of Salmonella species from food, dairy and clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm
TMV 294	SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (VEG.) (DOUBLE PACK) an enrichment medium for isolation of Salmonella species from food, dairy and clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm
TM 854	SELENITE CYSTINE BROTH BASE (W/O BIASELENITE) for selective enrichment of Salmonella & possibly Shigella sonnei from faeces, urine, water & foodstuffs		19.00	500 gm
428	SODIUM BIASELENITE		#4vl	100 gm
TM 1454	SELENITE MANNITOL BROTH (MANNITOL SELENITE BROTH) (DOUBLE PACK) for selective enrichment of Salmonellae from clinical samples	(Part I) (Part II)	19.00 04.00	500 gm -
TM 1085	SELLERS DIFFERENTIAL AGAR for identification and differentiation of gram-negative non-fermentative bacilli particularly Pseudomonas aeruginosa and Acinetobacter calcoaceticus		45.00	500 gm
TM 1127	SEMISOLID RAPPAPORT VASSILIADIS MEDIUM, MODIFIED for detection of motile Salmonella species from food, faeces and environmental specimens		31.66	500 gm
TS 051	NOVOBIOCIN SUPPLEMENT *		#32 vl	5 vl 25 vl
TM 2135	SENSITIVITY TEST AGAR for determination of antibiotic susceptibility of fastidious microorganisms		31.32	500 gm
TM 856	SENSITIVITY TEST MEDIUM for sensitivity tests with sulphonamides and other antibiotics		51.00	500 gm
TM 1289	SERRATIA DIFFERENTIAL MEDIUM (SD MEDIUM) (DOUBLE PACK) for cultivation and differentiation of Serratia species on the basis of arabinose fermentation and Ornithine decarboxylation	(Part I) (Part II)	29.04 10.00	100 gm -
TM 1083	SEA WATER AGAR (DOUBLE PACK) for cultivation of marine microorganism	(Part I) (Part II)	28.00 37.00	500 gm -
TM 390	SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.1) (as per IP/USP) for microbiological assay of β lactam and other antibiotics		30.50	100 gm 500 gm
TM 1290	SHAPTON MEDIUM for enumeration of Bacillus stearothermophilus spores from canned foods with pH>4.5		27.30	500 gm
TM 1067	SHAW AND CLARKE MEDIUM (PHENYLALANINE MALONATE BROTH) for differentiation of Enterobacteriaceae based on their ability to utilize malonate and produce pyruvic acid from phenylalanine		11.00	100 gm
TM 1087	SHEEP BLOOD AGAR BASE (W/O BLOOD) for improved haemolytic reactions of organisms		40.50	100 gm 500 gm
TM 2335	SHEEP BLOOD AGAR BASE, MODIFIED (ISO 21871:2006) for cultivation and studying haemolytic reactions of Bacillus cereus		37.50	500 gm
TM 857	SHIGELLA BROTH BASE for isolation and cultivation of Shigella species from foods		31.50	500 gm
TS 082	SHIGELLA SELECTIVE SUPPLEMENT *		#16 vl	5 vl
TM 1088	SIMMONS AGAR BASE for differentiation between faecal coliform and members of the aerogenes group on the basis of citrate utilization		21.30	100 gm

S Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 348	SIMMONS CITRATE AGAR for differentiation of Enterobacteriaceae on the basis of citrate utilization	24.28	100 gm 500 gm
TMV 348	SIMMONS CITRATE AGAR (VEG.) for differentiation of Enterobacteriaceae on the basis of citrate utilization	24.28	100 gm 500 gm
TM 1291	SIMMONS CITRATE AGAR (IS : 5887 (Part I) 1976, reaffirmed 2005) for differentiation between faecal coliforms and members of the aerogenes group on the basis of citrate utilization.	24.28	100 gm 500 gm
TM 006	SIMMON'S CITRATE AGAR, MODIFIED (ACETATE DIFFERENTIAL AGAR) for differentiation of Shigella species from Escherichia coli and non- fermentative gram negative microorganisms	29.18	500 gm
TM 574	SKIM MILK for cultivation of dairy organisms and differentiation of Clostridium species	100.00	500 gm
TM 295	SKIM MILK AGAR for cultivation and enumeration of bacteria encountered in dairy industry	51.50	500 gm
TM 1608	SKIM MILK AGAR (PLATE COUNT AGAR) (PCA) for determining the microbial count in milk and dairy products	20.00	500 gm
TM 1405	SLANETZ AND BARTLEY MEDIUM for detection and enumeration of faecal Streptococci by membrane filtration technique	46.50	500 gm
TM 2336	SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000) for detection and enumeration of faecal Streptococci from water samples by membrane filtration technique	46.50	500 gm
TM 1609	SLANETZ AND BARTLEY MEDIUM W/O TTC for detection and enumeration of faecal Streptococci by membrane filtration technique	46.40	500 gm
TS 042	TTC SOLUTION 1% (10 ML PER VIAL)	#8 v	5 vl 25 vl
TM 035	SNYDER TEST AGAR (BCG DEXTROSE AGAR) for estimation of Lactobacilli, an indication of caries activity	65.00	500 gm
TM 1195	SOB MEDIUM (HANAHAN'S BROTH) for cultivation of recombinant strains of Escherichia coli	28.00	500 gm
TM 2337	SODIUM AZIDE CRYSTAL VIOLET BLOOD AGAR for selective cultivation of Erysipelothrix rhusiopathiae	50.50	100 gm
TM 858	SOIL EXTRACT AGAR for isolation of soil microorganisms	34.25	500 gm
TM 201	SORBITOL AGAR (MacCONKEY SORBITOL AGAR) (DOUBLE PACK) for isolation and identification of enteropathogenic E.coli strains associated with infant diarrhoea	(Part I) 40.00 (Part II) 10.00	100 gm 500 gm
TM 859	SORBITOL IRON AGAR for identification and differentiation of enteropathogenic E.coli without fermenting sorbitol	46.00	500 gm
TM 1440	SOYA PEPTONE DIGEST AGAR for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMV 1440	SOYA PEPTONE DIGEST AGAR (VEG.) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TM 1089	SOYA PEPTONE YEAST EXTRACT AGAR for selective isolation of dermatophytes especially Trichophyton verrucosum and other pathogenic	72.00	500 gm

Dehydrated Culture Media S

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 546	SOYABEAN BILE BROTH BASE for enrichment and isolation of Escherichia coli 0157:H7 from foods	32.60	500 gm
TS 0070	NOVOBIOCIN SELECTIVE SUPPLEMENT*	#16 vl	5 vl
TM 345	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMV 345	SOYA BEAN CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (VEG.) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMH 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm
TMHV 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) (VEG.) for cultivation of wide variety of microorganism recommended for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm
TM 614	SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TMV 614	SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR) (VEG.) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TM 1861	SOYA CASEIN DIGEST AGAR W/LTHTh For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	46.70	100 gm 500 gm
TM 1928	SOYA CASEIN DIGEST AGAR W/LTHTh, Modified For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	82.00	100 gm 500 gm
TM 860	SOYABEAN CASEIN DIGEST AGAR W/ YEAST EXTRACT AND HEMIN (TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN) for cultivation of fastidious microorganisms like Bordetella pertussis and Neisseria meningitidis	45.52	100 gm
TM 1506	SOYA CASEIN DIGEST AGAR WITH INHIBITOR a general purpose medium with inhibitor that inhibit the growth of Staphylococci	40.50	500 gm
TM 332S	SOYA CASEIN DIGEST BROTH (TRYPTONE SOYA BROTH W/ SPS) for cultivation of fastidious and non-fastidious microorganism especially H. influenzae, N. meningitidis, S. pneumoniae	30.50	500 gm
TM 1931	SOYBEAN CASEIN DIGEST MEDIUM BASE W/O POLYMYXIN for selective isolation and MPN method of B.cereus in accordance with FDA BAM	30.01	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34.vl	5 vl 25 vl
TM 332	SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) CASO BROTH for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TMV 332	SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) CASO BROTH (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TMH 102	SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm
TMHV 102	SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.) for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm
TM 1929	SOYBEAN CASEIN DIGEST MEDIUM W/ BCP (TRYPTONE SOYA BROTH W/BCP) for cultivation of wide variety of microorganisms. With the addition of carbohydrates it can also be used for fermentation studies	30.01	500 gm
TM 1930	SOYBEAN CASEIN DIGEST MEDIUM W/O DEXTROSE (TRYPTONE SOYA BROTH W/O DEXTROSE) for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm

S Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1862	SOYA CASEIN DIGEST MEDIUM W/LTHTh For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	31.70	100 gm 500 gm
TM 1932	SOYBEAN CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN for sanitary examination of surfaces	35.00	500 gm
TM 2388	SOYABEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR (TRYPTONE SOYA BROTH W/ 0.1% AGAR) for cultivation of anaerobes from root canals, blood and other specimens	31	500 gm
TM 1896	SOYABEAN CASEIN DIGEST MEDIUM WITH NEUTRALIZER This medium is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials	33.77	500 gm
TM 1897	SOYABEAN CASEIN DIGEST MEDIUM WITH TWEEN 80 AND LECITHIN Soyabean Casein Digest Medium with tween 80 and Lecithin is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc	35.7	500 gm
TM 2339	SOYABEAN CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND LTHTh is recommended in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	60.23	500 gm
TM 1611	SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) * for the detection and enrichment of Escherichia coli 0157:H7 from foods	33.02	500 gm
TM 419	SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (as per IP) for cultivation of various microorganisms and sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm
TM 1862	SOYA CASEIN DIGEST MEDIUM W/LTHTh For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	31.70	100 gm 500 gm
TM 1932	SOYBEAN CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN for sanitary examination of surfaces	35.00	500 gm
TM 2388	SOYABEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR (TRYPTONE SOYA BROTH W/ 0.1% AGAR) for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm
TM 1896	SOYABEAN CASEIN DIGEST MEDIUM WITH NEUTRALIZER This medium is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials	33.77	500 gm
TM 1897	SOYABEAN CASEIN DIGEST MEDIUM WITH TWEEN 80 AND LECITHIN Soyabean Casein Digest Medium with tween 80 and Lecithin is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc	35.70	500 gm
TM 2339	SOYABEAN CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND LTHTh is recommended in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	60.23	500 gm
TM 1611	SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) * for the detection and enrichment of Escherichia coli 0157:H7 from foods	33.02	500 gm
TM 419	SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (as per IP) for cultivation of various microorganisms and sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm

Dehydrated Culture Media S

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2341	STAIBS MEDIUM (BIRD SEED AGAR) for selective isolation and differentiation of <i>Cryptococcus neoformans</i> from other <i>Cryptococcus</i> species and yeasts	100.83	100 gm
TM 864	STANDARD INFUSION AGAR (MEAT INFUSION AGAR) for mass cultivation of microorganisms in vaccine or toxin production	50.00	500 gm
TM 363	STANDARD METHODS AGAR (PLATE COUNT AGAR) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm
TMV 363	STANDARD METHODS AGAR (PLATE COUNT AGAR) (VEG.) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm
TM 544	STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 & 2:2013) For determination of plate counts of microorganisms in foods, water, waste water and also from clinical samples	23.50	100 gm 500 gm
TM 2342	STANDARD METHODS AGAR W/ STARCH for the detection of aerobic bacterial spores	24.50	500 gm
TM 2284	PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN) for sanitary examination of surfaces that is for counts before and after application of disinfectants.	29.20	100 gm 500 gm
TM 1411	STANDARD METHODS CASEINATE AGAR for detection of proteolytic microorganisms	40.13	100 gm
TM 596	STANDARD NUTRIENT AGAR a general purpose medium for cultivation and enumeration of fastidious and non fastidious microorganisms	45.00	500 gm
TM 2343	STANDARD NUTRIENT AGAR, MODIFIED recommended for the cultivation and enrichment of less fastidious bacteria	25.00	500 gm
TM 865	STANDARD NUTRIENT AGAR NO.1 for cultivation of fastidious microorganisms	37.00	500 gm
TM 1614	STANDARD NUTRIENT AGAR NO.2 for cultivation and enrichment of less fastidious bacteria in meat	25.00	500 gm
TM 866	STANDARD NUTRIENT BROTH NO.1 for cultivation of fastidious microorganisms	25.00	500 gm
TM 1615	STANDARD NUTRIENT BROTH NO.2 for enrichment of less fastidious microorganisms	15.00	500 gm
TM 2344	STANDARD RIDEAL WALKER BROTH recommended for determination of phenol coefficient of disinfectants using <i>Salmonella Typhi</i> as a test organism	30.00	100 gm 500 gm
TM 298	STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM) for large scale cultivation of bacteria for vaccine production	25.00	500 gm
TMV 298	STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM) (VEG.) for large scale cultivation of bacteria for vaccine production	25.00	500 gm
TM 299	STANDARD STAPHYLOCOCCUS BROTH for cultivation of Staphylococci	20.00	500 gm
TM 300	STAPHYLOCOCCUS AGAR NO.110 (GELATIN MANNITOL SALT AGAR) for selective isolation and differentiation of Staphylococci	149.50	100 gm 500 gm
TM 1090	STAPHYLOCOCCUS AGAR NO. 110 W/ AZIDE for selective isolation of Staphylococci for clinical samples	149.60	500 gm

S Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 313	STAPHYLOCOCCUS AUREUS ENRICHMENT BROTH (DISINFECTANT TEST BROTH) for enrichment of Staphylococcus aureus	20.00	500 gm
TM 430	STARCH AGAR for detection of starch hydrolysing microorganisms	30.00	500 gm
TM 867	STARCH AGAR used as diluents for carrying out microbial limit test.	25.00	100 gm 500 gm
TM 1091	STARCH CASEIN AGAR for detection of saccharolytic marine bacteria	63.00	500 gm
TM 868	STARCH MILK AGAR for detection of spores in heated milk and milk products	25.00	500 gm
TM 869	STERILITY TESTING MEDIUM - A for checking presence of aerobic microorganisms in pharmacopoeial articles	25.00	500 gm
TM 870	STERILITY TESTING MEDIUM - B for checking presence of aerobic microorganisms in pharmacopoeial articles	26.00	500 gm
TM 431	STOCK CULTURE AGAR (AYERS AND JOHNSON AGAR) for maintenance of cultures of Streptococci and other microorganisms	50.00	500 gm
TM 2345	STREPTOCOCCUS AGALACTIAE SELECTIVE AGAR BASE for selective isolation of Streptococcus agalactiae from dairy products.	34.34	500 gm
TM 584	STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH) for enrichment of Streptococci	42.80	500 gm
TMV 584	STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH) (VEG.) for enrichment of Streptococci	42.80	500 gm
TM 2346	STREPTOCOCCUS LACTIS DIFFERENTIAL AGAR BASE for differentiation of citrate-utilizing lactic streptococci-Lactococcus lactis (Streptococcus lactis) subspecies diacetylactis from citrate nonutilizing Lactococcus lactis (Streptococcus lactis) and Lactococcus lactis (Streptococcus lactis) subspecies cremoris	32.50	500 gm
TM 432	STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR) for selective isolation and enumeration of Streptococci including group A beta haemolytic strains	45.60	500 gm
TMV 432	STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR) (VEG.) for selective isolation and enumeration of Streptococci including group A beta haemolytic strains	45.60	500 gm
TM 532	STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH) for selective isolation and cultivation of Streptococci including group A beta haemolytic strains	30.60	500 gm
TMV 532	STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH) (VEG.) for selective isolation and cultivation of Streptococci including group A beta haemolytic strains	30.60	500 gm
TM 2347	b-STREPTOCOCCUS SELECTIVE AGAR BASE for the isolation of beta-haemolytic Streptococci from clinical specimens heavily contaminated with other bacteria.	25.12	500 gm
TM 871	STREPTOCOCCUS THERMOPHILUS ISOLATION AGAR for determination of the ratio of Streptococcus thermophilus and Lactobacillus bulgaricus in yoghurt	42.00	500 gm
TM 1092	STREPTOMYCES AGAR for cultivation and maintenance of Streptomyces	32.00	500 gm
TM 1295	STREPTOMYCES MEDIUM for cultivation and maintenance of Streptomyces kanamyceticus	36.70	500 gm

Dehydrated Culture Media S

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2348	STUART TRANSPORT MEDIUM W/O METHYLENE BLUE WITH CHARCOAL for the preservation and transportation of Neisseria species and other fastidious organisms from the clinic to laboratory	24.00	100 gm 500 gm
TM 017	STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT (ANTIBIOTIC ASSAY MEDIUM NO. 5) (as per IP/USP) for microbiological assay of Streptomycin using Bacillus subtilis	25.50	500 gm
TM 420	STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART) for preservation and transport of Neisseria species and other fastidious organisms	14.10	100 gm 500 gm
TMV 420	STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART)(VEG.) for preservation and transport of Neisseria species and other fastidious organisms	14.10	100 gm 500 gm
TM 2349	STUART TRANSPORT MEDIUM W/O METHYLENE BLUE for the preservation and transportation of Gonococcal species and other fastidious organisms	14.00	100 gm 500 gm
TM 2350	STUART TRANSPORT MEDIUM W/O SODIUM GLYCEROPHOSPHATE with addition of sodium glycerophosphate, is used for routine transport of Gonococcus species and other fastidious organisms	4.102	100 gm 500 gm
TM 1296	SUCROSE AGAR FOR BREWERY ISOLATES for isolation of dextran producing Leuconostoc species	90.00	500 gm
TM 2351	SUCROSE DILUENT 40% used as diluent in osmophilic yeast and mould test method	400.00	500 gm
TM 736	SUCROSE SALICIN AGAR (GILLIES AGAR NO. 2) for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of Salmonella and Shigella species	48.30	100 gm
TM 548	SUGAR FREE AGAR for butter testing as per International Dairy Federations	34.00	500 gm
TM 2352	SULPHA SENSITIVITY TEST AGAR used to test the susceptibility of common pathogens to sulphonamides	36.00	500 gm
TM 1925	SULPHATE API AGAR W/O SODIUM LACTATE * for detection and estimation of sulphate reducing bacteria	25.41	500 gm
TM 594	SULPHATE API BROTH W/O SODIUM LACTATE * for detection of sulphate reducing bacteria	11.41	500 gm
TM 1317	SULPHATE API BROTH W/O SODIUM LACTATE (DOUBLE STRENGTH) for detection of sulphate reducing bacteria	23.00	100 gm 500 gm
TM 595	SULPHATE API BROTH W/O NaCl for detection, differentiation and estimation of sulphate reducing bacteria	01.40	100 gm 500 gm
TM 1094	SULPHATE REDUCING MEDIUM (DOUBLE PACK) - (Part I) & (Part II) for detection, differentiation and estimation of sulphate reducing bacteria Thiobacillus thioparus	02.32 10.00	100 gm 500 gm
TM 1095	SULPHATE REDUCING MEDIUM (TRIPLE PACK) - (Part I), (Part II) & (Part III) enumeration of sulphate reducing bacteria in water	07.10 0.49 03.50	100 gm 500 gm -
TM 433	SULPHITE AGAR for detection of thermophilic sulphide producing anaerobes	31.00	500 gm
TM 1297	SULPHUR MEDIUM (DOUBLE PACK) - (Part I) & (Part II) for cultivation of Thiobacillus thiooxidans	04.07 10.00	100 gm 500 gm
TM 2353	SUPER BROTH for the mass cultivation of Escherichia coli	60.00	500 gm
TM 2354	SUPER BROTH NO. II for the cultivation of recombinant strains of Escherichia coli	49.10	500 gm
TM 2355	SYNCASE BROTH for the detection of coliforms in food samples	37.21	500 gm
TM 2356	SYNTHETIC BROTH, AOAC (WRIGHT AND MUNDY BROTH) for growing inoculum, making subcultures and preparing various dilutions while testing disinfectants	16.90	500 gm

S Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1097	SYNTHETIC SEA SALT (ISO 9308-3:1998) for preparation of special diluents	19.19	500 gm
TM 435	T.A.T. BROTH BASE for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products	25.00	500 gm
TMV 435	T.A.T. BROTH BASE (VEG.) for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products	25.00	500 gm
TM 1616	T.A.T. BROTH WITH TWEEN 20 (as per USP) for sterility testing of highly viscous or gelatinous substances in Cosmetic and Pharma	25.00	500 gm
TMV 1616	T.A.T. BROTH WITH TWEEN 20 (as per USP) (VEG.) for sterility testing of highly viscous or gelatinous substances in Cosmetic and Pharma	25.00	500 gm
TM 1339	TBX AGAR (CHROMOGENIC E. COLI AGAR) (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 2357	TB BROTH BASE for cultivation of Mycobacterium tuberculosis.	12.10	500 gm
TM 2358	TB BROTH BASE W/O TWEEN 80 for cultivation of Mycobacteria when the presence of oleic acid is undesirable	11.60	500 gm
TM 1357	TTC BROTH BASE (ITC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE) for selective enrichment and enumeration of Yersinia enterocolitica	76.00	500 gm
TS 131	TICARCILLIN SUPPLEMENT*	#7 vI	5 vI
TS 132	POTASSIUM CHLORATE SUPPLEMENT*		
TM 436	TCBS AGAR (VIBRIO SELECTIVE AGAR) for selective isolation of Vibrio cholerae & other enteropathogenic Vibrios causing food poisoning	89.00	100 gm 500 gm
TMV 436	TCBS AGAR (VIBRIO SELECTIVE AGAR) (VEG.) for selective isolation of Vibrio cholerae & other enteropathogenic Vibrios causing food poisoning	89.00	100 gm 500 gm
TM 875	TCBS AGAR (SELECTIVE) for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios	89.00	100 gm 500 gm
TM 876	TCBS AGAR (MODIFIED) for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios	88.00	100 gm 500 gm
TM 1299	TCBS AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005) for selective isolation of Vibrio cholerae and other enteropathogenic Vibrio's	89.00	100 gm 500 gm
TM 437	TGB AGAR (TRYPTONE GLUCOSE BEEF EXTRACT AGAR) for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm
TMV 437	TGB AGAR (VEG.) for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm
TM 1100	TMAO MEDIUM (TRIMETHYLAMINE-N-OXIDE MEDIUM) (as per APHA) for cultivation and differentiation of Campylobacter species from foods, except Campylobacter jejuni and Campylobacter coli	29.00	500 gm
TM 1101	TN AGAR for isolation and cultivation of Vibrios from food samples	35.00	500 gm
TM 1102	TOC AGAR for presumptive identification and differentiation of Candida albicans and Cryptococcus neoformans	40.30	100 gm
TM 438	TPEY AGAR BASE for selective isolation and enumeration of Staphylococci from foods and other materials	60.00	500 gm
TS 002	EGG YOLK EMULSION (100 ml/vI) *	# 3 vI	5 vI
TS 005	POTASSIUM TELLURITE 1% (1ml /vI) *	#9 vI	5 vI 25 vI
TM 2359	TS SALINE AGAR (TRIPLE SUGAR SALINE IRON AGAR) for identification of Vibrio species especially Vibrio parahaemolyticus on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production	92.62	500 gm

Dehydrated Culture Media T

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1357	TTC BROTH BASE (TRICLOSAN TICARCILLIN CHLORATE BROTH) for selective enrichment and enumeration of Yersinia enterocolitica	76.00	500 gm
TS 131	TICARCILLIN SUPPLEMENT *	#7 vl	5 vl
TS 132	POTASSIUM CHLORATE SUPPLEMENT *		5 vl
TM 1477	TARTOFF - HOBBS BROTH (TERRIFIC BROTH) a buffered enriched medium for propagation of recombinant E. coli	47.60	500 gm
TSM 1477	TARTOFF - HOBBS BROTH (TERRIFIC BROTH) a buffered enriched medium for propagation of recombinant E. coli	47.60	500 gm
TM 2360	TAUROCHOLATE BROTH for selective isolation of coliforms from water, milk and other food products.	40.03	500 gm
TM 2361	TEEPOL BROTH (DOUBLE PACK) - (Part I) & (Part II) for selective isolation and identification of enteric, lactose fermenting bacteria	35.02 01.00	500 gm -
TM 879	TELLURITE BLOOD AGAR BASE for selective isolation and cultivation of Corynebacterium species	31.00	500 gm
TS 021	TELLURITE BLOOD AGAR BASE *	300 gm	100 gm
TS 005	HAEMOGLOBIN POWDER *	#33 vl	5 vl 25 vl
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#17 vl	5 vl 25 vl
TM 439	TELLURITE GLYCINE AGAR BASE for quantitative detection of coagulase positive Staphylococci from foods and other sources	56.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#18 vl	5 vl 25 vl
TM 440	TERGITOL - 7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005) for selective isolation and identification of coliform bacteria from water	33.13	100 gm 500 gm
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	5 vl	5 vl 25 vl
TMV 440	TERGITOL - 7 AGAR BASE (VEG.) for selective isolation and identification of coliform bacteria from water	33.13	100 gm 500 gm
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#5 vl	5 vl 25 vl
TM 2362	TERGITOL-7 AGAR H for selective isolation and differentiation of enteric bacteria from urine specimens	34.13	500 gm
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#5 vl	5 vl 25 vl
TM 2363	TERGITOL-7 AGAR BASE, MODIFIED for selective isolation and identification of coliform bacteria from water	57.15	100 gm 500 gm
TM 441	TERGITOL - H - 7 BROTH a selective and differential medium for detection and enumeration of coliforms	18.13	500 gm
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl
TMV 441	TERGITOL - H - 7 BROTH (VEG.) a selective and differential medium for detection and enumeration of coliforms	18.13	500 gm
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl
TM 2364	TETRATHIONATE BRILLIANT GREEN BILE BROTH for isolation and identification of Salmonellae	63.07	500 gm
TM 1477	TERRIFIC BROTH (TARTOFF-HOBBS BROTH) a buffered enriched medium for propagation of recombinant E. coli	47.60	500 gm
TMV 1477	TERRIFIC BROTH (VEG.) (TARTOFF-HOBBS BROTH) a buffered enriched medium for propagation of recombinant E. coli	47.60	500 gm
TM 442	TETRATHIONATE BRILLIANT GREEN BILE BROTH (as per IP/EP/BP) For isolation and identification of Salmonellae	63.00	500 gm
TM 423	TETRATHIONATE BROTH BASE W/O IODINE & BG (FLUID TETRATHIONATE MEDIUM W/O IODINE & BG) for selective isolation of Salmonellae from foods and other pathological materials	46.00	100 gm 500 gm

T Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 413	TETRATHIONATE BROTH BASE (as per IP) for isolation of Salmonellae from faecal samples, sewage and other samples	77.40	100 gm 500 gm
TM 443	TETRATHIONATE BROTH BASE, HAJNA (TT BROTH BASE) for enrichment and isolation of Salmonellae	91.50	100 gm 500 gm
TM 2365	TETRATHIONATE CV ENRICHMENT BROTH for the selective enrichment of Salmonellae from meat and foodstuff	35.00	500 gm
TM 933	THAYER MARTIN MEDIUM BASE for selective isolation of Gonococci from clinical samples	42.00	100 gm 500 gm
TS 021	HAEMOGLOBIN POWDER *	50 gm	100 gm
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#24 vl	5 vl 25 vl
TS 036	G. C. SUPPLEMENT W/ANTIBIOTICS *	#24 vl	5 vl 25 vl
TS 038	V.C.N. SUPPLEMENT *	#24 vl	5 vl 25 vl
TS 039	V.C.N.T. SUPPLEMENT *	#24 vl	5 vl 25 vl
TM 1301	THERMOACIDURANS AGAR for isolation of Bacillus thermoacidurans from foods	39.00	500 gm
TM 2366	THERMOACIDURANS BROTH recommended for detection of thermophilic/mesophilic aerobic and anaerobic aciduric spore formers and sterility testing for acid food	19.00	100 gm 500 gm
TM 1818	THERMOPHILIC ACID RESISTANT MEDIUM for growth and detection of thermophilic acid resistant microorganisms	39.00	500 gm
TM 1302	THIOBACILLUS AGAR for cultivation and isolation of Thiobacillus species	22.70	500 gm
TM 1303	THIOBACILLUS BROTH for cultivation of Thiobacillus species	10.16	500 gm
TM 2367	THIOBACILLUS BROTH (ATCC MEDIA 152) for cultural isolation of Thiobacillus intermedia	09.97	500 gm
TM 639	THIOGLYCOLLATE AGAR for cultivation of anaerobic microorganisms	49.00	500 gm
TM 216	THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM) for mass cultivation of anaerobes for vaccine production	30.00	500 gm
TMV 216	THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM) (VEG.) for mass cultivation of anaerobes for vaccine production	30.00	500 gm
TM 301	THIOGLYCOLLATE BROTH, ALTERNATIVE (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm
TM 318	THIOGLYCOLLATE MEDIUM, FLUID (FLUID THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm
TM 881	THIOGLYCOLLATE MEDIUM W/ CALCIUM CARBONATE for maintenance of anaerobic cultures, particularly highly fermentative types	30.15	500 gm
TM 2368	THIOGLYCOLLATE MEDIUM W/ HEMIN AND VITAMIN K * for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions	29.65	500 gm
TM 2369	THIOGLYCOLLATE MEDIUM W/ K AGAR for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing procedures.	29.75	500 gm
TM 2370	THIOGLYCOLLATE MEDIUM W/O DEXTROSE for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates	25.70	500 gm
TM 447	THIOGLYCOLLATE MEDIUM W/O INDICATOR (DIAGNOSTIC THIOGLYCOLLATE MEDIUM) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm

Dehydrated Culture Media **T**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2371	THIOGLYCOLLATE MEDIUM W/O DEXTROSE AND INDICATOR used as a base for fermentation studies of anaerobic and microaerophilic organisms and for detecting microorganisms in normally sterile materials	24.00	500 gm
TM 306	THIOGLYCOLLATE MEDIUM, LINDEN (BREWER THIOGLYCOLLATE MEDIUM, MODIFIED) for sterility testing of biological products and isolation of aerobic and anaerobic organisms	38.50	100 gm 500 gm
TM 535	THIOGEL MEDIUM for differentiation of microorganisms based on their ability to liquify gelatin	80.00	100 gm 500 gm
TM 448	THIOL BROTH for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	29.00	500 gm
TM 449	THIOL MEDIUM for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	30.00	500 gm
TM 1305	THIOMERSAL ASSAY MEDIUM (as per IP) for microbiological assay of Thiomersal	33.50	500 gm
TM 2372	THIOSTARCH BROTH for sterility testing of pharmaceutical or biological products	30.25	500 gm
TM 882	THIOSULPHATE AGAR for cultivation of sulphur metabolizing bacteria present in soil samples	25.40	500 gm
TM 883	THIOSULPHATE RINGER SOLUTION POWDER for verification of sterility of dairy plant after hypochlorite has been used for disinfection purposes	03.21	100 gm 500 gm
TM 450	TINSDALE AGAR BASE for selective isolation and differentiation of Corynebacterium diphtheriae	40.70	500 gm
TS 059	DIPHTHERIA VIRULENCE SUPPLEMENT (Part A & B) DOUBLE PACK *	#13 vl	1 vl
TM 451	TODD HEWITT BROTH for cultivation of group A haemolytic Streptococci used for serological studies	37.00	100 gm 500 gm
TM 2373	TOLUIDINE BLUE DNA AGAR for detection of thermostable deoxyribonuclease activity	26.48	100 gm
TM 2374	TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E)) for detection of thermostable deoxyribonuclease activity to establish speciation of S.aureus in contaminated foods	26.56	100 gm
TM 2375	TOLUIDINE BLUE DNA AGAR, MODIFIED for detection of thermostable deoxyribonuclease activity and establish speciation of S. aureus in contaminated foods in accordance with FDA BAM, 1998	26.48	100 gm
TM 2376	TOMATO JUICE AGAR for cultivation and enumeration of Lactobacilli	51.00	500 gm
TM 2377	TOMATO JUICE AGAR, SPECIAL for the cultivation and enumeration of Lactobacilli from saliva and other acidophilic bacteria	60.00	500 gm
TM 2378	TOMATO JUICE BROTH for cultivation of yeasts and other aciduric microorganisms	41.23	500 gm
TM 2379	TOMATO JUICE MEDIUM BASE for isolation and identification of Lactobacilli encountered in wine	40.00	500 gm
TS 308	LACTOBACILLI SUPPLEMENT *	#5 vl	5 vl 25 vl

T Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1105	TRANSROW MEDIUM BASE for cultivation and transport of fastidious microorganisms especially Neisseria species.	92.00	500 gm
TS 021	HAEMOGLOBIN POWDER *	45.50	100 gm
TS 038	V.C.N. SUPPLEMENT *	#11 vl	5 vl
			25 vl
TS 039	V.C.N.T. SUPPLEMENT *	#11 vl	5 vl
			25 vl
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#11 vl	5 vl
			25 vl
TM 884	TRANSPORT CHARCOAL MEDIUM for transportation of clinical samples	24.00	500 gm
TM 2380	TRANSPORT LIQUID MEDIUM for recovery of microorganisms by neutralizing the disinfectants and antiseptics used while taking swab specimens from wounds, burns and other clinical specimens	18.50	500 gm
TM 420	TRANSPORT MEDIUM, STUART (STUART TRANSPORT MEDIUM) for preservation and transportation of Neisseria species and other fastidious organisms	14.10	100 gm 500 gm
TMV 420	TRANSPORT MEDIUM, STUART (STUART TRANSPORT MEDIUM) (VEG.) for preservation and transportation of Neisseria species and other fastidious organisms	14.10	100 gm 500 gm
TM 1155	TRANSPORT MEDIUM W/ CHARCOAL (CVTR MEDIUM) for transportation of viral specimens at ambient temperature	20.00	500 gm
TM 415	TRANSPORT MEDIUM W/O CHARCOAL (CARY-BLAIR MEDIUM BASE) for collection and shipment of clinical specimen	12.60	100 gm 500 gm
TM 456	TRANSPORT MEDIUM, AMIES W/O CHARCOAL for transportation and preservation of clinical samples	09.75	100 gm 500 gm
TM 009	TRANSPORT MEDIUM, AMIES W/CHARCOAL for transportation and preservation of microbiological samples	20.00	100 gm 500 gm
TM 885	TRIBUTYRIN AGAR BASE W/O TRIBUTYRIN for detection of lipolytic microorganisms	23.00	100 gm 500 gm
TS 080	TRIBUTYRIN (10 ml/vl) *	#22 vl	5 vl
TM 1873	TRICHODERMA HARZIANUM SELECTIVE AGAR BASE for selective isolation of Trichoderma harzianum	25.54	500 gm
TS 251	TRICHODERMA HARZIANUM SELECTIVE SUPPLEMENT *	#20 vl	5 vl
TM 1307	TRICHOMONAS AGAR BASE for detection and isolation of Trichomonas vaginalis and Candida albicans from clinical samples	37.50	500 gm
TS 014	HORSE SERUM *	1.1 ltr	100 ml
TS 133	TRICHOMONAS SELECTIVE SUPPLEMENT II *	#27 vl	5 vl
TM 1308	TRICHOMONAS BROTH BASE NO.2 for isolation of Trichomonas vaginalis	68.13	500 gm
TS 014	HORSE SERUM *	#1.9 ltr	100 ml
TM 1212	TRICHOMONAS BROTH BASE, KUPFERBERG (KUPFERBERG TRICHOMONAS BROTH BASE) for cultivation and selective isolation of Trichomonas species	23.50	500 gm
TS 112	TRICHOMONAS SELECTIVE SUPPLEMENT I *	#43 vl	5 vl
TM 1250	TRICHOMONAS MODIFIED CPLM MEDIUM BASE (MODIFIED CPLM MEDIUM BASE) for cultivation of Trichomonas species	56.00	500 gm
TM 424	TRIPLE SUGAR IRON AGAR for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H ₂ S production	64.52	100 gm 500 gm
TM 1625	TRIPLE SUGAR IRON AGAR for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production.	64.02	100 gm 500 gm
TMV 1625	TRIPLE SUGAR IRON AGAR (VEG.) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production.	64.02	100 gm 500 gm

Dehydrated Culture Media T

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 886	TRIPLE SUGAR IRON AGAR (as per EP) for confirmation of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	64.42	100 gm 500 gm
TM 887	TRIPLE SUGAR IRON AGAR (as per USP) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	59.42	100 gm 500 gm
TM 391	TRIPLE SUGAR IRON AGAR (as per IP) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose	64.524	100 gm 500 gm
TM 1955	TRIPLE SUGAR, IRON AGAR (AGAR MEDIUM M) (as per BP/EP) for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation sulphide production fermentation and H ₂ S production	64.02	100 gm 500 gm
TM 1819	TRIPLE SUGAR IRON AGAR (ISO 6785:2001/ISO 6579:2017) for identification of gram negative enteric bacteria on the basis of sugar fermentation & H ₂ S production	65.00	100 gm 500 gm
TM 1874	TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005) for conformation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H ₂ S production.	64.32	100 gm 500 gm
TM 2381	TRYPTIC SOYA AGAR for a cultivation and maintenance of Salmonella Typhi	45.00	500 gm
TM 888	TRYPTIC DIGEST BROTH (FIELD'S TRYPTIC DIGEST BROTH) for cultivation of fastidious microorganisms	16.00	500 gm
TM 889	TRYPTONE AGAR general purpose medium for growth of non-fastidious microorganisms	33.00	100 gm 500 gm
TM 890	TRYPTONE AGAR BASE for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes	23.52	500 gm
TM 392	TRYPTONE BROTH (TRYPTONE WATER) for detection of indole producing microorganisms	15.00	100 gm 500 gm
TMV 392	TRYPTONE BROTH (TRYPTONE WATER) (VEG.) for detection of indole producing microorganisms	15.00	100 gm 500 gm
TM 892	TRYPTONE BILE AGAR for fast detection and enumeration of Escherichia coli in foods using direct plating method	36.50	100 gm 500 gm
TM 893	TRYPTONE DEXTROSE AGAR for studying motility and fermentation of dextrose by aerobes and anaerobes	28.51	500 gm
TM 437	TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR) for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm
TMV 437	TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR) (VEG.) for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm
TM 466	TRYPTONE GLUCOSE YEAST EXTRACT AGAR for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm
TMV 466	TRYPTONE GLUCOSE YEAST EXTRACT AGAR (VEG.) for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm
TM 467	TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH) for enumeration of microorganisms from foods by MPN technique	17.25	500 gm
TMV 467	TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH) (VEG.) for enumeration of microorganisms from foods by MPN technique	17.25	500 gm

T Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2383	TRYPTONE LACTOSE IRON AGAR for identification of anaerobes on the basis of motility, hydrogen sulphide production and lactose fermentation	34.20	500 gm
TM 1108	TRYPTONE LACTOSE IRON AGAR for identification of anaerobes on the basis of motility, H ₂ S production and lactose fermentation	34.00	500 gm
TM 468	TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM) for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm
TMV 468	TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM) (VEG.) for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm
TM 1467	TRYPTONE PEPTONE GLUCOSE YEAST EXTRACT BROTH BASE W/O TRYPSIN for testing toxicity by Clostridium botulinum	80.00	500 gm
TM 512	TRYPTONE PHOSPHATE BROTH for cultivation of enteropathogenic Escherichia coli from foods	30.50	500 gm
TMV 512	TRYPTONE PHOSPHATE BROTH (VEG.) for cultivation of enteropathogenic Escherichia coli from foods	30.50	500 gm
TM 2384	TRYPTONE SALT AGAR, W/1% NaCl for differentiation of El Tor and Classical biotypes of Vibrio in accordance with FDA BAM, 1998	40.00	500 gm
TM 2385	TRYPTONE SALT BROTH (ISO:1999 ISO/DIS 6887-1:2017) for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm
TM 1310	TRYPTONE SALT BROTH for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm
TM 345	TRYPTONE SOYA AGAR (SOYABEAN CASEIN DIGEST AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TM 1440	TRYPTONE SOYA AGAR for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMV 1440	TRYPTONE SOYA AGAR (VEG.) for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TM 860	TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN for cultivation of fastidious microorganisms like Bordetella pertussis and Neisseria meningitidis	45.52	100 gm
TM 614	TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR) (CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TMV 614	TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR) (VEG.) (CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TM 2386	TRYPTONE SOYA AGAR W/ADDED NaCl a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm
TMV 2386	TRYPTONE SOYA AGAR W/ADDED NaCl (VEG.) a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm
TM 895	TRYPTONE SOYA AGAR W/ MgSO₄ (as per AOAC) (TSAM) for cultivation of coliforms	41.50	500 gm
TM 2387	TRYPTONE SOYA AGAR W/ NaCl for cultivation of Salmonella Typhimurium	55.00	500 gm
TM 332S	TRYPTONE SOYA BROTH W/ SPS for cultivation of fastidious and non-fastidious microorganism especially H. influenzae, N. meningitidis, S. pneumoniae	30.50	500 gm
TM 861	TRYPTONE SOYA BROTH W/ YEAST EXTRACT AND HEMIN (SOYA CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND HEMIN) for excellent growth of fastidious microorganisms	32.52	100 gm

Dehydrated Culture Media **T**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 419	TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP) for cultivation of various microorganisms and sterility testing of molds and bacteria	30.00	100 gm 500 gm
TMV 419	TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP) (VEG.) for cultivation of various microorganisms and sterility testing of molds and bacteria	30.00	100 gm 500 gm
TM 471	TRYPTONE SOYA YEAST EXTRACT AGAR for isolation and cultivation of Listeria from Henry's light	51.00	500 gm
TM 549	TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998) for isolation and cultivation of Listeria from Henry's light	36.00	500 gm
TM 2388	TRYPTONE SOYA BROTH W/ 0.1% AGAR (SOYABEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR) for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm
TM 2389	TRYPTONE SOYA BROTH W/4% POLYSORBATE 20 & 0.5% LECITHIN - (Part I) & (Part II) recommended for sanitary examination of surfaces.	35.00 40.00	500 gm -
TM 1930	TRYPTONE SOYA BROTH W/O DEXTROSE (SOYBEAN CASEIN DIGEST MEDIUM W/O DEXTROSE) for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm
TM 2390	TRYPTONE SOYA BROTH, W/ FERROUS SULPHATE for isolation of Salmonella species from food samples in accordance with FDA BAM, 1998	30.03	500 gm
TM 2391	TRYPTONE SOYA BROTH W/ 10% NACL AND 1% SODIUM PYRUVATE for enumeration of Staphylococcus aureus in dairy products by MPN technique	135.00	500 gm
TM 2392	TRYPTONE SOYA BROTH W/PHENOL RED a general purpose medium used for cultivation of a wide variety of microorganisms and recommended for sterility testing of moulds and lower bacteria	30.02	500 gm
TM 2393	TSB CAP4 W/TWEEN 80 - (Part I) & (Part II) for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc	37.50 42.50	500 gm
TM 2394	TRYPTONE SOYA SALT AGAR W/ MAGNESIUM SULPHATE for enumeration of Vibrio parahaemolyticus from seafood by membrane filter technique	101.50	500 gm
TM 2395	TRYPTONE SOYA-TRYPTOSE BROTH for identification of Salmonella species from food samples in accordance with FDA BAM, 1998.	31.50	500 gm
TM 2396	TRYPTONE SOYA YEAST EXTRACT AGAR, MODIFIED recommended for confirmation of Listeria and Yersinia in accordance with FDA BAM, 1998.	46.00	500 gm
TM 1311	TRYPTONE SUCROSE TETRAZOLIUM AGAR BASE (TSTA) for isolation of Vibrio species with addition of TTC	85.50	500 gm
TS 042	TTC SOLUTION 1% (10ml/vl) *	#2 vl	5 vl 25 vl
TM 1109	TRYPTONE TELLURITE AGAR BASE for selective isolation of pathogens from clinical samples, especially from nose, throat and vagina	47.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#11 vl	5 vl 25 vl
TM 392	TRYPTONE WATER (TRYPTONE BROTH) for detection of indole producing microorganisms	15.00	100 gm 500 gm
TMV 392	TRYPTONE WATER (TRYPTONE BROTH) (VEG.) for detection of indole producing microorganisms	15.00	100 gm 500 gm
TM 1110	TRYPTONE WATER for detection of indole production by microorganisms	25.00	500 gm
TMV 1110	TRYPTONE WATER (VEG.) for detection of indole production by microorganisms	25.00	500 gm
TM 1849	TRYPTONE WATER (ISO 7251:1993) for detection of indole production by coliforms	25.00	100 gm 500 gm
TM 891	TRYPTONE WATER W/O NaCl (BIS) (IS : 5887 (Part V) 1976, reaffirmed 2005) for detection of Vibrio cholerae and Vibrio parahaemolyticus.	10.00	100 gm 500 gm

T Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2397	TRYPTONE WATER BROTH W/ BCP for the cultivation of Salmonella species from food	17.29	500 gm
TM 897	TRYPTONE YEAST EXTRACT AGAR for estimation of microbial counts in water	21.00	500 gm
TM 898	TRYPTONE YEAST EXTRACT AGAR (W/ BCP) for isolation and enumeration of Enterobacteriaceae and Bacillus cereus	41.52	500 gm
TM 2398 TS 309	TRYPTONE YEAST EXTRACT CYSTINE W/ SUCROSE & W/O BACITRACIN AGAR BASE (TYCSB AGAR BASE) recommended for selective isolation of Streptococcus mutans TYCSB SUPPLEMENT *	249.99 #2 vl	500 gm 5 vl
TM 2400 TS 076 TS 250	TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013) recommended for the enumeration of Clostridium perfringens from water PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT *) CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	42.00 #1 vl #22 vl	500 gm 5 vl 25 vl 5 vl
TM 126	TRYPTONE YEAST EXTRACT BROTH (ISP MEDIUM NO.1) a general purpose enrichment medium for fastidious and non fastidious microorganisms	08.00	100 gm 500 gm
TM 899	TRYPTOPHAN MEDIUM for detection of indole production	16.00	100 gm 500 gm
TM 472	TRYPTOSE AGAR for isolation, cultivation and differentiation of Brucella and also for Streptococci, Meningococci and other pathogenic bacteria	41.00	500 gm
TM 2401	TRYPTOSE AGAR, W/ THIAMINE HCL for the isolation, cultivation and differentiation of fastidious microorganisms in an infusion free medium	41.00	500 gm
TM 473	TRYPTOSE BLOOD AGAR BASE For enrichment and isolation of various fastidious microorganisms and determining the haemolytic reactions	33.00	100 gm 500 gm
TM 474	TRYPTOSE BLOOD AGAR BASE W/ YEAST EXTRACT for cultivation and maintenance of various fastidious microorganisms & determining the haemolytic reactions	34.00	500 gm
TM 476	TRYPTOSE BROTH for cultivation of Brucella species microorganisms and determining the haemolytic reactions	26.00	500 gm
TM 2402	TRYPTOSE BROTH, W/ THIAMINE HCI for the cultivation and differentiation of fastidious microorganisms in an infusion free medium	26.00	500 gm
TM 809 TS 076	TRYPTOSE CYCLOSERINE AZIDE AGAR BASE for enumeration of sulphite reducing anaerobes essentially Clostridia PERFRINGENS T.S.C. SUPPLEMENT *	47.05 #22 vl	500 gm 5 vl 25 vl
TM 902 TS 076	TRYPTOSE CYCLOSERINE DEXTROSE AGAR BASE for isolation of mesophilic spore forming anaerobes in food spoilage PERFRINGENS T.S.C. SUPPLEMENT *	46.00 #22 vl	500 gm 5 vl 25 vl
TM 511	TRYPTOSE PHOSPHATE BROTH for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm
TMV 511	TRYPTOSE PHOSPHATE BROTH (VEG.) for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm
TM 2403	TRYPTOSE PHOSPHATE BROTH, MODIFIED for the cultivation of fastidious bacteria	29.50	500 gm
TM 2404 TS 310 TS 311	TRYPTOSE SERUM AGAR BASE recommended for routine cultivation and isolation of Mycoplasma mycoides cluster MYCOPLASMA SELECTIVE SUPPLEMENT * PIG SERUM *	42.50 # 12 vl 108 ml	500 gm 5 vl 100 ml

Dehydrated Culture Media T

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2405	TRYPTOSE SERUM BROTH BASE (MODIFIED NEWINGS TRYPTOSE BROTH BASE) for routine identification of Mycoplasma species	27.50	500 gm
TS 310	MYCOPLASMA SELECTIVE SUPPLEMENT *	# 18 vl	5 vl
TS 311	PIG SERUM *	108 ml	100 ml
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	# 11 vl	5 vl 25 vl
TS 076	PERFRINGENS T. S. C. SUPPLEMENT *	# 11 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	# 3 vl	5 vl
TM 615	TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE for presumptive identification and enumeration of Clostridium perfringens from food	47.00	500 gm
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vl	5 vl 25 vl
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100ml/vl)*	#6 vl	5 vl
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#22 vl	5 vl
TM 609	TRYPTOSE SULPHITE NEOMYCIN AGAR for selective isolation and enumeration of Clostridium perfringens in foods or other samples	40.00	100 gm
TM 1112	TRYPTOSE YEAST EXTRACT BROTH (as per AOAC) for detection of Clostridium perfringens with the addition of salicin, raffinose and phenol red	30.00	500 gm
TM 2406	TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017) recommended for confirmation of Yersinia enterocolitica	30.01	100 gm 500 gm
TM 1826	PERFRINGENS AGAR BASE (TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE) (ISO 7937: 2004, ISO 14189:2013) for enumeration of Clostridium perfringens from food	42.00	500 gm
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#24 vl	5 vl 25 vl
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#24 vl	5 vl
TM 132	TYROSINE AGAR (ISP MEDIUM NO.7) (as per ISP) for isolation and characterization of Streptomyces species as per International Streptomyces Project	23.00	100 gm 500 gm
TM 1628	UNIVERSAL BEER AGAR (UB AGAR) for culturing microorganisms having significance in brewing industry	62.16	100 gm
TMV 1628	UNIVERSAL BEER AGAR (UB AGAR) (VEG.) for culturing microorganisms having significance in brewing industry	62.16	100 gm
TM 2407	UNIVERSAL BEER AGAR, MODIFIED for culturing microorganisms of significance in the brewery industry	55.04	100 gm
TM 2408	UNIVERSAL FASTIDIOUS CULTURE AGAR for the cultivation of fastidious microorganisms when enriched with blood	35.00	500 gm
TM 2409	UNIVERSAL FASTIDIOUS CULTURE BROTH for the cultivation of fastidious microorganisms when enriched with blood	25.00	500 gm
TM 1629	UNIVERSAL LIQUID MEDIUM * for cultivation of bacteria in brewery	50.00	500 gm
TM 1630	UNIVERSAL PRE-ENRICHMENT BROTH for enrichment of sublethally injured Salmonella and Listeria species	38.05	500 gm
TM 394	UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE) for detection of urease producing bacteria	24.00	100 gm 500 gm
TS 030	UREA 40% (5 ml/vl) *	#208 vl	5 vl 25 vl

U Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 394	UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE) (VEG.) for detection of urease producing bacteria	24.00	100 gm 500 gm
TS 030	UREA 40% (5 ml/vl) *	#208 vl	5 vl 25 vl
TM 629	UREA AGAR BASE W/O AGAR (FILTER STERILIZABLE) for detection of urea splitting microorganisms	29.00	500 gm
TM 1113	UREA AGAR BASE (CHRISTENSEN) for detection of urease production, particularly by Proteus vulgaris, Micrococci & paracolon organisms	24.51	100 gm 500 gm
TS 030	UREA 40% (5 ml/vl) *	#208 vl	5 vl 25 vl
TM 2410	UREA AGAR BASE (CHRISTENSEN) (IS:5887 (Part-I)-1976) for detection of urease production, particularly by Proteus vulgaris, Micrococci & paracolon organisms	24.01	500 gm
TS 030	UREA 40% (5 ml/vl) *	#204 vl	5 vl 25 vl
TM 906	UREA BROTH (FILTER STERILIZABLE) for identification of bacteria on the basis of urea utilization, especially for the differentiation of Proteus species from Salmonella and Shigella species	38.71	500 gm
TM 425	UREA BROTH (UREA BROTH MEDIUM) (as per IP 2007) for identification of bacteria on the basis of urea utilization, especially for the differentiation of Proteus, Salmonella and Shigella species	38.70	500 gm
TM 2411	UREA INDOLE BROTH, MODIFIED (ISO 10273:2003) for confirmation of Yersinia enterocolitica by urease and Indole test	30.03	100 gm 500 gm
TM 1851	UREA BROTH BASE (CHRISTENSEN) For the detection of urease production, particularly by members of the genus Proteus	09.00	100 gm 500 gm
TS 030	UREA SOLUTION 40% (5 ml/vl) *	#208 vl	5 vl 25 vl
TM 477	UREA BROTH BASE (DIAGNOSTIC STUART'S UREA BROTH BASE) for identification of bacteria on the basis of urea utilization, especially for differentiation of Proteus, Salmonella and Shigella species	18.70	100 gm 500 gm
TS 030	UREA SOLUTION 40% (5 ml/vl)*	#268 vl	5 vl 25 vl
TM 1850	UREA INDOLE MEDIUM for differentiation of microorganism especially Enterobacteriaceae on the basis of their ability to hydrolyze urea and indole production	30.01	100 gm 500 gm
TM 1267	UROGENITAL MYCOPLASMA MEDIUM BASE for selective isolation of Mycoplasma hominis and Ureaplasma urealyticum	28.65	500 gm
TS 014	HORSE SERUM *	1.8 ltr	100 ml
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#35 vl	5 vl 25 vl
TS 126	UREA SOLUTION 5% (5 ml/vl) *	#35 vl	5 vl
TS 249	MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT *	#35 vl	5 vl 25 vl
TM 1420	V-8 MEDIUM FOR LACTOBACILLI for cultivation and enumeration of Lactobacilli	43.10	500 gm
TM 2413	V-8 JUICE AGAR for the cultivation of yeasts and moulds	44.30	500 gm
TM 2414	VEG 8 JUICE BROTH for cultivation of Fungi-yeasts and moulds	24.30	500 gm
TM 908	VP MEDIUM for isolation of Vibrio parahaemolyticus	100.28	500 gm
TM 2412	VP MEDIUM FOR LISTERIA (ISO 11290-2-2017) recommended for the distinction of Listeria species from other species based on Voges-Proskauer test from food samples	17.00	500 gm

Dehydrated Culture Media



CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1642	VRE AGAR BASE (VANCOMYCIN RESISTANT ENTEROCOCCI AGAR) for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	42.65	100 gm 500 gm
TS 216	MEROPENEM SUPPLEMENT *	#12 vl	5 vl
TS 218	VANCOMYCIN SUPPLEMENT *	#24 vl	5 vl 25 vl
TM 1312	VAGINALIS AGAR BASE for isolation and differentiation of Gardnerella vaginalis from clinical samples	52.50	500 gm
TM 1643	VRE BROTH BASE (VANCOMYCIN RESISTANT ENTEROCOCCI BROTH) for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	37.00	100 gm 500 gm
TS 216	MEROPENEM SUPPLEMENT *	#27 vl	5 vl
TM 909	VEAL INFUSION AGAR for cultivation of fastidious pathogenic bacteria	40.00	500 gm
TM 910	VEAL INFUSION BROTH for cultivation of fastidious pathogenic bacteria	25.00	500 gm
TM 1431	VEILLON AGAR for cultivation and observation of motility of Clostridium perfringens	30.05	500 gm
TM 2415	VEILLONELLA AGAR BASE for selective isolation of Veillonella species	23.75	500 gm
TM 911	VIBRIO AGAR for selective cultivation of Vibrio species	80.10	500 gm
TMV 911	VIBRIO AGAR (VEG.) for selective cultivation of Vibrio species	80.10	500 gm
TM 1313	VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA) for isolation and enumeration of Vibrio parahaemolyticus from seafood	73.52	500 gm
TMV 1313	VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA) (VEG.) for isolation and enumeration of Vibrio parahaemolyticus from seafood	73.52	500 gm
TM 2416	VIBRIO VULNIFICUS AGAR (VVA) for identification of Vibrio in accordance with FDA BAM, 1998	85.06	100 gm
TM 426	VIOLET RED BILE AGAR for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm
TMV 426	VIOLET RED BILE AGAR (VEG.) for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm
TM 1314	VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002) for selective isolation, detection and enumeration of coli-aerogenes in water, milk products.	41.53	100 gm 500 gm
TM 2417	VIOLET RED BILE AGAR (1.2 %) for selective isolation and enumeration of coliaerogenes bacteria in water, milk and other dairy food products	38.53	500 gm
TM 2418	VIOLET RED BILE AGAR W/ GLUCOSE AND LACTOSE for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy food products and clinical samples	48.53	500 gm
TM 1627	VIOLET RED BILE AGAR W/ GLUCOSE & LACTOSE (as per USP) for selective isolation, detection and enumeration of coli-aerogenes gram negative bacteria in water, milk and other dairy products	50.63	500 gm
TM 482	VIOLET RED BILE BROTH for detection and enumeration of coliform bacteria in water and food	26.53	500 gm
TMV 482	VIOLET RED BILE BROTH (VEG.) for detection and enumeration of coliform bacteria in water and food	26.53	500 gm
TM 483	VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 & 2:2017) for detection and enumeration of Enterobacteriaceae in raw foods	38.53	500 gm
TMH 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm
TMHV 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) (VEG.) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm

V Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1927	VIOLET RED BILE GLUCOSE AGAR for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	41.53	100 gm 500 gm
TMH 117	VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP) for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm
TM 550	VIOLET RED BILE GLUCOSE AGAR W/ LACTOSE (as per EP) for detection and enumeration of Enterobacteriaceae in raw foods	51.53	500 gm
TM 1860	VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006) for detection and enumeration of coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm
TM 1155	VIRAL TRANSPORT MEDIUM W/ CHARCOAL (CVTR MEDIUM) for transportation of viral specimens at ambient temperature	20.00	500 gm
TM 1868	VITAMIN B12 AGAR for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii as test organism (*Store between 2-80C)	88.62	100 gm
TM 2419	VITAMIN FREE YEAST BASE * for studying vitamin requirements of yeasts	16.75	100 gm
TM 395 TS 005	VOGEL-JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE) for selective isolation of coagulase positive, mannitol fermenting S.aureus from foods & clinical samples POTASSIUM TELLURITE 1% (1ml /vl) *	61.00 #17 vl	100 gm 500 gm 5 vl 25 vl
TMV 395 TS 005	VOGEL JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE) (VEG.) for selective isolation of coagulase positive, mannitol fermenting S.aureus from foods & clinical samples POTASSIUM TELLURITE 1% (1ml /vl) *	61.00 #17 vl	100 gm 500 gm 5 vl 25 vl
TM 2420 TS 005	VOGEL JOHNSON AGAR BASE W/ 1.5% AGAR for selective isolation of coagulase positive, mannitol fermenting Staphylococcus aureus from heavily contaminated foods in accordance with FDA BAM, 1998. POTASSIUM TELLURITE 1% (10ml/vl) *	62.03 #17 vl	500 gm 5 vl 25 vl
TM 1722 TS 005	VOGEL JOHNSON AGAR MEDIUM (as per USP) for selective isolation of coagulase positive, mannitol fermenting S.aureus from foods & clinical samples POTASSIUM TELLURITE 1% (10ml/vl) *	61.00 #17 vl	100 gm 500 gm 5 vl 25 vl
TM 1820 TS 005	VOGEL JOHNSON AGAR MEDIUM (as per IP) for selective isolation of coagulase positive mannitol fermenting S.aureus from foods & clinical samples POTASSIUM TELLURITE 1% (10ml/vl) *	61.00 #17 vl	100 gm 500 gm 5 vl 25 vl
TM 2421	VOGES PROSKAUER MEDIUM, MODIFIED for performance of the Voges- Proskauer test in differentiation of Bacillus cereus in accordance with FDA BAM 1998	17.00	500 gm
TM 565	WL - DIFFERENTIAL AGAR for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm
TMV 565	WL - DIFFERENTIAL AGAR (VEG.) for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm
TM 485	WL - DIFFERENTIAL BROTH for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm
TMV 485	WL - DIFFERENTIAL BROTH (VEG.) for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm
TM 486	WL - NUTRIENT BROTH for cultivation of yeasts, molds and bacteria encountered in breweries and industrial fermentations	60.25	500 gm
TMV 486	WL - NUTRIENT BROTH (VEG.) for cultivation of yeasts, molds and bacteria encountered in breweries and industrial fermentations	60.25	500 gm

Dehydrated Culture Media **W**

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 487	WL - NUTRIENT MEDIUM (WL - NUTRIENT AGAR) for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm	
TMV 487	WL - NUTRIENT MEDIUM (VEG.) (WL - NUTRIENT AGAR) (VEG.) for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm	
TM 632	WAGATSUMA AGAR BASE for performance of Kanagawa test to identify virulent Vibrio parahaemolyticus strains	113.00	500 gm	
TM 914	WATER AGAR for enumeration, cultivation and observation of sporulation of some fungi	20.00	500 gm	
TM 928 TS 081	WESLEY BROTH BASE (as per APHA) for isolation and enrichment of Campylobacter jejuni from poultry products CAMPYLOBACTER SELECTIVE SUPPLEMENT (WESELY) *	39.25 #13 vl	500 gm 5 vl	
TM 2422	WILD YEAST MEDIUM for detection of wild yeast	44.50	500 gm	
TM 915 TS 055 TS 056	WILKINS CHALGREN ANAEROBIC AGAR BASE for isolation, cultivation and susceptibility testing of anaerobes by agar dilution method NON SPORE ANAEROBIC SUPPLEMENT * G.N. SPORE ANAEROBIC SUPPLEMENT *	43.00 #24 vl	500 gm 5 vl 5 vl 25 vl	
TM 916 TS 055 TS 056	WILKINS CHALGREN ANAEROBIC BROTH BASE for cultivation and susceptibility testing of anaerobic bacteria NON SPORE ANAEROBIC SUPPLEMENT * G. N. SPORE ANAEROBIC SUPPLEMENT *	33.00 #31 vl	500 gm 5 vl 5 vl 25 vl	
TM 1319 TS 002 TS 098	WILLIS AND HOBBS' MEDIUM BASE (IS : 5887 (Part 4) : 1999) for isolation and identification of Clostridium from foods. EGG YOLK EMULSION (100 ml /vl)* WILLIS AND HOBBS' SUPPLEMENT*	47.03 #4vl #22 vl	500 gm 5 vl 5 vl	
TM 2423	WILSON AND BLAIR'S BBS AGAR MEDIUM 10. (as per IP) (TRIPLE PACK) - (Part I), (Part II) & (Part III) recommended for the selective subculture of Salmonella species	04.50 05.60 0.045	100 gm 500 gm	
TM 489	WILSON BLAIR AGAR BASE for isolation and cultivation of Salmonella Typhi with addition of selective reagent	60.00	100 gm 500 gm	
TM 917	WILSON BLAIR AGAR W/ BG (BRILLIANT GREEN) for isolation and preliminary identification of Salmonella Typhi from clinical samples	52.32	100 gm 500 gm	
TM 490	WORT AGAR for cultivation and enumeration of yeasts	48.30	100 gm 500 gm	
TM 551	WORT BROTH for cultivation and enrichment of yeasts	33.28	500 gm	
TM 1315	WURTZ MEDIUM for isolation and differentiation of lactose fermenting bacter	38.00	500 gm	
TM 2424	2 XYT GROWTH MEDIUM optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	31.50	500 gm	
TM 2425	2 XYT GROWTH AGAR optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	46.00	500 gm	
TM 2426	2 XYT GROWTH TOP AGAR optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	38.00	500 gm	
TM 2427	4 XYT GROWTH MEDIUM optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages.	57.00	500 gm	
TM 1478	XYLOSE LYSINE AGAR BASE for isolation, cultivation and identification of pathogenic enteric bacilli	46.83	500 gm	

X Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 491	XYLOSE LYSINE AGAR BASE for isolation, cultivation and identification of pathogenic enteric bacilli	45.08	500 gm
TM 1448	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR MEDIUM) (as per IP) for isolation of S.typhi and other Salmonella species	55.18	100 gm 500 gm
TM 492	XLD AGAR for selective isolation and enumeration of Salmonella Typhi and other Salmonella species	56.68	100 gm 500 gm
TMV 492	XLD AGAR (VEG.) for selective isolation and enumeration of Salmonella Typhi and other Salmonella species	56.68	100 gm 500 gm
TM 1621	XLD AGAR MODIFIED (ISO 6579-2002) for isolation and enumeration of Salmonella Typhi and other Salmonella species	55.43	100 gm 500 gm
TMH 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) for selective differentiation and enrichment medium of Salmonella and Shigella species	55.18	100 gm 500 gm
TMHV 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) (VEG.) for selective differentiation and enrichment medium of Salmonella and Shigella species	55.18	100 gm 500 gm
TM 493	XLT4 AGAR BASE for selective isolation of Salmonella species other than Salmonella Typhi	59.00	500 gm
TS 072	XLT4 SUPPLEMENT *	#9 vl	5 vl
TM 2428	YE GROWTH MEDIUM for the growth of Schizosaccharomyces pombe.	35.00	500 gm
TM 2429	YE GROWTH AGAR for the growth of Schizosaccharomyces pombe.	50.00	500 gm
TM 1116	YEP AGAR for isolation of dimorphic pathogenic fungi from clinical samples	21.50	500 gm
TM 2430	YEP AGAR, MODIFIED recommended for plate count of microorganism in water	40.00	500 gm
TM 2431	YEM AGAR for the cultivation of Agrobacterium species and other soil microorganisms	26.80	500 gm
TM 1884	YEM BROTH for cultivation of Agrobacterium species and other soil microorganisms	11.80	500 gm
TM 2432	YEP BROTH for cultivation of Agrobacterium species and other soil microorganisms recommended for cultivation of aerobic microorganisms and also Agrobacterium species and other soil microorganisms for phytology	25.00	500 gm
TM 1449	YPD AGAR (YEPD AGAR) for growth of Saccharomyces cerevisiae in molecular biology	65.00	500 gm
TM 1121	YPD BROTH (YEPD BROTH) for growth of Saccharomyces cerevisiae in molecular biology	50.00	500 gm
TM 2433	YPD (YEPD) GROWTH MEDIUM for the growth of Saccharomyces cerevisiae	50.00	500 gm
TM 918	YPG AGAR for growth of Saccharomyces cerevisiae in molecular biology	50.00	500 gm
TM 2434	YSG AGAR for the detection of Alicyclobacillus in fruit juices in accordance with Officialmethod of IFU	20.00	500 gm
TM 2435	YSG BROTH for cultivation of Alicyclobacillus in fruit juices in accordance with Official method of IFU	05.00	500 gm
TM 592	YT AGAR for growth of Escherichia coli K12 strains used in the preparation of phage and plasmid DNA according to Miller	28.00	500 gm
TM 621	YT BROTH (2X YT BROTH) for cultivation of recombinant strains of Escherichia coli	31.00	500 gm
TM 937	YXT AGAR BASE for detecting yeasts and molds in foods with or without added tetracycline	33.00	500 gm

Dehydrated Culture Media

Y

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 553	YEAST & MOLD AGAR for cultivation and maintenance of yeasts and moulds	40.00	500 gm
TM 1117	YEAST & MOLD BROTH for isolation and cultivation of yeasts and molds	20.00	500 gm
TM 2436	YEAST BEEF AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 4) for detection of Penicillin-G in milk samples	26.05	500 gm
TM 920	YEAST BEEF ASSAY BROTH for assay of Amphotericin B using Candida tropicalis ATCC 13803 as the test organism	27.50	500 gm
TM 495	YEAST CARBON BASE * for classification of yeasts based on their ability to assimilate nitrogen compounds	11.70	100 gm
TMV 495	YEAST CARBON BASE (VEG.) * for classification of yeasts based on their ability to assimilate nitrogen compounds	11.70	100 gm
TM 504	YEAST DEXTROSE AGAR for cultivation of various heterotrophic microorganisms	35.00	500 gm
TM 496	YEAST EXTRACT AGAR for plate count of microorganisms in water	23.00 23.00	100 gm 500 gm
TM 1827	YEAST EXTRACT AGAR (ISO 6222:1999) for enumeration of microorganisms from water	24.00	100 gm 500 gm
TM 2437	YEAST EXTRACT CALCIUM CARBONATE GLUCOSE AGAR for the isolation and cultivation of Erwinia species	65.00	500 gm
TM 921	YEAST EXTRACT ROSE BENGAL BROTH BASE for cold enrichment and recovery of Yersinia enterocolitica and Yersinia pseudotuberculosis from foods	26.30	500 gm
TMV 921	YEAST EXTRACT ROSE BENGAL BROTH BASE (VEG.) for cold enrichment and recovery of Yersinia enterocolitica and Yersinia pseudotuberculosis from foods	26.30	500 gm
TM 497	YEAST GLUCOSE BEEF AGAR for cultivation of lactic Streptococci for determining growth characteristics	48.00	500 gm
TM 575	YEAST GLUCOSE BEEF BROTH for cultivation of lactic Streptococci for determining growth characteristics	33.00	500 gm
TM 498	YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS : 5403:1999 Reaffirmed 2005) for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm
TMV 498	YEAST GLUCOSE CHLORAMPHENICOL AGAR (VEG.) for selective isolation and enumeration of yeast and molds in milk and milk products	40.00	100 gm 500 gm
TM 1832	YEAST GLUCOSE CHLORAMPHENICOL AGAR for isolation, detection and enumeration of yeast and molds.	40.00	100 gm 500 gm
TM 1832	YEAST GLUCOSE CHLORAMPHENICOL AGAR (VEG.) for isolation, detection and enumeration of yeast and molds.	40.00	100 gm 500 gm
TM 610	YEAST LACTOSE AGAR for cultivation of soil microorganisms like Rhizobium species.	26.80	100 gm

Y Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 397	ISP MEDIUM NO. 2 (YEAST MALT AGAR) for cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm
TMV 397	YEAST MALT AGAR (YM AGAR) (ISP MEDIUM NO.2) (VEG.) for isolation and cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm
TM 397	YEAST MALT AGAR (ISP MEDIUM NO. 2) for cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#25 vl	5 vl 25 vl
TM 398	YEAST MALT BROTH (YM BROTH) for cultivation of yeasts, molds and aciduric microorganisms	21.00	100 gm 500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#48 vl	5 vl 25 vl
TMV 398	YEAST MALT BROTH (YM BROTH) (VEG.) for cultivation of yeasts, molds and aciduric microorganisms	21.00	100 gm 500 gm
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#48 vl	5 vl 25 vl
TM 399	YEAST MANNITOL AGAR W/ 1.5% AGAR for cultivation, enumeration and isolation of soil microorganism like Rhizobium species	27.80	100 gm 500 gm
TM 922	YEAST MANNITOL AGAR W/ CONGO RED for cultivation of soil microorganisms like Rhizobium species	31.80	500 gm
TM 566	YEAST MANNITOL BROTH for cultivation of Rhizobium species	12.80	500 gm
TM 2438	YEAST MOULD CHLORAMPHENICOL AGAR, MODIFIED for enumeration of yeasts and moulds from food using membrane filter technique. Also recommended when ISO-Grid and Neo-Grid protocols of filtration are followed	67.53	500 gm
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#8 vl	5 vl
TM 1821	YEAST MOLD BROTH 'TBL' for enrichment and cultivation of yeasts and molds	41.00	500 gm
TM 923	YEAST MORPHOLOGY AGAR * for classification of yeasts on the basis of their colonial characteristics and cell morphology	35.00	100 gm
TM 1119	YEAST NITROGEN BASE * for classification of yeasts on the basis of their ability to assimilate carbon compounds	06.70	100 gm
TM 400	YEAST NITROGEN AGAR BASE (DOUBLE PACK) - (Part I) & (Part II) for carbohydrate assimilation test in the characterization and identification of yeasts	40.00 06.75	100 gm -
TM 499	YEAST NITROGEN BASE (W/O AMINO ACIDS) for classification of yeasts on the basis of their ability to assimilate nitrogen and carbon compounds	06.70	100 gm
TM 500	YEAST NITROGEN BASE (W/O AMINO ACIDS AND AMMONIUM SULPHATE) for isolation of dimorphic pathogenic fungi	01.70	100 gm
TM 554	YEAST PHOSPHATE AGAR for enrichment of Yersinia species, particularly Yersinia enterocolitica	21.50	100 gm
TM 924	YERSINIA ENRICHMENT BROTH BASE * for enrichment of Yersinia species, particularly Yersinia enterocolitica	13.01	500 gm
TM 925	YERSINIA IDENTIFICATION BROTH BASE for identification of Yersinia species	10.00	100 gm 500 gm
TS 030	UREA 40% (5 ml/vl) *	#500 vl	5 vl 25 vl

Dehydrated Culture Media Y

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 617	YERSINIA ISOLATION AGAR * for selective isolation of Yersinia species from foods	79.00	500 gm
TM 501	YERSINIA SELECTIVE AGAR BASE (CIN AGAR) for selective isolation enumeration of Yersinia enterocolitica from clinical & food samples	58.00	500 gm
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 VL 25 vl
TM 2439	YERSINIA SELECTIVE AGAR BASE, W/ 1.2% AGAR for the selective, isolation and enumeration of Yersinia enterocolitica from food samples in accordance with FDA BAM, 1998	57.54	500 gm
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 VL 25 vl
TS 312	YERSINIA SELECTIVE SUPPLEMENT - 2 *	#18 vl	5 vl 25 vl
TM 2440	YERSINIA SELECTIVE BROTH BASE for the selective enrichment of Yersinia enterocolitica	40.2	100 gm 500 gm
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl
TM 1622	YOSHIKA MEDIUM for isolation of bifido bacteria in milk and milk powder	62.6	500 gm
TM 1926	ZINC SOLUBILIZING AGAR for isolation and detection of zinc solubilizing soil microorganisms	27.4	500 gm
TM 1893	ZINC SOLUBILIZING MEDIUM for growth and maintenance of zinc solubilizing soil microorganism	12.5	500 gm
TM 207	ZOBELL MARINE AGAR 2216. (MARINE AGAR 2216) for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm
TM 208	ZOBELL MARINE BROTH 2216. (MARINE BROTH 2216) for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm



+91-9999-1687-70



marketing@titanbiotechltd.com



www.tmmedia.in



CHROMOGENIC CULTURE MEDIA



Purpose Of Using Chromogenic Media

Dehydrated media serves as a nutrient system for the cultivation of microorganisms. However, the aforementioned role is just one. By adding chromogenic substrate, differentiation and selection of microorganisms becomes more convenient.

How Does It Work

Chromogenic media contains nutrients such as peptones, amino acids, yeast extract, minerals and vitamins, selective agent, solidifier (e.g. agar) as well as Chromogenic mixtures (chromogens) depending upon each medium. The chromogenic mixture contains chromogenic substrates as Salmon -GAL, X-Gal, X-glucuronides, etc. Certain enzymes, produced by some bacteria, cleave these substrates, resulting in the different colouration of certain bacterial colonies.

Benefits


- ✓ Majorly the chromogenic is known for its rapidness, accuracy and simplicity involved during diagnosis.
- ✓ The chromogenic saves time and labour work. When compared with traditional methods, the chromogenic deliver results in shorter time for both negatives screens & presumptive positives. Some chromogenic culture media gives confirmed results within 24 hours
- ✓ Mostly, the result interpreted from chromogenic media does not require further testing and eliminates the need of subculture and further biochemical test for identification pathogenic agent.
- ✓ On a single medium, one can identify more than one organism. This is the reason for the chromogenic being so cost effective.

Chromogenic Index For Most Acceptable Products

TM 1199|CHROMOGENIC UTI AGAR

For identification and confirmation of microorganisms causing urinary tract infections.

Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Escherichia coli</i>	25922	Pink- Purple
B	<i>Enterococcus faecalis</i>	29212	Blue
C	<i>Staphylococcus aureus</i>	25923	Cream yellow
D	<i>Pseudomonas aeruginosa</i>	27853	Colourless (greenish pigment may be observed)
E	<i>Klebsiella pneumoniae</i>	13883	Bluish Purple





Chromogenic Culture Media

TM 1338 | CHROMOGENIC COLIFORM AGAR W/SLS

"For simultaneous detection of total coliforms and *Escherichia coli* in water and foods"

Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Escherichia coli</i>	25922	Dark blue to violet (Red color appears around the colony)
B	<i>Salmonella Enteritidis</i>	13076	Colorless
C	<i>Klebsiella pneumoniae</i>	13883	Light pink
D	<i>Enterobacter aerogenes</i>	13048	Light pink



TM 1197 | CHROMOGENIC CANDIDA AGAR



"For fast isolation and identification of *Candida* species from mixed flora"

Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Candida albicans</i>	10231	Light green
B	<i>Candida glabrata</i>	2001	Light white to purple
C	<i>Candida tropicalis</i>	1369	Blue-Metallic Blue
D	<i>Candida Krusei</i>	34135	Purple-Pink

TM 133 9| CHROMOGENIC E. COLI AGAR

"For easy enumeration of *E.coli* without membrane filtration, or pre-incubation on Mineral Modified Glutamate Medium Base"

Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Escherichia coli</i>	25922	Bluish green
B	<i>E. aerogenes</i>	13048	Colourless



TM 1858 | CHROMOGENIC COLIFORM AGAR (CCA)

"For determination of coliform bacteria particularly *Enterobacteriaceae* on the basis of their ability to ferment lactose"



Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Escherichia coli</i>	25922	Dark blue to violet colonies
B	<i>Citrobacter freundii</i>	8090	Pink to red colonies
C	<i>Salmonella Enteritidis</i>	13076	Colourless colonies
D	<i>Enterobacter aerogenes</i>	13048	Pink to red colonies

Chromogenic Culture Media

TM 1639 | CHROMOGENIC UTI AGAR, MODIFIED

"For enumeration and differentiation of enteric pathogens in urinary tract infections"


Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Escherichia coli</i>	25922	Purple to magenta
B	<i>Staphylococcus aureus</i>	25923	Golden yellow
C	<i>Enterococcus faecalis</i>	29212	Blue - green (small)
D	<i>Klebsiella pneumoniae</i>	13883	Blue to purple mucoid
E	<i>Pseudomonas aeruginosa</i>	27853	Colorless (greenish pigment may be observed)



TM 1640 | CHROMOGENIC VIBRIO AGAR

"For selective isolation and differentiation of *Vibrio* species"


Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Vibrio cholerae</i>	15748	Bluish green



TM 1340 | CHROMOGENIC ECC AGAR

"For presumptive identification of *Escherichia coli* and other coliforms"

Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Escherichia coli</i>	25922	Blue
B	<i>Klebsiella pneumoniae</i>	13883	Mauve
C	<i>S. typhimurium</i>	14028	Colourless



TM 1634 | CHROMOGENIC LISTERIA AGAR BASE (MODIFIED)

"For selective identification and differentiation of *Listeria monocytogenes*"

Symbol	Culture Name	ATCC	Appearance Of Colony
A	<i>Listeria monocytogenes</i>	19118	Bluish green

Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1841	CHROMOGENIC A. RAMBACH AGAR * -(Part I) & (Part II) For detection and isolation of Salmonella species in clinical sample	30.70 10 ml	500 gm -
TM 1523	CHROMOGENIC BACILLUS AGAR * for isolation & differentiation between various species of Bacillus using chromogenic substrates.	49.20	100 gm 500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#20 vI	5 vI 25 vI
TM 1885	CHROMOGENIC BACILLUS CEREUS AGAR * for isolation and differentiation of Bacillus cereus from food	40.98	100 gm 500 gm
TS 255	BACILLUS CEREUS SELECTIVE SUPPLEMENT *	#25 vI	5 vI
TM 2111	CHROMOGENIC BIFIDOBACTERIUM AGAR * for the differentiation of <i>Bifidobacterium</i> and <i>Lactobacillus</i> species	59.48	100 gm 500 gm
TM 2112	CHROMOGENIC CAMPYLOBACTER AGAR BASE * for selective isolation and presumptive identification of Campylobacter species	59.53	100 gm 500 gm
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI) *	#01 vI	5 vI 25 vI
TM 1197	CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) * for fast isolation and identification of Candida species from mixed flora	42.70	100 gm 500 gm
TM 1588	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED * For fast isolation and identification of Candida species from clinical and non-clinical specimens	42.05	100 gm 500 gm
TS 213	CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT *	#24 vI	5 vI
TM 1833	CHROMOGENIC CLED AGAR BASE * for isolation and differentiation of UTI pathogens	43.00	500 gm
TM 1858	CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) * for determination of coliforms and Escherichia coli in water samples	26.45	100 gm 500 gm
TM 1338	CHROMOGENIC COLIFORM AGAR W/SLS * for simultaneous detection of total coliforms and Escherichia coli in water and foods	27.00	100 gm 500 gm
TM 2113	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE * selective and differential medium for rapid isolation and identification of Candida species from mixed cultures	31.02	100 gm 500 gm
TS 282	CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT *	#32 vI	5 vI
TM 2114	CHROMOGENIC CLOSTRIDIAL AGAR BASE * for selective isolation and presumptive identification of Clostridium species	47.81	100 gm 500 gm
TM 2115	CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR(ISO 9308-1:2014) * for recommended for detection of total coliforms and Escherichia coli in water samples	25.92	100 gm 500 gm
TM 2116	CHROMOGENIC COLIFORM AGAR MODIFIED * recommended for the simultaneous detection of Escherichia coli and thermotolerant coliforms in water, milk, dairy products and other food samples	24.00	100 gm 500 gm
TM 2117	CHROMOGENIC COLISTIN RESISTANT AGAR BASE * recommended for isolation and differentiation of gram negative colistin resistant microorganisms	38.10	500 gm
TS 283	CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT *	#13 vI	5 vI
TM 2118	CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR)(ISO /TS 22964: 2017) * recommended for the isolation and identification of Cronobacter sakazakii from food product	32.40	500 gm
TM 1854	CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001) * for isolation and differentiation of Escherichia coli O157:H7 from food and environmental samples	28.85	100 gm 500 gm
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT *	#17 vI	5 vI 25 vI
TM 2119	CHROMOGENIC E. COLI AGAR * for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm
TM 2120	CHROMOGENIC EC BROTH W/ RUG * recommended for detection of Escherichia coli in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm

Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2121	CHROMOGENIC EC O157:H7 AGAR, MODIFIED * recommended for isolation and differentiation of Escherichia coli O157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#5 vl	5 vl 25 vl
TM 2441	CHROMOGENIC ECO157:H7 SELECTIVE AGAR BASE, MODIFIED * for presumptive enumeration of Escherichia coli O157:H7 by membrane filtration technique from food samples.	66.82	100 gm 500 gm
TS 313	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED *	#8 vl	5 vl
TM 1340	CHROMOGENIC ECC AGAR * for presumptive identification of Escherichia coli and other coliforms in food and environmental samples	55.83	100 gm 500 gm
TM 1341	CHROMOGENIC ECC SELECTIVE AGAR BASE * for detection of Escherichia coli and coliforms in water and food samples	26.48	100 gm 500 gm
TS 187	CHROMOGENIC ECC SELECTIVE SUPPLEMENT *	#38 vl	5 vl
TM 2122	CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED * for detection of Escherichia coli and coliforms in water and food samples	39.30	500 gm
TM 1343	CHROMOGENIC ECD W/ MUG * for detection of Escherichia coli by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm
TM 2123	CHROMOGENIC ENRICHMENT BROTH BASE FOR EC O157:H7* for isolation and selective differentiation of Escherichia coli O157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm
TS 840	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT*	#44 vl	5 vl
TM 1631	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR * for isolation and identification of Enterobacter sakazakii from dairy and food products	51.67	100 gm 500 gm
TM 1853	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) * for isolation and identification of Cronobacter sakazakii from milk and milk products	30.75	100 gm 500 gm
TM 1344	CHROMOGENIC ENTEROCOCCI BROTH * for identification and differentiation of Enterococci from water	18.59	100 gm 500 gm
TM 1632	CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE for identification and differentiation of Enterococcus faecium from faeces, sewage and water supplies	29.00	100 gm 500 gm
TM 1633	CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE * for selective isolation of Klebsiella species from water can be used by membrane filter technique	40.80	100 gm 500 gm
TM 1339	CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR)(ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) * for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 2124	CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE * for the selective and differential isolation, enumeration and identification of Listeria monocytogenes and Listeria species based on PCPLC activity	67.20	500 gm
TS 285	LECITHIN SOLUTION*	#16 vl	5 vl
TS 286	MODIFIED L.MONO SELECTIVE SUPPLEMENT*		5 vl
TM 1845	CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR * for selective identification and differentiation of Listeria monocytogenes	70.30	100 gm
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *		5 vl
TM 1634	CHROMOGENIC LISTERIA AGAR BASE (Modified) * for selective identification and differentiation of Listeria species	67.25	100 gm 500 gm
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl
TM 004	CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) * for selective identification and differentiation of Listeria species	70.05	100 gm 500 gm
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *		5 vl

Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1635	CHROMOGENIC MeReSA AGAR BASE * for isolation and identification of Methicillin resistant Staphylococcus aureus from clinical samples	83.30	100 gm 500 gm
TS 206	CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT *	#12 vl	5 vl
TS 219	CEFOXITIN SUPPLEMENT*	#12 vl	5 vl
TM 2127	CHROMOGENIC M-COLICONFIRM BROTH * recommended for detection of E.coli & other total coliforms in water samples by membrane filtration	17.43	500 gm
TS 287	ECC SELECTIVE SUPPLEMENT MODIFIED *	#29 vl	5 vl
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#21 vl	5 vl 25 vl
TM 1636	CHROMOGENIC MM AGAR * for identification and differentiation of Salmonella and non-Salmonella from water and clinical samples	49.13	100 gm 500 gm
TM 1638	CHROMOGENIC M-LAURYL SULPHATE AGAR * for enumeration and differentiation of E. coli and other coliforms by membrane Filter technique	88.00	100 gm 500 gm
TM 1198	CHROMOGENIC OGYE AGAR BASE * for isolation and enumeration of yeasts and moulds from milk and milk products using chromogenic substrates	37.10	100 gm 500 gm
TS 071	OXYTETRA SELECTIVE SUPPLEMENT *	#27 vl	5 vl 25 vl
TM 2125	CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR) * for identification and differentiation of Salmonella species from among the members of Enterobacteriaceae, especially Proteus species	46.82	100 gm 500 gm
TM 1426	CHROMOGENIC SALMONELLA AGAR * for isolation and differentiation of Salmonella species from among the members of	27.90	100 gm 500 gm
TM 1839	CHROMOGENIC SALMONELLA AGAR * For identification of Salmonella species from other organisms in the family Enterobacteriaceae	55.20	100 gm 500 gm
TS 252	SALMONELLA SELECTIVE SUPPLEMENT	#10 vl	5 vl
TM 1824	CHROMOGENIC SALMONELLA AGAR, MODIFIED * for identification and differentiation of Salmonella species from among the members of Enterobacteriaceae, especially Proteus species	42.34	100 gm 500 gm
TM 1337	CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE * for isolation and identification of Staphylococci	63.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl
TM 1199	CHROMOGENIC UTI AGAR * for identification and confirmation of microorganisms causing urinary tract infections	32.45	100 gm 500 gm
TM 1909	CHROMOGENIC UTI AGAR * for presumptive identification of microorganisms mainly causing urinary tract infections	56.80	100 gm 500 gm
TM 2126	CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM * differential Medium is a differential medium recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm
TM 1639	CHROMOGENIC UTI AGAR,MODIFIED * for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm
TM 1825	CHROMOGENIC UTI SELECTIVE AGAR * for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm
TS 207	DMACA REAGENT (10 ml/vl)	-	1 vl
TS 208	TDA REAGENT (10 ml/vl)	-	1 vl
TM 1640	CHROMOGENIC VIBRIO AGAR * for selective isolation and differentiation of Vibrio species	67.50	100 gm 500 gm
TM 1907	CHROMOGENIC VRE AGAR BASE * for identification of Vancomycin Resistant Enterococci from clinical specimens	50.95	100 gm 500 gm
TS 253	CHROMOGENIC VRE AGAR SUPPLEMENT *	#20 vl	5 vl

Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 649	ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005) for enrichment of Vibrio species	15.00	100 gm 500 gm
TM 936	ANDRADE PEPTONE WATER (IS : 5887 (Part I and IV) 1976, reaffirmed 2005) A basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm
TM 635	BAIRD PARKER AGAR BASE (IS : 5887 (Part II) 1976, reaffirmed 2005) for isolation and enumeration of coagulase positive Staphylococci from food and other products.	65.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#3 vl	5 vl
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl
TM 674	BILE SALT AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005) for isolation and enumeration of bile tolerant enteric bacilli.	40.00	100 gm 500 gm
TM 952	BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS : 5887 (Part III) 1999, reaffirmed 2005) for selective isolation of Salmonellae by inhibiting E.coli, Proteus and Pseudomonas species.	52.00	100 gm 500 gm
TS 013	SULPHA SUPPLEMENT *	#20 vl	5 vl
TM 678	BRILLIANT GREEN BILE BROTH 2% (BIS) 5401-2-2012 for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm
TM 686	BUFFERED PEPTONE WATER (IS : 5887 (Part III) 1999, reaffirmed 2005) for pre-enrichment of injured Salmonella species prior to selective enrichment and isolation.	20.07	100 gm 500 gm
TM 086	DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS : 5887 (Part V) 1976, reaffirmed 2005) for cultivation and differentiation of bacteria based on their decarboxylase activity	09.00	100 gm 500 gm
TM 1870	DEOXYCHOLATE CITRATE AGAR MEDIUM (IS : 5887 (Part VII) 1999, reaffirmed 2005) for isolation of Shigella species from food samples	55.45	100 gm 500 gm
TM 1171	EMB AGAR, LEVINE (IS : 5887 (Part I) 1976, reaffirmed 2005) for isolation, enumeration and differentiation of Enterobacteriaceae.	37.50	100 gm 500 gm
TM 1179	ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS : 5887 (Part II) 1976, reaffirmed 2005) For selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water	35.80	100 gm 500 gm
TM 119	GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS : 5887 (Part V) 1976, reaffirmed 2005) - for enrichment of Vibrio parahaemolyticus in drinking water.	Part I 48.00 Part II 04.00	100 gm 500 gm
TM 742	HUGH LEIFSON MEDIUM (IS : 5887 (Part V) 1976, reaffirmed 2005) for detecting aerobic and anaerobic breakdown of glucose.	20.33	100 gm 500 gm
TM 2143	KAUFFMAN MUELLER'S TETRATHIONATE BROTH BASE (IS:5887(Part I)-1999) recommended as selective enrichment medium for isolation of Shigella species from food samples	132.50	500 gm
TM 1036	MacCONKEY AGAR (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria.	55.07 55.07	100 gm 500 gm
TM 1238	MacCONKEY BROTH W/ NEUTRAL RED (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for selective enrichment and enumeration of coliforms.	40.07 80.14	100 gm 500 gm
TM 1239	MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) (IS : 5887 (Part I) 1976, reaffirmed 2005) for primary isolation of coliforms from large samples like water.	80.14	100 gm 500 gm
TM 2230	MACCONKEY BROTH PURPLE (IS: 5401-1:2012) for presumptive identification of coliforms from variety of specimens such as water, milk and food etc	40.02	100 gm 500 gm
TM 787	MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS: 13428:1998, reaffirmed 2005) for detection and enumeration of Pseudomonas aeruginosa in water.	Part I 100.00 Part II 19.80	120 gm 500 gm

Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 228	MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS : 5887 (Part I and V) 1976, reaffirmed 2005) for testing motility of enteric bacteria.	22.00	500 gm
TM 685	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS : 5887 (Part I, III and IV) 1976, reaffirmed 2005) for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm
TM 197	MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS : 5887 (Part Vi) 1976, reaffirmed 2005) for isolation and identification of pathogenic Staphylococci and Bacillus species.	46.00	100 gm 500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT*	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl)*	#11 vl	5 vl
TM 797	NITRATE BROTH (IS : 5887(Part IV)-1999) for detection of nitrate reduction and enumeration of Bacillus cereus	39.00	100 gm 500 gm
TM 798	NUTRIENT AGAR NO. 2 (IS : 5887 (Part I, II and V) 1976, reaffirmed 2005) general purpose culture medium	40.00	100 gm 500 gm
TM 1270	NUTRIENT BROTH (W/ 1% PEPTONE) (IS : 5887 (Part I and II) 1976, reaffirmed 2005, IS : 5887 (Part IV) 1999) general purpose culture medium.	25.00	100 gm 500 gm
TM 1059	NUTRIENT GELATIN (IS : 5887 (Part VII) 1999, reaffirmed 2005) for detection of gelatin liquefaction by proteolytic microorganisms	158.00	500 gm
TM 805	PEPTONE WATER (IS : 5887 (Part I) 1976, reaffirmed 2005) General purpose growth medium & as the base of carbohydrate fermentation media.	25.00	100 gm 500 gm
TM 828	PLATE COUNT AGAR (IS : 5402 - 1969 First Reprint 1983) for determination of microbial counts in milk and other dairy products by pour plate method.	30.00	100 gm 500 gm
TM 389	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III and IV) 1976, (reaffirmed 2005) for isolation and enrichment of Salmonella from faeces, urine or other pathological material.	Part I Part II 19.00 04.00	100 gm 500 gm
TM 1291	SIMMONS CITRATE AGAR (IS : 5887 (Part I) 1976, reaffirmed 2005) for differentiation between faecal coliforms and members of the aerogenes group on the basis of citrate utilization.	24.28	100 gm 500 gm
TM 1299	TCBS AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005) for selective isolation of Vibrio cholerae and other enteropathogenic Vibrio's.	89.00	100 gm 500 gm
TM 440	TERGITOL - 7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005) for selective isolation and identification of coliform bacteria from water	33.13	100 gm 500 gm
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	5 vl	5 vl 25 vl
TM 1874	TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005) for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H2S production.	64.32	100 gm 500 gm
TM 891	TRYPTONE WATER W/O NaCl (IS : 5887 (Part V) 1976, reaffirmed 2005) for detection of Vibrio cholerae and Vibrio parahaemolyticus	10.00 24.51	100 gm 500 gm
TM 2410	UREA AGAR BASE (CHRISTENSEN) (IS:5887 (Part-I)-1976) for detection of urease production, particularly by Proteus vulgaris, Micrococci & paracolon organisms	24.51	100 gm 500 gm
TS 030	UREA 40% (5 ml/vl) *	#268 vl	5 VL 25 vl
TM 1314	VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002) for selective isolation, detection and enumeration of coli-aerogenes in water, milk products.	41.53	100 gm 500 gm
TM 1319	WILLIS AND HOBBS' MEDIUM BASE (IS : 5887 (Part 4) : 1999) for isolation and identification of Clostridium from foods.	47.03	500 gm
TS 002	EGG YOLK EMULSION (100 ml /vl)*	#4vl	5 vl
TS 098	WILLIS AND HOBBS' SUPPLEMENT*	#22 vl	5 vl
TM 498	YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS : 5403:1999 Reaffirmed 2005) for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1943	ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018) - (Part I & Part II) for confirmation of non-fermentative Gram-negative bacteria, particularly <i>Pseudomonas aeruginosa</i>	21.40 01.40	100 gm 500 gm
TM 008	ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 & 2:2007) for detection and enrichment of <i>Vibrio</i> species	50.00	500 gm
TM 1878	ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&2:2007) for enrichment of <i>Vibrio</i> species from food and water samples	40.00	100 gm 500 gm
TM 1505	L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006) for confirmation of <i>Enterococcus sakazakii</i> from milk and milk products	09.01	500 gm
TM 1881	BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004) selective isolation and enumeration of <i>Bacillus cereus</i>	46.03	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl
TM 1579	BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 & 2:1999) for isolation & enumeration of coagulase positive <i>Staphylococci</i> from foods & pharma products	56.00	500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#10 vl	5 vl
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl
TM 036	BILE ESCULIN AGAR (ISO 10273:1994) for isolation & identification of <i>Yersinia enterocolitica</i> from food and animal feeding products	64.50	100 gm 500 gm
TM 1883	BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000) for isolation and presumptive identification of faecal streptococci. (ISO 7899-2 : 2000)	56.65	500 gm
TM 1842	BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017) for isolation, cultivation and detection of haemolytic activity of <i>Streptococci</i> , <i>Pneumococci</i> and other fastidious microorganisms	42.50	100 gm 500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BUTZLER) *	#26 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl 25vl
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl
TS 011	STREPTO SUPPLEMENT *	#26 vl	5 vl 25 vl
TM 1146	BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1&2:2017) for selective isolation and differentiation of <i>Campylobacter</i> species	45.50	500 gm
TS 102	CAMPYLOBACTER SUPPLEMENT V (BFCSA) *	#22 vl	5 vl
TS 103	CAT SELECTIVE SUPPLEMENT *	#22 vl	5 vl
TM 1510	BOLTON BROTH BASE (ISO 10272-1:2017) for selective enrichment of <i>Campylobacter</i> species from foods	27.60	500 gm
TS 179	BOLTON SELECTIVE SUPPLEMENT*	#37 vl	5 vl
TM 1512	BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975) for selective isolation of <i>Salmonella</i>	54.69	500 gm
TS 013	SULPHA SUPPLEMENT *	#20 vl	5 vl
TM 365	BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (ISO 4831:2006, ISO 4832:2006) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1894	BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017) For selective isolation and cultivation of Legionella species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY)*	#5 vl	5 vl
TS 019	LEGIONELLA SUPPLEMENT *	#5 vl	5 vl
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT*	#5 vl	5 vl 25 vl
TS 254	PCP SUPPLEMENT*	#5 vl	5 vl
TM 307	BUFFERED PEPTONE WATER (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017) for pre enrichment of injured Salmonella species prior to selective enrichment and isolation	20.00	100 gm 500 gm
TM 1522	CETRIMIDE BROTH BASE (ISO 8360-2:1988) for cultivation of Pseudomonas aeruginosa from water samples using membrane filter technique	31.90	500 gm
TM 1858	CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) for determination of coliforms and Escherichia coli in water samples	26.45	100 gm 500 gm
TM 2115	CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR(ISO 9308-1:2014) for recommended for detection of total coliforms and Escherichia coli in water samples	25.92	100 gm 500 gm
TM 2118	CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR)(ISO /TS 22964: 2017) recommended for the isolation and identification of Cronobacter sakazakii from food products	32.40	500 gm
TM 1854	CHROMOGENIC EC 0157:H7 AGAR (ISO 16654:2001) for isolation and differentiation of Escherichia coli O157:H7 from food and environmental samples	28.85	100 gm
TS 248	CHROMOGENIC EC 0157:H7 SELECTIVE SUPPLEMENT *	#17 vl	5 vl 25 vl
TM 1853	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) for isolation and identification of Cronobacter sakazakii from milk and milk products	30.75	100 gm 500 gm
TM 2045	COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017) recommended for selective detection and enumeration of Campylobacter species from food chain	44.00	500 gm
TM 004	CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) * for selective identification and differentiation of Listeria species	70.05	100 gm 500 gm
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 vl	5 vl
TM 1339	CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR)(ISO 16649-1 & 2 :2001, ISO 16649-3:2015, ISO 11133:2014) * for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 1852	DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014) for selective isolation of yeasts and molds of significance in food spoilage	31.60	100 gm 500 gm
TM 417	EC BROTH (ISO 7251:2005, 11866-1:1997) for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm
TM 1804	EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993) for selective enrichment of Enterobacteriaceae in bacteriological examination of foods	43.47	100 gm 500 gm
TM 371	EMB AGAR, LEVINE (ISO 21150:2015) for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50	100 gm 500 gm
TM 2073	EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017) for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products	32.40	500 gm
TM 1472	FRASER BROTH BASE (ISO 11290-1:2017) for isolation and enumeration of Listeria monocytogenes from food and animal feeds	57.35	100 gm 500 gm
TS 034	FRASER SUPPLEMENT *	#19 vl	5 vl
TS 035	FRASER SELECTIVE SUPPLEMENT *	#19 vl	5 vl
TM 118A	GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003) for selective enrichment of Staphylococcus aureus from foods	55.20	500 gm
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#18 vl	5 vl

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1937	HALF FRASER BROTH BASE (ISO 11290-1:2017) for the selective enrichment of Listeria species from foods	55.00	500 gm
TS 034	FRASER SUPPLEMENT *	#19 vl	5 vl
TS 035	FRASER SELECTIVE SUPPLEMENT *	#10 vl	5 vl
TM 121	HEKTOEN ENTERIC AGAR (ISO 21567:2004) for differential & selective isolation of Salmonella and Shigella from enteric pathological specimens	76.67	100 gm 500 gm
TM 2138	IRON SULPHITE AGAR MODIFIED (ISO 15213:2003) for the enumeration of sulfite – reducing bacteria growing under anaerobic conditions	42.00	500 gm
TM 1553	KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003) for identification of Pseudomonas species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H ₂ S production	58.02	500 gm
TM 2173	L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1-2017) recommended for biochemical confirmation of Vibrio parahaemolyticus and Vibrio cholerae from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm
TM 2265	L-ORNITHINE DECARBOXYLASE BROTH (ISO / TS 22964: 2017) for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm
TM 1251	LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000) for detection and enumeration of E.coli and other coliforms in water by membrane filtration technique	57.15	100 gm 500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 vl 25 vl
TM 1556	LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010) for the isolation and enumeration of lactic acid bacteria from meat and meat products	65.30	500 gm
TM 150	LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006) for detection and enumeration of coliform bacteria in water, waste water, dairy products and other food sample	35.60	100 gm 500 gm
TM 1829	LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006) For the selective pre-enrichment medium for Cronobacter sakazakii from milk and milk products	64.60	500 gm
TM 1226	LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2) for detection and enumeration of Listeria monocytogens from food and animal feeds	69.00	100 gm 500 gm
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *	#15 vl	5 vl 25 vl
TM 1229	LISTERIA OXFORD MEDIUM BASE (ISO 11290-1) for isolation of Listeria species from pathological samples	55.50	100 gm 500 gm
TS 120	OXFORD LISTERIA SUPPLEMENT *	#19 vl	5 vl
TS 121	LISTERIA MOXALACTAM SUPPLEMENT *		5 vl
TM 1830	LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006) for differentiating Salmonella serotype arizonae from the Bethesda Ballerup group of Enterobacteriaceae	09.00	100 gm 500 gm
TM 775	M-LAURYL SULPHATE BROTH (ISO 9308-1:2000) for enumeration of Escherichia coli in water by membrane filter technique	76.20	500 gm
TM 1572	MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2-1997) for selective enrichment of presumptive Escherichia coli and other coliforms from milk & milk products. Also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm
TM 1875	MacCONKEY BROTH PURPLE W/ BCP (ISO 9308-2-1990) for presumptive identification of coliforms from water	40.01	100 gm 500 gm
TM 529	MacCONKEY BROTH W/ BCP & NaCl (ISO 9308-2:1990) for presumptive identification of coliforms from water, milk and foods etc	40.00	100 gm 500 gm
TM 1915	MacCONKEY SORBITOL AGAR BASE (ISO 16654-2001) a selective medium for isolation and detection of Escherichia coli 0157:H7	50.03	500 gm

Dehydrated Culture Media (as per ISO)



CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1843	MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006) for the enumeration of B. cereus in foodstuffs and other samples	46.03	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT*	#22 vl	5 vl
TS 002	EGG YOLK EMULSION (100 ml/vl*	#11 vl	5 vl
TM 1857	MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005) for enumeration of coliform bacteria in water and wastewater samples	17.70	500 gm
TM 2215	MRS AGAR, MODIFIED * (ISO 15214:1998) recommended for the selective cultivation of Lactic acid bacteria from food	69.21	500 gm
TM 2217	MRS SELECTIVE AGAR BASE W/CLINDAMYCIN -CIPROFLOXACIN (ISO 20128:2006) recommended for the selective cultivation of Lactic acid bacteria from food	65.15	100 gm 500 gm
TS 298	CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT*	#8 vl	5 vl
TM 2246	MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004) for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test	19.50	500 gm
TM 1399	MUELLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017) for enrichment and isolation of Salmonellae by suppressing Proteus species	89.42	500 gm
TS 152	MKTT NOVOBIOCIN SUPPLEMENT *	#6 vl	5 vl
TM 1038A	NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528: 2004, ISO 19250:2010, ISO 6579:2015) a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm
TM 2256	NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010) recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm
TM 2274	PARK & SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995) for selective enumeration of thermo-tolerant Campylobacter species from food	29.35	500 gm
TS 073	PARK & SANDER SELECTIVE SUPPLEMENT A *	#15 vl	5 vl
TS 074	PARK & SANDER SELECTIVE SUPPLEMENT B *	#15 vl	5 vl
TM 1844	PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017) - For selective enrichment of Yersinia enterocolitica from dairy products	Part I 21.00 Part II 10.00	500 gm -
TM 2281	PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017) recommended for the preparation of dilutions for Listeria species for further testing form food sample	18.37	500 gm
TM 2270	PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273) for primary enrichment and enumeration of Yersinia enterocolitica from food	30.77	500 gm
TM 2300	RPF AGAR BASE (ISO 6888-2:1999) recommended for the enumeration of coagulase positive Staphylococci from food and animal feeding stuff	58.00	500 gm
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#9 vl	5 vl 25 vl
TM 2324	SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017) recommended for enrichment of Vibrio parahaemolyticus and Vibrio cholerae species	43.00	500 gm
TM 1847	SALINE MEAT YEAST AGAR (ISO 8914:1990) for identification of Vibrio parahaemolyticus form food products and animal feeding products	58.30	500 gm
TM 2325	SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017) recommended as a biochemical test to distinguish between Vibrio species based on salt tolerance	43.00	500 gm
TM 2326	SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017) recommended for detection of Vibrio parahaemolyticus and Vibrio cholerae from food	110.00	500 gm
TM 2327	SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990) recommended for detection of indole production by Vibrio parahaemolyticus	41.00	500 gm
TM 1848	SALT POLYMYXIN BROTH BASE (ISO 8914:1990) for detection and enumeration of Vibrio species	29.70	500 gm
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34 vl	5 vl 25 vl
TM 294	SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK) (ISO 6579:1993) - an enrichment medium for isolation of Salmonella species from food, dairy and clinical samples(Part II)	Part I 19.01 Part II 04.00	100 gm 500 gm

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2336	SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000) for detection and enumeration of faecal Streptococci from water samples by membrane filtration technique	46.50	500 gm
TM 1611	SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) * for the detection and enrichment of Escherichia coli 0157:H7 from foods	33.02	500 gm
TM 544	STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 & 2:2013) For determination of plate counts of microorganisms in foods, water, waste water and also from clinical samples	23.50	100 gm 500 gm
TM 1097	SYNTHETIC SEA SALT (ISO 9308-3:1998) for preparation of special diluents	19.19	100 gm
TM 2374	TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E) for detection of thermostable deoxyribonuclease activity to establish speciation of S.aureus in contaminated foods	26.56	100 gm
TM 1819	TRIPLE SUGAR IRON AGAR (ISO 6785:2001 / ISO 6579:2017) for identification of gram negative enteric bacteria on the basis of sugar fermentation & H ₂ S production	65.00	100 gm 500 gm
TM 2385	TRYPTONE SALT BROTH (ISO:1999 ISO/DIS 6887-1:2017) for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm
TM 549	TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998) for isolation and cultivation of Listeria from Henry's light	36.00	500 gm
TM 1849	TRYPTONE WATER (ISO 7251:1993) for detection of indole production by coliforms	25.00	100 gm 500 gm
TM 2400	TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013) recommended for the enumeration of Clostridium perfringens from water	42.00	500 gm
TS 076	PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT) *	#1 vl	5 vl 25 vl
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#22 vl	5 vl
TM 1826	TSC AGAR BASE (PERFRINGENS AGAR BASE) (ISO 7937: 2004, ISO 14189:2013) for enumeration of Clostridium perfringens from food	42.00	500 gm
TS 076	PERFRINGENS T. S. C. SUPPLEMENT *	#24 vl	5 vl 25 vl
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#24 vl	5 vl
TM 2406	TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017) recommended for confirmation of Yersinia enterocolitica	30.01	100 gm 500 gm
TM 2411	UREA INDOLE BROTH, MODIFIED (ISO 10273:2003) for confirmation of Yersinia enterocolitica by urease and Indole test	30.03	100 gm 500 gm
TM 483	VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 & 2:2017) for detection and enumeration of Enterobacteriaceae in raw foods	38.53	500 gm
TM 1860	VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006) for detection and enumeration of coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm
TM 2412	VP MEDIUM FOR LISTERIA (ISO 11290-2:2017) recommended for the distinction of Listeria species from other species based on Voges-Proskauer test from food samples	17.00	500 gm
TM 1621	XLD AGAR MODIFIED (ISO 6579-2002) for isolation and enumeration of Salmonella Typhi and other Salmonella species	55.43	100 gm 500 gm
TM 1827	YEAST EXTRACT AGAR (ISO 6222:1999) for enumeration of microorganisms from water	24.00	100 gm 500 gm

Harmonized Culture Media

Pharma Microbiological Testing Media (USP/JP/EP/BP)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMH 119	BAIRD PARKER AGAR BASE (as per EP/IP/BP) for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 vl 25 vl
TMH 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) Dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm
TMHV 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) (VEG.)  NEW Dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm
TMH 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm
TMHV 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) (VEG.) for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm
TMH 116	COLUMBIA AGAR (as per USP/EP/JP/BP) for detection of Clostridium sporogenes from pharmaceutical products.	44.00	100 gm 500 gm
TS 217	GENTAMYCIN SUPPLEMENT *	#12 vl	5 vl
TMHV 116	COLUMBIA AGAR (as per USP/EP/JP/BP) (VEG) for detection of Clostridium sporogenes from pharmaceutical products	44.00	100 gm 500 gm 5 vl
TS 217	GENTAMYCIN SUPPLEMENT *		
TMH 107	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm
TMHV 107	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) (VEG.)  NEW for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm
TMH 110	MacCONKEY AGAR (as per USP/EP/BP/JP) for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm
TMHV 110	MacCONKEY AGAR(as per USP/EP/BP/JP) (VEG.) for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm
TMH 118	MacCONKEY AGAR (as per USP/EP/BP/JP) for selective isolation and differentiation of E.coli and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	49.53	100 gm 500 gm
TMH 378	MacCONKEY AGAR W/O CV, NaCl, w/ 0.5% SODIUM TAUROCHOLATE For the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples	55.00	100 gm 500 gm
TMH 109	MacCONKEY BROTH (as per USP/EP/JP/BP) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm
TMHV 109	MacCONKEY BROTH (as per USP/EP/JP/BP) (VEG.) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm
TMH 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) for selective isolation and enumeration of Staphylococcus species	111.02	100 gm 500 gm
TS 002	EGG YOLK EMULSION (100ml/vl) *		5 vl
TMHV 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.) for selective isolation and enumeration of Staphylococcus species	111.02	100 gm 500 gm 5 vl
TS 002	EGG YOLK EMULSION (100ml/vl) *		
TMH 105	POTATO DEXTROSE AGAR (as per USP/EP/JP/BP) for the cultivation of yeasts and moulds	39.00	100 gm 500 gm
TMH 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP) for selective enrichment & isolation of Salmonella species from pharmaceutical products	42.50	100 gm 500 gm
TMHV 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENTBROTH (as per USP/EP/JP/BP/IP) (VEG.) for For selective enrichment & isolation of Salmonella species from pharmaceutical products	42.50	100 gm 500 gm
TMH 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm

Harmonized Culture Media

Pharma Microbiological Testing Media (USP/JP/EP/BP)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMHV 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) (VEG.) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm
TMH 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm
TMHV 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) (VEG.) for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm
TMH 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TMHV 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) (VEG.) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TMH 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm
TMHV 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/) (VEG.) for cultivation of microorganisms sterility testing of molds and bacteria	40.00	100 gm 500 gm
TMH 102	SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm
TMHV 102	SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.) for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm
TMH 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm
TMHV 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) (VEG.) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm
TMH 117	VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP) for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm
TMH 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) for selective differentiation and enrichment medium of Salmonella and Shigella species	55.18	100 gm 500 gm
TMHV 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) (VEG.) for selective differentiation and enrichment medium of Salmonella and Shigella species	55.18	100 gm 500 gm

Sterile Dehydrated Culture Media (γ -Irradiated)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TSM 301	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of biological products	29.00	500 gm
TSM 022	ANTIBIOTIC ASSAY MEDIUM NO.11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) (as per USP) for microbiological assay of antibiotics	30.50	500 gm
TSM 039	BISMUTH SULPHITE AGAR for selective isolation and identification of Salmonellae from faeces, urine, sewage and other materials	52.33	500 gm
TSM 216	B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ LIVER EXTRACT) for mass cultivation of anaerobes for vaccine production	30.00	500 gm
TSM 308	DEXTROSE BROTH (Glucose Broth) for the isolation, cultivation and enumeration of wide variety of microorganisms	23.00	500 gm
TSM 371	EMB AGAR (LEVINE) for isolation, enumeration and differentiation of members of Enterobacteriaceae	37.50	500 gm
TSM 985	E.T. MEDIUM for production of Clostridia for enterotoxin production	39.00	500 gm

Sterile Dehydrated Culture Media

(γ -Irradiated)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TSM 2129	FILL TEST MEDIUM recommended for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	39.01	500 gm
TSMV 2129	FILL TEST MEDIUM (VEG.) recommended for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	39.01	500 gm
TSM 318	FLUID THIOGLYCOLLATE MEDIUM (as per USP) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	500 gm
TSM 298	H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) for large scale cultivation of bacteria for Vaccine production	25.00	500 gm
TSM 377	LURIA BROTH for cultivation and maintenance of recombinant strains of Escherichia coli	20.00	500 gm
TSM 406	LURIA BERTANI BROTH for cultivation and maintenance of recombinant strains of Escherichia coli	25.00	500 gm
TSM 349	MacCONKEY AGAR W/O CV, W/O.15% BILE SALTS for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	51.33	500 gm
TSMH 2228	MacCONKEY BROTH (as per USP/EP/JP/BP) for detection enumeration of coliform bacteria	34.51	500 gm
TSM 529	MacCONKEY BROTH W/ B.C.P. & NaCl for presumptive identification of coliforms from water, milk and foods etc	40.00	500 gm
TSM 350	NUTRIENT BROTH for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	13.00	500 gm
TSM 344	POTATO DEXTROSE AGAR for isolation and enumeration of yeasts and molds from dairy and other food products	39.00	500 gm
TSM 331	POTATO DEXTROSE BROTH for cultivation and enumeration of yeasts and molds	24.00	500 gm
TSM 387	SABOURAUD DEXTROSE AGAR for cultivation of yeasts, molds and aciduric microorganisms	65.00	500 gm
TSMH 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	500 gm
TSM 332	SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) for the evaluation of sterility in manufacturing processes	30.00	500 gm
TSMV 332	SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (VEG.) for the evaluation of sterility in manufacturing processes	30.00	500 gm
TSM 332K	SOYA CASEIN DIGEST MEDIUM WITH BCP Routine use media for multiplication of large number of microorganisms with indicator with addition of sugar can be used	30.01	500 gm
TSMH 332	SOYBEAN CASEIN DIGEST MEDIUM (as per USP/EP/JP/BP) for the evaluation of sterility in manufacturing processes	30.00	500 gm
TSMVH 332	SOYBEAN CASEIN DIGEST MEDIUM (as per USP/EP/JP/BP) (VEG.) for the evaluation of sterility in manufacturing processes	30.00	500 gm
TSMH 345	SOYA CASEIN DIGEST AGAR (as per USP/IP) general purpose medium used with or without blood for enrichment and isolation of various fastidious microorganisms	40.00	500 gm
TSMVH 345	SOYA CASEIN DIGEST AGAR (as per USP/IP) (VEG.) general purpose medium used with or without blood for enrichment and isolation of various fastidious microorganisms	40.00	500 gm
TSM 1938	SOYABEAN CASEIN DIGEST MEDIUM W/ MANNITOL, STERILE POWDER is γ irradiated sterile powder recommended for the evaluation of sterility in manufacturing process. It can also be used for cultivation of a wide variety of microorganisms	30.02	100 gm
TSM 420	STUART TRANSPORT MEDIUM for preservation and transport of Neisseria species and other fastidious organisms	14.10	500 gm
TSM 426	VIOLET RED BILE AGAR for isolation and enumeration of coli aerogenes in water, milk and other dairy food products	41.53	500 gm

β - LACTAMASE

β - Lactamase with Extended Spectrum

Inactivates Penicillins, Cephalosporins of first, second, third, fourth and fifth generation & Carbapenems

Effective for Environmental Monitoring in Antibiotic Manufacturing

β - LACTAMASE I

β - LACTAMASE II

β - LACTAMASE MIXTURE


Testing Sterility of Blood Culture.

Testing for contamination of Drugs by Antibiotics.

Sterility testing of Bulk Antibiotics.



Pack size : 1 Vial

CODE	PRODUCT NAME	PACK SIZE
TS 267	ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT) For the isolation of Enterohemorrhagic E. coli (EHEC). Recommended With : TM 2020	5 vI
TS 099	AEROMONAS SELECTIVE SUPPLEMENT for the selective isolation of Aeromonas species. Recommended With : TM 1136	5 vI
TS 178	ALBUMIN GLUCOSE SUPPLEMENT for rapid cultivation of Mycobacterium tuberculosis. Recommended With : TM 099	5 vI
TS 097	AMPICILLIN SUPPLEMENT for isolation of Aeromonas hydrophila from foods. Recommended With : TM 1074 / TM 1137	5 vI
TS 319	AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT for selective isolation and differentiation of Aeromonas species from water samples using membrane filter technique Recommended With : TM 1958, TM 1959	5 vI
TS 129	ANTHRACIS SELECTIVE SUPPLEMENT for selective isolation of Bacillus anthracis. Recommended With : TM 1271 / TM 2269	5 vI
TS 255	BACILLUS CEREUS SELECTIVE SUPPLEMENT for selective isolation of Bacillus species. Recommended With : TM 1885	5 vI
TS 100	BACTEROIDES SELECTIVE SUPPLEMENT for selective isolation of Bacteriodes species. Recommended With : TM 1144	5 vI
TS 281	BACILLUS SELECTIVE SUPPLEMENT recommended for the selective isolation of Bacillus species. Recommended With : TM 2110	5 vI
TS 211	BASIC FUCHSIN (6 g/vI) for standard test for lactose fermenting organisms. Recommended With : TM 373 / TMV 373	1 vI
TS 322	BCSA SELECTIVE SUPPLEMENT  For isolation of Burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens.	5 vI 25 vI
TS 261	β LACTAMASE I SUPPLEMENT (W/ >3000 UNITS/VIAL OF PENICILLINASE) for inactivation of penicillin group of antibiotics	1 vI
TS 262	β LACTAMASE II SUPPLEMENT (W/ > 50 β II UNITS/ VIAL) for inactivation of Penicillins and Cephalosporins of first, second, third, fourth & fifth generation and Carbopenems	1 vI
TS 263	β LACTAMASE MIXTURE SUPPLEMENT W/ (>500 β I UNITS/VIAL) & (>50 β II UNITS/VIAL) for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems.	1 vI
TS 263G	β LACTAMASE MIXTURE SUPPLEMENT (STERILE) W/ (>500 β I UNITS/VIAL) & (>50 β II UNITS/VIAL) for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems	1 vI
TS 264	β LACTAMASE MIXTURE SUPPLEMENT W/ 2 β II UNITS/MG & 20 β I UNITS/MG for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems.	1 vI
TS 179	BOLTON SELECTIVE SUPPLEMENT for selective isolation of Campylobacter species from foods. Recommended With : TM 1510	5 vI
TS 012	BORDETELLA SELECTIVE SUPPLEMENT for selective isolation of Bordetella pertussis. Recommended With : TM 044 / TM 1147 / TM 062 / TM 063	5 vI
TS 004	B.P. SULPHA SUPPLEMENT for suppression of growth and swarming of Proteus species. Recommended With : TM 358 / TMV 358	5 vI
TS 045	BROMO CRESOL PURPLE (15 mg/vI) for selective isolation and enumeration of faecal Streptococci. Recommended With : TM 136	5 vI

B Media Supplement*

CODE	PRODUCT NAME	PACK SIZE
TS 006	BRUCELLA SELECTIVE SUPPLEMENT for selective isolation of Brucella species from milk. Recommended With : TM 041 / TM 514 / TM 680 / TM 050 / TM 682 / TM 1513 / TM 071 / TM 1842 / TM 2011	5 vl 25 VL
TS 269	BROMO THYMOL BLUE SUPPLEMENT recommended for the selective cultivation of pathogenic fungi Recommended With : TM 090	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT for the enhancement of growth & aerotolerance of Campylobacter fetus. Recommended With : TM 041 / TM 071 / TMV 071 / TM 514 / TM 680 / TM 050 / TM 2044 / TM 2105 / TM 1842 / TM 2011	5 vl
TS 278	CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA recommended by FDA BAM for the selective isolation of Campylobacter species Recommended With : TM 2105	5 vl
TS 007	CAMPYLOBACTER SUPPLEMENT-I (Blaser Wang) for selective isolation of Campylobacter species. Recommended With : TM 041 / TM 056 / TM 071 / TMV 071 / TM 1842 / TM 2011 / TM 514 / TM 1157 / TM 2044	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT-II (Butzler) for selective isolation of Campylobacter species. Recommended With : TM 041 / TM 514 / TM 071 / TM 2011 // TMV 071 / TM 2044 / TM 1842	5 vl 25 vl
TS 009	CAMPYLOBACTER SUPPLEMENT-III (Skirrow) for selective isolation of Campylobacter species. Recommended With : TM 041 / TM 514 / TM 680 / TM 056 / TM 071 / TM 2044 / TM 1842 / TM 2011 / TMV 071	5 vl
TS 067	CAMPYLOBACTER SUPPLEMENT-IV (Preston) for isolation of Campylobacter species. Recommended With : TM 603 / TM 956 / TM 1590 / TMV 1590	5 vl
TS 102	CAMPYLOBACTER SUPPLEMENT V (BFCSA) for selective isolation of Campylobacter species. Recommended With : TM 1146	5 vl
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT for the selective isolation of Helicobacter pylori (Campylobacter pylori). Recommended With : TM 071 / TM 2044 / TMV 071	5 vl
TS 081	CAMPYLOBACTER SELECTIVE SUPPLEMENT (Wesley) for the selective isolation of Campylobacter species. Recommended With : TM 928	5 vl
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (Karmali) for isolating thermotolerant Campylobacter species. Recommended With : TM 1361 / TM 2112	5 vl 25 vl
TS 146	CAMPYLOBACTER SELECTIVE SUPPLEMENT (With Hemin) (Karmali) for isolating thermotolerant Campylobacter species. Recommended With : TM 1361	5 vl 25 vl
TS 027	CAMPYLOBACTER SUPPLEMENT-VI (Butzler) for selective isolation of thermotolerant Campylobacter species. Recommended With : TM 071 / TMV 071 // TM 2044	5 vl 25 vl
TS 103	CAT SELECTIVE SUPPLEMENT for selective isolation of thermophilic Campylobacter species. Recommended With : TM 1146	5 vl
TS 273	CATC SUPPLEMENT recommended for the selective isolation and detection of Enterococcus faecalis by means of TTC reduction Recommended With : TM 2041	5 vl
TS 104	C.B.I. SUPPLEMENT for the selective isolation of Clostridium botulinum. Recommended With : TM 1154	5 vl
TS 101	CCDA SELECTIVE SUPPLEMENT for the selective cultivation of Campylobacter species. Recommended With : TM 1145	5 vl


CODE	PRODUCT NAME	PACK SIZE
TS 275	CC SUPPLEMENT * recommended for the selective cultivation of pathogenic fungi Recommended With : TM 090	5 vl
TS 301	CEFIXIME SUPPLEMENT recommended for selective isolation of E.coli O157:H7 Recommended With : TM 2231	5 vl
TS 219	CEFOXITIN SUPPLEMENT for selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens. Recommended With : TM 1635 / TM 1561 / TM 1635	5 vl
TS 075	CETRINIX SUPPLEMENT for the selective isolation of Pseudomonas species. Recommended With : TM 626	5 vl 25 vl
TS 077	CFC SUPPLEMENT for the selective isolation of Pseudomonas species. Recommended With : TM 626	5 vl 25 vl
TS 053	CHLORAMPHENICAL SELECTIVE SUPPLEMENT for the selective isolation of yeasts and moulds. Recommended With : TM 563 / TM 667 / TM 982 / TMV 982 / TM 276	5 vl 25 vl
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT for selective isolation of Penicillium viridicatum and related species from foods. Recommended With : TM 1330 / TM 1584 / TM 2306 / TM 2319 / TM 2320 / TM 1951 / TM 2438	5 vl 25 vl
TS 213	CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT for isolation and identification of Candida species from mixed cultures. Recommended With : TM 1588	5 vl 25 vl
TS 282	CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT recommended for rapid and direct isolation and identification of Candida species from mixed cultures Recommended With : TM 2113	5 vl
TS 283	CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT for isolation & differentiation of colistin-resistant pathogens. Recommended With : TM 2117	5 vl
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT for selective isolation and detection of Escherichia coli O157:H7 from food samples. Recommended With : TM 1854 / TM 2123 / TM 2017	5 vl 25 vl
TS 313	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED for selective isolation and detection of Escherichia coli O157:H7 from food samples. Recommended With : TM 2441	5 vl
TS 187	CHROMOGENIC ECC SELECTIVE SUPPLEMENT for the selective isolation of Escherichia coli and coliforms from water and food samples. Recommended With : TM 1341	5 vl
TS 215	CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT for selective isolation and detection of Enterococcus faecium. Recommended With : TM 1632	5 vl
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT for the isolation, detection and enumeration of Listeria monocytogenes. Recommended With : TM 1845 / TM 004	5 vl
TS 204	CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT for the selective isolation of Klebsiella species from water and other sources. Recommended With : TM 1633	5 vl
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT for the isolation, detection and enumeration of Listeria monocytogenes. Recommended With : TM 1845 / TM 004 / TM 1634	5 vl
TS 206	CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT for the selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens. Recommended With : TM 1635	5 vl
TS 302	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED recommended for selective isolation of Penicillium viridicatum and related species from foods. Recommended With : TM 2232	5 vl

C Media Supplement*

CODE	PRODUCT NAME	PACK SIZE
TS 259	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED for selective isolation of <i>Penicillium viridicatum</i> and related species isolated from food, in accordance with FDA BAM, 2001, Chapter 18 Yeasts, Molds and Mycotoxins. Recommended With : TM 116	5 vl
TS 295	CHROMOGENIC SUPPLEMENT for the enumeration of faecal coliform by membrane filter technique Recommended With : TM 2186	5 vl
TS 253	CHROMOGENIC VRE AGAR SUPPLEMENT for selective isolation of Vancomycin Resistant Enterococci (VRE). Recommended With : TM 1907	5 vl
TS 298	CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT recommended for selective cultivation of Lactic acid bacteria from food Recommended With : TM 2217	5 vl
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT for selective isolation of <i>Clostridium difficile</i> . Recommended With : TM 068 / TM 2042	5 vl 25 vl
TS 274	CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT recommended for the selective isolation of <i>Clostridium difficile</i> Recommended With : TM 2043	5 vl
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT for selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 1826 / TM 2400	5 vl
TS 271	COLISTIN SELECTIVE SUPPLEMENT for selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 2027	5 vl
TS 141	CPC SUPPLEMENT for selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 1422	5 vl
TS 315	CYCLOSERINE – CEFOXITIN SUPPLEMENT for the isolation and presumptive identification of <i>Clostridium difficile</i> , a recognized cause of pseudomembranous (antimicrobial agent-associated) colitis Recommended With : TM 2446	5 vl
D TS 207	DMACA REAGENT (10 ml/vl) for enumeration and differentiation of enteric pathogens in urinary tract infections. Recommended With : TM 1639	1 vl
TS 028	DERMATO SUPPLEMENT for the determine the tryptophan-deaminase activity. Recommended With : TS 083	5 vl
TS 059	DIPHThERIA VIRULENCE SUPPLEMENT (Part A&B) (Double Pack) for isolation and presumptive identification of <i>Corynebacterium diphtheriae</i> . Recommended With : TS 450	1 vl
TS 135	DOYLE'S ANTIBIOTIC SUPPLEMENT for selective isolation of <i>Campylobacter</i> species. Recommended With : TM 987	5 vl 25 vl
E TS 287	ECC SELECTIVE SUPPLEMENT MODIFIED recommended for detection of <i>Escherichia coli</i> and other coliform. Recommended With : TM 2127	5 vl
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) for identification of <i>Staphylococci</i> . Recommended With : TM 1579 / TM 635 / TM 636 / TM 943 / TMV 358 / TM 1337 / TM 358 / TMV 358 / TMH 119	5 vl
TS 290	EGG YOLK EMULSION, 50% for use in various culture media in accordance with FDA BAM 1998. Recommended With : TM 2151, TM 2311	5 vl
TS 002	EGG YOLK EMULSION (100 ml/vl) for use in various culture media. Recommended With : TM 1120 / TM 358 / TM 1881 / TM 635 / TM 943 / TMV 358 / TM 1154 / TM 1886 / TM 724 / TM 1843 / TMV 615 / TM 197 / TM 206 / TMV 206 / TM 1206 / TM 1125 / TM 1207 / TM 1221 / TMV 197 / TM 197 / TM 210 / TMHV 114 / TMH 114	5 vl

CODE	PRODUCT NAME	PACK SIZE
TS 168	ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT for selective isolation and detection of of Enterococcus faecium. Recommended With : TM 1470	5 vl
TS 157	ENTEROCUCUS SELECTIVE SUPPLEMENT for enumeration of intestinal Enterococci from surface and waste water. Recommended With : TM 1388 / TM 2220	5 vl
TS 090	ESCULIN SUPPLEMENT (0.5g/vl) for detection of group D Streptococci by means of esculin hydrolysis. Recommended With : TM 037	5 vl
TS 033	FRASER ENRICHMENT SUPPLEMENT for isolation and enrichment of Listeria monocytogenes from food and environmental samples. Recommended With : TM 113	5 vl
TS 035	FRASER SELECTIVE SUPPLEMENT for selective isolation and enrichment of Listeria monocytogenes from food and environmental samples. Recommended With : TM 113 / TM 1472 / TM 1937 / TM 2092	5 vl
TS 034	FRASER SUPPLEMENT for selective isolation and enumeration of Listeria monocytogenes from food, animal feeds etc. Recommended With : TM 1472 / TM 1937 / TM 2092 / TM 2093	5 vl
TS 277	FRIIS SUPPLEMENT a selective supplement for detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia Recommended With : TM 2095	5 vl
TS 184	GBS SUPPLEMENT for selective isolation and presumptive identification of group B Streptococci. Recommended With : TM 1545	5 vl
TS 036	GC SUPPLEMENT W/ANTIBIOTICS for selective isolation and cultivation of pathogenic Neisseria. Recommended With : TM 116 / TMV 116 / TM 933	5 vl 25 vl
TS 056	G.N. SPORE ANAEROBIC SUPPLEMENT for the selective isolation of gram-negative anaerobes. Recommended With : TM 915 / TM 916	5 vl 25 vl
TS 299	GROWTH SUPPLEMENT I FOR MSM a growth supplement for the enrichment of Salmonella species Recommended With : TM 2218	5 vl
TS 300	GROWTH SUPPLEMENT II FOR MSM a growth supplement for the enrichment of Salmonella species Recommended With : TM 2218	5 vl
TS 109	GTC SUPPLEMENT for selective isolation of Enterococci. Recommended With : TM 1190	5 vl
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT for selective isolation of Gardnerella vaginalis . Recommended With : TM 071 / TMV 071 / TM 2044	5 vl
TS 217	GENTAMYCIN SUPPLEMENT for detection of Clostridium perfringens from pharma products. Recommended With : TM 701 / TMH 116 / TMHV 116	5 vl
TS 128	GENTA-OXY SELECTIVE SUPPLEMENT for selective isolation of Vancomycin Resistant Enterococci. Recommended With : TM 1061	5 vl 25 vl
TS 111	GEORGE KIMMIG SELECTIVE SUPPLEMENT for selective isolation and cultivation of fungi. Recommended With : TM 1211	5 vl
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT for selective cultivation of Mycobacteria. Recommended With : TM 375 / TMV 375 / TM 526 / TM 2167	5 vl

H Media Supplement*

CODE	PRODUCT NAME	PACK SIZE
TS 021	HEAMOGLOBIN POWDER for isolation of Neisseria spp. Recommended With : TM 064 / TM 116 / TMV 116 / TM 879 / TM 933 / TM 1105 / TM 2264	100 gm
TS 144	HAEMOPHILUS GROWTH SUPPLEMENT for cultivation of Haemophilus influenzae. Recommended With : TM 1352	5 vl
TS 014	HORSE SERUM (Store at 2 - 20°C) for isolation and cultivation of Mycoplasma or Trichomonas or Streptococcus species. Recommended With : TM 514 / TM / 680 / TM 050 / TM 1513 / TM 106 / TM 1544 / TM 1545 / TM 1366 / TM 106 / TM 1544 / TM 1545 / TM 1366 TM 106 / TM 768 / TM 1265 / TM 233 / TM 235 / TM 794 / TM 1266 / TM 1267 / TM 233 / TM 1308 / TM 1307	100 ml
K TS 068	KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT for selective isolation of Enterococci. Recommended With : TM 748 / TM 749	5 vl
TS 314	KANAMYCIN AND VANCOMYCIN SUPPLEMENT for the isolation and partial identification of obligately anaerobic gram-negative bacilli. LKV agar is useful for the rapid isolation of Prevotella species Recommended With : TM 2445	5 vl
TS 110	KIMMIG SELECTIVE SUPPLEMENT for selective isolation and cultivation of fungi. Recommended With : TM 1211	5 vl
TS 134	KL VIRULENCE ENRICHMENT (20 ml/vl) for cultivation and in-vitro toxicity testing of Corynebacterium diptheriae. Recommended With : TM 984	5 vl 25 vl
TS 257	KLEBSIELLA SELECTIVE SUPPLEMENT for selective isolation and easy detection of Klebsiella species from water and other sources. Recommended With : TM 582 / TM 2192	5 vl
L TS 227	L.MONO SELECTIVE SUPPLEMENT I for isolation of Listeria species. Recommended With : TM 1443 / TM 1806 / TM 2148	5 vl
TS 228	L.MONO SELECTIVE SUPPLEMENT II for isolation of Listeria species. Recommended With : TM 1443 / TM 1806	5 vl
TS 321	L. MONO ENRICHMENT SUPPLEMENT I  NEW for selective differentiation of Listeria monocytogenes from other Listeria species. Recommended With : TM 1443 / TM 1806	5 vl
TS 229	L.MONO ENRICHMENT SUPPLEMENT II (Store at 2 - 20°C) for selective differentiation of Listeria monocytogenes from other Listeria species. Recommended With : TM 1443 / TM 1806	5 vl
TS 161	LACHICA SUPPLEMENT for selective isolation of Aeromonas hydrophilla. Recommended With : TM 1369	1 vl
TS 049	10% LACTIC ACID SOLUTION (10ml/vl) for adjustment of acidic pH. Recommended With : TM 080 / TM 340 / TM 326 / TM 397 / TMV 204 / TM 204 / TM 205 / TM 114 / TM 115 / TM 398 / TMV 205 / TM 397	5 vl 25 vl
TS 069	LACTIC SUPPLEMENT (10ml/vl) for selective isolation of Lactic acid bacteria in beer and brewing processes. Recommended With : TM 752 / TM 753	5 vl
TS 308	LACTOBACILLI SUPPLEMENT recommended for the selective isolation of Lactobacilli from wine Recommended With : TM 2379	5 vl 25 vl
TS 154	LANDER VPT SUPPLEMENT A for selective enrichment and transport of Campylobacter spp. Recommended With : TM 1430	2 vl

Media Supplement* **L**

CODE	PRODUCT NAME	PACK SIZE
TS 160	LANDER AF SUPPLEMENT B for selective enrichment and transport of Campylobacter spp. Recommended With : TM 1430	1 vl
TS 294	LCN SUPPLEMENT used for the selective isolation of Mycobacterium from specimens containing mixed flora. Recommended With : TM 2168	5 vl 25 vl
TS 285	LECITHIN SOLUTION for based on PCPLC activity. Recommended With : TM 2124	5 vl
TS 044	LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) for enhancing growth of Legionella species. Recommended With : TM 760 / TM 759	5 vl
TS 195	LEGIONELLA GROWTH SUPPLEMEN W/O L-CYSTEINE for enhancing growth of Legionella species. Recommended With : TM 1218 / TM 2156	5 vl 25 vl
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT for selective isolation of Legionella species. Recommended With : TM 684 / TM 759	5 vl 25 vl
TS 016	LEGIONELLA SELECTIVE SUPPLEMENT-II for selective isolation of Legionella species from mixed cultures. Recommended With : TM 684	5 vl
TS 078	LEPTOSPIRA ENRICHMENT SUPPLEMENT (Double Pack) for cultivation of Leptospira species. Recommended With : TM 153	5 vl
TS 017	LEGIONELLA SELECTIVE SUPPLEMENT-III for selective isolation of Legionella species from mixed cultures. Recommended With : TM 684	5 vl
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT-IV (MWY) for selective isolation of Legionella species. Recommended With : TM 684 / TM 1894	5 vl
TS 019	LEGIONELLA SUPPLEMENT for enhanced growth of Legionella species. Recommended With : TM 684 / TM 1894 / TM 759	5 vl
TS 114	LEGIONELLA GROWTH SUPPLEMENT (BCYE) for enhancing growth of Legionella species. Recommended With : TM 1218 / TM 2156	5 vl
TS 114A	LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) for selective isolation of Legionella species. Recommended With : TM 1218 / TM 2156	5 vl
TS 115	LEGIONELLA (GVPC) SELECTIVE SUPPLEMENT for isolation of Legionella species. Recommended With : TM 1218 / TM 1894 / TM 2156	5 vl 25 vl
TS 116	LEGIONELLA BMPA SELECTIVE SUPPLEMENT for selective isolation of Legionella species. Recommended With : TM 1218 / TM 2156	5 vl 25 vl
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) * contains antibiotics, which are targeted to selective isolation and cultivation of Neisseria species in GC AGAR BASE. Recommended With : TM 116 / TMV 116	5 vl 25 vl
TS 147	LISTERIA SELECTIVE SUPPLEMENT A for isolation and enumeration of Listeria monocytogenes. Recommended With : TM 1375	5 vl
TS 148	LISTERIA CONFIRMATORY SUPPLEMENT B for isolation and enumeration of Listeria monocytogenes. Recommended With : TM 1375	5 vl
TS 149	LISTERIA ENRICHMENT SUPPLEMENT for isolation and enumeration of Listeria monocytogenes. Recommended With : TM 1375	5 vl
TS 121	LISTERIA MOXALACTAM SUPPLEMENT for selective isolation and cultivation of Listeria monocytogenes from food and environmental specimens. Recommended With : TM 1229	5 vl

L Media Supplement*

CODE	PRODUCT NAME	PACK SIZE
TS 292	LISTERIA MOXALACTAM SUPPLEMENT MODIFIED recommended for the selective isolation of Listeria species from food samples in accordance with FDA BAM,1998. Recommended With : TM 2162, TM 2163	5 vl
TS 092	LISTERIA SELECTIVE SUPPLEMENT-II for selective isolation and cultivation of Listeria monocytogenes. Recommended With : TM 1333 / TM 1444 / TM 761 / TMV 761	5 vl 25 vl
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) for the selective isolation and identification of Listeria monocytogenes. Recommended With : TM 1226 / TM 1227	5 vl 25 vl
TS 117	LISTERIA UVM SUPPLEMENT-I for selective isolation and cultivation of Listeria monocytogenes. Recommended With : TM 1225	5 vl
TS 118	LISTERIA UVM SUPPLEMENT-II for selective isolation and cultivation of Listeria monocytogenes from clinical specimens. Recommended With : TM 1225	5 vl
TS 289	LM SELECTIVE SUPPLEMENT recommended for presumptive enumeration of Listeria species. Recommended With : TM 2149	5 vl
M TS 231	MeReSa SELECTIVE SUPPLEMENT for selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens. Recommended With : TM 1561	5 vl
TS 318	M-CP SELECTIVE SUPPLEMENT I recommended for selective isolation of Clostridium perfringens Recommended With : TM 2130	5 vl
TS 320	M-CP SELECTIVE SUPPLEMENT II recommended for selective isolation of Clostridium perfringens Recommended With : TM 2130	5 vl
TS 317	M-CP SELECTIVE SUPPLEMENT, MODIFIED recommended for selective isolation of Clostridium perfringens Recommended With : TM 2130	5 vl
TS 297	M-PA SELECTIVE SUPPLEMENT recommended for selective isolation of Pseudomonas aeruginosa. Recommended With : TM 2197	5 vl
TS 096	MCBRIDE LISTERIA SUPPLEMENT for selective isolation of Listeria species. Recommended With : TM 905	5 vl
TS 216	MEROPENEM SUPPLEMENT for enrichment of Enterococci. Recommended With : TM 1643 / TM 1642	5 vl
TS 050	MIDDLEBROOK ADC GROWTH SUPPLEMENT for cultivation of Mycobacteria. Recommended With : TM 213	5 vl
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT for isolation and cultivation of Mycobacteria. Recommended With : TM 215 / TM 786 / TM 618 / TM 214 / TM 590	5 vl
TS 152	MKTT NOVOBIOCIN SUPPLEMENT for selective enrichment and isolation of Salmonellae. Recommended With : TM 1399	5 vl
TS 268	MODIFIED CFC SELECTIVE SUPPLEMENT for selective isolation of Pseudomonas species. Recommended With : TM 2023 / TM 2024	5 vl
TS 270	MODIFIED CPC SUPPLEMENT for selective isolation of Pseudomonas species. Recommended With : TM 2027	5 vl
TS 286	MODIFIED L.MONO SELECTIVE SUPPLEMENT for selective isolation of L.monocytogenes and Listeria species based on PCPLC activity. Recommended With : TM 2124	5 vl

CODE	PRODUCT NAME	PACK SIZE
TS 113	MOXALACTAM SUPPLEMENT for isolating and cultivating <i>Listeria monocytogenes</i> . Recommended With : TM 1213	5 vl
TS 123	MUELLER TELLURITE SERUM (25 ml/vl) for isolation, cultivation and differentiation of <i>Corynebacterium diphtheriae</i> . Recommended With : TM 1050	5 vl
TS 296	MUG SUPPLEMENT (50 MG PER VIAL) for measuring b - glucuronidase activity, for rapid and sensitive identification of <i>Escherichia coli</i> . Recommended With : TM 2186	5 vl
TS 124	MYCOPLASMA CULTIVATION SUPPLEMENT for isolation and cultivation of <i>Mycoplasma</i> . Recommended With : TM 1265	5 vl
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT for isolation of <i>Mycoplasma</i> . Recommended With : TM 233 / TM 794 / TM 235	5 vl 25 vl
TS 310	MYCOPLASMA SELECTIVE SUPPLEMENT supplement for the isolation of <i>Mycoplasma</i> . Recommended With : TM 2404 / TM 2405	5 vl
TS 249	MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT for selective cultivation of <i>Mycoplasma</i> associated with urogenital infections. Recommended With : TM 1267	5 vl 25 vl
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical specimens. Recommended With : TM 060 / TMV 060 / TM 2035	5 vl
TS 293	NAMC LISTERIA SELECTIVE SUPPLEMENT recommended for the selective enrichment of <i>Listeria</i> species from food. Recommended With : TM 2165	5 vl
TS 303	NEO ENRICHMENT SELECTIVE SUPPLEMENT recommended for the selective isolation of <i>Listeria</i> species from food samples in 24 hours. Recommended With : TM 2253	5 vl
TS 095	NEOMYCIN SUPPLEMENT for selective isolation of <i>Streptococcus</i> species. Recommended With : TM 927 / TM 1274	5 vl
TS 055	NON SPORE ANAEROBIC SUPPLEMENT for selective isolation or cultivation of nonsporing anaerobic bacteria. Recommended With : TM 915 / TM 916	5 vl
TS 051	NOVOBIOCIN SUPPLEMENT for presumptive identification of <i>Aeromonas hydrophila</i> . Recommended With : TM 1400 / TM 1127 / TM 546	5 vl 25 vl
TS 070	NOVOBIOCIN SELECTIVE SUPPLEMENT for the presumptive detection of <i>Salmonella</i> species in foods and feed materials. Recommended With : TM 770	5 vl
TS 304	OPFBL SELECTIVE SUPPLEMENT recommended for selective isolation of <i>Burkholderia cepacia</i> from clinical specimens as well as non-clinical samples Recommended With : TM 2262	5 vl
TS 062	OLEIC ALBUMIN SUPPLEMENT For cultivation of <i>Mycobacterium tuberculosis</i> . Recommended With : TM 100 / TM 720	5 vl 25 vl
TS 153	OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT for screening Oxacillin Resistant microorganisms. Recommended With : TM 1402	5 vl
TS 120	OXFORD LISTERIA SUPPLEMENT for selective isolation of <i>Listeria</i> species. Recommended With : TM 1229 / TM 2163	5 vl
TS 071	OXYTETRA SELECTIVE SUPPLEMENT for selective isolation and cultivation of yeasts and molds. Recommended With : TM 1198 / TM 799 / TM 1061 / TM 800	5 vl 25 vl

P Media Supplement*

CODE	PRODUCT NAME	PACK SIZE
TS 073	PARK AND SANDERS SELECTIVE SUPPLEMENT A for selective isolation and enumeration of thermotolerant Campylobacter species. Recommended With : TM 1335 / TM 1403 / TM 2274	5 vl
TS 074	PARK AND SANDERS SELECTIVE SUPPLEMENT B for selective isolation and enumeration of thermotolerant Campylobacter species. Recommended With : TM 1158 / TM 1335 / TM 1403 / TM 2274	5 vl
TS 254	PCP SUPPLEMENT for selective isolation and cultivation of Legionella species from cooling towers, clinical and other material. Recommended With : TM 1894	5 vl
TS 203	PEMBA SUPPLEMENT for selective cultivation of Bacillus cereus. Recommended With : TM 1587	5 vl 25 vl
TS 054	PERFRINGEN'S S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT) for selective isolation of Clostridium perfringens. Recommended With : TM 615 / TMV 615 / TM 846	5 vl 25 vl
TS 158	PERFRINGEN'S SUPPLEMENT-A for selective isolation of Clostridium perfringens. Recommended With : TM 808	5 vl 25 vl
TS 159	PERFRINGEN'S SUPPLEMENT-B for selective isolation of Clostridium perfringens. Recommended With : TM 808	5 vl 25 vl
TS 076	PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT) for the selective isolation of Clostridium perfringens. Recommended With : TM 615 / TMV 615 / TM 1826 / TM 809 / TM 902 / TM 2311 / TM 2400	5 vl 25 vl
TS 311	PIG SERUM for culturing of mycoplasmas and viruses Recommended With : TM 2404 / TM 2405	100 ml
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT for selective isolation of various microorganisms. Recommended With : TM 1120 / TM 1881 / TM 1523 / TM 1207 / TM 197 / TMV 197 / TM 1843 / TM 281 / TM 851 / TM 1848 / TM 1931 / TM 2221	5 vl 25 vl
TS 132	POTASSIUM CHLORATE SUPPLEMENT for selective enrichment of Yersinia enterocolitica. Recommended With : TM 1357	5 vl
TS 232	POTASSIUM LACTATE 50% (10ml/vl) for isolation and enumeration of wild yeast and pitching yeasts. Recommended With : TM 172 / TMV 172	5 vl
TS 137	POTASSIUM SORBATE 10% (10 ml/vl) for the detection and isolation of acid resistant yeasts, Zygosaccharomyces bailii and Zygosaccharomyces rouxii in salads, sauces and dressings Recommended With : TM 1329	5 vl
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) for selective isolation of Staphylococci and Corynebacteria. Recommended With : TM 358 / TMV 358 / TM 635 / TM 943 / TM 118 / TM 118A / TM 522	5 vl
TS 005	POTASSIUM TELLURITE 1% (1 ml /vl) for the selective isolation of Staphylococci and Corynebacteria. Recommended With : TM 636 / TM 670 / TM 411 / TM 707 / TM 1165 / TM 984 / TMV 221 / TM 1048 / TM 221 / TM 235 / TM 438 / TM 879 TM 439 / TM 1109 / TM 395 / TMV 395 / TM 1722 / TM 1820 / TM 2121 / TM 2420 / TMH 119	5 vl 25 vl
TS 139	PROPIONIBACTERIA GROWTH SUPPLEMENT for selective cultivation of Propionibacteria. Recommended With : TM 1331	5 vl

Media Supplement* **P**

CODE	PRODUCT NAME	PACK SIZE	
TS 170	PYR REAGENT (10 ml/vl) for detection of Pyrrolidonyl arylamidase enzyme activity of β -hemolytic Streptococci	1 vl	
TS 288	RAPID LISTERIA SELECTIVE SUPPLEMENT for selective enrichment of Listeria species from food samples Recommended With : TM 2128	5 vl	R
TS 176	RPF SUPPLEMENT (Fibrinogen plasma trypsin inhibitor Supplement) for isolation and enumeration of coagulase positive staphylococci from food and clinical samples. Recommended With : TM 358 / TM 1579 / TMV 358 / TM 2300	5 vl 25 vl	
TS 171	RIPPEY CABELLI SUPPLEMENT for cultivation of Aeromonas hydrophila. Recommended With : TM 1480	5 vl	
TS 048	ROSOLIC ACID (0.1 g/vl) for isolation of coliform bacteria. Recommended With : TM 178 / TMV 178 / TM 179 / TM 180	5 vl	
TS 305	S.T.A. SELECTIVE SUPPLEMENT recommended for the selective isolation of Brochothrix thermosphacta from meat products. Recommended With : TM 2315	5 vl 25 vl	S
TS 212	SALENRICH SELECTIVE SUPPLEMENT for two-step enrichment of sub-lethally injured Salmonellae from food and feeds. Recommended With : TM 1606	5 vl 25 vl	
TS 306	SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT recommended for Selective isolation and differentiation of Salmonella species from coliforms by chromogenic method. Recommended With : TM 2328	5 vl	
TS 252	SALMONELLA SELECTIVE SUPPLEMENT for isolation and identification of Salmonella spp. Recommended With : TM 1839	5 vl	
TS 307	SELECTIVE SUPPLEMENT FOR MRSA recommended for the selective detection of Methicillin Resistance Staphylococcus aureus from clinical specimens. Recommended With : TM 2332	5 vl 25 vl	
TS 167	SM SELECTIVE SUPPLEMENT for selective isolation and cultivation of Pseudomonas solanacearum. Recommended With : TM 1076	5 vl	
TS 054	S.F. P. SUPPLEMENT (Perfringens S.F.P. Supplement) for selective isolation of Clostridium perfringens. Recommended With : TM 615 / TMV 615 / TM 846	5 vl 25 vl	
TS 082	SHIGELLA SELECTIVE SUPPLEMENT for selective isolation of Shigella species. Recommended With : TM 857	5 vl	
TS 108	SODIUM BICARBONATE SOLUTION (20ml/vl) for selective isolation of Enterococcus species. Recommended With : TM 1190	5 vl	
TS 089	STAPH STREPTO SUPPLEMENT for selective isolation of Staphylococci and Streptococci. Recommended With : TM 071 / TMV 071 / TM 2044	5 vl	
TS 265	STERILE BETA LACTAMASE I SUPPLEMENT (READY TO USE) for inactivation of penicillin.	6vl	
TS 291	STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR recommended for growth of Legionella species. Recommended With : TM 2156	5 vl 25 vl	1645

S Media Supplement*

CODE	PRODUCT NAME	PACK SIZE
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT Recommended for the selective isolation and cultivation of Streptococci of medical and veterinary importance. Recommended With : TM 071 / TMV 071 / TM 2044	5 vl 25 vl
TS 011	STREPTO SUPPLEMENT for selective cultivation Streptococcs species. Recommended With : TM 041 / TM 071 / TM 1842 / TM 2011 / TM 2044	5 vl 25 vl
TS 013	SULPHA SUPPLEMENT for selective cultivation Salmonella species. Recommended With : TM 364 / TM 047 / TM 046 / TM 952 / TM 1512	5 vl
T TS 208	TDA REAGENT (10 ml/vl) for determination of tryptophan-deaminase activity. Recommended With : TM 1639	1 vl
TS 087	TELLURITE CEFIXIME SUPPLEMENT for isolation of Escherichia coli 0157:H7. Recommended With : TM 1393 / TM 1915	5 vl
TS 131	TICARCILLIN SUPPLEMENT for selective enrichment of Yersinia enterocolitica. Recommended With : TM 1357	5 vl
TS 063	TOLUIDINE BLUE (0.1 g/vl) for detection of deoxyribonuclease activity. Recommended With : TM 081	5 vl 25 vl
TS 080	TRIBUTYRIN (10ml/vl) for detection of lipolytic microorganisms. Recommended With : TM 885	5 vl
TS 251	TRICHODERMA HARZIANUM SELECTIVE SUPPLEMENT for selective isolation of Trichoderma harzianum. Recommended With : TM 1873	5 vl
TS 112	TRICHOMONAS SELECTIVE SUPPLEMENT I for selective isolation of Trichoderma species from clinical specimens. Recommended With : TM 1212	5 vl
TS 133	TRICHOMONAS SELECTIVE SUPPLEMENT II for selective isolation of Trichoderma species. Recommended With : TM 1307	5 vl
TS 042	TTC SOLUTION 1% (10 ml/vl) for detection of microbial growth by means of TTC reduction. Recommended With : TM 1151 / TM 136 / TM 747 / TM 138 / TM 751 / TM 139 / TMV 751 / TM 1251 / TM 388 / TM 226 / TM 1274 TM 440 / TMV 440 / TM 441 / TMV 441 / TM 1311	5 vl 25 vl
TS 309	TYCSB SUPPLEMENT recommended for the selective isolation of S.mutans. Recommended With : TM 2398	5 vl
U TS 030	UREA 40% (5 ml/vl) for detection of urease activity. Recommended With : TM 477 / TM 1196 / TM 1554 / TM 781 / TM 394 / TM 1851	5 vl 25 vl
TS 126	UREA SOLUTION 5% (5 ml/vl) for selective cultivation of Mycoplasma hominis and Ureaplasma urealyticum. Recommended With : TM 1267	5 vl 25 vl
V TS 043	VANCLO T SUPPLEMENT (Vancomycin - Colistin - Amphotericin - B Trimethoprim)for selective isolation of Neisseria species. Recommended With : TM 116 / TMV 116	5 vl 25 vl
TS 218	VANCOMYCIN SUPPLEMENT for isolation of Cronobacter sakazakii. Recommended With : TM 1642 / 2047	5 vl 25 vl

Media Supplement* **V**

CODE	PRODUCT NAME	PACK SIZE
TS 280	VANCOMYCIN SUPPLEMENT for isolation of Cronobacter sakazakii. Recommended With : TM 1829	5 vl
TS 038	V.C.N. SUPPLEMENT for selective isolation of Neisseria gonorrhoeae and Neisseria meningitidis. Recommended With : TM 116 / TMV 116 / TM 933 / TM 1105	5 vl 25 vl
TS 039	V.C.N.T. SUPPLEMENT for selective isolation of Neisseria gonorrhoeae and Neisseria meningitidis. Recommended With : TM 116 / TMV 116 / TM 933 / TM 1105	5 vl 25 vl
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) (Double pack) for cultivation of wide variety of microorganisms. Recommended With : TM 1267 / TM 879 / TM 933 / TM 1105 / TM 064 / TM 116 / TMV 116	5 vl 25 vl
TS 272	VITAMINO GROWTH SUPPLEMENT, MODIFIED for the isolation and cultivation of fastidious microorganisms, especially Neisseria and Haemophilus species, from a variety of clinical specimens. Recommended With : TM 2264	5 vl
TS 266	VITAMINS K1 SUPPLEMENT A vitamin growth supplement used for the isolation of anaerobic organisms. Recommended With : TM 1960	5 vl
TS 276	V.P. SUPPLEMENT for selective isolation & differentiation of Legionella species Recommended With : TM 983	5 vl
TS 098	WILLIS AND HOBBS'S SUPPLEMENT for isolation of Clostridium perfringens and Clostridium botulinum species from food. Recommended With : TM 1319	5 vl
TS 072	XLT4 SUPPLEMENT for isolation of non-typhi Salmonella. Recommended With : TM 493	5 vl
TS 023	YEAST AUTOLYSATE SUPPLEMENT for the cultivation of Neisseria species. Recommended With : TM 064 / TM 116 / TMV 116	5 vl 25 vl
TS 057	YERSINIA SELECTIVE SUPPLEMENT for selective isolation of Yersinia enterocolitica. Recommended With : TM 501 / TM 2439 / TM 2440	5 vl 25 vl
TS 312	YERSINIA SELECTIVE SUPPLEMENT - 2 for use, in selective isolation and enumeration of Yersinia enterocolitica from food samples, in accordance with FDA BAM, 1998 Recommended With : TM 2439	5 vl 25 vl

W
X
Y

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE
242 M	AGAR AGAR TYPE-I For General Purpose, Bacteriological Grade	100 gm 500 gm 5 Kg
1201	AGAR AGAR POWDER Bacteriological Grade	100 gm 500 gm
1202	AGAR AGAR POWDER Highly Purified	100 gm 500 gm
1203	AGAR AGAR POWDER (as per IP) Bacteriological Grade	100 gm 500 gm
1243	AGAR AGAR POWDER HIGH GEL At low temp. like NMT 38°C	100 gm 500 gm
1228	AGAR SPECIAL Equivalent to Agar Noble	100 gm 500 gm
3540	AGAR AGAR For Molecular Biology	100 gm 500 gm
1525	B. MEAT EXTRACT PASTE (Bovine) For General Purpose, Bacteriological Grade	500 gm 5 Kg
1204	B. MEAT EXTRACT POWDER (Type-I) (Bovine) For General Purpose, Bacteriological Grade	500 gm 5 Kg
1205 V	VEG. BE EXTRACT POWDER Culture Media Ingredient, Equivalent to Beef Extract Powder	500 gm
1205	B. MEAT EXTRACT POWDER (Bovine) For Microbiology	500 gm
1206	B. MEAT EXTRACT (STD) TBL POWDER (Bovine) Culture Media Ingredient	500 gm
1207	BILE SALT POWDER Culture Media Ingredient, Bacteriological Grade	100 gm 500 gm
1234	BILE SALT (STD) TBL POWDER Culture Media Ingredient	500 gm
1208	BILE SALT MIXTURE Equivalent to Bile Salt No.3	100 gm
1235	BILE SALT MIXTURE (STD) TBL POWDER Culture Media Ingredient	100 gm
1236 V	VEG. BIOPEPTONE Culture Media Ingredient, Equivalent to Biopeptone	500 gm
1236	BIOPEPTONE (MIXTURE OF CASEIN & MEAT PEPTONE) Used as Additional Enrichment of Microorganisms	500 gm
1238	BIO PEPTONE (STD) TBL POWDER Culture Media Ingredient	500 gm
1240 V	VEG. BH INFUSION POWDER Culture Media Ingredient, Equivalent to Brain Heart Infusion Powder	500 gm
1240	BRAIN HEART INFUSION POWDER Culture Media Ingredient used for Cultivation of Fastidious Microorganisms	500 gm

CODE	PRODUCT NAME	PACK SIZE
1262 V	VEG. CA HYDROLYSATE Culture Media Ingredient, Equivalent to Casein Acid Hydrolysate	500 gm
1262	CASEIN ACID HYDROLYSATE, (Technical) Culture Media Ingredient	500 gm
1230	CASEIN ACID HYDROLYSATE (STD) TBL POWDER Culture Media Ingredient	500 gm
1231	CASEIN ACID HYDROLYSATE Less than 3% NaCl	500 gm
1232	CASEIN ACID HYDROLYSATE Special for Pertussis Vaccine production	500 gm
1233	CASEIN ACID HYDROLYSATE (Vitamin Free) Culture Media Ingredient	500 gm
1501	CASITONE Peptic Digest Casein With Dipeptides and Tripeptides	500 gm
1512 V	VEG. CEH ENZYMATIC HYDROLYSATE (TYPE-I) Culture Media Ingredient, Equivalent to Casein Enzymatic Hydrolysate	500 gm
1512	CASEIN ENZYMATIC HYDROLYSATE (TYPE-I) (Tryptone TYPE-I) Tryptic Digest Casein With Dipeptides	500 gm
1513 V	VEG. CEH ENZYMATIC HYDROLYSATE (STD) TBL POWDER Culture Media Ingredient	100 gm 500 gm
1513	CASEIN ENZYMATIC HYDROLYSATE (STD) TBL POWDER Culture Media Ingredient	100 gm 500 gm
1580	COTTON SEED PEPTONE Bacteriological Grade	500 gm
1216	CORN MEAL EXTRACT POWDER Culture Media Ingredient	500 gm
4501	FISH PEPTONE Bacteriological Grade	500 gm
1210	GELATIN CRYSTAL, Bloom Type B Bacteriological Grade	500 gm
1502 V	VEG. GEL PEPTONE Culture Media Ingredient, Equivalent to Gelatin Peptone	500 gm
1502	GELATONE (Gelatin Peptone) Culture Media Ingredient	500 gm
3534	GELATONE (STD.) TBL POWDER Culture Media Ingredient	500 gm
4502	GLUTEN RICE HYDROLYSATE Culture Media Ingredient	500 gm
4503	GLUTEN MAIZE HYDROLYSATE Culture Media Ingredient	500 gm
1211	HAEMOGLOBIN POWDER Culture Media Supplement	100 gm

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE
1251 V	VEG. H INFUSION POWDER Culture Media Ingredient, Equivalent to Heart Infusion Powder	500 gm
1251	HEART INFUSION POWDER A Media Base for Cultivation of Fastidious Microorganisms	500 gm
1242 V	VEG. LB HYDROLYSATE Culture Media Ingredient, Equivalent to Lactalbumin Hydrolysate	500 gm
1242	LACTALBUMIN HYDROLYSATE Culture Media Ingredient with Sugar Amino Acids	500 gm
4504	LACTALBUMIN HYDROLYSATE TBL Rich in All Essential Amino Acids and Suitable for Vaccine Productions	500 gm
3535	LACTOSE (MONO) (Gamma Irradiated) Culture Media Ingredient	500 gm 5 Kg 50 Kg
4509	LACTOSE (MONO), Sterile (Gamma Irradiated) (Triple Pack) Culture Media Ingredient	500 gm 5 Kg 50 Kg
1297	LIVER EXTRACT PASTE Bacteriological Grade	500 gm
1212 V	VEG. Liv EXTRACT POWDER Culture Media Ingredient, Equivalent to Liver Extract Powder	500 gm
1212	LIVER EXTRACT POWDER Bacteriological Grade	500 gm
1241	LIVER EXTRACT POWDER (Protolysed) For Cultivation of Fastidious Anaerobes and Bulk Production of Vaccines, Steroids and Enzymes	500 gm
1239 V	VEG. Liv HYDROLYSATE POWDER Enzymatic Veg. Hydrolysate, Equivalent to Liver Hydrolysate Powder Used for Cultivation of Anaerobes	500 gm
1239	LIVER HYDROLYSATE POWDER Hydrolysis of Liver by Enzyme, Ingredients of Culture Media Used for Cultivation of Anaerobes	500 gm
1213 V	VEG. Liv INFUSION POWDER Equivalent to Liver Infusion Powder Suitable for Vaccine Production	500 gm
1213	LIVER INFUSION POWDER Suitable for Vaccine Production	500 gm
1298	MALT EXTRACT PASTE Bacteriological Grade	500 gm
1214	MALT EXTRACT POWDER Bacteriological Grade	500 gm
1215	MALT EXTRACT (STD) TBL POWDER Culture Media Ingredient	500 gm

CODE	PRODUCT NAME	PACK SIZE
3536	MALTOSE (Monohydrate)(Gamma Irradiated) Culture Media Ingredient	500 gm 5 Kg
4505	MALTOSE (Monohydrate) NRC GRADE for Vaccine Production	500 gm
3537	D-MANNITOL (Gamma Irradiated) Culture Media Ingredient	500 gm 5 Kg
1299	MEAT EXTRACT PASTE Bacteriological Grade	500 gm
4508	MEAT EXTRACT TYPE-I Bacteriological Grade	500 gm
1217 V	VEG. M EXTRACT POWDER Culture Media Ingredient, Equivalent to Meat Extract Powder	500 gm
1217	MEAT EXTRACT POWDER Culture Media Ingredient	500 gm
1218	MEAT EXTRACT (STD) TBL POWDER Culture Media Ingredient	500 gm
1219 V	VEG. M INFUSION POWDER Culture Media Ingredient, Equivalent to Meat Infusion Powder	500 gm
1219	MEAT INFUSION POWDER For Vaccine Production	500 gm
1504 V	VEG. MP PEPTONE Culture Media Ingredient, Equivalent to Meat Peptone	500 gm
1504	MEAT PEPTONE Culture Media Ingredient	500 gm
1259	MEAT PEPTONE-P Peptic Digest Animal Meat Tissue	500 gm
1260	MEAT PEPTONE-T Tryptic Digest Animal Meat Tissue	500 gm
1507 V	VEG. MYCO PEPTONE Culture Media Ingredient, Equivalent to Mycological Peptone	500 gm
1507	MYCOLOGICAL PEPTONE Suitable for Cultivation of Yeasts & Molds	500 gm
1518	MYCOLOGICAL PEPTONE (STD) TBL POWDER Culture Media Ingredient	500 gm
1524	OAT MEAL POWDER Culture Media Ingredient	500 gm
1220	OX BILE POWDER (DRIED) Bacteriological Grade, General Purpose, Culture Media Ingredient	100 gm 500 gm
4506	PEA PROTEIN HYDROLYSATE (PEA PEPTONE) Bacteriological Grade	500 gm
1527	PEPTONE PASTE Bacteriological Grade	500 gm 5 Kg

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE
1506	PEPTONE-R Regular Bacteriological Grade	500 gm 5 Kg
1578	PEPTONE-RG (Granular) Bacteriological Grade	500 gm 5 Kg
1505 V	VEG. PEPTONE-TBL Culture Media Ingredient, Equivalent to Peptone TBL	500 gm 5 Kg
1505	PEPTONE-TBL For Cultivation of Fastidious Microorganisms	500 gm 5 Kg
1519	PEPTONE (STD) TBL POWDER Culture Media Ingredient	500 gm
1508	PEPTONE SPECIAL Equivalent to Neopeptone	500 gm
1581	PEPTONE TYPE-III Bacteriological Grade	500 gm
1221 V	VEG. PM HYDROLYSATE Culture Media Ingredient, Equivalent Peptonized Milk	500 gm
1221	PEPTONIZED MILK Suitable for Lactobacilli, Yeast & Molds	500 gm
1509 V	VEG. PP PEPTONE Culture Media Ingredient, Equivalent to Proteose Peptone	500 gm 5 Kg
1509	PROTEOSE PEPTONE (Tryptic Digest Animal Tissue) Rich in Proteose's Peptides	500 gm 5 Kg
1523	PROTEOSE PEPTONE, (STD) TBL POWDER Culture Media Ingredient	500 gm
221 M	SODIUM CHOLATE (Cholic Acid Sodium) A selective inhibitory agent used in Culture Media	25 gm 100 gm
220 M	SODIUM DEOXYCHOLATE A selective inhibitory agent used in Culture Media	25 gm 100 gm
212 M	SODIUM TAUROCHOLATE A selective inhibitory agent used in Culture Media	100 gm 500 gm
1261	SODIUM TAUROGLYCOCHOLATE A selective inhibitory agent used in Culture Media	100 gm 500 gm
3543	SOLUBLE STARCH Culture Media Ingredient	500 gm
1528	SOYATONE - R (Soya Peptone - R) Bacteriological Grade	500 gm 5 Kg
3546	SOYATONE TYPE-I (Soya Peptone TYPE-I) Bacteriological Grade	500 gm 5 Kg
1510	SOYATONE (Soya Peptone) Peptic Digest of Soyabean Meal	500 gm 5 Kg
1511	SOYATONE (STD), TBL POWDER (Soya Peptone) Culture Media Ingredient	500 gm

CODE	PRODUCT NAME	PACK SIZE
1522	TRYPTONE - D Tryptic Digest Casein for Vaccine Production	500 gm
1520	TRYPTONE - T For Tetanus Toxin	500 gm
1529	TRYPTONE - R General purpose for Bacteriology	500 gm 5 Kg
1512 V	VEG. TRYPTONE (TYPE-I) Veg Enzymatic Digest with Dipeptides	500 gm
1512	TRYPTONE (TYPE-I) Tryptic enzymatic degest of casein with dipeptides	500 gm
1513 V	VEG. TRYPTONE (STD) TBL POWDER Culture Media Ingredient	100 gm 500 gm
1513	TRYPTONE (STD) TBL POWDER Culture Media Ingredient	100 gm 500 gm
1521 V	VEG. TRYP HYDROLYSATE Enzymatic Hydrolysate of Protein, that replace Meat Infusion	500 gm 5 Kg
1521	TRYPTOSE Enzymatic hydrolysate of Protein that Replace Meat Infusion	500 gm 5 Kg
1265	TRYPTOSE (STD) TBL POWDER To promote excellent growth of highly fastidious microorganisms	500 gm
1629	WHEAT PEPTONE Culture Media Ingredient	500 gm
1631	WHEAT EXTRACT TYPE-I Culture Media Ingredient	500 gm
1637	WHEAT EXTRACT TBL POWDER Culture Media Ingredient	500 gm
1300	YEAST AUTOLYSATE POWDER For Bacteriology	500 gm
1531	YEAST EXTRACT PASTE For Bacteriology	500 gm 5 Kg
1532	YEAST EXTRACT POWDER -R Bacteriological Grade	500 gm 5 Kg
1224	YEAST EXTRACT POWDER TYPE-I Bacteriological Grade	500 gm 5 Kg
1225	YEAST EXTRACT TBL POWDER Low salt content refined rich in B-group of Vitamins	500 gm 5 Kg
1264	YEAST EXTRACT (STD) TBL POWDER Culture Media Ingredient	500 gm
4141	YEAST EXTRACT (ULTRA PURIFIED) Culture Media Ingredient	500 gm 5 Kg
1628	YEAST PEPTONE Culture Media Ingredient	500 gm

READY-TO-USE MEDIA

Easy Microbiology solutions for all laboratories






- Meticulous packaging
- Favourably convenient
- Approved Quality
- Reliable growth formulations
- High reproducibility
- Proven Sterility
- Complies with Harmonized pharmacopeia (USP/IP/JP/EP/BP) & ISO regulations.

TM Media offers convenient and industry-tailored range of ready-to-use media that comes in a large variety of formats, formulations and sizes.

SUB-CATEGORIES	DESCRIPTION
Ready-To-Use Media Plates	For direct isolation with no time consuming preparation
Ready-To-Use Agar Media (Glass Bottle)	For detecting microorganisms from pharmaceutical, food, environmental or water testing samples
Ready-To-Use Broth Media (Glass Bottle)	For cultivation of microorganism from various samples
Ready-To-Use Liquid Medium (Tubes)	For direct enrichment and enumeration of microorganisms
Combo Sterility Kit	For complete sterility testing in accordance with USP/EP/JP/IP
Ready-To-Use Kits	For rapid detection of organisms
Ready-To-Use Slants (For Tuberculosis Tests)	For rapid diagnosis & treatment of Tuberculosis
Ready-To-Use Slants/Butts (Glass Tube)	For isolation of pure cultures with minimum risk of contamination
Blood Culturing System (Ready-To-Use Broth Media)	For detection & isolation of fastidious microorganisms from blood
Transport Swab with Medium (Disposable)	For easy transport and preservation of clinical specimens
Viral Transport Kit / Universal Transport Kit	For safe collection & transport of viral specimen. Recommended by CDC, WHO and ICMR for specimen collection of COVID 19.
Molecular Transport Kit	For the stabilization, transportation and inactivation of infectious viral agents


Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE
TMP 033	BAIRD PARKER AGAR PLATE For the isolation and enumeration of coagulase positive Staphylococci from food and clinical sample.	50 Plts
TMP 066	BURKHOLDERIA CEPACIA SELECTIVE AGAR (BCSA) (AS PER USP) For use in qualitative procedures for the selective and differential isolation of Burkholderia cepacia complex from respiratory secretions of patients with cystic fibrosis.	50 Plts
TMP 034	BLOOD AGAR PLATE W/ GENTAMICIN (5MCG/PLATE) * For selective isolation of <i>Streptococcus pneumoniae</i> .	20 Plts 50 Plts
TMP 001	BRAIN HEART INFUSION AGAR PLATE For cultivation of fastidious pathogenic bacteria, yeasts and molds.	50 Plts
TMP 035	BRAIN HEART INFUSION AGAR PLATE W/ BLOOD * For cultivation of fastidious pathogenic bacteria requiring blood for growth.	20 Plts 50 Plts
TMP 002	CETRIMIDE AGAR PLATE For selective isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical product and clinical specimens.	50 Plts
TMP 002GT	CETRIMIDE AGAR PLATE (γ- irradiated) (Triple Pack) For selective isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical product (as per USP/EP/BP/JP/IP) and clinical specimens.	50 Plts
TMP 020	CHOCOLATE AGAR PLATE * For isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i> .	20 Plts 50 Plts
TMP 1858	CHROMOGENIC COLIFORM AGAR PLATE * For determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	20 Plts 50 Plts
TMP 073T	Chromogenic E.Coli Agar Plate Triple Pack  for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filter or by indole reagent	20 Plts 50 Plts
TMP 1199	CHROMOGENIC UTI AGAR PLATE * For identification and confirmation of microorganisms causing urinary tract infections.	20 Plts 50 Plts
TMP 014	CLED AGAR W/ BROMOTHYMOL BLUE PLATE For isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	50 Plts
TMP 032GT	COLUMBIA AGAR PLATE (γ- irradiated) (Triple Pack) For the selection and subculture of <i>Clostridium</i> species in accordance with harmonized method of USP/EP/BP/JP/IP.	50 Plts
TMP 031	COLUMBIA 5% BLOOD AGAR PLATE For isolation and cultivation of fastidious organisms.	20 Plts 50 Plts
TMP 031A	COLUMBIA BLOOD AGAR W/10% Sheep Blood  For isolation and cultivation of fastidious organisms.	50 Plts
TMP 074	DEOXYCHOLATE CITRATE AGAR (DCA) AGAR PLATE  for selective isolation of enteric pathogens	50 Plts
TMP 003	DEY ENGLE Y NEUTRALIZING AGAR PLATE For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	50 Plts
TMP 003GT	DEY ENGLE Y NEUTRALIZING AGAR PLATE (γ- irradiated) (Triple Pack) For disinfectant testing, where neutralization agent is important for determining its bactericidal activity.	50 Plts
TMP 025	EMB AGAR, LEVINE PLATE For isolation, enumeration and differentiation of Enterobacteriaceae.	50 Plts
TMP 037	HEKTOEN ENTERIC AGAR PLATE For differential & selective isolation of Salmonella and Shigella from enteric pathological specimens.	50 Plts
TMP 004	LURIA BERTANI AGAR PLATE For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular studies, may be used for routine isolation, cultivation of not particularly fastidious microorganisms.	50 Plts
TMP 004A	LURIA BERTANI AGAR PLATE (w/100ug/ml Ampicillin) * For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular studies.	50 Plts























Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE
TMP 004 KI	LURIA BERTANI AGAR PLATE (w/100ug/ml Kanamycin & IPTG) * For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies.	50 Plts
TMP 004K	LURIA BERTANI AGAR PLATE (w/100ug/ml Kanamycin) * For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies.	50 Plts
TMP 004C	LURIA BERTANI AGAR PLATE (w/50ug/ml Chloramphenicol) For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies.	50 Plts
TMP 1898	MacCONKEY AGAR "TBL" For cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially <i>Enterococcus faecalis</i> within 18 hours.	50 Plts
TMP 015	MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl) For selective isolation and differentiation of coliform organisms and other enteric pathogens.	50 Plts
TMPH 015T	MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl) (Triple Pack) For selective isolation and differentiation of coliform organisms and other enteric bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP	50 Plts
TMP 016	MacCONKEY AGAR PLATE (W/O CV, NaCl W/ 0.5% SODIUM TAUROCHOLATE) For the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples.	50 Plts
TMP 072T	MALT EXTRACT AGAR PLATE Triple Pack  For detection, isolation and enumeration of yeasts and molds	50 Plts
TMP 021	MANNITOL SALT AGAR PLATE For selective isolation of pathogenic Staphylococci.	50 Plts
TMPH 021	MANNITOL SALT AGAR PLATE For selection and subculture of <i>Staphylococcus aureus</i> in accordance with harmonized method USP/EP/BP/JP/IP	50 Plts
TMPH 021T	MANNITOL SALT AGAR PLATE (Triple Pack) For selection and subculture of <i>Staphylococcus aureus</i> in accordance with harmonized method USP/EP/BP/JP/IP	50 Plts
TMP 005	MUELLER HINTON AGAR PLATE For determination of susceptibility of microorganisms to antimicrobial agents.	50 Plts
TMP 061	MUELLER HINTON AGAR PLATE W/ 5% SHEEP BLOOD For determination of susceptibility of <i>Streptococcus species</i> to antimicrobial agents	20 Plts 50 Plts
TMP 080	MUELLER HINTON AGAR NO. 2 + 5% SHEEP BLOOD  For testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby bauer technique.	20 Plts 50 Plts
TMP 006	NUTRIENT AGAR PLATE A general purpose medium used for cultivation of wide variety of microorganisms.	50 Plts
TMP 006GT	NUTRIENT AGAR PLATE (γ- irradiated) (Triple Pack) A general purpose medium used for cultivation of wide variety of microorganisms.	50 Plts
TMP 007	PLATE COUNT AGAR For determination of plate counts of microorganisms in food, water and waste water.	50 Plts
TMP 007GT	PLATE COUNT AGAR (γ- irradiated) (Triple Pack) For determination of plate counts of microorganisms in food, water and waste water.	50 Plts
TMP 008	POTATO DEXTROSE AGAR PLATE For the isolation and enumeration of yeasts & molds from water, dairy, other food products and clinical samples	50 Plts
TMPH 008	POTATO DEXTROSE AGAR PLATE For the subculture of fungi in accordance with harmonized method of USP/EP/BP/JP.	50 Plts
TMP 009	R-2A AGAR PLATE For heterotrophic plate count of treated potable water, using longer incubation period.	50 Plts
TMP 009G	R-2A AGAR PLATE (γ- irradiated) For heterotrophic plate count of treated potable water, using longer incubation period.	50 Plts



Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME		PACK SIZE
TMP 009GT	R-2A AGAR PLATE (γ- irradiated) (Triple Pack) For heterotrophic plate count of treated potable water, using longer incubation period.		50 Plts
TMP 010	SABOURAUD CHLORAMPHENICOL AGAR PLATE For selective cultivation of yeasts and moulds.	 	50 Plts
TMP 010G	SABOURAUD CHLORAMPHENICOL AGAR PLATE (γ- irradiated) For selective cultivation of yeasts and moulds.	 	50 Plts
TMP 010GT	SABOURAUD CHLORAMPHENICOL AGAR PLATE (γ- irradiated) (Triple Pack) For selective cultivation of yeasts and moulds.	 	50 Plts
TMP 039GT	SABOURAUD CHLORAMPHENICOL AGAR PLATE W/ β- LACTAMASE MIXTURE (25IU/PLATE) (γ- irradiated) (Triple Pack) A general purpose medium used for isolation of yeasts and mould and for inactivation of penicillins cephalosprins of first,second,third and fourth generation of penems.		50 Plts
TMP 011	SABOURAUD DEXTROSE AGAR PLATE For cultivation of yeast, moulds and aciduric microorganisms.		50 Plts
TMP 011G	SABOURAUD DEXTROSE AGAR PLATE (γ- irradiated) For cultivation of yeast, moulds and aciduric microorganisms.	 	50 Plts
TMP 011GT	SABOURAUD DEXTROSE AGAR PLATE (γ- irradiated) (Triple Pack) For the subculture of Candida albicans in accordance with harmonized method of USP/EP/BP/JP/IP.		50 Plts
TMP 040	SABOURAUD DEXTROSE AGAR PLATE W/ CYCLOHEXIMIDE For selective isolation of fungi.		50 Plts
TMP 041GT	SABOURAUD DEXTROSE AGAR PLATE W/ LECITHIN, POLYSORBATE 80 & β-LACTAMASE I (γ- irradiated) (Triple Pack) For isolation of yeast and moulds, for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of b-lactam antibiotics.		50 Plts
TMP 012	SOYBEAN CASEIN DIGEST AGAR PLATE For the subculture of aerobic organisms.		50 Plts
TMP 012G	SOYBEAN CASEIN DIGEST AGAR PLATE (γ- irradiated) For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.		50 Plts
TMP 012GT	SOYBEAN CASEIN DIGEST AGAR PLATE (γ- irradiated)(Triple Pack) For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.		50 Plts
TMP 042GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% Glycerine & 1% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		50 Plts
TMP 043GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.1% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For cultivation of wide variety of microorganisms.		50 Plts
TMP 044GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.05% TWEEN 80 (γ - irradiated) (Triple Pack) For cultivation of wide variety of microorganisms.		50 Plts
TMP 026GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL, (γ- irradiated) (Triple Pack) For cultivation of wide variety of microorganisms.		50 Plts
TMP 045GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.5% LECITHIN & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		50 Plts
TMP 027GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% LECITHIN & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		50 Plts
TMP 028GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 2% GLYCEROL (γ - irradiated) (Triple Pack) For cultivation of wide variety of microorganisms.		50 Plts


Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME		PACK SIZE
TMP 030GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 2% Polysorbate 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.		50 Plts
TMP 049GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE (γ - irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of b-lactam antibiotics.		50 Plts
TMP 050GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE II (γ - irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation.		50 Plts
TMP 051GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE MIXTURE (γ - irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.		50 Plts
TMP 052GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE MIXTURE (25 IU/PLATE) (γ - irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.		50 Plts
TMP 053GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β- LACTAMASE MIXTURE (γ - irradiated) (Triple Pack) Recommended for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.		50 Plts
TMP 054GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β- LACTAMASE II (γ - irradiated) (Triple Pack) For determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems.		50 Plts
TMP 055GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β- LACTAMASE (γ - irradiated) (Triple Pack) For determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β - lactam antibiotics.		50 Plts
TMP 056GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN AND 5 IU/PLATE β- LACTAMASE MIXTURE (γ - irradiated) (Triple Pack) For cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.		50 Plts
TMP 029GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers,equipments,surfaces,water miscible cosmetics etc.		50 Plts
TMP 013	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		50 Plts
TMP 013GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80) (γ- irradiated)(Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		50 Plts
TMPV 013GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (VEG.) [TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80 (VEG.)] (γ- irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		50 Plts
TMP 057GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LTHTH (γ- irradiated) (Triple Pack) For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobial or preservatives.		50 Plts
TMP 062GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (γ - irradiated) (Triple Pack) For determining the efficiency of sanitization of containers, equipment, surfaces, water-miscible cosmetics, etc.		50 Plts

Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE
TMP 070GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 4% GLYCEROL,0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (γ- irradiated) (Triple Pack)  for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 Plts
TMP 058	SALMONELLA SHIGELLA AGAR PLATE (SS AGAR PLATE) For differentiation and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens, suspected foodstuff etc.	50 Plts
TMP 017	SHEEP BLOOD AGAR PLATE * For cultivation of fastidious organisms and studying haemolytic reactions.	20 Plts 50 Plts
TMP 018	SHEEP BLOOD AGAR BASE, MODIFIED PLATE * For cultivation and studying haemolytic reaction of <i>Bacillus cereus</i> .	20 Plts 50 Plts
TMP 019	SHEEP BLOOD SOYABEAN CASEIN DIGEST AGAR PLATE * For cultivation of wide variety of microorganisms and studying haemolytic reactions.	20 Plts 50 Plts
TMP 022	TCBS AGAR PLATE For selective isolation of <i>Vibrio cholerae</i> and enteropathogenic Vibrios.	50 Plts
TMP 023	VOILET RED BILE GLUCOSE AGAR PLATE For selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy, food products.	50 Plts
TMPH 023	VOILET RED BILE GLUCOSE AGAR PLATE For selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	50 Plts
TMP 024	XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE For selective isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species.	50 Plts
TMPH 024	XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE For selective isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species with the harmonized method of USP/EP/BP/JP/IP.	50 Plts

Ready-To-Use Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE
TSP 001GT	CETRIMIDE AGAR PLATE (γ- irradiated) (Triple Pack) For the isolation and subculture of <i>Pseudomonas aeruginosa</i> in accordance with harmonized method of USP/EP/BP/JP/IP	100 Plts
TSP 002	DEY/ENGLY NEUTRALIZING AGAR PLATE For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	100 Plts
TSP 003GT	DEY/ENGLY NEUTRALIZING AGAR PLATE (γ- irradiated) (Triple Pack) For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	100 Plts
TSP 004G	POTATO DEXTROSE AGAR (γ- irradiated) For the subculture of fungi in accordance with harmonized method of USP/EP/BP/JP.	100 Plts
TSP 005G	SABORAUD CHLORAMPHENICOL AGAR PLATE (γ- irradiated) For selective cultivation of yeasts and moulds.	100 Plts
TSP 059GT	SABORAUD CHLORAMPHENICOL AGAR PLATE W/ β- LACTAMASE MIXTURE (γ - irradiated) (Triple Pack) A general purpose medium used for isolation of yeasts and mould and for inactivation of penicillins cephalosprins of first, second, third and fourth generation of penems.	100 Plts
TSP 060GT	SABORAUD DEXTROSE AGAR PLATE (γ - irradiated) (Triple Pack) For cultivation of yeast,molds and aciduric microorganisms.	100 Plts









Ready-To-Use Media

Ready-To-Use Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)









CODE	PRODUCT NAME		PACK SIZE
TSP 061GT	SABORAUD DEXTROSE AGAR PLATE W/ LECITHIN, POLYSORBATE 80 & β - LACTAMASE I (γ - irradiated) (Triple Pack) For isolation of yeast and moulds, for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β -lactam antibiotics.		100 Plts
TSP 006GT	SOYABEAN CASEIN DIGEST AGAR PLATE (γ - irradiated) (Triple Pack) For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.		100 Plts
TSP 007GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL (γ - irradiated) (Triple Pack) For cultivation of wide variety of microorganisms in accordance with harmonized method of USP/EP/BP/JP.		100 Plts
TSP 008GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80) (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		100 Plts
TSPV 008GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (Veg) [TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80 (Veg)] For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		100 Plts
TSP 009GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.5% LECITHIN & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.		100 Plts
TSP 010GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 2% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.		100 Plts
TSP 011GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		100 Plts
TSP 063GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL & 0.5% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For cultivation of wide variety of microorganisms.		100 Plts
TSP 012GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		100 Plts
TSP 064GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LTHTH (γ - irradiated) (Triple Pack) For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobial or preservatives.		100 Plts
TSP 065GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE AND 1%POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		100 Plts
TSP 066GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.05 % Tween 80 (γ - irradiated) (Triple Pack) Sterility test medium for cultivation of wide variety of microorganisms.		100 Plts
TSP 067GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE AND 1%POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		100 Plts
TSP 068GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% LECITHIN AND 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.		100 Plts
TSP 069GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.1% POLYSORBATE 80 (γ - irradiated) (Triple Pack) For cultivation of wide variety of microorganisms.		100 Plts
TSP 070G	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β - LACTAMASE (γ - irradiated) For cultivation of wide variety of organisms and for inactivation of β -lactam antibiotics.		100 Plts
TSP 070GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β - LACTAMASE (γ - irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of β -lactam antibiotics.		100 Plts
TSP 071GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β - LACTAMASE MIXTURE (γ - irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.		100 Plts

Ready-To-Use Media

Ready-To-Use Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME		PACK SIZE
TSP 072GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β- LACTAMASE II (γ - irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation.		100 Plts
TSP 073GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ TWEEN 80, SOYA LECITHIN & β - LACTAMASE MIXTURE (γ - irradiated) (Triple Pack) Recommended for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.		100 Plts
TSP 015GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (γ - irradiated) (Triple Pack) for determining the efficiency of sanitization of containers, equipment, surfaces, water-miscible cosmetics, etc.		100 Plts
TSP 074GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80 & β-LACTAMASE-II (γ - irradiated) (Triple Pack) For determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems.		100 Plts
TSP 075GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80 & β-LACTAMASE (γ - irradiated) (Triple Pack) For determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β - lactam antibiotics.		100 Plts
TSP 076GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN & 5IU/PLATE β-LACTAMASE MIXTURE (γ - irradiated) (Triple Pack) For dertermining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.		100 Plts
TSP 077GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ POLYSORBATE 80, GLYCEROL W/ 5IU OF β-LACTAMASE II & 50IU OF β-LACTAMASE 1/100 ML (γ - irradiated) (Triple Pack) For dertermining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.		100 Plts
TSP 078GT	TOTAL PLATE COUNT AGAR PLATE W/ -LACTAMASE (g - irradiated) (Triple Pack) For dertermining of plate counts of microorganisms in foods, water and wastewater and inactivation of b-lactam antibiotics.		100 Plts

Ready-To-Use Agar Media (Glass Bottle)

CODE	PRODUCT NAME		PACK SIZE
TRM 360	BLOOD AGAR BASE (INFUSION AGAR) W/O BLOOD for selective isolation of fastidious pathogenic microorganisms after addition of blood		100 ml x 25
TRM 361	BRAIN HEART INFUSION AGAR for cultivation of fastidious microorganisms like bacteria, yeasts and molds		100 ml x 25
TRM 405	C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) for isolation and differentiation of urinary pathogen by lactose fermentation		100 ml x 25
TRM 054	C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) for isolation and differentiation of microorganisms based on lactose fermentation		100 ml x 25
TRM 1199	CHROMOGENIC UTI AGAR * for presumptive identification of microorganisms mainly causing urinary tract infections		100 ml x 25
TRM 1858	CHROMOGENIC COLIFORM AGAR * For determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose		100 ml x 25
TRM 349	MacCONKEY AGAR W/O CV, W/ 0.15% BILE SALTS for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric pathogens		100 ml x 25
TRMH 110	MACCONKEY AGAR W/ 0.15% BILE SALTS, CV AND NAACL (USP/EP/BP/JP/IP) for the selection and subculture of <i>E.coli</i> in accordance with harmonized method		100 ml x 25

Ready-To-Use Media

Ready-To-Use Agar Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE
TRM 378	MacCONKEY AGAR W/ SODIUM TAUROCHOLATE W/O CV & NaCl for or selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food,water samples	100 ml x 25
TRM 339	MUELLER HINTON AGAR for cultivation of Neisseria and for determination of susceptibility of microorganisms	100 ml x 25
TRM 206	BRAIN HEART INFUSION AGAR for selective isolation of pathogenic staphylococci from clinical and non-clinical samples	100 ml x 25
TRMH 114	MANNITOL SALT AGAR (USP/EP/BP/JP/IP) for selective isolation of pathogenic staphylococci from pharmaceutical products in accordance with microbial limit test	100 ml x 25
TRM 341	NUTRIENT AGAR general purpose medium for cultivation of less fastidious microorganisms	100 ml x 25
TRM 544	PLATE COUNT AGAR (STANDARD PLATE AGAR) for determination of plate count of microorganisms in food, waste water and clinical samples	100 ml x 25
TRM 344	POTATO DEXTROSE AGAR for isolation and enumeration of yeast and moulds from clinical, dairy and other food products	100 ml x 25
TRMH 344	POTATO DEXTROSE AGAR (USP/EP/BP/JP/IP) for isolation and enumeration of yeast and moulds from clinical, dairy and other food products	100 ml x 25
TRM 269	R-2A AGAR for heterotrophic plate count of treated potable water using longer incubation time	100 ml x 25
TRM 622	SABOURAUD CHLORAMPHENICOL AGAR for selective isolation and cultivation of yeast and molds	100 ml x 25
TRM 387	SABOURAUD DEXTROSE AGAR for cultivation of yeast, molds and aciduric bacteria from clinical and non-clinical samples	100 ml x 25
TRMH 387	SABOURAUD DEXTROSE AGAR (USP/EP/JP/BP/IP) for cultivation of yeast,molds and aciduric bacteria from pharmaceutical products in accordance with microbial limit testing	100 ml x 25
TRMH 345	SOYA CASEIN DIGEST AGAR (USP/EP/JP/BP/IP) for cultivation of variety of microorganisms from pharmaceutical products accordance with harmonized method	100 ml x 25
TRM 1927	VIOLET RED GLUCOSE AGAR for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	100 ml x 25
TRMH 117	VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP) for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	100 ml x 25
TRM 492	XLD AGAR for selective isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species.	100 ml x 25

Ready-To-Use Broth Media (Glass Bottle)





For Food Testing

CODE	PRODUCT NAME	PACK SIZE
TMF 001	BUFFERED PEPTONE WATER For pre-enrichment of injured salmonella species prior to selective enrichment and isolation	225ml x 20

Ready-To-Use Media

Ready-To-Use Broth Media (Glass Bottle)

Sterility Test Media

CODE	PRODUCT NAME	PACK SIZE
TMKH 010	ALTERNATIVE THIOGLYCOLLATE MEDIUM (USP) For sterility testing of biological products	100ml x 25
TMKH 028PS	BUFFERED NaCl-PEPTONE SOLUTION, pH 7.8 (USP/EP/JP/BP/IP)  Dilution fluid for samples in case of microbiological contamination.	200ml x 25
TMKH 001	FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP) For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25 200ml x 20 500ml x 6
TMKH 001S 	FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP) For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25
TMKH 021	FLUID THIOGLYCOLLATE MEDIUM W/ 0.5% SOYA LECITHIN & 4%TWEEN 80 For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25
TMKH 023	SCDM W/ 0.5% SOYA LECITHIN & 1% TWEEN 80 For cultivation of wide variety of microorganisms and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25
TMKH 003	SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP) For the evaluation of sterility in manufacturing processes.	100ml x 25 200ml x 20 500ml x 6
TMKH 003S 	SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP) For the evaluation of sterility in manufacturing processes.	100ml x 25
TMKH 022	SOYA CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN & 4%TWEEN 80 For the evaluation of sterility in manufacturing processes.	100ml x 25
TMKH 026S 	SOYA CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN & 5% POLYSORBATE 80 For the evaluation of sterility in manufacturing processes.	100ml x 25

 200ml Bottle with Screw Cap.


Wash Solutions

CODE	PRODUCT NAME	PACK SIZE
TMKH 006	BUFFERED NaCl-PEPTONE SOLUTION, pH 7.0 (USP/EP/JP/BP/IP) Dilution fluid for samples in case of microbiological contamination.	100 ml x 25 500 ml x 6
TMKH 009	BUFFERED NaCl-PEPTONE SOLUTION, pH 7.0 W/ SOYA LECITHIN (USP/EP/JP/BP/IP) For the preparation of test suspension.	100 ml x 25
TMKH 004	DILUTING FLUID A (USP) Used as diluent for sterility testing of pharma products.	100ml x 25 500ml x 6
TMKH 011	DILUTING FLUID D (USP) Used as diluent for sterility testing of pharma products.	100ml x 25
TMKH 012	DILUTING FLUID K (USP) Used as diluent for sterility testing of pharma products.	100ml x 25
TMKH 013	PEPTONE WATER 0.1% Used as diluent for microbial enumeration purposes.	100ml x 25 500ml x 6
TMKH 013S	PEPTONE WATER 0.1% - Used as diluent for microbial enumeration purposes.	100ml x 25
TMKH 027	PHOSPHATE BUFFER pH 7.0 Used as a diluent.	100ml x 25
TMKH 014	STERILE SALINE 0.85% Used as a diluent.	100ml x 25 500ml x 6

Ready-To-Use Media

Ready-To-Use Broth Media (Glass Bottle)

Microbial Limit Test

CODE	PRODUCT NAME	PACK SIZE
TMKH 005	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (USP/EP/JP/BP/IP) For selective enrichment of Enterobacteriaceae.	100ml x 25 500ml x 6
TMKH 008	MacCONKEY BROTH (USP/EP/JP/BP/IP) For the selective enrichment of <i>Escherichia coli</i> in accordance with harmonized method.	100ml x 25 500ml x 6
TMKH 008S	MacCONKEY BROTH (USP/EP/JP/BP/IP)  For the selective enrichment of <i>Escherichia coli</i> in accordance with harmonized method.	100ml x 25
TMKH 015	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (USP/EP/JP/BP/IP) For selective enrichment of <i>Salmonella</i> species from pharmaceutical and clinical samples in accordance with harmonized method.	100ml x 25
TMKH 025	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) for isolation, cultivation and enumeration of <i>Clostridia</i> species, highly nutritive for <i>Clostridium sporogenes</i> and other anaerobes	100ml x 25
TMKH 007	SABOURAUD DEXTROSE BROTH (USP/EP/JP/BP/IP) For the enrichment of <i>Candida albicans</i> in accordance with harmonized method.	100ml x 25 500ml x 6

 200ml Bottle with Screw Cap.

Miscellaneous Use

CODE	PRODUCT NAME	PACK SIZE
TMK 016	GN BROTH, HAJNA For the selective enrichment of Gram negative organisms of the enteric group from clinical & non clinical sample	100ml x 25
TMK 017	0.1% PEPTONE WATER w/0.1% TWEEN 80 Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25
TMK 018	0.1% PEPTONE WATER w/0.5% SOYA LECITHIN AND 4% TWEEN 80 Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25
TMK 019	0.1% PEPTONE WATER w/0.5% SOYA LECITHIN AND 4% TWEEN 20 Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25

Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE
TMT 033	BRAIN HEART INFUSION BROTH For the cultivation of fastidious and nonfastidious microorganisms, including aerobic and anaerobic bacteria, from clinical and non-clinical specimens.	5ml x 25 5ml x 50
TMTH 001	BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION pH 7.0 (USP/EP/BP/JP/IP) For the preparation of test suspension in accordance with harmonized methods.	9ml x 25 9ml x 50 10ml x 25 10ml x 50
TMTH 002	BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION pH 7.0 W/0.05% POLYSORBATE 80 (USP/EP/BP/JP/IP) For the preparation of test suspension.	10ml x 25 10ml x 50
TMT 021	DEY ENGLE Y NEUTRALISING BROTH * For neutralising and testing antiseptics and disinfectants.	10ml x 25 10ml x 50









Ready-To-Use Media

Ready-To-Use Liquid Medium (Tubes)


CODE	PRODUCT NAME	PACK SIZE
TMT 015	DILUENT TSB WITH CAP 4 For total aerobic microbial, count of water soluble specimens to be tested in pharmaceuticals, cosmetic etc.	10ml x 25 10ml x 50
TMTH 003	ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL (USP/EP/BP/JP/IP) For the enrichment of bile tolerant organisms in accordance with the harmonized methods	10ml x 25 10ml x 50
TMTH 019	FLUID THIOGLYCOLLATE MEDIUM (USP/EP/BP/JP/IP) For sterility testing of biologicals and cultivation of aerobes and microphiles in accordance with harmonized method.	9ml x 25 9ml x 50 10ml x 25 10ml x 50
TMTH 022	GN BROTH (IP 2018) For enrichment of shigella from pharmaceutical products in accordance with Indian pharmacopoeia.	10ml x 25 10ml x 50
TMT 023	LURIA BERTANI BROTH For cultivation and maintained of recombinant strains of <i>E.coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms.	10ml x 25 10ml x 50
TMTH 024	MacCONKEY BROTH (USP/EP/BP/JP/IP) For selective enrichment of <i>Escherichia coli</i> in accordance with harmonized method.	10ml x 50
TMT 004	MR-VP MEDIUM To perform Methyl Red & Voges-Proskauer tests for enteric gram negative bacilli.	10ml x 25 10ml x 50
TMT 005	PEPTONE WATER All purpose growth medium and as a base of carbohydrate fermentation media.	10ml x 25 10ml x 50
TMTH 006	PHOSPHATE BUFFER pH 7.0 (USP) Used as a diluent.	9ml x 25 9ml x 50
TMT 007	PHOSPHATE BUFFER pH 7.2 (FDA BAM) Used as a diluent.	9ml x 25 9ml x 50
TMT 025	R2A BROTH For cultivation and maintenance of heterotropic bacteria from potable water.	10ml x 25 10ml x 50
TMT 008	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH For selective enrichment of <i>Salmonella</i> species from clinical samples.	10ml x 25 10ml x 50
TMTH 009	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (IP) For selective enrichment of <i>Salmonella</i> species as per Indian pharmacopoeia.	10ml x 25 10ml x 50
TMTH 010	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (USP/EP/BP/JP/IP) For selective enrichment of <i>Salmonella</i> species with harmonized pharmacopoeia.	10ml x 25 10ml x 50
TMT 026	REHYDRATION FLUID Recommended as diluting fluid for performing growth promotion test use with longer stability.	9ml x 25 9ml x 50
TMTH 027	SABOURAUD DEXTROSE BROTH (USP/EP/BP/JP/IP) For the enrichment of Clostridia from pharmaceutical products in accordance with the microbial limit testing by harmonized methods.	10ml x 25 10ml x 50
TMTH 011	SOYABEAN CASEIN DIGEST MEDIUM (USP/EP/BP/JP/IP) Sterility test media prepared in accordance with harmonized method.	9ml x 25 9ml x 50 10ml x 25 10ml x 50
TMTH 013	SOYBEAN CASEIN DIGEST MEDIUM W/ LTHTh for determining the efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics.	10ml x 25 10ml x 50
TMT 028	STERILE SALINE 0.85% Used as a diluent	10 ml x 50
TMT 014	STERILE SALINE 0.9% Used as a diluent	9ml x 50 10ml x 25 10ml x 50
TMT 029	STERILE SALINE 0.9% w/ 0.05% Tween 80 Used as a diluent	9ml x 50 10ml x 25
TMT 031	STERILE SALINE 0.9% w/ 0.05% Soya lecithin & 0.5% Polysorbate 80 Used as a diluent	10ml x 25

Ready-To-Use Media

Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE
TMT 016	TETRATHIONATE BROTH For selective isolation of Salmonellae from foods and other pathological materials.	 10ml x 25 10ml x 50
TMT 032	TRYPTONE BROTH W/ 10% NaCl Recommended for enumeration of <i>Staphylococcus aureus</i> .	10ml x 25
TMT 017	TRYPTOPHAN MEDIUM for detection of indole production	 10ml x 25 10ml x 50
TMT 030	TWEEN 80 Recommended as a surfactant and emulsifier.	10ml x 25
TMT 018	UREA INDOLE MEDIUM * for differentiation of microorganism especially Enterobacteriaceae on the basis of their ability to hydrolyze urea and indole production.	 10ml x 25 10ml x 50
TMT 012	UNIVERSAL TRANSPORT MEDIUM for collection and transport of clinical specimen for recovery of viral agents. Quantity: 3 ml medium in 10 to 15 ml self stand tube	 3ml x 50
TMT 034	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS for collection and transport of clinical specimen for recovery of viral agents. Quantity: 3 ml medium in 10 to 15 ml self stand tube	 3ml x 50
TMT 020	VIRAL TRANSPORT MEDIUM for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	 3ml x 50
TMT 035	VIRAL TRANSPORT MEDIUM W/ GLASS BEADS for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	 3ml x 50
TMT 036	UNIVERSAL TRANSPORT MEDIUM for collection and transport of clinical specimen for recovery of viral agents. Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	 1.3ml x 50
TMT 037	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS for collection and transport of clinical specimen for recovery of viral agents. Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	 1.3ml x 50
TMT 038	VIRAL TRANSPORT MEDIUM for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	 1.3ml x 50
TMT 039	VIRAL TRANSPORT MEDIUM W/ GLASS BEADS for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	 1.3ml x 50
TMT 040	MOLECULAR TRANSPORT MEDIUM (VIRAL LYSIS TRANSPORT MEDIUM) For the stabilization, transportation and inactivation of infectious viral agents. Quantity: 1.5 ml medium in 10 to 15 ml self stand tube	 1.5ml x 50

Combo Sterility Kit

CODE	PRODUCT NAME	PACK SIZE
TMCK 001	COMBO STERILITY KIT (USP/EP/JP/IP) Eash kit consists of 2 glass bottles (100ml) of Fluid Thioglycollate Medium (TMKH 001) and Soya Casein Digest Medium (TMKH 003).Recommended for all purpose.	 5 Kit 20 Kit

Ready-To-Use Media

Ready-To-Use Liquid Media (Tubes)

This Ready-To-Use liquid media tube is pre-measured, presterilized media ideal to be used with Filtration funnel and membrane Filtration funnel for detection and enumeration of microorganisms in water as well as product in pharmaceutical beverages and food processing industries.

CODE	PRODUCT NAME	PACK SIZE
TMA 001	MF-ENDO BROTH For Total Coliforms	20 Tubes 50 Tubes
TMA 002	M-FC BROTH For Fecal organism	20 Tubes 50 Tubes
TMA 003	M-FC WITH ROSOLIC ACID BROTH For Fecal organism	20 Tubes 50 Tubes
TMA 004	M-TGE BROTH For Total Bacteria	20 Tubes 50 Tubes
TMA 005	M-TGE WITH TTC INDICATOR BROTH For Total Bacteria	20 Tubes 50 Tubes
TMA 006	TRYPTICASE SOY BROTH - USP For Total Bacteria	20 Tubes 50 Tubes
TMA 007	KF-STREPTOCOCCAL BROTH For Total Bacteria	20 Tubes 50 Tubes
TMA 008	PSEUDOMONAS BROTH For Pseudomonas sp	20 Tubes 50 Tubes
TMA 009	M-GREEN YM BROTH For Yeast and Molds	20 Tubes 50 Tubes
TMA 010	ORANGE SERUM BROTH For Lactobacillus, Acid Resistant Bacteria	20 Tubes 50 Tubes
TMA 011	HPC MEDIA WITH TTC INDICATOR For Total Bacteria	20 Tubes 50 Tubes
TMA 012	R2A BROTH For Total Bacteria	20 Tubes 50 Tubes

Each tube contain 2-2.5 ml of media

Ready-To-Use Kits

CODE	PRODUCT NAME	PACK SIZE
TMK 07	H₂S TEST POWDER KIT (10 TEST) (1 pack contains: 10 bottles) for detection of Salmonella, Citrobacter and <i>E. coli</i> from water	1 Kit
TMK 06	H₂S TEST STRIP KIT (10 TEST) (1 pack contains: 10 bottles) for detection of Salmonella, Citrobacter and <i>E. coli</i> from water	1 Kit
TMK 02	PA E. COLI KIT (100 ml capacity & Dehydrated Culture Medium - 3X Concentration) for detection of presence and absence of coliform bacteria in water. Kit contains Sterile Bottle	10 Kit
TMK 03	RAPID COLIFORM KIT * for rapid detection and confirmation of <i>Escherichia coli</i> and other coliforms from water on the basis of enzyme substrate reaction	1 Kit
TMK 04	RAPID ENTEROCOCCI TEST KIT for rapid and easy identification & differentiation of Enterococci from water	1 Kit
TMK 05	SALT TESTING KIT Iodine Test Solution	10 Kit
TMK 01	WATER TESTING KIT (COLI-CHECK) for detection of Coliforms in potable water	1 Kit 10 Kit
TMK 08L	FOOD PATHOGEN DETECTION KIT for rapid detection of food pathogens such as <i>E. coli</i> , <i>E.coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium</i> species.	5 Kit 10 Kit
TMK 08S	FOOD PATHOGEN DETECTION KIT For rapid detection of food pathogens such as <i>E. coli</i> , <i>E.coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium</i> species..	5 Kit 10 Kit
TMK 08M	FOOD PATHOGEN DETECTION KIT For rapid detection of food pathogens such as <i>E. coli</i> , <i>E.coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium</i> species..	5 Kit 10 Kit

Ready-To-Use Media

Ready-To-Use Kits

CODE	PRODUCT NAME	PACK SIZE
TMK 09	H₂S TEST MEDIUM for the detection of <i>Salmonella</i> species and <i>Citrobacter</i> species from water samples.	1 Kit
TMK 10	SULPHATE REDUCING BACTERIA TEST KIT (1 pack contains: 10 bottles) for the detection of Sulphate Reducing Bacteria for testing 20 ml water sample.	1 Kit
TMK 11	SULPHATE REDUCING BACTERIA TEST KIT (1 pack contains: 10 bottles) for the detection of Sulphate Reducing Bacteria for testing 100 ml water sample.	1 Kit
TMK 12	WATER TEST KIT for rapid and simultaneous detection of <i>Salmonella species</i> , <i>E. coli</i> , <i>Citrobacter species</i> and <i>Vibrio species</i> . Kit includes Medium A, Medium B and two sterile bottles.	1 Kit
TMK 13	WATER TEST KIT (1 pack contains: 10 bottles) for primary detection of <i>Salmonella</i> , <i>Citrobacter</i> and <i>E. coli</i> based on H ₂ S production in glass bottles.	1 Kit
TMK 14	WATER TEST KIT (1 pack contains: 10 bottles) for primary detection of <i>Salmonella</i> , <i>Citrobacter</i> and <i>E. coli</i> based on H ₂ S production in plastic bottles.	1 Kit
TMK 15	SELECTIVE E. COLI TEST KIT for the rapid detection and confirmation of <i>E. coli</i> based on enzyme-substrate reaction from water samples.	1 Kit

Ready-To-Use Slants (For Tuberculosis Tests)

CODE	PRODUCT NAME	PACK SIZE
TMS 01	L.J. MEDIUM SLANT (10 Slants) * for cultivation of <i>Mycobacterium tuberculosis</i>	1 Kit
TMS 07	TUBERCULOSIS FIRST LINE KIT (7 Slants) * with five antitubular drugs (Isoniazide, Streptomycin, Ethambutol, Rifampicin, Pyrazinamide) +2 controls	1 Kit
TMS 08	TUBERCULOSIS SECOND LINE KIT (10 Slants) * with seven antitubular drugs (Kanamycin, Amikacin, Ethionamide, D-Cycloserine, Clarithromycin, Ciprofloxacin, p-Amino salicylic acid) + 3 controls	1 Kit

Ready-To-Use Slants / Butts (Glass Tube)

CODE	PRODUCT NAME	PACK SIZE
TMS 02	KLIGLER IRON AGAR SLANT (10 Slants) * for differential identification of Gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S Production	1 Kit
TMS 03	LYSINE IRON AGAR SLANT (10 Slants) * for detection of enteric organism especially <i>Salmonella arizonae</i> , based on their ability to decarboxylate or deaminate lysine and to form hydrogen sulphide (H ₂ S)	1 Kit
TMS 10	MIU MEDIUM (10 Butts) * for detection of motility, urease and indole production	1 Kit
TMS 04	MOTILITY INDOLE LYSINE IRON AGAR (10 Butts) * for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	1 Kit
TMS 11	SOYA CASEIN DIGEST AGAR SLANT (10 Slants) * General purpose medium used for enrichment, isolation of fastidious microorganisms and also for sterility testing.	1 Kit

Ready-To-Use Media

Ready-To-Use Slants / Butts (Glass Tube)

CODE	PRODUCT NAME	PACK SIZE
TMS 05	SIMMON'S CITRATE AGAR SLANT (10 Slants) * to differentiate gram-negative bacteria on the basis of citrate utilization	1 Kit
TMS 06	TRIPLE SUGAR IRON AGAR SLANT (10 Slants) * to differentiate gram-negative enteric bacilli based on carbohydrate fermentation	1 Kit
TMS 09	UREA AGAR SLANT (10 Slants) * to differentiate enterobacteriaceae on the basis of their ability to produce urease	1 Kit

Blood Culturing System

(Ready-To Use- Broth Media) (Aluminium-Capped Bottle)















CODE	PRODUCT NAME	PACK SIZE
TMK 362	BRAIN HEART INFUSION BROTH for detection of fastidious microorganisms in blood	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 362S	BHI SUPPLEMENTED W/ 0.05% SPS for detection of microorganisms associated with blood culture	25 ml x 10(Paediatric) 50 ml x 5 (Adult)
TMK 303	BILE BROTH BASE for cultivation of Enterobacteriaceae group	25 ml x 10(Paediatric) 50 ml x 5 (Adult)
TMK 319S	FLUID THIOGLYCOLLATE MEDIUM w/ 0.05% SPS for cultivation of aerobes, anaerobes and microaerophiles	25 ml x 10(Paediatric) 50 ml x 5 (Adult)
TMK 308S	GLUCOSE BROTH W/ 0.05% SPS (BLOOD CULTURE BOTTLE) for detection of microorganisms in blood	25 ml x 10(Paediatric) 50 ml x 5 (Adult)
TMK 374	HARTLEY DIGEST BROTH For isolation of various bacteria from blood especially Streptococci and <i>Corynebacterium diphtheriae</i>	25 ml x 10(Paediatric) 50 ml x 5 (Adult)
TMK 374S	HARTLEY DIGEST BROTH W/ 0.5% SPS For isolation of various bacteria from blood especially Streptococci and <i>Corynebacterium diphtheriae</i>	25 ml x 10(Paediatric) 50 ml x 5 (Adult)
TMK 350	NUTRIENT BROTH for general cultivation of microorganisms	25 ml x 10(Paediatric) 50 ml x 5 (Adult)
TMK 332	TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) for detection of microorganisms in blood	25 ml x 10(Paediatric) 50 ml x 5 (Adult)
TMK 332S	TRYPTONE SOYA BROTH W/ 0.05% SPS for detection of microorganisms in blood	25 ml x 10(Paediatric) 50 ml x 5 (Adult)

Transport Swab with Medium (Disposable)

CODE	PRODUCT NAME	PACK SIZE
THTS 001	STERILE SWABS W/0.85% SALINE for propagation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 No.
THTS 011	STERILE SWABS W/0.90% SALINE (NYLON SWAB) for propagation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 No.
THTS 415	TRANSPORT SWABS W/ CARY - BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL) for holding clinical specimens during collection, like, <i>Enterobacter aerogenes</i> , <i>Klebsiella pneumoniae</i> , <i>Neisseria meningitidis</i> , <i>Salmonella Typhimurium</i> , <i>Vibrio cholera</i> etc.	10 No.
THTS 715	TRANSPORT SWABS W/ DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) for transportation of microorganisms from sanitized surface.	10 No.

Ready-To-Use Media

Transport Swab with Medium (Disposable)

CODE	PRODUCT NAME		PACK SIZE
THTS 341	TRANSPORT SWABS W/ NUTRIENT AGAR for enumeration of Enterobacteriaceae		10 No.
THTS 420	TRANSPORT SWABS W/ STUART TRANSPORT MEDIUM for preservation and transport of <i>Neisseria</i> species and other fastidious organisms, like, <i>Haemophilus influenzae</i> , <i>Neisseria gonorrhoeae</i> , <i>Shigella flexneri</i> , <i>Streptococcus pneumoniae</i> etc.		10 No.
THTS 456	TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/O CHARCOAL for transportation and preservation of clinical samples like, <i>Neisseria gonorrhoeae</i> , <i>Shigella flexneri</i> , <i>Streptococcus pneumoniae</i> , <i>Salmonella Typhi</i> etc.		10 No.
THTS 009	TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/ CHARCOAL for transportation and preservation of microbiological samples		10 No.
THTS 010	TRANSPORT SWABS W/ BUFFERED PEPTONE SODIUM CHLORIDE 7.0 pH use for transport of specimen	 	10 No.
THTS 002	TRANSPORT SWABS W/ AMINES MEDIUM (A) with 1.0ml medium and one swab recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat.		50 No.
THTS 003	TRANSPORT SWABS W/ AMINES MEDIUM (B) with 1.0ml medium and two swabs recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat and MRSA Screening.		50 No.
THTS 004	TRANSPORT SWABS W/ AMINES MEDIUM (C) with 1.0ml medium and three swabs recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat and MRSA Screening and multiple body sides.		50 No.
THTS 005	TRANSPORT SWABS W/ AMINES MEDIUM (D) with 1.0ml medium and one swab recommended for collection and transport of aerobic, anaerobic and fastidious organisms from nasopharyngeal, paediatric and urogenital		50 No.
THTS 006	TRANSPORT SWAB W/ SOYABEAN CASEIN DIGEST MEDIUM W/ 6.5% NaCl with 2.0ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from nose, throat, axilla, perineum, groin for MRSA Screening		50 No.
THTS 007	TRANSPORT SWAB W/ SOYABEAN CASEIN DIGEST MEDIUM W/ 6.5% NaCl with 2.0ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from rectum.		50 No.
THTS 008	TRANSPORT SWAB W/ SELENITE MEDIUM (A) with 2.0ml Medium recommended for enrichment of enteric organisms from fecal specimens		50 No.
THTS 012	TRANSPORT SWAB W/ CARY BLAIR MEDIUM for recovery of aerobic, anaerobic and fastidious bacteria from faecal specimen.		50 No.

THTS 420
TRANSPORT SWABS
W/ STUART TRANSPORT
MEDIUM





VIRAL TRANSPORT KIT / UNIVERSAL TRANSPORT KIT

(Safe, Collect, Store, Transport)

Viability and virulence of sample always in check.
Maximizes sample yield and recovery.

Unique Formulation of Medium

- 3 ml is available in flat bottom stand tube to allow for testing flexibility.
- Capture cap on tubes eliminates the need for forceps to remove the swab and reduce the risk of contamination.
- Single formulation sustain viability for viruses, chlamydiae, mycoplasmas and ureaplasma.
- The pH is quenched with Buffer.
- Phenol red is used as a pH indicator ensures that medium is suitable for use at the time of specimen collection
- Already incorporated antibiotics (Vancomycin, Amphotericin B and Colistin) in the medium suppresses bacterial and fungal contamination.
- Cryoprotectant helps in preserving the viruses if samples are frozen for prolonged storage.



Sterile, Viscose tip swab



Sterile, Nasopharyngeal nylon flocked swab



Sterile, Oropharyngeal nylon flocked swab

Unique of Efficient Design of Swab

Peculiar design of the flocked swab ensures optimum elution of the specimen into the transport medium. Flexible shaft deliver better patient comfort. Throat swabs are available without breakpoint whereas flocked nylon swab has a breakpoint which allow the swab to be broken in to the tube. Packed individually in peel/tear to open pouch format.

Transportation of Sample

To maintain optimum viability, transport the specimen to the laboratory as soon as possible. Best recovery is obtained when specimens are refrigerated at 2-8°C or kept on wet ice following collection and while in transit. If there will be long delay before processing, it is suggested that specimen should be frozen at -70°C.

Storage & Shelf Life

The transport medium should be stored at 15-30°C before sample collection and 2-8°C after sample collection. Use before the expiry date.

Viral Transport Kit / Universal Transport Kit / Molecular Transport Kit

Viral Transport Kit

CODE	PRODUCT NAME	PACK SIZE
TMVT 001	VIRAL TRANSPORT KIT (Single Nylon Flocked Swab) w/3ml viral transport medium in 10-15 ml polypropylene tube and one sterile flocked nylon swab with breakpoint.	50 Nos.
TMVT 002	VIRAL TRANSPORT KIT (with Nasal and Throat Swab) w/3ml viral transport medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint.	50 Nos.
TMVT 003	VIRAL TRANSPORT KIT (Double Nylon Flocked Swab) w/3ml viral transport medium in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 Nos.
TMVT 009	VIRAL TRANSPORT KIT (Single Viscose Swab) w/3ml viral transport medium in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint	50 Nos.
TMVT 010	VIRAL TRANSPORT KIT (Nylon flocked and Polyester Swab) w/3ml viral transport medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint.	50 Nos.
TMVT 011	VIRAL TRANSPORT KIT (Single Polyester swab) w/3ml viral transport medium in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint.	50 Nos.
TMVT 006	VIRAL TRANSPORT KIT (Nylon Flocked Swab and Viscose Swab) W/ 1.3 ml viral transport medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint.	50 Nos.
TMVT 007	VIRAL TRANSPORT KIT (Double Nylon Flocked Swab) W/ 1.3 ml viral transport medium in 5-10 ml polystyrene tube with one sterile Nasopharyngeal and one sterile oropharyngeal nylon flocked swab with breakpoint.	50 Nos.
TMVT 008	VIRAL TRANSPORT KIT (Single Nylon Flocked Swab) W/ 1.3 ml viral transport medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint.	50 Nos.

Universal Transport Kit

CODE	PRODUCT NAME	PACK SIZE
TMUT 001	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Nylon Flocked Swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint	50 Nos.
TMUT 002	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nasal and Throat Swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint	50 Nos.
TMUT 003	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Double Nylon Flocked Swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 Nos.
TMUT 009	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Viscose swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint	50 Nos.
TMUT 010	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nylon flocked and Polyester swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint.	50 Nos.
TMUT 011	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Polyester swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint.	50 Nos.

Viral Transport Kit / Universal Transport Kit / Molecular Transport Kit

Universal Transport Kit

CODE	PRODUCT NAME	PACK SIZE
TMUT 006	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nylon Flocked Swab) W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint.	50 Nos.
TMUT 007	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Double Nylon Flocked Swab) W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml polypropylene tube with one sterile Nasopharyngeal and one sterile oropharyngeal nylon flocked swab with breakpoint	50 Nos.
TMUT 008	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Nylon Flocked Swab) W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml	50 Nos.

Molecular Transport Kit

CODE	PRODUCT NAME	PACK SIZE
MTM 001	MOLECULAR TRANSPORT KIT (Single Nylon Flocked Swab) w/3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint.	50 Nos.
MTM 002	MOLECULAR TRANSPORT KIT (Nasal and Throat Swab) w/ 3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint	50 Nos.
MTM 003	MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab) w/3ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polystyrene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 Nos.
MTM 009	MOLECULAR TRANSPORT KIT (Single Viscose Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint.	50 nos.
MTM 010	MOLECULAR TRANSPORT KIT (Nylon Flocked and Polyester Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint.	50 nos.
MTM 011	MOLECULAR TRANSPORT KIT (Single Polyester Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint.	50 nos.
MTM 006	MOLECULAR TRANSPORT KIT (Nasal and Throat Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint.	50 nos.
MTM 007	MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 nos.
MTM 008	MOLECULAR TRANSPORT KIT (Single Nylon Flocked Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint.	50 nos.

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 001	AMIKACIN	AK	30 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 011	CEFOPERAZONE	CS	75 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 003	AMOXICLAV (Amoxicillin / Clavulanic Acid)	AMC	30 mcg (20/10 mcg)	5 ct 1 B. set 1 vl 5 vl	TBD 012	CEFOTAXIME (CEPHOTAXIME)	CTX	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 004	AMPICILLIN	AMP	10 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 075	CEFOXITIN	CXN	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 005	AMPICILLIN / SULBACTAM	A/S	20 mcg (10/10 mcg)	5 ct 1 B. set 1 vl 5 vl	TBD 050	CEFPODOXIME	CPD	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 006	AZITHROMYCIN	AT	15 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 051	CEFPROZIL	CPR	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 046	AZTREONAM	AZT	30 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 014	CEFTAZIDIME	CAZ	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 047	CARBENICILLIN	CB	100 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 052	CEFTAZIDIME/ CLAVULANIC ACID	CAC	30/10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 007	CEFACTOR	CF	30 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 053	CEFTIZOXIME	CZX	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 009	CEFAZOLIN	CZ	30 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 013	CEFTRIAZONE	CTR	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 048	CEFDINIR	CDR	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 015	CEFUROXIME	CXM	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 049	CEFEPIME	CPM	30 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 016	CEPHALOTHIN	CEP	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 010	CEFIXIME	CFM	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 017	CHLORAMPHENICOL	C	30 mcg	5 ct 1 B. set 1 vl 5 vl
					TBD 018	CIPROFLOXACIN	CIP	5 mcg	5 ct 1 B. set 1 vl 5 vl

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 019	CLARITHROMYCIN	CL	15 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 060	GENTAMICIN	HLG	120 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 020	CLINDAMYCIN	CD	2 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 061	IMIPENEM	IPM	10 mcg	1 vl 5 vl
TBD 054	COLISTIN (METHANE SULPHATE)	CLM	10 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 026	KANAMYCIN	K	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 022	Co-TRIMOXAZOLE (Sulphamethoxazole / Trimethoprim)	COT	25 mcg (23.75/ 1.25 mcg)	5 ct 1 B. set 1 vl 5 vl	TBD 062	LEVOFLOXACIN	LE	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 023	DOXYCYCLINE HCl	DO	30 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 063	LINEZOLID	LZ	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 055	ERTAPENEM	ETP	10 mcg	1 vl 5 vl	TBD 027	LOMEFLOXACIN	LOM	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 024	ERYTHROMYCIN	E	15 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 028	MEROPENEM	MR	10 mcg	1 vl 5 vl
TBD 056	FAROPENEM	FAR	5 mcg	1 vl 5 vl	TBD 064	MINOCYCLINE	MI	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 057	FLUCONAZOLE (Antifungal)	FLC	25 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 065	MOXIFLOXACIN	MO	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 058	GATIFLOXACIN	GAT	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 029	NALIDIXIC ACID	NA	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 059	GEMIFLOXACIN	GEM	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 030	NETILLIN (Netimicin Sulphate)	NET	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 025	GENTAMICIN	GEN	10 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 031	NITROFURANTOIN	NIT	300 mcg	5 ct 1 B. set 1 vl 5 vl

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 032	NORFLOXACIN	NX	10 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 070	SPECTINOMYCIN	SPT	100 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 033	OFLOXACIN	OF	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 039	STREPTOMYCIN	S	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 066	OXACILLIN	OX	1 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 071	STREPTOMYCIN	HLS	300 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 067	PEFLOXACIN	PF	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 072	TEICOPLANIN	TEI	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 034	PENICILLIN-G	P	10 units	5 ct 1 B. set 1 vl 5 vl	TBD 040	TETRACYCLINE	TE	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 035	PIPERACILLIN	PC	100 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 073	TICARCILLIN	TI	75 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 068	PIPERACILLIN / TAZOBACTUM	PIT	100/10 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 041	TICARCILLIN/ CLAVULANIC ACID	TCC	75/2.5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 036	POLYMYXIN-B	PB	300 units	5 ct 1 B. set 1 vl 5 vl	TBD 042	TOBRAMYCIN	TOB	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 069	PRULIFLOXACIN (ULIFLOXACIN)	PRU	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 043	TRIMETHOPRIM	TR	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 037	RIFAMPICIN	R	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 044	VANCOMYCIN	VA	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 038	SPARFLOXACIN	SPX	5 mcg	5 ct 1 B. set 1 vl 5 vl	TBD 074	VORICONAZOLE (Antifungal)	VRC	1 mcg	5 ct 1 B. set 1 vl 5 vl

Antibiotic Sensitivity Discs *

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 002	AMOXICILLIN	AX	10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 008	CEFADROXIL (CEPHADROXIL)	CFR	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 045	AMOXICILLIN	AX	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 021	CLOXACILLIN	CX	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)												
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560	
TBD 001	AMIKACIN <i>Enterobacteriaceae, Paeruginosa, Acientobacter & Staphylococcus</i>	AK	30 mcg	17	15-16	14	19-26	20-26	18-26	-	-	-	-	-	-	-	-	-	
TBD 003	AMOXYCLAV (Amoxicillin/clavulanic) <i>Enterobacteriaceae, Staphylococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae</i>	AMC	(300 mcg)	18 20	14-17 -	13 19	18-24 -	28-36 -	- -	17-22 -	- -	- -	- -	15-23 -	- -	- -	- -	-	
TBD 004	AMPICILLIN <i>Enterobacteriaceae, Staphylococcus spp., Enterococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae, Streptococcus spp. beta haemolytic group</i>	AMP	10 mcg	17 29 17 22 24	14-16 - - 19-21 -	13 28 16 18 -	15-22 - - -	- 27-35 - -	- - -	6 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	30-36 -	
TBD 005	AMPICILLIN/SULBACTAM <i>Enterobacteriaceae, Acientobacter & Haemophilus influenzae & Haemophilus parainfluenzae</i>	A/S	10/10 mcg	15 20	12-14 -	11 19	19-24 -	29-37 -	- -	13-19 -	- -	- -	- -	14-22 -	- -	- -	- -	-	
TBD 006	AZITHROMYCIN <i>Staphylococcus S.pneumoniae, Streptococcus spp., Viridans group & Streptococcus spp. Beta haemolytic group, Haemophilus influenzae & Haemophilus parainfluenzae, Neisseria meningitidis, Salmonella Typhi</i>	AZM	15 mcg	18 12 20 13	14-17 - - -	13 - - -	- - - -	21-26 - - -	- - -	- - -	- -	- -	13-21 -	- -	- -	- -	19-25 -	- -	30-38 -
TBD 046	AZTREONAM <i>Enterobacteriaceae, Paeruginosa, haemophilus influenzae & Haemophilus parainfluenzae</i>	AT	30 mcg	21 22 26	18-20 16-21 -	17 15 -	28-36 -	- 23-29 -	- -	31-38 -	- -	- -	- -	- -	10-16 -	- -	- -	-	
TBD 047	CARBENICILLIN	CB	100 mcg	-	-	-	23-29	-	18-24	-	-	-	-	-	-	-	-	-	
TBD 007	CEFACLOR <i>Enterobacteriaceae, Staphylococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae</i>	CF	30 mcg	18 20	15-17 17-19	14 16	23-27 -	27-31 -	- -	- -	- -	- -	- -	25-31 -	- -	- -	- -	24-32 -	
TBD 009	CEFAZOLIN <i>Enterobacteriaceae (uncomplicated UTIs), Staphylococcus spp.</i>	CZ	30 mcg	23 15 18	20-22 -	19 14 14	21-27 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	
TBD 048	CEFDINIR <i>Enterobacteriaceae, Staphylococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae</i>	CDR	5 mcg	20 20	17-19 -	16 -	24-28 -	25-32 -	- -	- -	- -	- -	- -	40-49 24-31	- -	- -	26-31 -	-	
TBD 048	CEFAPIME <i>Enterobacteriaceae, Paeruginosa, Acientobacter, Haemophilus influenzae & haemophilus parainfluenzae, Neisseria gonorrhoeae, Streptococcus spp. Viridans group, Streptococcus spp. beta haemolytic group</i>	CPM	30 mcg	25 18 26 31 24 24	19-24 15-17 -	18 14 -	31-37 -	- 23-29 -	25-31 -	- -	- -	19-24 -	- -	25-31 -	- -	- -	26-31 -	37-46 28-35	
TBD010	CEFIXIME <i>Enterobacteriaceae, Haemophilus influenzae & Haemophilus parainfluenzae, Neisseria gonorrhoeae</i>	CFM	5 mcg	19 21 31	16-18 -	15 -	20-26 -	- -	- -	- -	- -	- -	25-33 -	- -	- -	- -	16-23 -	37-45	
TBD 011	CEFOPERAZONE <i>Enterobacteriaceae, Staphylococcus spp.</i>	CPZ	75 mcg	21	16-20	15	28-34	24-33	23-29	-	-	-	-	-	-	-	-	-	
TBD 012	CEFOTAXIME (CEPHOTAXIME) <i>Enterobacteriaceae, Acientobacter & Staphylococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae, Neisseria meningitidis, Neisseria gonorrhoeae, Streptococcus spp. Viridans group, Streptococcus spp. Beta haemolytic group</i>	CTX	30 mcg	26 23 26 34 31 28 24	23-25 15-22 -	22 14 -	29-35 -	- 25-31 -	- 18-22 -	- -	- -	- -	31-39 -	- -	- -	17-25 -	- -	38-48 31-39	
TBD 050	CEFDPOXIME <i>Enterobacteriaceae, Staphylococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae, Neisseria gonorrhoeae</i>	CPD	10 mcg	21 21 29	18-20 -	17 -	23-28 -	19-25 -	- -	- -	- -	- -	- 25-31	- -	9-16 -	- -	28-34 -	35-43	
TBD 051	CEFROZIL <i>Enterobacteriaceae, Staphylococcus, Haemophilus influenzae & Haemophilus parainfluenzae</i>	CPR	30 mcg	18	15-17	14	21-27	27-33	-	-	-	-	-	20-27	-	-	25-32	-	
TBD 014	CEFTAZIDIME <i>Enterobacteriaceae, B.cepacia, Paeruginosa, Acientobacter & Staphylococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae, Neisseria gonorrhoeae</i>	CAZ	30 mcg	21 18 26 31	18-20 15-17 -	17 14 -	25-32 -	- 16-20 -	- 22-29 -	- -	- -	- -	- 27-35	- -	10-18 -	- -	- -	35-43	
TBD 052	CEFTAZIDIME/CLAVULANIC ACID	CAC	30/10 mcg	22	19-21	19	23-29	-	-	-	-	-	-	-	-	-	-	-	

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)													
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560		
TBD 053	CEFTIOXIME Enterobacteriaceae Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae	CZX	30 mcg	25 26 38	22-24 - -	21 - -	30-36 - -	27-35 - -	12-17 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	28-34 - -	- - -		
TBD 013	CEFTRIAXONE Enterobacteriaceae Paeruginosa, Acientobacter & Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae Neisseria meningitidis Neisseria gonorrhoeae Streptococcus spp. Viridians group Streptococcus spp. Beta haemolytic group	CTR	30 mcg	23 21 26 34 35 27 24	20-22 14-20 - - - 25-26 -	19 13 - - - 24 -	29-35 - - - - - -	- - 22-28 - - -	17-23 - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	16-24 - -	- - -	- - -	- - -		
TBD 015	CEFUROXIME Enterobacteriaceae (Parental) Staphylococcus spp. Enterobacteriaceae (Oral) Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae	CXM	30 mcg	18 23 20 31	15-17 15-22 17-19 26-30	14 14 16 25	20-26 - -	27-35 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
TBD 016	CEPHALOTHIN	CEP	30 mcg	-	-	-	15-21	29-37	-	-	-	-	-	-	-	-	-	26-32	-	
TBD 017	CHLORAMPHENICOL Enterobacteriaceae, Staphylococcus & Enterococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae Neisseria meningitidis S.pneumoniae Streptococcus spp. Viridians group & Streptococcus spp. Beta haemolytic group	C	30 mcg	18 29 26 21 21	13-17 26-28 20-25 -	12 25 19 20 17	21-27 - -	19-26 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
TBD 018	CIPROFLOXACIN Enterobacteriaceae other than S.typhi & extraintestinal Salmonella spp., Acientobacter, Staphylococcus & Enterococcus spp. Paeruginosa For S.typhi and extraintestinal Salmonella spp. Haemophilus influenzae & Haemophilus parainfluenzae Neisseria meningitidis Neisseria gonorrhoeae	CIP	5 mcg	26 21 25 31 21 35 41	22-25 16-20 19-24 21-30 - 33-34 28-40	21 15 18 20 - 32 27	29-37 - -	- 22-30 25-33 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
TBD 019	CLARITHROMYCIN Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group	CLP	15 mcg	18 13 21	14-17 11-12 17-20	13 10 18	- -	26-32 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
TBD 020	CLINDAMYCIN Staphylococcus spp. S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group	CD	2 mcg	21 19	15-20 16-18	14 15	- -	24-30 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	19-25	-	
TBD 054	COLISTIN (METHANE SULPHONSTE) Paeruginosa	CL	10 mcg	-	-	-	11-17	-	11-17	-	-	-	-	-	-	-	-	-	-	
TBD 022	Co-TRIMOXAZOLE (Sulphamethoxazole) Enterobacteriaceae, Acientobacter, B.cepacia, S.maltophilia, staphylococcus, Haemophilus influenzae & Haemophilus parainfluenzae Neisseria meningitidis S.pneumoniae	COT	25 mcg (23.75/1.25mcg)	16 30 19	11-15 26-29 16-18	10 25 15	23-29 -	24-32 -	- -	- -	- -	- -	>=20 -	24-32 -	- -	- -	- -	- -	20-28	-
TBD 023	DOXYCYCLINE HCL Enterobacteriaceae Acientobacter Staphylococcus & Enterococcus spp. S.pneumoniae	DO	30 mcg	14 13 16 28	11-13 10-12 13-15 25-27	10 9 12 24	18-24 -	23-29 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	25-34	
TBD 055	ERTAPENEM Enterobacteriaceae Staphylococcus spp. Neisseria gonorrhoeae	ETP	10 mcg	22 19 19	19-21 16-18 -	18 15 -	29-36 -	- 24-31 -	13-21 -	- -	- -	- -	- -	27-33 -	- -	- -	- -	28-35 -	- -	
TBD 024	ERYTHROMYCIN Staphylococcus & Enterococcus spp. S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group	E	15 mcg	23 21	14-22 16-20	13 15	- -	22-30 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	25-30	
TBD 056	FAROPENEM Enterobacteriaceae	FAR	5 mcg	-	-	-	20-26	27-34	-	-	-	-	15-22	-	-	-	-	27-35	-	
TBD 058	GATIFLOXACIN Enterobacteriaceae, Paeruginosa, Acientobacter & Enterococcus spp. Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group	GAT	5 mcg	18 23 18 38 21	15-17 20-22 - 34-37 18-20	14 19 - 33 17	30-37 -	- 27-33 -	20-28 -	- -	- -	- -	- -	- -	33-41 -	- -	45-56 -	- -	24-31	

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)												
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560	
TBD 059	GEMIFLOXACIN <i>Enterobacteriaceae</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>S.pneumoniae</i>	GEM	5 mcg	20 18 23	16-19 - 20-22	15 - 19	29-36 - -	27-33 - -	19-25 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
TBD 025	GENTAMICIN <i>Enterococcus spp.</i>	HLG	120 mcg	10	7-9	6	-	-	-	-	-	16-23	-	-	-	-	-	-	
TBD 060	GENTAMICIN <i>Enterobacteriaceae, Paeruginosa, Acinetobacter</i> & <i>Staphylococcus spp.</i>	GEN	10 mcg	15	13-14	12	19-26	19-27	17-23	-	-	-	-	-	-	-	-	-	
TBD 061	IMIPENEM <i>Enterobacteriaceae</i> <i>Paeruginosa</i> <i>Staphylococcus spp.</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>Acinetobacter spp.</i>	IPM	10 mcg	23 19 16 22	20-22 16-18 - 19-21	19 15 - 18	26-32 - - -	- - - -	20-28 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	
TBD 026	KANAMYCIN <i>Enterobacteriaceae, Staphylococcus spp.</i>	K	30 mcg	18	14-17	13	17-25	19-26	-	-	-	-	-	-	-	-	-	-	
TBD 062	LEVOFLOXACIN <i>Enterobacteriaceae, S.Typhi, Paeruginosa, Acinetobacter spp., S.maltophilia, Enterococcus spp., S.pneumoniae, Streptococcus spp., Viridians group, Streptococcus spp. Beta haemolytic group</i> <i>Staphylococcus spp. Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i>	LE	5 mcg	21 22 17 19 17	17-20 15-21 14-16 16-18 -	16 14 13 15 -	29-37 - - 25-30 -	- - - 25-30 -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - 20-25 -	- - - -	
TBD 063	LINEZOLID <i>Staphylococcus spp. Enterococcus spp. Streptococcus group A, B, C & G Corynebacterium spp. S.pneumoniae</i>	LZ	30 mcg	21 23 21	- 21-22 -	20 20 -	- -	25-32 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	25-34 -	- -
TBD 027	LOMEFLOXACIN <i>Enterobacteriaceae, Paeruginosa & Staphylococcus spp. B.cepacia Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae</i>	LOM	10 mcg	22 22 38	19-21 - 27-37	18 - 26	27-33 -	23-29 -	22-28 -	- -	- -	- -	- -	- -	- -	- -	45-54 -	- -	- -
TBD 028	MEROPENEM <i>Enterobacteriaceae</i> <i>Paeruginosa</i> <i>Staphylococcus spp. B.cepacia Haemophilus influenzae & Haemophilus parainfluenzae Neisseria meningitidis Acinetobacter spp.</i>	MRP	10 mcg	23 19 16 20 20 30 18	20-22 16-18 14-15 16-19 - - 5-17	19 15 13 15 - - 14	28-35 -	- 27-33 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	28-35 -
TBD 064	MINOCYCLINE <i>Enterobacteriaceae, Acinetobacter B.cepacia, S.maltophilia, Staphylococcus & Enterococcus Neisseria meningitidis</i>	MI	30 mcg	16 19 26	13-15 15-18 -	12 14 -	19-25 -	25-30 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 065	MOXIFLOXACIN <i>Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae S.pneumoniae</i>	MO	5 mcg	24 18 18	21-23 - 15-17	20 - 14	28-35 -	28-35 -	17-25 -	- -	- -	- -	- -	31-39 -	- -	- -	- -	- -	25-31 -
TBD 029	NALIDIXIC ACID <i>Enterobacteriaceae</i>	NA	30 mcg	19	14-18	13	22-28	-	-	-	-	-	-	-	-	-	-	-	-
TBD 030	NETILIN (Netimicin Sulphate) <i>Enterobacteriaceae, Paeruginosa Staphylococcus spp.</i>	NET	30 mcg	15	13-14	12	22-30	22-31	17-23	-	-	-	-	-	-	-	-	-	-
TBD 031	NITROFURANTOIN <i>Enterobacteriaceae, Staphylococcus & Enterococcus spp.</i>	NIT	300 mcg	17	15-16	14	20-25	18-22	-	-	-	-	-	-	-	-	-	23-29	-
TBD 032	NORFLOXACIN <i>Enterobacteriaceae, Paeruginosa Staphylococcus & Enterococcus</i>	NX	10 mcg	17	13-16	12	28-35	17-28	22-29	-	-	-	-	-	-	-	-	15-21	-
TBD 033	OFLOXACIN <i>Enterobacteriaceae, Paeruginosa, S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group</i> <i>Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae</i>	OF	5 mcg	16 18 16 31	13-15 15-17 - 25-30	12 14 - 24	29-33 -	- 24-48	17-21 -	- -	- -	- -	- -	- -	- -	- -	43-51 -	16-21 -	- -
TBD 066	OXLOXACIN <i>Staphylococcus (S.pseudintermedius) S.pneumoniae</i>	OX	1 mcg	18 20	-	17	-	18-24	-	-	-	-	-	-	-	-	-	-	<=12° -
TBD 067	PEFLOXACIN <i>Enterobacteriaceae (S.Typhi)</i>	PF	5 mcg	24	-	23	25-33	-	-	-	-	-	-	-	-	-	-	-	-
TBD 034	PENICILLIN-G <i>Staphylococcus spp. Enterococcus spp. Neisseria gonorrhoeae Streptococcus spp. Beta haemolytic group</i>	P	10 units	29 15 47 24	- - 27-46 -	28 14 26 -	- -	26-37 -	- -	- -	- -	- -	- -	- -	- -	26-34 -	- -	24-30 -	- -

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)										
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619
TBD 035	PIPERACILLIN <i>Enterobacteriaceae & Acinetobacter spp. Paeruginosa</i>	PI	100 mcg	21 21	18-20 15-20	17 14	24-30 -	- -	- 25-33	12-18 -	- -	- -	- -	- -	- -	- -	- -
TBD 068	PIPERACILLIN/TOZOBACTAM <i>Enterobacteriaceae & Acinetobacter spp. Paeruginosa Haemophilus influenzae & Haemophilus parainfluenzae</i>	PIT	100/10 mcg	21 21 21	18-20 15-20 -	17 14 -	24-30 - -	27-36 - -	- 25-33 -	24-30 - -	- - -	- - -	- - 33-38	- - -	- - -	- - -	- - -
TBD 036	POLYMYXIN-B	PB	300 units	-	-	-	-	-	13-19	-	14-18	-	-	-	-	-	-
TBD 069	PRULIFLOXACIN (ULIFLOXACIN)	PRU	5 mcg	-	-	-	32-38	20-26	27-33	-	-	-	-	-	-	-	-
TBD 037	RIFAMPICIN <i>Staphylococcus, Enterococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae Neisseria meningitidis S.pneumoniae</i>	RIF	5 mcg	- 20 25 19	- 17-19 29-24 17-18	- 16 19 16	8-10 -	- 26-34 -	- -	- -	- -	- -	- 22-30 -	- -	- -	- -	- 25-30 -
TBD 038	SPARFLOXACIN <i>Enterobacteriaceae Staphylococcus, S.pneumoniae</i>	SPX	5 mcg	- 19	- 16-18	- 15	30-38 -	- 27-33	21-29 -	- -	- -	- -	32-40 -	- -	- -	43-51 -	- 21-27
TBD 070	SPECTINOMYCIN <i>Neisseria gonorrhoeae</i>	SPT	100 mcg	18	15-17	14	-	-	-	-	-	-	-	-	-	23-29	-
TBD 039	SPREPTOMYCIN <i>Enterococcus spp.</i>	S	10 mcg	15	12-14	1	12-20	14-22	-	-	-	-	-	-	-	-	-
TBD 071	STREPTOMYCIN <i>Enterobacteriaceae</i>	HLS	300 mcg	15	12-14	11	-	14-22	-	-	-	-	-	-	-	-	-
TBD 072	TEICoplanin <i>Enterococcus spp.</i>	TEI	30 mcg	14	11-13	10	-	15-21	-	-	-	-	-	-	-	-	-
TBD 040	TETRACYCLINE <i>Enterobacteriaceae, Acinetobacter Staphylococcus, Enterococcus & Neisseria meningitidis Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae S.pneumoniae, Streptococcus spp. Beta haemolytic group & Viridians group</i>	TE	30 mcg	15 19 29 38 28 23	12-14 15-18 26-28 31-37 25-27 19-22	11 14 25 30 24 18	18-25 -	- 24-30 -	- -	- -	- -	- -	14-22 -	- -	- -	30-42 -	- 27-31 -
TBD 073	TICARCILLIN	TI	75 mcg	-	-	-	24-30	-	21-27	6	-	-	-	-	-	-	-
TBD 041	TICARCILLIN/CLAVULANIC ACID <i>Enterobacteriaceae & Acinetobacter Paeruginosa Staphylococcus spp.</i>	TCC	75/10 mcg	20 24 23	15-19 16-23 -	14 15 22	24-30 -	- 20-28 29-37	- -	21-25 -	- -	- -	- -	- -	- -	- -	- -
TBD 042	TOBRAMYCIN <i>Enterobacteriaceae, Paeruginosa, Acinetobacter & Staphylococcus spp.</i>	TOB	10 mcg	15	13-14	12	18-26	19-29	20-26	-	-	-	-	-	-	-	-
TBD 043	TRIMETHOPRIM <i>Enterobacteriaceae, Staphylococcus</i>	TR	5 mcg	16	11-15	10	19-26	-	-	-	-	-	-	-	-	-	-
TBD 044	VANCOMYCIN <i>Enterococcus spp. S.pneumoniae, Streptococcus spp. Beta haemolytic group & Strptococcus spp. Viridians</i>	VA	30 mcg	- 17 17	- 15-16 -	- 14 -	- -	17-21 -	- -	- -	- -	- -	- -	- -	- -	- -	- 20-27 -

ZONE SIZE INTERPRETATIVE CHART FOR ANTIFUNGAL AGENT										
CODE	ANTIFUNGAL AGENT	SYMBOL	DISC CONTENT	ZONE DIAMETER, NEAREST WHOLE (mm)			QUALITY CONTROL LIMITS (mm)			
				RESISTANT mm or less	S-DD*	susceptible mm or more	Calbicans ATCC 90028	C.parapsilosis ATCC 22019	C.tropicalis ATCC 750	C.krusei ATCC 6258
TBD 057	FLUCONAZOLE	FLC	25 mcg	14	15-18	19	28-39	22-33	26-37	-
TBD 074	VORICONAZOLE	VRC	1 mcg	13	14-16	17	31-42	28-37	-	16-25

- Zone size interpretative criteria is per as CLSI standard.
- For E.coli, S aureus, P.aeruginosa: Mueller Hinton agar (MHA). For Haemophilus spp.: Haemophilus Test Medium;
- For S.pneumoniae: mueller Hinton Agar with 5% sheep blood; For N.gonorrhoeae: GC Agar Base with 1% defined growth supplement.

Differentiation Discs

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 046	BACITRACIN DISCS for identification of Streptococcus pyogenes	50 Discs/vl	125	TBL 028	NITRATE REAGENT DISCS (Double Pack) For detection of nitrate reduction Part I : Discs Part II (a) : Reagent A Part II (b) : Reagent B	50 Discs/vl 2.5 ml/vl 2.5 ml/vl	350
TBL 021	BILE ESCULIN DISCS For detection of esculin hydrolysis in the presence of bile	50 Discs/vl	350	TBL 029	ONPG DISCS Testing for ONPG	50 Discs/vl	350
TBL 022	DMACA INDOLE DISCS For indole testing	50 Discs/vl	350	TBL 030	OXIDASE DISCS For detection of oxidase production by microorganisms	50 Discs/vl	220
TBL 027	NITRATE DISCS Substrate for nitrate reduction	50 Discs/vl	350	TBL 056	STERILE DISCS	50 Discs/vl	130

Differentiation Test Strips

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 023	KOVAC'S REAGENT STRIPS* For indole testing	25 Strips /1 vl	190	TBL 024	LEAD ACETATE PAPER STRIPS* For detection of H ₂ S production	25 Strips /1 vl	190

* Storage temperature for all the above mentioned discs is between 2 to 8°C.

* For long storage purposes use, store at (-20°C).



+91-9999-1687-70



marketing@titanbiotechltd.com



www.tmmedia.in



Staining and Indicator Solution

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 041	ACID FAST DECOLOURIZER	125 ml 500 ml		TBL 092	LEISHMAN'S STAIN (Twin Pack)	250 ml 500 ml	
TBL 090	BASIC FUCHSIN 0.1%	125 ml 500 ml		TBL 093	LEISHMAN STAIN SOLUTION	250 ml	
TBL 025	GRAM'S CRYSTAL VIOLET Bacteriological Stain	125 ml 500 ml		TBL 051	LITMUS BLUE SOLUTION	125 ml 500 ml	
TBL 032	GRAM'S DECOLOURIZER	125 ml 500 ml		TBL 052	LITMUS RED SOLUTION	125 ml 500 ml	
TBL 034	GRAM'S IODINE Bacteriological Mordant	125 ml 500 ml		TBL 019	LOEFFLER'S METHYLENE BLUE	125 ml 500 ml	
TBL 026	GRAM'S SAFRANINE Counter Stain for Bacteria	125 ml 500 ml		TBL 035	LUGOL'S IODINE	125 ml 500 ml	
TBL 016	GIEMSA'S STAIN SOLUTION	100 ml 500 ml		TBL 094	NEISSER'S METHYLENE BLUE	100 ml	
TBL 008	HAEMATOXYLIN STAIN (Delafield) For nuclear staining in histology and cytology.	125 ml 500 ml		TBL 089	NEUTRAL RED	125 ml	
TBL 042	HARRIS HAEMATOXYLIN (Papanicolaou's Solution 1) Cytological Stain	125 ml 500 ml		TBL 039	PAPANICOLAOU'S-EA-36	125 ml 500 ml	
TBL 053	JSB STAIN SOLUTION NO. 1	125 ml		TBL 055	PAPANICOLAOU'S EA-50 (Papanicolaous 3b)	125 ml 500 ml	
TBL 054	JSB STAIN SOLUTION NO. 2	125 ml		TBL 049	PAPANICOLAOU'S EA-65	125 ml 500 ml	
TBL 033	LACTOPHENOL COTTON BLUE	100 ml 500 ml		TBL 038	PAPANICOLAOU'S-OG-6 (Papanicolaou's 2b Orange)	125 ml 500 ml	
				TBL 070	PHENOLPHTHALEIN, 1% w/v	125 ml 500 ml	
				TBL 040	STRONG CARBOL FUCHSIN (ZN)	125 ml 500 ml	
				TBL 013	UNIVERSAL INDICATOR SOLUTION PH 4-11	125 ml 500 ml	

Readymade Staining Kits

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TK 005	ALBERT'S METACHROMATIC STAIN - KIT i) ALBERT'S STAIN A-125 ml ii) ALBERT'S STAIN B-125 ml	1 Kit		TK 002	FIELD'S STAIN - KIT for Malarial Parasite i) FIELD'S STAIN A-125 ml ii) FIELD'S STAIN B-125 ml	1 Kit	
TK 003	CAPSULE STAIN - KIT for Bacterial Capsule Staining i) METHYLENE BLUE (AQUEOUS)-125 ml ii) NIGROSIN STAIN-100 ml	1 Kit		TK 011	PAPANICOLAOU'S STAIN - KIT i) PAPANICOLAOU'S EA-50-125 ml ii) PAPANICOLAOU'S-OG-6-125 ml iii) HARRIS HAEMATOXYLIN-125 ml (Papanicolaou's Solution 1) Cytological Stain	1 Kit	
TK 004	GRAM'S STAIN - KIT Bacteriological Stain i) GRAM'S CRYSTAL VIOLET-125 ml Bacteriological Stain ii) GRAM'S DECOLOURIZER-125 ml Bacteriological Stain iii) GRAM'S IODINE-125 ml Bacteriological Stain iv) GRAM'S SAFRANINE 0.5% w/v-125 ml Counter Stain for Bacteria	1 Kit		TK 009	SCHAEFFER & FULTON'S SPORE STAIN - KIT i) SCHAEFFER & FULTON'S SPORE STAIN A-100 ml ii) SCHAEFFER & FULTON'S SPORE STAIN B-100 ml	1 Kit	
				TK 001	ZN ACID FAST STAIN - KIT for Acid Fast Bacteria i) ACID FAST DECOLOURIZER-125 ml ii) STRONG CARBOL FUCHSIN (ZN)-125 ml iii) LOEFFLER'S METHYLENE BLUE-125 ml	1 Kit	

Analytical Reagent

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TR 002	BARIUM CHLORIDE SOLUTION, 10% w/v	500 ml	TR 008	KOVAC'S INDOLE REAGENT	100 ml
TR 105	BARRITT REAGENT A (for VP test)	100 ml	TR 029	MILLON'S REAGENT (For Protein)	125 ml 500 ml
TR 106	BARRITT REAGENT B (for VP test)	100 ml	TR 060	NESSLER'S REAGENT (For detection of Ammonia and Ammonium Salt)	100 ml
TR 120	BUTTERFIELD'S PHOSPHATE BUFFERED DILUTION WATER	500 ml	TR 113	NESSLER'S REAGENT (For Serum Urea Nitrogen)	100 ml
TR 044	C.S.F. DILUTING FLUID	125 ml	TR 020	OXIDASE REAGENT	100 ml
TS 207	DMACA REAGENT (10 ml/vl)	1 vl	TR 114	POTASSIUM CHROMATE, 5% w/v	125 ml
TR 107	EDTA (di-Sodium) 5%	125 ml	TR 115	POTASSIUM OXALATE, 5% w/v	125 ml
TR 108	EOSINE YELLOW STAIN SOLUTION 2% W/V	125 ml 500 ml	TS 170	PYR REAGENT (10 ml/vl)	1 vl
TR 052	FEHLING SOLUTION A	500 ml	TR 013	SODIUM CITRATE, 3.8% w/v	500 ml
TR 053	FEHLING SOLUTION B	500 ml	TR 015	SULPHANILIC ACID 0.8%	100 ml
TR 109	FIELD'S STAIN SOLUTION A	125 ml 500 ml	TR 085	5-SULPHOSALICYLIC ACID 3%	125 ml
TR 110	FIELD'S STAIN SOLUTION B	125 ml 500 ml	TS 208	TDA REAGENT (10 ml/vl)	1 vl
TR 111	FOLIN & WU'S PHOSPHATE, MOLYBDATE SOLUTION	100 ml 500 ml	TR 009	O-TOLIDINE REAGENT (Free Chloride)	500 ml

Standard Solutions

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TR 102	BUFFER Sol. pH 4.0	500 ml	TR 028	α-NAPHTHYLAMINE SOLN.	100 ml
TR 103	BUFFER Sol. pH 7.0	500 ml	TR 070	SILVER NITRATE SOLUTION, 0.1N	500 ml
TR 104	BUFFER Sol. pH 9.2	500 ml	TR 071	SILVER NITRATE SOLUTION, 0.05N	500 ml
TR 048	EDTA 0.1M (0.2N) VOLUMETRIC SOLUTION	500 ml	TR 117	SODIUM HYDROXIDE 1N	500 ml 2.5 ltr
TR 049	EDTA 0.5M (1N) VOLUMETRIC SOLUTION	500 ml	TR 116	SODIUM HYDROXIDE SOLUTION (N/10)	500 ml 2.5 ltr
TR 118	HYDROCHLORIC ACID 0.1N	500 ml 2.5 ltr	TR 074	SODIUM THIOSULPHATE, 0.1N	500 ml 1 Ltr
TR 132	IODINE SOLUTION N/10 (0.1 N)	500 ml			
TR 112	McFARLAND STANDARD KIT (Each set contains 1 tube of 0.5, 1, 2, 3, 4 Mcfarland Standard)	1 Nos			



CULTURE STRAIN

TM Media is authorized distributor of pure strain of **Freeze dried Discs** of brand **SELECTROL®**. The discs are manufactured exclusively from NCTC (National Collection of Type Cultures) and NCPF (National collection of Pathogenic Fungi) under licence from Public Health England.

Features

- Guaranteed first generation derivatives from source strain.
- Discs contain at least 10⁶ at time of purchase.
- Direct inoculation on surface or establishing liquid culture.
- Easily storable source of viable organisms with long shelf life.
- Available in pack of 10 and 25 discs per vial.

Applications

- Quality control of bacterial growth media.
- Quality control of antibiotic susceptibility testing, whether by disc diffusion or serial dilution.
- Screening concentration of antibiotic in blood, serum, CSF and other body fluids.
- Quality control of antiseptic and disinfectant solutions.
- Controlling the staining reactions and chemical reactions during the identification of bacteria.

For Agar Plates

Place disc on suitable growth medium

Leave disc for a few minutes to liquify, then spread plate and incubate to produce isolated colonies

For Broth Media

Place disc in a small volume of suitable broth medium such as brain-heart infusion

Allow disc a few minutes to dissolve, then spread aliquot onto a plate of suitable growth medium

Obtain a stock culture

PRECAUTIONS

Warm the vial to ambient temperature before opening. Be sure to use non-selective culture media to revive the organisms. Whereas for more fastidious organisms, such as anaerobes, it is generally better to use agar rather than broth for revival.

Culture Strain

Freeze-Dried Disc

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE
TMCS 001	<i>Aspergillus brasiliensis</i> NCPF 2275	10		TMCS 028	<i>Escherichia coli</i> NCTC 11560	10
TMCS 002	<i>Bacillus cereus</i> (Recently renamed as <i>bacillus toyonensis</i>) NCTC 10320	10		TMCS 029	<i>Escherichia coli</i> NCTC 9001	10
TMCS 003	<i>Bacillus cereus</i> NCTC 7464	10 25		TMCS 030	<i>Escherichia coli</i> (mcr-1) NCTC 13846	10
TMCS 004	<i>Bacillus subtilis</i> NCTC 10400	10 25		TMCS 031	<i>Escherichia coli</i> 0157 non-toxigenic NCTC 12900	10
TMCS 005	<i>Bacteroides fragilis</i> NCTC 9343	10		TMCS 032	<i>Haemophilus influenzae</i> NCTC 12699	10
TMCS 006	<i>Burkholderia cepacia</i> NCTC 10661	10		TMCS 033	<i>Haemophilus influenzae</i> NCTC 11931	10
TMCS 007	<i>Camphylobacter jejuni</i> NCTC 11322	10		TMCS 034	<i>Haemophilus influenzae</i> NCTC 8468	10
TMCS 008	<i>Camphylobacter jejuni</i> NCTC 11351	10		TMCS 035	<i>Haemophilus influenzae</i> NCTC 12975	10
TMCS 009	<i>Candida albicans</i> NCPF 3255	10 25		TMCS 036	<i>Klebsiella aerogenes</i> / <i>Raoultella planticola</i> NCTC 9528	10
TMCS 010	<i>Candida albicans</i> NCPF 3179	10 25		TMCS 037	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13438	10
TMCS 011	<i>Candida krusei</i> NCPF 3953	10		TMCS 038	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13440	10
TMCS 012	<i>Candida parapsilosis</i> NCPF 8334	10		TMCS 039	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13442	10
TMCS 013	<i>Citrobacter freundii</i> NCTC 9750	10		TMCS 040	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13443	10
TMCS 014	<i>Clostridium perfringens</i> NCTC 8237	10		TMCS 041	<i>Klebsiella pneumoniae</i> NCTC 9633	10 25
TMCS 015	<i>Clostridium sporogenes</i> NCTC 532	10		TMCS 042	<i>Klebsiella pneumoniae</i> NCTC 13368	10
TMCS 016	<i>Enterobacter aerogenes</i> NCTC 10006	10 25		TMCS 043	<i>Lactobacillus brevis</i> NCTC 13386	10
TMCS 017	<i>Enterobacter cloacae</i> NCTC 13380	10		TMCS 044	<i>Legionella anisa</i> NCTC 11974	10
TMCS 018	<i>Enterococcus faecalis</i> NCTC 775	10 25		TMCS 045	<i>Legionella pneumophila</i> serogroup 1 NCTC 11192	10
TMCS 019	<i>Enterococcus faecalis</i> NCTC 12697	10 25		TMCS 046	<i>Listeria innocua</i> NCTC 11288	10
TMCS 020	<i>Enterococcus faecalis</i> NCTC 13379	10		TMCS 047	<i>Listeria monocytogenes</i> NCTC 7973	10 25
TMCS 021	<i>Enterococcus hirae</i> NCTC 13383	10		TMCS 048	<i>Listeria monocytogenes</i> NCTC 13372	10
TMCS 022	<i>Enterobacter cloacae</i> NCTC 13406	10		TMCS 049	<i>Listeria monocytogenes</i> NCTC 11994	10
TMCS 023	<i>Escherichia coli</i> (CRE) NCTC 13476	10		TMCS 050	<i>Listeria monocytogenes</i> NCTC 10527	10
TMCS 024	<i>Escherichia coli</i> NCTC 12241	10 25		TMCS 051	<i>Neisseria gonorrhoea</i> NCTC 8375	25
TMCS 025	<i>Escherichia coli</i> NCTC 11954	10 25		TMCS 052	<i>Neisseria gonorrhoea</i> NCTC 12700	25
TMCS 026	<i>Escherichia coli</i> NCTC 10418	10 25		TMCS 053	<i>Proteus mirabilis</i> NCTC 13376	10
TMCS 027	<i>Escherichia coli</i> NCTC 12923	10 25		TMCS 054	<i>Proteus mirabilis</i> NCTC 10975	10

Culture Strain

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TMCS 055	<i>Proteus mirabilis</i> NCTC 11938	10	TMCS 070	<i>Staphylococcus aureus</i> NCTC 12981	10 25
TMCS 056	<i>Proteus vulgaris</i> NCTC 4175	10 25	TMCS 071	<i>Staphylococcus aureus</i> NCTC 12973	10 25
TMCS 057	<i>Pseudomonas aeruginosa</i> NCTC 12903	10 25	TMCS 072	<i>Staphylococcus aureus</i> NCTC 7447	10 25
TMCS 058	<i>Pseudomonas aeruginosa</i> NCTC 12924	10 25	TMCS 073	<i>Staphylococcus aureus</i> NCTC 10788	10 25
TMCS 059	<i>Pseudomonas aeruginosa</i> NCTC 13359	10	TMCS 074	<i>Staphylococcus aureus</i> (MRSA) NCTC 12493	10
TMCS 060	<i>Pseudomonas aeruginosa</i> NCTC 10662	10	TMCS 075	<i>Staphylococcus aureus</i> NCTC 6571	10
TMCS 061	<i>Rhodococcus equi</i> NCTC 1621	10	TMCS 076	<i>Staphylococcus aureus</i> (MRSA) NCTC 13373	10
TMCS 062	<i>Saccharomyces cerevisiae</i> NCPF 3178	10	TMCS 077	<i>Staphylococcus epidermidis</i> NCTC 13360	10 25
TMCS 063	<i>Saccharomyces cerevisiae</i> NCTC 10716	10	TMCS 078	<i>Streptococcus agalactiae</i> NCTC 8181	10
TMCS 064	<i>Salmonella enteritidis</i> NCTC 12694	10	TMCS 079	<i>Streptococcus dysgalactiae</i> subsp. <i>Equisimilis</i> NCTC 13762	10
TMCS 065	<i>Salmonella Nottingham</i> NCTC 7832	10	TMCS 080	<i>Streptococcus pneumoniae</i> NCTC 12695	10 25
TMCS 066	<i>Salmonella Poona</i> NCTC 4840	10 25	TMCS 081	<i>Streptococcus pneumoniae</i> NCTC 12977	10
TMCS 067	<i>Salmonella Typhimurium</i> NCTC 12023	10 25	TMCS 082	<i>Streptococcus pyogenes</i> NCTC 12696	10 25
TMCS 068	<i>Serratia marcescens</i> NCTC 13382	10	TMCS 083	<i>Vibrio parahaemolyticus</i> NCTC 10885	10
TMCS 069	<i>Shigella sonnei</i> NCTC 12984	10	TMCS 084	<i>Yersinia enterocolitica</i> NCTC 12982	10 25



+91-9999-1687-70



marketing@titanbiotechltd.com




www.tmmedia.in



Microbiological Lab Consumables

ANAEROBIC BOX SYSTEM

CODE	PRODUCT NAME	PACK SIZE
TMC 011	ANAEROBIC BOX - L Transparent unbreakable poly box, Size: 28.5cm x 22cm x 11cm Capacity: 7 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 2 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack	1
TMC 012	ANAEROBIC BOX - L Transparent unbreakable poly box, Size: 19.8cms x 13.7 cms x 9 cms Capacity: 2.5 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 1 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack	1




ANAEROBIC JAR SYSTEM

CODE	PRODUCT NAME	PACK SIZE
TMC 001	ANAEROBIC JAR SYSTEM (3.5 Ltr) POLYCARBONATE JAR WITH STURDY, ALUMINIUM LID CLAMP AND SEALING RING WITH BUILT IN SAFETY FEATURES, PRESSURE VALVE WITH SEAFTY VALVE & TWO WAY PRESSURE GAUGE, PETRI PLATE CARRIER, INDICATOR TABLETS & GAS PACK) A system to provide anaerobic environment to bacteria.	1
TMC 001A	POLYCARBONATE JAR (WITH PRESSURE GAUGE) Anaerobic system consists of plastic container (used to place agar plates).	1
TMC 001B	PETRI PLATES CARRIER Stainless Steel Carrier for 10 petri plates.	1
TMC 001C	ANAEROBE INDICATOR TABLET Indicator for detection of anaerobic condition in the jar.	1 x 5 1 x 10
TMC 001D	ANAEROBE GAS PACK * Carbon dioxide generating pack	1 x 5
TMC 013	ANAEROBIC JAR SYSTEM (3.5 Ltr) POLYCARBONATE JAR WITH STURDY, ALUMINIUM LID CLAMP AND SEALING RING WITH BUILT IN SAFETY FEATURES PETRI PLATE CARRIER, INDICATOR TABLETS & GAS PACK) A system to provide anaerobic environment to bacteria.	1



TMC 001A

TMC 001B



TMC 001C



TMC 001D

SPREADER/INOCULATING LOOP / NEEDLE


Spreader

CODE	PRODUCT NAME	PACK SIZE
TMC 002	L - SHAPED SPREADERS (P.P.) For spreading bacterial samples on agar plates.	50 Spreaders 5 X 10 nos



Disposable Loops

TMC 003	STERILE NEEDLE (P. P.) Straight loop, for stabbing into medium	50 Needle 5 X 10 nos.
TMC 004	STERILE DISPOSABLE LOOP (P. P.) Size: Inner Diameter 0.7mm, Outer Diameter 2.1mm, Loop calibrated to 1µl	5 X 10 nos. 1 X 50 nos.
TMC 005	STERILE DISPOSABLE LOOP (P. P.) Size: Inner Diameter 3.5mm, Outer Diameter 6.0mm, Loop calibrated to 10µl	5 X 10 nos. 1 X 50 nos.
TMC 006	STERILE NEEDLE LOOP (ABS) Size: Inner Diameter 0.7mm, Outer Diameter 2.1mm, Loop calibrated to 1µl	50 Loops 5 X 10 nos.
TMC 007	STERILE NEEDLE LOOP (ABS) Size: Inner Diameter 3.5mm, Outer Diameter 6.0mm, Loop calibrated to 10µl	50 Loops 5 X 10 nos.



Microbiological Lab Consumables

Inoculating Metal Loop Holder & Loops

CODE	PRODUCT NAME	PACK SIZE
TMC 008	METAL LOOP Holder(WITHOUT LOOP) Size: Length 200 mm	10 Pcs
TMC 009	NICROME LOOP Size: Replacement Dia 2.5 mm loop end, length 50 mm	50 Pcs
TMC 047	NICROME LOOP NEW Size: Dia 1.3 double wound , calibrated to 1.0µl	50 Pcs
TMC 048	NICROME LOOP NEW Size: Dia 3 mm, double wound calibrated to 0.06 ml	50 Pcs
TMC 049	NICROME LOOP NEW Size: Dia 4 mm, double wound calibrated to 0.01 ml	50 Pcs
TMC 050	ASSORTED NICHROME LOOP NEW Each packet contains 3 pieces of each Nichrome loop having diameter 4 mm (0.01 ml), 2.5 mm(0.05ml), 1.3 mm(1µl) and straight wire, double wound	50 Pcs



CULTURE VESSELS AND ACCESSORIES

Petri Plates



CODE	PRODUCT NAME	PACK SIZE
	55 mm Petri Plates	
PP 008	STERILE DISPOSABLE SCORED TOP PETRI PLATES Polystyrene, Optically Clear, Flat Bottom, Clean Room Size : 65 mm x 12 mm Pack of 10 Plates.	10 x 50
PP 010	STERILE DISPOSABLE SCORED TOP PETRI PLATES Polystyrene, Optically Clear, Domed Bottom, Clean Room Size : 65 mm x 12 mm Pack of 10 Plates	10 x 50
PP 007	STERILE DISPOSABLE SCORED TOP PETRI PLATES Polystyrene, Optically Clear, Flat Bottom (Gamma Irradiated) Size : 65 mm x 12 mm Pack of 10 Plates.	10 x 50
PP 009	STERILE DISPOSABLE SCORED TOP PETRI PLATES Polystyrene, Optically Clear, Domed Bottom (Gamma Irradiated) Size : 65 mm x 12 mm Pack of 10 Plates.	10 x 50

Microbiological Lab Consumables

CULTURE VESSELS AND ACCESSORIES

Petri Plates

CODE	PRODUCT NAME	PACK SIZE
	90 mm Petri Plates	
PP 004	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear Clean Room Size : 90 mm Diameter x 15 mm Individually Packed	1x500
PP 005	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear Clean Room Size : 90 mm Diameter x 15 mm Pack of 20 Plates	20 x 30
PP 001	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear (Gamma Irradiated) Size : 90 mm Diameter x 15 mm Individually Packed	1 x 500
PP 002	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear (Gamma Irradiated) Size : 90 mm Diameter x 15 mm Pack of 20 Plates	20 x 30
	100 mm Petri Plates	
PP 011	STERILE DISPOSABLE SQUARE PETRI PLATES Polystyrene, Optically Clear Clean Room Size : 100 mm Diameter x 15 mm Individually Packed	1 x 500
PP 012	STERILE DISPOSABLE SQUARE PETRI PLATES Polystyrene, Optically Clear Clean Room (Gamma Irradiated) Size : 100 mm Diameter x 15 mm Individually Packed	1 x 500
PP 013	STERILE DISPOSABLE SQUARE PETRI PLATES Polystyrene, Optically Clear Clean Room Size : 100 mm Diameter x 15 mm Pack of 10 Plates	10 x 50
	120 mm Petri Plates	
PP 014	STERILE DISPOSABLE SQUARE PETRI PLATES Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test, Clean Room Size : 120 mm x 120 mm Individually Packed	1 x 100
	150 mm Petri Plates	
PP 015	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test. (Non-Gamma Irradiated), Clean Room Size : 150 mm Diameter x 20 mm Individually Packed	1 x 100
PP 006	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test. (Non-Gamma Irradiated), Clean Room Size : 150 mm Diameter x 20 mm Set of 10 Plates	10 x 10
PP 003	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test. (Gamma Irradiated) Size : 150 mm Diameter x 20 mm Set of 10 Plates.	10 x 10
	Bi-Petri Plates	
PP 016	STERILE DISPOSABLE PETRI PLATES (Bi-Petri Plates) (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work Size : 90 mm Diameter x 15 mm Individually Packed	1 x 500
PP 017	STERILE DISPOSABLE PETRI PLATES (Bi-Petri Plates) (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work Size : 90 mm Diameter x 15 mm Set of 10 Plates	10 x 50

Microbiological Lab Consumables

STAINLESS STEEL PETRI PLATE CARRIER (γ -IRRADIATED)

CODE	PRODUCT NAME	PACK SIZE
TMC 051	PETRI PLATE CARRIER WITH HANDLE Made out of S.S 304, Size: for dia 90mm petri plates for 12 plates	1
TMC 052	PETRI PLATE CARRIER WITH HANDLE Made out of S.S 304, Size: for dia 55mm petri plates for 15 plates	1



TMC 051

TMC 052

DURHAM TUBES

CODE	PRODUCT NAME	PACK SIZE
TMC 053	DURHAM TUBES Neutral glass, autoclave, Length:25mm-27mm, Diameter:6-7mm	1 X 100 No

MCCARTNEY BOTTLE

CODE	PRODUCT NAME	PACK SIZE
TMC 032	MCCARTNEY BOTTLE W/ ALUMINIUM CAP Neutral glass, autoclavable	1 X 100 No

DISPOSABLE STERILE BOTTLE

CODE	PRODUCT NAME	PACK SIZE
TMC 054	DISPOSABLE STERILE MEDIA BOTTLES-125 ML Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by g irradiation	1X50 No 1X100 No
TMC 055	DISPOSABLE STERILE MEDIA BOTTLES-250 ML Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by g irradiation	1X50 No 1X100 No
TMC 056	DISPOSABLE STERILE MEDIA BOTTLES-500 ML Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by g irradiation	1X25 No 1X100 No

ENVIRONMENTAL MONITORING AID

CODE	PRODUCT NAME	PACK SIZE
TMC 057	STERILE FLEXI PLATES (PLAIN) WITHOUT MEDIUM	1X 100 No

Microbiological Lab Consumables

SAMPLING AID


Auto Analyser Sampler Cup

CODE	PRODUCT NAME	PACK SIZE
TMC 058	AUTO SAMPLER CUP Suitable for SMART lab system (Transasia), Double wall cup,spherical outside,conical innerside, Capacity: 1 ml	1 X 1000 No

HDM FILTRATION FUNNEL

CODE	PRODUCT NAME	PACK SIZE
TMC 059	HDM FILTRATION FUNNEL Sterile Disposable cup.Same cup can be autoclaved for further use. 100ml filtration funnel for microbiological testing.	4 X 25 No

SWABS

CODE	PRODUCT NAME	PACK SIZE
TMC 036	STERILE COTTON SWAB W/ TUBE In Screw capped polypropylene tube, cotton bud w/ polypropylene stick. Size: 75mm, Packed in 12mm diameter tube, Individually packed	1 X 100 No
TMC 033	STERILE COTTON SWAB W/ TUBE In polypropylene tube,cotton bud w/ polypropylene stick. Size:150 mm, Packed in 12 mm diameter tube, individually packed.	1 X 100 No
TMC 037	STERILE COTTON SWAB With polypropylene stick Size: 150 mm, individually packed.	1 X 100 No
TMC 038	CLEAN SWAB With polypropylene stick,recommended for surface sampling	1 X 50 No 1 X 100 No
TMC 039	STERILE CLEAN SWAB W/ TUBE In Polypropylene tube, Polyester swab w/ polypropylene stick,Recommended for surface sampling, Individually packed	1 X 100 No
TMC 040	CLEAN SWAB With polypropylene stick, Sterile (gamma irradiated), recommended for surface sampling, Individually packed	1 X 100 No
TMC 041	PURE VISCOSE SWAB With Polypropylene Stick, Size:150 x 2.5mm	1 X 500 No
TMC 035	STERILE PURE VISCOSE SWAB With Polypropylene Stick (gamma irradiated), Size:150 x 2.5mm, Individually packed	1 X 500 No
TMC 034	STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED) For nasopharyngeal or urethral specimen collection and viral transport	1 X 50 No 1 X 100 No 1 X 500 No
TMC 042	STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED) (RNase / DNase free) Recommended for viral transport	1 X 50 No
TMC 043	STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT Recommended for clinical sampling	1 X 50 No 1 X 100 No 1 X 500 No
TMC 044	STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (RNase / DNase free) Recommended for viral transport.	1 X 50 No
TMC 045	STERILE POLYESTER TIPPED SWAB Recommended for Tracheal Specimen collection	1 X 50 No 1 X 500 No
TMC 046	STERILE POLYESTER SWAB WITH BREAKPOINT (SCORED) Recommended for Tracheal Specimen collection	1 X 50 No
TMC 071	Sterile Nylon Swab W/ Tube  In polypropylene tube, nylon bud w/ polypropylene stick. Size: 150 mm, Packed in 12 mm diameter tube, individually packed.	1 X 100 No



Microbiological Lab Consumables

CRYO PRODUCT

CODE	PRODUCT NAME	PACK SIZE
------	--------------	-----------

TMC 060	ICE COLD PACK Keep colder for a long time. Content non-toxic and safe.	10X 100 No 10X 200 No
---------	---	--------------------------------

MARKER PEN*

CODE	PRODUCT NAME	PACK SIZE
------	--------------	-----------

TMC 061	MARKER PEN WIDE/NARROW TIP Permanent glass marking/cutting pen with tungsten carbide tip	10 No
---------	--	-------

FILTRATION FUNNEL

CODE	PRODUCT NAME	PACK SIZE
------	--------------	-----------

TMC 063	FILTRATION FUNNEL (PC) Dia:47mm, Funnel Capacity: 300ml	1 unit
TMC 064	FILTRATION FUNNEL (PP) Dia:47mm, Funnel Capacity: 300ml	1 unit



Please check the compatability of liquid to be used with PC (Poly Carbonate) or PP (Poly Propylene) before ordering.

MEMBRANE FILTRATION FUNNEL

CODE	PRODUCT NAME	PACK SIZE
------	--------------	-----------

TMC 065	MEMBRANE FILTRATION FUNNEL W/ CN GRIDDED MEMBRANE Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos
TMC 066	MEMBRANE FILTRATION FUNNEL W/ MCE GRIDDED MEMBRANE Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos
TMC 067	MEMBRANE FILTRATION FUNNEL W/ CN PLAIN MEMBRANE Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos
TMC 068	MEMBRANE FILTRATION FUNNEL W/ MCE PLAIN MEMBRANE Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos
TMC 069	MEMBRANE FILTRATION FUNNEL W/ CN GRIDDED MEMBRANE WITH ABSORBANT PAD Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos



Membrane Filtration funnel is ready to use pre sterilized, individually packed disposable filtration devices to prevent cross-contamination of Samples. These are easy to handle and speed up microbial analysis upto 70% of water as well as product in pharmaceutical beverages and food processing industries.

MANIFOLD SYSTEM

CODE	PRODUCT NAME	PACK SIZE
------	--------------	-----------

TMC 070	SS. STERILITY TEST MANIFOLD SYSTEM Made of Stainless steel 316 Available with 3 stations with PTFE Valve.	1 unit
---------	--	--------



Microbiological Lab Consumables

AUTOCLAVE ACCESSORIES

Disposable Autoclave Bags

CODE	PRODUCT NAME	PACK SIZE
TMC 014	Disposable Autoclavable Bags (Size : (H) 11" X (B) 7") Clear, transparent autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 015	Disposable Autoclavable Bags (Size : (H) 10" X (B) 6") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 016	Disposable Autoclavable Bags (Size : (H) 12" X (B) 10") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 017	Disposable Autoclavable Bags (Size : (H) 20" X (B) 14") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 018	Disposable Autoclavable Bags (Size : (H) 32" X (B) 24") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 019	Disposable Autoclavable Bags (Size : (H) 40" X (B) 20") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 020	Red Color Disposable Autoclavable Bags (Size : (H) 11" X (B) 7") Clear, red autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 021	Red Color Disposable Autoclavable Bags (Size : (H) 10" X (B) 6") Clear, red autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 022	Red Color Disposable Autoclavable Bags (Size : (H) 12" X (B) 10") Clear, red autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 023	Red Color Disposable Autoclavable Bags (Size : (H) 20" X (B) 14") Clear, red autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 024	Red Color Disposable Autoclavable Bags (Size : (H) 32" X (B) 24") Clear, red autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 025	Red Color Disposable Autoclavable Bags (Size : (H) 40" X (B) 20") Clear, red autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 026	Yellow Color Disposable Autoclavable Bags (Size : (H) 11" X (B) 7") Clear, yellow autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 027	Yellow Color Disposable Autoclavable Bags (Size : (H) 10" X (B) 6") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 028	Yellow Color Disposable Autoclavable Bags (Size : (H) 12" X (B) 10") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 029	Yellow Color Disposable Autoclavable Bags (Size : (H) 20" X (B) 14") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 030	Yellow Color Disposable Autoclavable Bags (Size : (H) 32" X (B) 24") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.
TMC 031	Yellow Color Disposable Autoclavable Bags (Size : (H) 40" X (B) 20") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags,	250 nos. 500 nos.

recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.

Microbiological Lab Equipments

TME 001 | Infrared Sterilizer for Inoculation Loops

- Most advanced technology with intelligent temperature controller.
- Accurate, Reliable and Quick sterilization.
- Stainless steel body is safe to use and easy to clean.
- Long life and graceful instrument with zero pollution emittance.



Display	LED
Temperature Range (°C)	300-830
Temperature control precision (°C)	10
Temperature control accuracy (°C)	±30
Max. outer diameter of sterilizer items (mm)	13
The total length of heating area (mm)	140
Heating tube	Ceramic
Shell	ABS
Dimensions (LxWxH) (mm)	158x192x290
Weight (Kg)	1.5
Voltage (V)	220V, 50/60Hz
Power (W)	190
Working temperature (°C)	+10-40
Working humidity (%RH)	<80
Storage temperature (°C)	-40-60
Storage humidity (%RH)	10-90

TME 003 | Microbial Air Monitoring System (Air Sampler)

- Validated as per BS EN ISO 14698-Part I.
- Unique structure avoids re-circulation of air.
- Inbuilt adaptors for 90mm plates & 55mm plates.
- Customize air volume as per requirement.

Nominal Air Flow Rate	100 litres of air per minute
Impact Speed	< 20m/sec
Air Sample Volume	10-9999 liters can be selected and stored in the instrument. Three different volumes can be set
The maximum volume of air per cycle	1000 litres
Plate Size	90 mm & 55 mm
Weight of instrument	2.68 kg
Construction	High quality aviation aluminum
Display	High Brightness LCD display
Battery Pack	Rechargeable Li Ion (without memory effect). Battery Charging takes only 4 hours. After charging, the battery will work up to 8 hours.



Air Sampler Accessories with TME 003 (Add-ons)


CODE	PRODUCT NAME	PACK SIZE
TME 003A	Compressed gas Head Component of an environmental monitoring program used for evaluation of compressed gas	1 unit
TME 003B	Porous Sampling Head and Safety Lid	1 unit
TME 003C	Power Charger	1 unit
TME 003D	Battery	1 unit

Microbiological Lab Equipments

TME 004 | Microbial Air Monitoring System (Air Sampler)

- Validated as per BS EN ISO 14698-Part I.
- PC connectivity to meet 21 CFR: Part 11 requirements.
- Unique structure avoids recirculation of air.
- Inbuilt adaptors for 90mm and 55mm plates.
- Customize air volume as per requirement.
- Access from distance with infra-red remote control.

Nominal Air Flow Rate	100 litres of air per minute
Impact Speed	< 20m/sec
Air Sample Volume	10-9999 liters can be selected and stored in the instrument. Three different volumes can be set
Maximum Volume of air per cycle	1000 litres
Plate Size	90 mm & 55 mm
Weight of instrument	3 kg
Construction	Anodized aluminum
Accessories	Petri-Plates (2 pcs), Remote, Power Charger, Software disk and cord
Display	High Brightness LCD display
Operating Environment	Temperature: 0-50 °C ,Humidity: 10- 90%, Atmospheric Pressure: 80-110kpa, Maximum Dust Concentration: 100,000,000/ m³ @ 0.5 m or 0.2mg/ m³
Battery Pack	Rechargeable Li Ion (without memory effect). Battery Charging takes only 4 hours. After charging, the battery will work up to 8 hours.



Air Sampler Accessories with TME 003 (Add-ons)

CODE	PRODUCT NAME	PACK SIZE
TME 004A	Compressed gas Head Component of an environmental monitoring program used for evaluation of compressed gas	1 unit
TME 004B	Porous Sampling Head and Safety Lid	1 unit
TME 004C	Power Charger	1 unit
TME 004D	Battery	1 unit
TME 004E	Remote	1 unit
TME 004F	Cord	1 unit

BIOLOGICAL AND CHEMICAL INDICATORS

Evident Control Of Sterilization Process

Easy to Use & Interpret the result

Reliable Sensitivity

Accurate Performance

Certified in accordance with
ISO/IRAM/NS-EN/ANIMAT PM

Trusted products

“Your Safety, Our commitment”

(The most trusted partner for ensuring sterility)



Biological Indicators*

SPORE STRIPS

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 001	<i>Bacillus atrophaeus</i> 10 ⁶ (formerly <i>Bacillus subtilis</i>) Spore Strips 10 (ATCC 93722)	Gas & Dry Heat (ETO)	1 x 100 No.
TBI 004	<i>Geobacillus stearothermophilus</i> 10 ⁶ Spore Strips 10 (ATCC 7953)	Steam Sterilization	1 x 100 No.

SPORE AMPOULES

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 006	<i>Geobacillus stearothermophilus</i> 10 ⁶ (Vol. 2ml)	Steam Sterilization	1 x 50 No.
TBI 013	<i>Bacillus subtilis</i> 10 ⁶	Steam Sterilization	1 x 200 No.

SELF-CONTAINED BIOLOGICAL INDICATORS (SCBI)

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 010	<i>Geobacillus stearothermophilus</i> 10 ⁶	Steam Sterilization	1 x 100 No.

SPORE COUPON

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 011	<i>Geobacillus stearothermophilus</i> 10 ⁶	Vaporized Hydrogen Peroxide (H ₂ O ₂) sterilization processes	1 x 100 No.

CULTURE MEDIA

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBIM 001	Culture media Ampoule with pH indicator	Culture Media for Spore Strips & Spore Coupons	1 x 50 No.



+91-9999-1687-70



marketing@titanbiotechltd.com



www.tmmmedia.in



SELF ADHESIVE STERILIZATION INDICATORS FOR RADIATION

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 001	RADIATION CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.

SELF ADHESIVE STERILIZATION INDICATORS FOR ETHYLENE OXIDE

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 002	ETHYLENE OXIDE (EO) CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.

STERILIZATION INDICATORS FOR STEAM

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 005	BOWIE & DICK TEST PACK (CLASS 2)	Steam Sterilization Process	1 x 1 Pack 1 x 20 Pack
TCI 006	STEAM CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.
TCI 012	MOVING FRONT INTEGRATOR INDICATOR (CLASS 5)	Steam Sterilization Processes	1 x 250 No.

CHEMICAL INDICATOR TAPE

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 007	SELF ADHESIVE AUTOCLAVE TAPE (CLASS 1)	19mm x 50m	1 No. 1 x 5 No.
TCI 008	SELF ADHESIVE ETO TAPE (CLASS 1)	19mm x 50m	1 No.

CHEMICAL INDICATOR TEST STRIP

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 009	DRY HEAT INDICATOR STRIP (Class 4)	105mm x 18mm	1 x 250 No.
TCI 010	STEAM INDICATOR STRIP (Class 4)	105mm x 18mm	1 x 250 No.

SELF ADHESIVE STERILIZATION INDICATORS FOR VAPORIZED HYDROGEN PEROXIDE (H₂O₂)

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 011	VAPORIZED H ₂ O ₂ STERILIZATION PROCESS INDICATOR (Class 1)	Circular Indicator with Text (15mm)	1 x 1000 No.

Send Us Your Direct Enquiry For Class 5/ Class 6 Steam Chemical Indicators.



PLANT TISSUE CULTURING

Why Tissue Culture is also called Micro propagation in-vitro?

Tissue culture is a technique of growing plant or animal cells, tissues or organ in a sterilized nutrient / culture medium under controlled environmental condition. Plant tissue culture specifically is known as micropropagation because it involves rapid multiplication of small amount of plant material to produce more progeny exactly similar to the mother plant in all aspects.

What are Micro element and Macro element?

Micro element: These elements are required in trace amount ($< 0.5\text{mM}$) for plant growth and development. Microelements that are usually used in plant tissue culturing are: Manganese, Iodine, Copper, Cobalt, Boron, Molybdenum, Iron and Zinc.

Macro element: These elements are present in greater amount ($> 0.5\text{mM}$) for plant growth and development. These element comprises at least 0.1% of dry weight of plants. Macroelements that are usually used in plant tissue culturing: Nitrogen, Phosphorous, Potassium, Magnesium, Calcium and Sulphur.

Which Vitamins are used?

Most frequently used vitamins are Thiamin (B1), Nicotinic Acid, Pyridoxine (B6) and Myo-inositol (Myo-inositol is commonly included in many vitamin stock solution. Although it is a carbohydrate not a vitamin, it has been shown to stimulate growth in certain cell cultures.) Other Vitamins such as Biotin, Folic Acid, Ascorbic Acid, Panthothenic Acid, Vitamin E (Tocopherol), Riboflavin, and p -Aminobenzoic Acid. The requirement for these vitamins by plant cell cultures is generally negligible and they are not considered growth-limiting factors. These vitamins are generally added to the culture medium only when the concentration of Thiamin is below the desired level or when it is desirable to grow cells at very low population densities.

Which concentration of Agar / Gellan gum should be used?

Agar is the most commonly used gelling agent for preparing semisolid and solid plant tissue culture media. The agar concentrations commonly used in plant cell culture media fall in range between 0.5 and 1.0%; these concentrations give a firm gel at the typical pH of plant cell culture media. Another gelling agent commonly used for commercial as well as research purposes is Gellan gum. This product is synthetic and should be used at 1.5-2.5 g/litre, resulting in a clear gel which aids in detecting contamination.

How do Plant Growth Regulators affect plant morphogenesis in culture?

Two plant growth regulators affect plant differentiation:

Auxin: Stimulate root development

Cytokinins: Stimulates shoot development

Generally, the ratio of these two hormones can determine plant development:

Auxin > Cytokinin = Root development

Cytokinin > Auxin = Shoot development

Auxin = Cytokinin = Callus development

Apart from these, Abscisic acid promotes shoot bud regeneration in many species and also improves somatic embryogenesis (SE) maturation. Among 20 gibberellins, GA_3 is exclusively used to promote shoot elongation and somatic embryogenesis germination. Ethylene is associated with controlling fruit ripening.

What are the in vitro parameters affecting plant growth?

Temperature, photoperiods (light and dark cycles), carbon source, plant growth regulators, macro and micro nutrients, vitamins, water and more.

Why antibiotics are used in plant tissue culture?

Antibiotics are substances produced by certain microorganisms that suppress the growth of other microorganisms and eventually destroy them. Their applications include:

- A. Suppresses bacterial infections in plant cell tissue culture.
- B. Suppresses mold and yeast infections in cell cultures.
- C. Eliminates Agrobacterium species after the transformation of plant tissue.

Why one should go for tissue culture plants?

Tissue Culture plant are qualitative better and disease free, uniform vigorous and fast growing and give better yield. It is possible to multiply plants that are difficult to cutting or other traditional methods.



+91-9999-1687-70



marketing@titanbiotechltd.com




www.tmmmedia.in



Plant Tissue Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TP 007	ANDERSON'S RHODODENDRON MEDIUM (W/O Vitamin, Sucrose, Agar) Micro & Macro Element	1.83	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 029	CHU (N6) MEDIUM (W/O Vitamins, Sucrose, Agar) Micro & Macro Element	3.95	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 008	ANDERSON'S RHODODENDRON MEDIUM (With Vitamins, Sucrose, Agar & CaCl ₂ W/O IAA & 2iP)	42.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 030	CHU (N) MEDIUM (With Vitamins, W/O Sucrose, Agar) Micro & Macro Element	4.03	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 082	ANDERSON'S RHODODENDRON MEDIUM (With Vitamins, Sucrose, Gelzan CM& CaCl ₂ W/O IAA & 2iP) for micro propagation of Musa species and Daucus species	35.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 031	CLC/ IPOMOEA CP MEDIUM (W/O Vitamins) Micro & Macro Element	6.61	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 071	BANANA MICROPROPAGATION MEDIUM (W/Vitamins, W/O NH ₄ NO ₃ , Surcose, Agar)	2.58	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 032	CLC/ IPOMOEA EP MEDIUM (With Vitamins) Micro & Macro Element	3.55	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 072	BANANA MULTIPLICATION MEDIUM (W/ Vitamins, Glucose, Plant growth regulators & Agar) for in vitro multiplication of Musa species	41.5	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 083	CLC/ IPOMOEA BASAL MEDIUM (W/Vitamins, W/O CaCl ₂ Sucrose & Agar)	6.40	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 073	BANANA MULTIPLICATION MEDIUM (W/Vitamins, Tryptone, IAA W/O Surcose, Agar)	4.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 078	DATE PALM CALLUS INITIATION MEDIUM (W/ Vitamins, Sucrose, 2,4-D, 2iP, Activated Charcoal, Agar) for in vitro micro propagation of date palm	45.76	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 075	BANANA MULTIPLICATION MEDIUM (W/Vitamins, Surcose, Tryptone, Agar & IAA)	42.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 033	DE GREEF & JACOBS MEDIUM (W/O. Vitamins) Micro & Macro Element	3.77	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 076	BANANA MULTIPLICATION MEDIUM (W/CaCl ₂ , Vitamins, Sucrose, Glucose, Ascorbic Acid, IAA, 6-BAP, Agar)	42.47	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 034	DE GREEF & JACOBS MEDIUM (With Vitamins) W/O SUCROSE, AGAR	3.99	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 077	CARROT CALLUS INITIATION MEDIUM (W/Vitamins, 2,4-D, W/O Sucrose, Agar)	3.21	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 035	DKW MEDIUM (W/O Vitamins) Micro & Macro Element	5.48	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 027	CHEE AND POOL (C2D) VITIS MEDIUM (W/O. Vitamins, Sucrose, Agar) Micro & Macro Element for regeneration and micro propagation of grapevine	4.44	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 036	DKW MEDIUM (With Vitamins)	5.36	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 028	CHEE AND POOL (C2D) VITIS MEDIUM (With Vitamins W/O Sucrose, Agar) Micro & Macro Element	4.49	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 009	ERIKSSON (ER) MEDIUM (W/O Vitamins, Sucrose & Agar)	4.00	5x1 Ltr 1x10 Ltr 1x50 Ltr
				TP 010	ERIKSSON (ER) MEDIUM, (With Vitamins, Sucrose W/O Agar)	34.14	5x1 Ltr 1x10 Ltr 1x50 Ltr
				TP 011	GAMBORG MEDIUM (With Vitamins, Sucrose, CaCl ₂ , W/O IAA, Kinetin & Agar)	23.23	5x1 Ltr 1x10 Ltr 1x50 Ltr
				TP 017	GAMBORG MEDIUM (W/O Vitamins, Sucrose & Agar)	3.05	5x1 Ltr 1x10 Ltr 1x50 Ltr
				TP 012	GAMBORG MEDIUM (With Vitamins, Sugar & Agar)	31.23	5x1 Ltr 1x10 Ltr 1x50 Ltr
				TP 074	GAMBORG'S (VITAMIN 1000X POWDER)	112.0	100 ml

Plant Tissue Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TP 085	GAMBORG B5 MEDIUM (W/CaCl ₂ , Vitamins, Agar and Sucrose, W/O IAA & Kinetin)	31.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 046	MCCOWN WOODY PLANT MEDIUM (With Vitamins) Micro & Macro Element	2.46	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 079	GERBERA MULTIPLICATION MEDIUM (W/ CaCl ₂ , Vitamins, Tyrosine, Sucrose, Adenine Sulphate, Agar, W/O IAA & Kinetin)	59.83	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 087	MURASHIGE & MILLER MEDIUM (W/ NaHPO and Vitamins W/O Sucrose & Agar)	4.69	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 037	GRESSHOFF & DOY (DBM2) MEDIUM (W/O Vitamins) Micro & Macro Element	2.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 093	MURASHIGE & SKOOG  MICROELEMENT	4.20	1x10 Ltr 1x50 Ltr
TP 038	GRESSHOFF & DOY (DBM2) MEDIUM (With Vitamins) Micro & Macro Element	2.81	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 047	MURASHIGE & SKOOG MEDIUM (With Vitamins & Folic Acid)	4.55	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 039	HELLER MEDIUM (W/O Vitamins) Micro & Macro Element	1.66	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 048	MURASHIGE & SKOOG MEDIUM (With Vitamins & MES Buffer)	5.04	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 090	HOAGLAND NO.2 BASAL SALT MIXTURE	1.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 001	MURASHIGE & SKOOG MEDIUM (With Vitamins, W/O Sucrose, Agar & Calcium Chloride)	4.10	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 040	KAO & MICHAYLUK MEDIUM (W/O Vitamins) Micro & Macro Element	3.80	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 001A	MURASHIGE & SKOOG MEDIUM (With Vitamins & Calcium Chloride W/O Sucrose, Agar)	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 018	KNUDSON-C ORCHID MEDIUM MOREL MODIFICATION Micro & Macro Element	2.00	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 002	MURASHIGE & SKOOG MEDIUM (With Sucrose, & Vitamins, W/O Agar & Calcium Chloride)	34.10	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 019	KNUDSON-C ORCHID MEDIUM (With Sucrose & Vitamins W/O Agar)	21.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 089	MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamin & Sucrose W/O Agar	34.54	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 086	KNUDSON-C ORCHID MEDIUM, MOREL MODIFICATION (With Sucrose, Vitamins & Agar)	29.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 060	MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamins, Sucrose & Agar	41.54	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 041	LINDEMANN ORCHID MEDIUM (W/O Vitamins) Micro & Macro Element	2.60	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 088	MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamins, Sucrose and Gellan Gum	37.54	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 042	LINSMAIER & SKOOG MEDIUM (With Vitamins W/O Sucrose & Agar) Micro & Macro Element	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 003	MURASHIGE & SKOOG MEDIUM (With Sucrose, Agar, Vitamins, 6-BAP W/O Calcium Chloride, IAA & Kinetin)	42.10	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 043	LITVAY MEDIUM (W/O Vitamins) Micro & Macro with vitamins	4.95	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 004	MURASHIGE & SKOOG MEDIUM (S.B) (W/O Vitamins and with Calcium Chloride)	2.65	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 044	LITVAY MEDIUM (With Vitamins) Micro & Macro Element	5.08	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 006	MURASHIGE & SKOOG MEDIUM (S.B) (W/O Calcium Chloride & Vitamins)	4.07	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 045	MCCOWN WOODY PLANT MEDIUM (W/O Vitamins) Micro & Macro Element	2.36	5x1 Ltr 1x10 Ltr 1x50 Ltr				

Plant Tissue Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TP 020	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) With 1/2 Macronutrient	2.18	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 080	ORCHID MAINTENANCE/ REPLATE MEDIUM (W/CaCl ₂ , Vitamins, Sucrose, Peptone, MES, Agar W/O. Activated Charcoal)	33.36	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 021	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) W/O. NH ₄ NO ₃	2.65	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 081	POTATO MICROPROPAGATION MEDIUM (W/CaCl ₂ , Vitamins, IAA, Kinetin, W/O. Sucrose & Agar)	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 022	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) ½ x NH ₄ NO ₃ and KNO ₃	2.53	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 054	QUOIRIN & LEPOIVRE MEDIUM (W/O. Vitamins)	3.28	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 023	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) With Micro and Macro nutrient W/O. Ammonium Salt	4.40	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 055	QUOIRIN & LEPOIVRE MEDIUM (With Vitamins W/O. Sucrose & Agar)	3.41	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 024	MURASHIGE & SKOOG MEDIUM (SB) With minimal organics (MSMO)	4.39	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 057	RUGINI OLIVE MEDIUM (With Vitamins, W/O Sucrose & Agar) Micro & Macro Element	4.16	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 025	MURASHIGE & SKOOG MODIFIED MEDIUM With Calcium Chloride & Gamborg's Vitamins	4.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 058	SCHENK & HILDEBRANDT MEDIUM (W/O Vitamins) Micro & Macro with Vitamins	3.18	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 026	MURASHIGE & SKOOG MEDIUM Vitamin (1000x)	103.10	100 ml	TP 059	SCHENK & HILDEBRANDT MEDIUM (With Vitamins W/O Sucrose & Agar) Micro & Macro with Vitamins	4.26	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 013	NITSCH MEDIUM (With Vitamins, Sucrose & Agar) for anther culture	30.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 063	S-MEDIUM (Morel and Wetmore) (With Vitamins, MES Buffer & Sucrose)	13.03	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 014	NITSCH MEDIUM (With Vitamins and Sucrose W/O. Agar) Micro & Macro Element	22.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 070	VACIN & WENT MEDIUM (With Vitamins, Sucrose & Agar)	29.63	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 049	NLN MEDIUM Without CaNO ₃ ·4HO Micro & Macro Element	0.39	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 069	WEST VACO WU5 MEDIUM (for Embryogenic Culture)	5.22	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 050	NLN MEDIUM (With Vitamins) Micro & Macro Element	1.45	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 015	WHITE MEDIUM Micro & Macro Element	0.94	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 051	ORCHID MAINTENANCE MEDIUM (W/O Vitamins, MES, Sucrose, Tryptone, Charcoal & Agar)	2.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 016	WHITE MEDIUM (With Vitamins and Sucrose & W/O Agar)	21.06	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 052	ORCHID MAINTENANCE MEDIUM (With Vitamins, Buffer MES, Sucrose, Tryptone & Charcoal W/O Agar)	27.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 084	WOODY PLANT MEDIUM (W/CaCl ₂ , Vitamins, W/O Sucrose, Agar)	2.43	5x1 Ltr 1x10 Ltr 1x50 Ltr
TP 053	ORCHID MAINTENANCE MEDIUM (With Vitamins, Buffer MES, Sucrose and Tryptone, Charcoal & Agar)	35.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	TP 092	WOODY PLANT MEDIUM (W/CaCl ₂ , Vitamins & Sucrose W/O Agar)	22.40	5x1 Ltr 1x10 Ltr 1x50 Ltr

Gelzan cm[®] is regd. trademark of CP Kelco USA for Gellan Gum. Gelrite now available in the name of Gelzan cm[®]. Titan Biotech offers Plant Tissue Culture Media as per customer specifications.

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE
VITAMINS				AMINO ACID		
561	ADENINE 99% (6 Aminopurine, Vitamin B) CAS 73-24-55 C ₅ H ₅ N ₅ F. wt. 135.13	5 gm 25 gm 1 Kg		1103	L-ALANINE, 99%+Purity CAS 56-41-7 C ₃ H ₇ NO ₂ F. wt. 89.10	25 gm 100 gm 500 gm
233	p-AMINO BENZOIC ACID (PABA) (Para Amino Benzoic Acid) CAS 150-13-0 C ₇ H ₇ NO ₂ F. wt. 137.14	100 gm 500 gm		1104	L-ARGININE, 99%+Purity CAS 74-79-3 C ₆ H ₁₄ N ₄ O ₂ F. wt. 174.20	25 gm 100 gm 1 Kg
1706	L-ASCORBIC ACID (Vitamin C) CAS 50-81-7 C ₆ H ₈ O ₆ F. wt. 176.12	100 gm 500 gm		1106	L-ASPARAGINE, 99%+Purity (Mono) CAS 5794-13-8 C ₄ H ₈ N ₂ O ₃ H ₂ O ₂ F. wt. 150.14	25 gm 100 gm 500 gm
1709	D(+)-BIOTIN (Vitamin H) * CAS 58-85-5 C ₁₀ H ₁₆ N ₂ O ₃ S F. wt. 244.31	1 gm 10 gm 25 gm		1108	L-ASPARTIC ACID, 99%+Purity CAS 56-84-8 C ₄ H ₇ NO ₄ F. wt. 294.3	25 gm 100 gm 500 gm
1701	CALCIUM-D-PANTOTHENATE (Vitamin B5)* CAS 137-08-6 C ₁₈ H ₃₂ CaN ₂ O ₁₀ F. wt. 476.53	25 gm 100 gm 1 Kg		1138	L-CYSTEINE, 99%+Crystalline CAS 52-90-4 C ₃ H ₇ NO ₂ S F. wt. 121.1772	5 gm 25 gm 100 gm
335	FOLIC ACID (Vitamin B9)* (Pterogl-L-glutamic acid) CAS 59-30-3 C ₁₉ H ₁₉ N ₇ O ₆ F. wt. 441.40	5 gm 25 gm		1139	L-CYSTEINE HCl (Mono) 99%+Purity CAS 7048-04-6 C ₃ H ₈ ClN ₂ O ₂ .S.H O F. wt. 175.63	25 gm 100 gm 1 Kg 25 Kg
3151	HYPOXANTHINE CAS 68-94-0 C ₅ H ₄ N ₄ O F. Wt. 136.112	5 gm 100 gm		1140	L-CYSTINE, 99%+CRYSTALLINE (Free Base) CAS 56-89-3 C ₆ H ₁₂ N ₂ O ₄ S ₂ F. Wt. 240.3	25 gm 100 gm 1 Kg
604	INOSITOL (Meso-Inositol) CAS 87-89-8 C ₆ H ₁₂ O ₆ F. wt. 180.2	25 gm 100 gm 1 Kg		1111	L-GLUTAMIC ACID CAS 56-86-0 C ₅ H ₉ No ₄ F. wt. 147.13	100 gm 500 gm 25 kg
685	NICOTINAMIDE (Niacinamide) (Vitamin PP) CAS 98-92-0 C ₆ H ₆ N ₂ O F. wt. 122.1	25 gm 100 gm 1 Kg		1114	L-GLUTAMINE, 99%+Crystalline CAS 56-85-9 C ₅ H ₁₀ N ₂ O ₃ F. Wt. 146.14	25 gm 100 gm 500 gm
759	NICOTINIC ACID (Niacin) (Vitamin B) CAS 59-67-6 C ₆ H ₆ NO ₂ F. wt. 123.1	25 gm 100 gm 1 Kg		757	GLUTATHIONE (Reduced) CAS 70-18-8 C ₁₀ H ₁₂ N ₃ O ₆ S F. wt. 307.32	1 gm 5 gm 25 gm
4238	PYRROLOQUINOLINE QUINONE) CAS : 7290-34-3 C ₁₁ H ₆ N ₂ O ₆ F. wt. 330.21	100 gm 500 gm		1109	GLYCINE, 99%+Purity, AR GRADE CAS 56-40-6 C ₂ H ₅ N ₂ O ₂ F. wt. 75.07	100 gm 500 gm 5 Kg
4239	PYRROLOQUINOLINE QUINONE DISODIUM CAS : 122 628-50-6 C ₁₄ H ₄ NA ₂ O ₈ F. wt. 347.17	100 gm 500 gm		1115	L-HISTIDINE, 99%+Crystalline CAS 71-00-1 C ₆ H ₉ N ₃ O ₂ F. wt. 155.15	25 gm 500 gm
1705	PYRIDOXINE HCl (Vitamin B) CAS 58-56-0 C ₈ H ₁₁ NO ₃ .HCl F. wt. 205.64	10 gm 25 gm 100 gm		1119	L-ISOLEUCINE, 99%+Crystalline CAS 73-32-5 C ₆ H ₁₃ NO ₂ F. wt. 131.17	5 gm 25 gm
1703	RIBOFLAVINE (Vitamin B ₂ , Vitamin G) CAS 83-88-5 C ₁₇ H ₂₀ N ₄ O ₆ F. wt. 376.36	10 gm 25 gm 100 gm		1121	L-LEUCINE, 99%+Crystalline CAS 61-90-5 C ₆ H ₁₃ NO ₂ F. wt. 131.17	25 gm 100 gm 500 gm
1702	THIAMINE Hcl (Vitamin B1) CAS 67-03-8 C ₁₂ H ₁₇ ClN ₄ OS.HC F. wt. 337.27	25 gm 100 gm 500 gm		1122	L-LYSINE MONO HCl, 99%+Crystalline CAS 657-27-2 C ₆ H ₁₄ N ₂ O ₂ .HCl F. wt. 182.65	100 gm 500 gm
1701	Vitamin B5 (Calcium-D-pantothenate) CAS 137-08-6 C ₁₈ H ₁₈ CaN ₂ O ₁₀ F. wt. 476.53	25 gm 100 gm		1123	L-METHIONINE, 99%+Crystalline CAS 63-68-3 C ₅ H ₁₁ NO ₂ S F. wt. 149.21	25 gm 100 gm 500 gm
1704	Vitamin B12 (Cyanocobalamin) CAS 68-19-9 C ₆₃ H ₈₈ CoN ₁₄ P F. wt. 1355.38	1 gm 10 gm		1125	L-ORNITHINE MONO HCl, 99%+Crystalline CAS 3184-13-2 C ₅ H ₁₂ N ₂ O ₂ .HCl F. Wt. 168.62	25 gm 100 gm 500 gm

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
1127	L-PHENYLALANINE, 99%+Crystalline CAS 63-91-2 C ₉ H ₉ NO ₂ F. wt. 165.2	25 gm 100 gm 500 gm	328	ETHYLENE DIAMINE TETRAACETIC ACID DISODIUM SALT, AR GRADE CAS 6381-92-6 C ₁₀ H ₁₄ N ₂ O ₈ Fe.Na ₂ 2H ₂ O F. wt. 372.2	100 gm 500 gm 5 Kg
1128	L-PROLINE, 99%+Crystalline CAS 147-85-3 C ₅ H ₉ NO ₂ F. wt. 115.13	5 gm 25 gm 500 gm	330	FERRIC AMMONIUM CITRATE (BROWN), EXTRA PURE CAS 1185-57-5 C ₁₂ H ₂ Fe ₂ N ₃ O ₁₁ F. Wt. 488.16	500 gm 5 Kg
1130	L-SERINE, 99%+Crystalline CAS 56-45-1 C ₃ H ₇ NO ₃ F. wt. 105.09	10 gm 25 gm 1 Kg	4223	FE-EDDHA (ETHYLENEDIAMINE-N,N'-BIS (2-HYDROXYPHENYLACETATE ACID) FERRIC SODIUM COMPLEX CAS 84539-55-9 C ₁₈ H ₁₈ FeN ₂ NaO ₆ F. Wt. 437.19	25 gm 100 gm
956	TAURINE (2-Aminoethanesulphonic Acid) CAS 107-35-7 C ₂ H ₇ NO ₃ S F. wt. 125.15	25 gm 100 gm	756	FERRIC CITRATE, (Mono) CAS 2338-05-8 C ₆ H ₅ FeO ₇ F. Wt. 244.94	500 gm
1131	L-THREONINE, 99%+Crystalline CAS 72-19-5 C ₄ H ₉ NO ₃ F. wt. 119.12	5 gm 25 gm 500 gm	514	FERROUS SULPHATE (Hepta), AR GRADE CAS 7782-63-0 FeSO ₄ 7H ₂ O F. wt. 278.01	500 gm
1134	L-TRYPHTOPHAN, 99% Crystalline CAS 73-22-3 C ₁₁ H ₁₂ N ₂ O ₂ F. wt. 204.23	5 gm 25 gm 500 gm	704	MANGANESE (II) CHLORIDE, (Tetra), EXTRA PURE CAS 13446-34-9 MnCl ₂ ·4H ₂ O F. Wt. 197.91	500 gm
1135	L-TYROSINE, 99+Crystalline CAS 60-18-4 C ₉ H ₉ NO ₃ F. wt. 181.19	25 gm 100 gm 500 gm	703	MANGANESE (II) SULPHATE (Mono), AR GRADE CAS 10034-96-5 MnSO ₄ ·H ₂ O F. wt. 169.02	500 gm
674	URACIL CAS 66-22-8 C ₄ H ₄ N ₂ O ₂ F. wt. 112.09	5 gm 25 gm	2131	NICKEL CHLORIDE (Hexa), EXTRA PURE CAS 7791-20-0 NiCl ₂ ·6H ₂ O F. wt. 237.69	500 gm
1137	L-VALINE, 99% Crystalline CAS 72-18-4 C ₆ H ₁₁ NO ₂ F. wt. 117.15	25 gm 100 gm	394	POTASSIUM IODIDE, EXTRA PURE CAS 7681-11-0 KI F. Wt. 166.00	100 gm 500 gm
MICRONUTRIENTS					
245	AMMONIUM MOLYBDATE, (Tetra), EXTRA PURE CAS 12054-85-2 (NH ₄) ₆ Mo ₇ O ₂₄ ·4H ₂ O F. wt. 1235.86	100 gm 500 gm 25 Kg	924	SODIUM CHLORIDE CAS 7647-14-5 NaCl F. wt. 58.44	500 gm 5 Kg
282	BORIC ACID, AR GRADE CAS 10043-35-3 H ₃ Bo ₃ F. wt. 61.83	500 gm 5 Kg	449	SODIUM MOLYBDATE, (Dihydrate), EXTRA PURE CAS 10102-40-6 Na ₂ MoO ₄ ·2H ₂ O F. Wt. 241.95	100 gm 500 gm
977	COBALT (II) NITRATE (Hexa), EXTRA PURE CAS 10026-22-9 CO(NO ₃) ₂ ·6H ₂ O F. Wt. 291.03	100 gm 500 gm	469	SODIUM THIOSULPHATE (Penta), EXTRA PURE CAS 10102-17-7 Na ₂ S ₂ O ₃ ·5H ₂ O F. Wt. 248.18	500 gm 5 Kg
978	COBALT (II) SULPHATE (Hepta), EXTRA PURE CAS 10026-24-1 CO ₂ SO ₃ ·7H ₂ O F. Wt. 281.10	100 gm 500 gm	2325	STRONTIUM NITRATE, (ANH.), EXTRA PURE CAS 10042-76-9 Sr(NO ₃) ₂ F. Wt. 211.63	500 gm
320	CUPRIC SULPHATE (Penta), AR GRADE CAS 7758-99-8 CuSO ₄ ·5H ₂ O F. wt. 249.68	500 gm	3508	ZINC SULPHATE (Hepta), AR GRADE CAS 7446-20-0 ZnSO ₄ ·7H ₂ O F. wt. 287.55	500 gm 5 Kg
973	ETHYLENE DIAMINE TETRAACETIC ACID FERRIC-MONO SODIUM, EXTRA PURE CAS 15708-41-5 C ₁₀ H ₁₂ N ₂ O ₈ FeNa F. wt. 367	100 gm 500 gm			

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
MACRONUTRIENTS			218	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7758-11-14 K ₂ HPQ F. Wt. 174.17	500 gm 5 Kg
242	AMMONIUM CHLORIDE, AR GRADE CAS 12125-02-9 NH ₄ Cl F. wt. 53.49	500 gm 5 Kg	220	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7778-77-0 KH ₂ PO ₄ F. Wt. 329.25	500 gm 5 Kg
256	AMMONIUM DIHYDROGEN PHOSPHATE, AR GRADE CAS 7722-76-1 NH ₄ H ₂ PO ₄ F. wt. 115.02	500 gm	511	POTASSIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-58-3 KOH F. wt. 56.11	500 gm 5 Kg
238	AMMONIUM HYDROGEN CARBONATE, AR GRADE CAS 1066-33-7 CH ₃ NO ₃ F. wt. 79.056	500 gm	634	POTASSIUM IODIDE, AR GRADE CAS 7681-11-0 KI F. wt. 166.0	100 gm 500 gm
246	AMMONIUM MOLYBDATE (Tetra), AR GRADE CAS 12054-85-2 (NH ₄) ₆ MO ₇ O ₂₄ .4H ₂ O F. wt. 1235.86	100 gm 500 gm	761	POTASSIUM NITRATE, EXTRA PURE CAS 7757-79-1 KNO ₃ F. Wt. 101.10	500 gm 5 Kg
258	AMMONIUM SULPHATE, AR GRADE CAS 7783-20-2 (NH ₄) ₂ SO ₄ F. wt. 132.16	500 gm 5 Kg	407	POTASSIUM SULPHATE, AR GRADE CAS 7778-80-5 K ₂ SO ₄ F. wt. 101.1	500 gm
289	CALCIUM CARBONATE (Precipitated), (ANH.), AR GRADE CAS 471-34-1 CaCO ₃ F. wt. 100.09	500 gm	763	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate), AR GRADE CAS 13472-35-0 NaH ₂ PO ₄ .2H ₂ O F. Wt. 156.01	500 gm 5 Kg
292	CALCIUM CHLORIDE (Dihydrate), AR GRADE CAS 10035-04-8 CaCl ₂ .2H ₂ O F. wt. 147.02	500 gm	451	SODIUM NITRATE, AR GRADE CAS 7631-99-4 NaNO ₃ F. wt. 85.0	500 gm
828	CALCIUM CITRATE (Tetra) CAS 5785-44-4 C ₁₂ H ₁₀ Ca ₃ O ₁₄ .4(H ₂ O) F. wt. 570.50	500 gm	ANTIBIOTIC POWDER		
160	CALCIUM NITRATE (Tetra), AR GRADE CAS 13477-34-4 CaH ₈ N ₂ O ₁₀ F. wt. 236.15	500 gm 5 Kg	3300	ACETYLSALICYLIC ACID (Aspirin, 2-Acetoxybenzoic Acid) CAS 50-78-2 C ₉ H ₈ O ₄ F. wt. 180.15	500 gm
163	triL-CALCIUM PHOSPHATE, EXTRA PURE CAS 7758-87-4 Ca ₃ (PO ₄) ₂ F. wt. 310.2	500 gm 5 Kg	573	ACTIDIONE (Cycloheximide), AR GRADE CAS 66-81-9 C ₁₅ H ₂₃ NO ₄ F. wt. 281.36	1 gm 5 gm
614	MAGNESIUM CHLORIDE (Hexa), AR GRADE CAS 7791-18-6 MgCl ₂ .6H ₂ O F. wt. 203.3	500 gm 5 Kg	2028	AMOXICILLIN (Trihydrate) * CAS 61336-70-7 C ₁₆ H ₂₅ N ₃ O ₈ S F. wt. 419.5	1 gm
357	MAGNESIUM NITRATE, (Hexa), EXTRA PURE CAS 13446-18-9 Mg(NO ₃) ₂ .6H ₂ O F. Wt. 256.41	500 gm	3078	AMPHOTERICIN B * CAS 1397-89-3 C ₄₇ H ₇₉ NO ₁₇ F. wt. 924.1	1 gm 5 gm
359	MAGNESIUM SULPHATE (Hepta), AR GRADE CAS 10034-99-8 MgSO ₄ .7H ₂ O F. wt. 246.48	500 gm 5 Kg	2007	AMPICILLIN SODIUM * CAS 69-52-3 C ₁₆ H ₁₈ N ₃ NaO ₄ S F. wt. 371.4	1 gm 10 gm
386	POTASSIUM CHLORIDE, AR GRADE CAS 7447-40-7 KCl F. wt. 74.55	500 gm 5 Kg	4002	AUGMENTIN (Amoxicillin : clavulanic acid potassium 5:1)	1 gm
			4228	CARBENDAZIM CAS 10605-21-7 C ₉ H ₉ N ₃ O ₂ F. Wt. 191.19	1 gm 5 gm 25 gm

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
3314	CARBENICILLIN DISODIUM * CAS 4800-94-6 C ₁₇ H ₁₆ N ₂ Na ₂ O ₆ S F. wt. 422.4	1 gm	4209	METRONIDAZOLE CAS 443-48-1 C ₆ H ₉ N ₃ O ₃ F. wt. 171.2	1 gm
2016	CEFOTAXIME SODIUM * CAS 64485-93-4 C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ F. wt. 477.4	1 gm 5 gm	4210	MINOCYCLINE HCL CAS 10118-90-8 C ₂₃ H ₂₇ N ₃ O ₇ F. wt. 457.47	100 mg 1 gm
2012	CEPHALEXIN (Mono) * CAS 23325-78-2 C ₁₆ H ₁₇ N ₃ O ₄ S.H ₂ O F. wt. 365.4	1 gm	1713	NALIDIXIC ACID * CAS 389-08-2 C ₁₂ H ₁₂ N ₂ O ₃ F. wt. 232.2	1 gm 5 gm
2017	CHLORAMPHENICOL * CAS 56-75-7 C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅ F. wt. 323.1	5 gm 25 gm	2003	NEOMYCIN SULPHATE CAS 1405-10-3 C ₂₃ H ₄₆ N ₆ O ₁₃ .3H ₂ SO ₄ F. wt. 908.9 (Store at 2 ± 8 C)	5 gm
4004	CLINDAMYCIN HCL CAS 18323-44-9 C ₁₈ H ₃₃ ClN ₂ O ₅ S.HCl F. wt. 424.98 g/mole	5 gm	2463	NYSTATINE (10,00,000 u/vl) * CAS 1400-61-9 C ₄₇ H ₇₃ NO ₁₇ F. wt. 926.10	1 vl
4207	D-CYCLOSERINE CAS 68-41-7 C ₉ H ₆ N ₂ O ₂ F. wt. 102.09	1 gm	2004	OXYTETRACYCLINE HCl * CAS 2058-46-0 C ₂₂ H ₂₄ N ₂ O ₉ .HCl F. wt. 496.9	1 gm
1805	COLCHICINE CAS 64-86-8 C ₂₂ H ₂₅ NO ₆ F. wt. 399.4 (Store at room temp.)	1 gm 10 gm	4229	PAROMOMYCIN SULPHATE CAS 1263-89-4 C ₂₃ H ₄₇ N ₅ O ₁₅ S F. Wt. 713.71	1 gm 5 gm
2020	COLISTIN SULPHATE SODIUM (2,50,000/VL)* CAS 1264-72-8	1 vl	2005	POLYMYXIN B. SULPHATE (1 million units/vl) CAS 1405-20-5 C ₅₅ H ₉₆ N ₁₆ O ₁₃ .2H ₂ SO ₄	1 vl 5 vl
4208	DICAMBA CAS 1918-00-9 C ₈ H ₆ Cl ₂ O ₃ F. wt. 221.04	100 mg 1 gm	3393	PENICILLIN BENZYL SODIUM (PENCILLIN-G) CAS 69-57-8 C ₁₆ H ₁₇ N ₂ NaO ₄ S(1MU/vl) F. wt. 356.35	1 vl
3539	DOXYCYCLINE HCl CAS 10592-13-9 C ₂₂ H ₂₄ N ₂ O ₈ .HCl F. wt. 480.89	1 gm	2200	RIFAMPICIN CAS 13292-46-1 C ₄₃ H ₅₈ N ₄ O ₁₂	1 gm
2023	ERYTHROMYCIN CAS 114-07-8 C ₃₇ H ₆₇ NO ₁₃ F. wt. 733.9	1 gm	2030	STREPTOMYCIN SULPHATE CAS 3810-74-0 C ₂₁ H ₃₉ O ₁₂ .(H ₂ SO ₄) ₃	5 gm 25 gm
3341	G-418-DISULPHATE (Geneticin Sulphate) CAS 108321-42-2 C ₂₀ H ₄₀ N ₄ O ₁₀ F. wt. 692.70	500 mg 1 gm	3439	SULPHAMETHOXAZOLE CAS 723-46-6 C ₁₀ H ₁₁ N ₃ O ₃ S	5 gm 25 gm
2025	GENTAMYCIN SULPHATE * CAS 1405-41-0 C ₂₁ H ₄₃ N ₅ O ₇ .H ₂ SO ₄ F. wt. 575.67	1 gm 5 gm	070	TETRACYCLINE CAS 60-54-8 C ₂₂ H ₂₄ N ₂ O ₈ F. wt. 444.43	5 gm
3357	HYGROMYCIN B CAS 31282-04-9 C ₂₀ H ₃₇ N ₃ O ₁₃ F. wt. 527.60	100 mg 1 gm	478	THIOMERSAL, EXTRA PURE CAS 54-64-8 C ₉ H ₉ HgNaO ₂ S F. wt. 404.81	25 gm 100 gm
2035	KANAMYCIN SULPHATE (Mono) * CAS 29701-07-3 C ₁₈ H ₃₇ N ₅ O ₁₀ .H ₂ Q S F. wt. 581.68	1 gm 5 gm	071	TICARCILLIN / CLAVULANIC ACID CAS 4697-14-7 C ₁₅ H ₁₄ N ₂ Na ₂ O ₆ S ₂ F. wt. 428.39	500 mg
2026	LINCAMYCIN HCl (Mono) * (10,00000 Unit/vl) CAS 7179-49-9 C ₁₈ H ₃₇ ClN ₂ O ₅ S F. wt. 461.01	1 vl	3441	TICARCILLIN SODIUM CAS 4697-14-7 C ₁₅ H ₁₄ N ₂ Na ₂ O ₆ S ₂ F. wt. 428.39	1 gm 5 gm 25 gm

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2031	TRIMETHOPRIM CAS 738-70-5 C ₁₄ H ₁₈ N ₄ O ₃ F. wt. 290.3	5 gm	4213	2, 8 HOMO BRASSINOLIDE CAS 80483-89-2 C ₂₉ H ₅₀ O ₆ F. wt. 494.70	10 mg 100 mg
072	TOBRAMYCIN SULPHATE CAS 49842-07-1 C ₁₈ H ₁₉ N ₅ O ₉ F. wt. 567.51	100 mg	606	INDOLE-3-ACETIC ACID (3-Indoleacetic acid, IAA) CAS 87-51-4 C ₁₀ H ₉ NO ₂ F. wt. 175.18 (Store at 2 - 15°C)	5 gm 25 gm 100 mg 1 Kg
4211	VALIDAMYCINE CAS 37248-47-8 C ₂₀ H ₁₉ NO ₁₃ F. wt. 497.49	1 gm	606A	INDOLE-3-ACETIC ACID POTASSIUM SALT CAS 2338-19-4 C ₁₀ H ₈ KNO ₂ F. Wt. 213.27	25 gm 100 gm 1 kg
2032	VANCOMYCIN HCl CAS 1404-93-9 C ₆₆ H ₁₇₅ Cl ₂ N ₅ O ₂₄ .HCl F. wt. 1485.7	500 mg	607	INDOLE-3-BUTYRIC ACID * (3-Indolebutyric acid, IBA) CAS 133-32-4 C ₁₂ H ₁₃ NO ₂ F. wt. 203.33	5 gm 25 gm 100 gm 1 Kg
PLANT GROWTH REGULATORS					
3051	ABSCISIC ACID (ABA) CAS 21293-29-8 C ₁₅ H ₂₀ O ₄ F. wt. 264.3	100 mg 500 mg 1 gm	607A	INDOLE-3-BUTYRIC ACID POTASSIUM SALT CAS 60096-23-3 C ₁₂ H ₁₂ KNO ₂ F. Wt. 241.33	25 gm 100 gm 1 kg
4240	ACETOSYRINGONE CAS : 2478-38-8 C ₁₀ H ₁₂ O ₄ F. wt. 196.2	1 gm 5 gm	4215	N ⁶ -(2-ISOPENTENYL)ADENINE; (2IP) [6-(g-g-Dimethylallylamino)purine] CAS 2365-40-4 C ₁₀ H ₁₃ N ₅ F. wt. 203.24	1 gm 5 gm
562	ADENINE SULPHATE (Dihydrate) (6 Aminopurine Sulphate) CAS 321-30-2 C ₁₀ H ₁₂ N ₁₀ O ₄ S F. wt. 368.34	10 gm 100 gm	863	KINETIN (6-Furfurylamino)purine * CAS 525-79-1 C ₁₀ H ₉ N ₅ O F. wt. 215.21	1 gm 5 gm
4241	5-AMINOLEVULINIC ACID * CAS : C5H9NO3 C ₅ H ₉ NO ₃ F. wt. 131.12	1 gm 5 gm	4214	meta-TOPOLINE CAS 75737-38-1 C ₁₂ H ₁₀ N ₅ OH F. wt. 241.25	25 mg 100 mg
2565	p-CHLOROPHENOXY ACETIC ACID (4 CPA) CAS 122-88-3 C ₈ H ₇ ClO ₃ F. wt. 186.6	25 gm	2122	α-NAPHTHALENE ACETIC ACID CAS 86-87-3 C ₁₂ H ₁₀ O ₂ F. wt. 186.21	25 gm 100 gm 500 gm 25 kg
4242	DAMINOZIDE CAS : 1596-84-5 C ₆ H ₁₂ N ₂ O ₃ F. wt. 160.17	5 gm	2122A	α-NAPHTHALENE ACETIC ACID POTASSIUM SALT CAS 15165-79-4 C ₁₂ H ₉ O ₂ K F. Wt. 224.30	25 gm 100 gm 1 Kg
2590	2,4, DICHLORO PHENOXY ACETIC ACID (2,4-D) CAS 94-75-7 C ₈ H ₆ Cl ₂ O ₃ F. wt. 221.04	500 gm	3565	β-NAPHTHOXY ACETIC ACID CAS 120-23-0 C ₁₂ H ₁₀ O ₃ F. wt. 202.21	25 gm 100 gm
4212	FORCHLORFENURON (4-CPPU) N-(2-chloro-4-pyridinyl)-N'- phenyl CAS 68157-60-8 C ₁₂ H ₁₀ ClN ₃ O F. wt. 247.68	5 gm	3570	PACLOBUTRAZOL * CAS 76738-62-0 C ₁₅ H ₂₀ ClN ₃ O F. wt. 293.80	5 gm 25 gm
4243	GENISTEIN CAS 466-72-0 C ₁₉ H ₁₀ O ₅ F. wt. 270.24	100 gm	906	PHENYLACETIC ACID (PAA; Benzeneacetic acid) CAS 103-82-2 C ₈ H ₈ O ₂ F. wt. 136.15	500 gm
3547	GIBBERELIC ACID (GA) ⁴⁺⁷ CAS 202467-69-4 C ₂₀ H ₁₉ N ₃ O ₇ S F. wt. 445.45	1 gm 5 gm 100 gm	2457	PHLOROGLUCINOL CAS : 108-73-6 C ₆ H ₈ O ₃ F. wt. 126.11	25 gm 100 gm
849	GIBBERELIC ACID A3 (GA) ³ CAS 77-06-5 C ₁₉ H ₂₂ O ₆ F. wt. 346.37	1 gm 10 gm 100 gm 1 kg	3576	PICLORAM CAS 1918-02-1 C ₆ H ₃ Cl ₃ N ₂ O F. wt. 241.46	1 gm 5 gm

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
4245	PROHEXADIONE-CALCIUM CAS : 127277-53-6 C ₁₀ H ₁₀ CaO ₅ F. Wt. 250.263	5 gm	465	D-SORBITOL POWDER (D-Glucitol) CAS 50-70-4 C ₆ H ₄ O ₆ F. wt. 182.17	100 gm 500 gm
680	SALICYCLIC ACID, AR GRADE	500 gm	1309	STARCH, POTATO (Insoluble) CAS 9005-84-9	500 gm
3584	THIDIAZURON CAS 51707-55-2 C ₉ H ₈ N ₄ OS F. wt. 220.25	250 mg 1 gm	TC 023	SUCROSE, for Tissue Culture & Molecular Biology CAS 57-50-1 C ₁₂ H ₂₂ O ₁₁ F. wt. 342.3	500 gm 5 Kg
3587	2,4,5, TRICHLOROPHENOXY ACETIC ACID CAS 93-76-5 C ₈ H ₅ ClO ₃ F. wt. 255.49	5 gm 25 gm	TC 024	D-TREHALOSE (Dihydrate) CAS 6138-23-4 C ₁₂ H ₂₂ O ₁₁ ·2H ₂ O F. Wt. 378.33	5 gm 25 gm
4246	TRIACONTANOL 20% CAS : 593-50-0 C ₃₀ H ₆₂ O F. wt. 438.81 (Store at 2°-4 C)	100 gm 500 gm	1312	D(+)-XYLOSE CAS 58-86-6 C ₅ H ₁₀ O ₅ F. wt. 150.13	25 gm 100 gm 500 gm
516	ZEATIN CAS 1637-39-4 C ₁₀ H ₁₃ N ₅ O F. wt. 219.25 (Store at 2°-4 C)	100 mg 500 mg 1 gm	GELLING AGENT		
CARBOHYDRATES			3500	AGAR AGAR Type I CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg
3625	β-CYCLODEXTRIN CAS 7585-39-9 C ₄₂ H ₇₀ O ₃₅ F. Wt. 1134.98	500 gm	243 M	AGAR AGAR Type II CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg
1315	D(-) FRUCTOSE (Bacteriological Grade) CAS 57-48-7 C ₆ H ₁₂ O ₆ F. wt. 180.16	100 gm 500 gm	1227	AGAROSE, (High EEO) CAS 9012-36-6	5 gm 25 gm 100 gm 500 gm
TC 010	D(+)-GALACTOSE CAS 59-23-4 C ₆ H ₁₂ O ₆ F. wt. 180.16	25 gm 100 gm 500 gm	1270	AGAROSE SPL (Low EEO) (Counter-electrophoresis) CAS 9012-36-6	5 gm 25 gm 100 gm 500 gm
1303	DEXTROSE (Mono), EXTRA PURE CAS 5996-10-1 C ₆ H ₁₂ O ₆ ·H ₂ O F. Wt. 198.17	500 gm 5 Kg 25 Kg	4139	CARRAGEENAN (Kappa Type) CAS 9000-07-1	100 gm 500 gm
1304	DEXTROSE (ANH.), EXTRA PURE CAS 50-99-7 C ₆ H ₁₂ O ₆ F. Wt. 180.16	500 gm 5 Kg 25 Kg	3526	GELATIN CRYSTAL, Bloom Type B (Bacteriological Grade) CAS 9000-70-8	500 gm 5 Kg 50 Kg
1305	LACTOSE (Mono) CAS 10039-26-6 C ₁₂ H ₂₂ O ₁₁ ·H ₂ O F. wt. 360.31	500 gm	3318	GELLAN GUM Plant Tissue Culture Grade CAS 71010-52-1	100 gm 500 gm 1 Kg
1244	MALTOSE (Mono) (for Bacteriology) CAS 6363-53-7 C ₁₂ H ₂₄ O ₁₂ F. wt. 360.31	100 gm 500 gm	3342	GELZAN CM®(GELRITE®) Regd. Trademark CP Kelco USA CAS 7110-51-1	100 gm 1 Kg 5 Kg
365	D+MANNOSE CAS 3458-28-4 C ₆ H ₁₂ O ₆ F. Wt. 180.16	25 gm 100 gm	2115	POLYVINYL PYRROLIDINE K-30 (PVP) CAS 9003-39-8 (C ₆ H ₉ O) _n F. Wt. 165.19	100 gm 500 gm 25 Kg
1246	D-MANNITOL, AR GRADE CAS 69-65-8 C ₆ H ₁₄ O ₆ F. wt. 182.17	100 gm 500 gm			
TC 018	D-RAFFINOSE (Penta) CAS 17629-30-0 C ₁₈ H ₃₂ O ₁₆ ·5H ₂ O F. wt. 594.52	10 gm 25 gm			
1306	D-RIBOSE CAS 50-69-1 C ₅ H ₁₀ O ₅ F. wt. 150.13	10 gm 25 gm 100 gm			

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
BUFFERING AGENT							
3086	BES, SODIUM, EXTRA PURE CAS 66992-27-6 C ₆ H ₄ NNaO ₅ S F. wt. 235.23	5 gm 25 gm		3093	5-BROMO-4-CHLORO-3-INDOLYL-β-D-GALCTOPYRANOSIDE (X-Gal) CAS 7240-90-6 C ₁₄ H ₁₄ BrClNO ₆ F. wt. 408.63	100 mg 500 mg 1 gm	
3088	BIS-TRIS * CAS 6976-37-0 C ₈ H ₉ NO ₅ F. wt. 209.24	25 gm 100 gm		3095	5-BROMO-4-CHLORO-3-INDOLYL-β-D-GLUCOPYRANOSIDE (X-Glucoside) CAS 15548-60-4 C ₁₄ H ₁₅ BrClNO ₆ F. wt. 408.63	100 mg	
503	HEPES, FREE ACID CAS 7365-45-9 C ₈ H ₁₈ N ₂ O ₄ S F. wt. 238.30	25 gm 100 gm 500 gm 1 Kg		1614	BROMO CRESOL PURPLE, AR GRADE (pH 5.2-6.8, Yellow to Purple)	5 mg 25 gm 100 gm	
2110	MES, (MONO)(2 (N-MORPHLINO) ETHANE SULFONIC ACID) CAS 4432-31-9 C ₆ H ₃ NO ₄ SH ₂ O F. wt. 213.2	25 gm 100 gm 1 Kg		1657	BROMOTHYMOL BLUE (pH 5.8-7.6, Yellow to Blue)	5 gm 25 gm 100 gm	
2219	PIPES (Piperazine-N,N-bis (2 Ethane Sulphonic Acid)CAS 5625-37-6 C ₈ H ₁₈ N ₂ O ₆ S ₂ F. wt. 302.4	5 gm 25 gm		3523	CELLULASE * CAS 9012-54-8 Activity 10,000 U/gm	1 gm	
487	TRIS, 99%+Purity AR GRADE (Tris Hydroxymethyl Aminomethane) CAS 77-86-1 C ₄ H ₁₁ NO ₃ F. wt. 121.14	100 gm 500 gm		827	CHITIN [Poly (N-acetyl-1,4-D-glucopyranosamine)]	100 gm 500 gm	
488	TRIS HYDROCHLORIDE, AR GRADE CAS 1185-53-1 C ₄ H ₁₁ NO ₃ .HCl F. wt. 157.6	100 gm 500 gm		4224	CHITOSAN CAS 9012-76-4 (C ₆ H ₁₁ NO ₄) _n F. Wt. 309.54	25 gm 100 gm 1 Kg	
ADSORBING AGENT							
2903	CHAROCAL ACTIVATED, AR GRADE CAS 7740-44-0	500 gm		310	CITRIC ACID (Mono), AR GRADE CAS 5949-29-1 C ₆ H ₈ O ₈ F. wt. 210.14	500 gm 5 Kg	
2115	POLYVINYL PYRROLIDINE K-30 (PVP) CAS 7740-44-0	100 gm 500 gm 25 Kg		1850	DITHIOERY THREITOL (D.T.E.) * (1,4 Dithioerythreitol) CAS 6892-68-8 C ₄ H ₁₀ O ₂ S ₂ F. wt. 154.25	1 gm 5 gm	
DISINFECTING AGENTS							
2632	8-HYDROXYQUINOLINE, AR GRADE, (Oxine) CAS 148-24-3 C ₉ H ₇ NO F. wt. 145.2	100 gm 500 gm		1852	DITHIOTHREITOL (DTT) * (DL-DITHIOTHREITOL) CAS 3483-12-3 C ₄ H ₁₀ O ₂ S ₂ F. wt. 154.25	1 gm 5 gm	
OTHER ESSENTIAL INGREDIENTS							
3300	ACETYSALICYLIC ACID (Aspirin)	500 gm		304	ESCULINE (Aesculin) CAS 531-75-9 C ₁₅ H ₁₆ O ₉ F. wt. 340.29	5 gm 25 gm	
3509	ADENOSINE (9-β-Riboluranosylademine) * CAS 58-61-7 C ₁₀ H ₁₃ N ₅ O ₄ F. wt. 267.25	5 gm 25 gm 100 gm		597	GLYCEROL (Glycerine), AR GRADE CAS 56-81-5 C ₃ H ₈ O ₃ F. wt. 92.09	500 ml 2.5 Ltr 5 Ltr	
3063	ADENOSINE 5-DIPHOSPHATE DISODIUM (5'-AMP-Na ₂) CAS 16178-48-6 C ₁₀ H ₁₃ N ₅ Na ₂ O ₁₀ P ₂ F. wt. 391.19	1 gm 5 gm		227	GUANIDINE HYDROCHLORIDE, AR GRADE CAS 50-01-1 CH ₅ N ₃ HCl F. wt. 95.53	25 gm 100 gm	
3066	ALCIAN BLUE 8GX	5 gm 25 gm		3156	ISOPROPYL-β-D-1-THIOGALACTOPYRANOSIDE (IPTG, DIOXAN FREE) * CAS 367-93-1 C ₉ H ₁₆ O ₅ S F. wt. 238.3	1 gm 5 gm 25 gm	
				3556	MALEIC HYDRAZIDE CAS 123-33-1 C ₄ H ₄ N ₂ O ₂ F. wt. 112.09	100 gm	
				363	(DL)-MALIC ACID CAS 6915-15-7 C ₄ H ₆ O ₅ F. wt. 134.09	500 gm 5 Kg	
				4142	MALT EXTRACT POWDER Bacteriological Grade	500 gm	

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2651	METHYLENE BLUE, AR GRADE	25 gm 100 gm 1 kg	649	SILVER NITRATE, AR GRADE CAS 7761-88-8 AgNO ₃ F. wt. 169.87	10 gm 25 gm
3564	MTT Methylthiazolyldiphenyl Tetrazolium Bromide CAS 298-93-1 C ₁₈ H ₁₆ N ₄ SBr F. wt. 414.3 (Store at 2°- 8 C)	1 gm	4247	SILICON DIOXIDE CAS-7631-86-9 SiO ₂ F. wt. 60.08	100 gm
2153	NITRO BLUE TETRAZOLIUM (Nitro Tetrazolium Blue, NBT), AR GRADE CAS 298-83-9 C ₄₀ H ₃₀ Cl ₂ N ₁₀ O ₆ F. wt. 817.6	100 mg 250 mg 1 gm	542	tri-SODIUM CITRATE (Dihydrate), AR GRADE CAS 6132-04-3 C ₆ H ₅ Na ₃ O ₇ ·2H ₂ O F. wt. 294.1	500 gm 5 Kg
3184	O-NITROPHENYL-b-D-GALACTOPYRANO SIDE (ONPG) CAS 369-07-3 C ₁₂ H ₉ NO ₆ F. wt. 301.25 (Store at 2°- 8 C)	500 mg 1 gm 5 gm	658	di-SODIUM HYDROGEN PHOSPHATE (Dihydrate), AR GRADE CAS 10028-24-7 Na ₂ HPO ₄ ·2H ₂ O F. wt. 159.97	500 gm 5 Kg
3518	PEPTONE (BACTO GRADE) CAS 73049-73-7	500 gm 5 Kg	440	SODIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-73-2 NaOH F. wt. 39.99	500 gm 5 Kg
2457	PHLOROGLUCINOL, AR GRADE CAS 108-73-6 C ₆ H ₆ O ₃ F. wt. 126.11	25 gm 100 gm	659	SODIUM PYRUVATE, AR GRADE CAS 113-24-6 C ₃ H ₃ NaO ₃ F. wt. 110.04	100 gm 500 gm
908	POLYETHYLENE GLYCOL 4000 (P.E.G. 4000) CAS 25322-68-3	500 gm	663	SODIUM THIOSULPHATE (ANH.), AR GRADE CAS 7772-98-2 Na ₂ S ₂ O ₃ F. wt. 158.1	500 gm
1013	POLYETHYLENE GLYCOL 6000 (P.E.G. 6000) CAS 25322-68-3	500 gm	3436	SPERMIDINE [N-(3-Aminoopropyl)-1,4-diaminobutane] CAS 124-20-9 C ₇ H ₁₉ N ₃ F. wt.145.2 (Store at 2 - 8°C)	1 gm 5 gm
670	POLYOXYETHYLENE SORBITAN MONOLAUATE (Tween 20) CAS 9005-64-5 C ₅₈ H ₁₁₃ O ₂₆ F. wt. 1226.5	500 ml	1016	SUCCINIC ACID, EXTRA PURE CAS 110-15-6 C ₄ H ₆ O ₄ F. wt. 118.09	500 gm 25 Kg
511	POTASSIUM HYDROXIDE PELLETS, AR GRADE	500 gm 5 kg	2742	TALCUM POWDER (400 mesh) CAS 14807-96-6	500 gm
3258	POTASSIUM SILICATE POWDER	500 gm 50 Kg	3226	TALCUM POWDER (700 mesh) CAS 14807-96-6	500 gm
673	POLYOXYETHYLENE SORBITAN MONOOLEATE (Tween 80) CAS 9005-65-6 C ₃₂ H ₆₀ O ₁₀ F. wt. 604.8	100 ml 500 ml	821	TETRAZOLIUM BLUE CHLORIDE, AR GRADE	1 gm 5 gm
648	PROPYLENE GLYCOL CAS 57-55-6 C ₃ H ₈ O ₂ F. wt. 76.09	500 ml 5 ltr	3514	TRYPTONE (REGULAR GRADE)	500 gm
680	SALICYLIC ACID (2-Hydroxybenzoic acid), AR GRADE CAS 69-72-7 C ₇ H ₆ O ₃ F. wt. 138.12	500 gm	492	UREA, AR GRADE (Carbamide) CAS 57-13-6 CH ₄ N ₂ O F. wt. 60.06	500 gm 5 kg
			4204	YEAST EXTRACT POWDER (Bacto Grade)	500 gm

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
3525	ACTINOMYCIN D CAS 50-76-0 $C_{62}H_{86}N_3O_6S$ F. wt. 1255.42	1 mg 5 mg	2015	CEFAZOLIN SODIUM CAS 27164-46-1 $C_{14}H_{13}NaO_4S_3$ F. wt. 477.49	1 gm
2001	AMIKACIN SULPHATE CAS 39831-55-5 $C_{22}H_{43}N_5O_{13} \cdot 2H_2SO_4$ F. wt. 781.76	1 gm	4003	CEFIXIME CAS 79350-37-1 $C_{16}H_{13}N_5O_7S_2$ F. wt. 453.452	1 gm
4002	AMOXICLAV (Amoxicillin / Clavulanic Acid) CAS 61336-70-7 $C_{16}H_{25}N_3O_8S$ F. wt. 419.45 CAS 58001-44-8 $C_8H_9NO_5$ F. wt. 199.16	1 gm	2016	CEFOTAXIME SODIUM CAS 64485-93-4 $C_{16}H_{16}N_5NaO_7S_2$ F. wt. 477.45	1 gm 5 gm
2028	AMOXYCILLIN CAS 26787-78-0 $C_{16}H_{19}N_3O_5S$ F. wt. 365.4	1 gm	3633	CEFOPERAZONE CAS 62893-19-0 $C_{25}H_{27}N_9O_8S_2$ F. wt. 645.68	5 gm
035	AMPICILLIN / SULBACTAM CAS 69388-84-7 CAS 69-52-3 $C_{16}H_{18}N_3NaO_4S$ F. wt. 371.42 $C_8H_{10}NNaO_5S$ F. wt. 255.22	1 gm	3636	CEFOXITIN CAS 35607-66-0 $C_{16}H_{17}N_3O_7S_2$ F. wt. 427.45	100 mg
2007	AMPICILLIN SODIUM CAS 69-52-3 $C_{16}H_{18}N_3O_4SNaF$ wt. 371.39	1 gm 10 gm 25 gm 100 gm	3634	CEFSULODIN SODIUM SALT CAS 52152-93-9 $C_{22}H_{19}NaO_8S_2$ F. wt. 554.52	1 gm
3007	AMPICILLIN (Trihydrate) (Soluble in water) CAS 7177-48-2 $C_{16}H_{19}N_3O_4S \cdot 3H_2O$ F. wt. 403.45	1 gm	2010	CEFTAZIDIME (Penta) CAS 72558-82-8 $C_{22}H_{22}N_6O_7S_2$ F. wt. 546.58	1 gm
3078	AMPHOTERCIN B CAS 1397-89-3 $C_{47}H_{73}NO_{17}$ F. wt. 924.10	1 gm 5 gm	2011	CEFTRIAXONE SODIUM CAS 104376-79-6 $C_{16}H_{16}N_6Na_2O_7S_3 \cdot \frac{1}{2}H_2O$ F. wt. 598.54	1 gm
4002	AUGMENTIN (Amoxycillin : clavulanic acid potassium 5:1)	1 gm	3632	CEFUROXIME CAS 55268-75-2 $C_{16}H_{16}N_4O_8S$ F. wt. 424.38	1 gm
4138	AZITHROMYCIN SULPHATE CAS 83905-01-5 $C_{38}H_{72}N_2O_{12}$ F. wt. 748.99	25 mg	2012	CEPHALEXIN (MONO) CAS 23325-78-2 $C_{16}H_{19}N_3O_5S$ F. wt. 365.4	1 gm
2008	BACITRACIN (50,000 Units/vl) CAS 1405-87-4 $C_{66}H_{103}N_{17}O_{16}S$ F. wt. 1422.69	1 vl	3119	CEPHALOTHIN SODIUM CAS 58-71-9 $C_{16}H_{13}N_2O_6Na$ F. wt. 418.41	500 mg
2520	BACITRACIN ZINC CAS 1405-89-6 $C_{66}H_{101}N_{17}O_{16}SZn$ F. wt. 1486.07	1 gm	3120	CEPHALORIDINE CAS 50-59-9 $C_{19}H_{17}N_3O_4S_2$ F. wt. 415.48	500 mg
4228	CARBENDAZIM CAS 10605-21-7 $C_9H_9N_3O_2$ F. Wt. 191.19	1 gm 5 gm 25 gm	2017	CHLORAMPHENICOL CAS 56-75-7 $C_{11}H_{12}Cl_2N_2O_5$ F. wt. 323.13	5 gm 25 gm
3314	CARBENICILLIN DISODIUM CAS 4800-94-6 $C_{17}H_{16}N_2O_6SNa_2$ F. wt. 422.36	1 gm	2019	CIPROFLOXACIN HCl CAS 86393-32-0 $C_{17}H_{18}FN_3O_3 \cdot HCl \cdot H_2O$ F. wt. 385.82	1 gm
2034	CEFACLOR CAS 53994-73-3 $C_{15}H_{14}ClN_3O_4S$ F. wt. 367.81	1 gm	4180	CLARITHROMYCIN CAS 81103-11-9 $C_{38}H_{69}NO_{13}$ F. wt. 474.96	100 mg 500 mg
2929	CEFADROXIL CAS 50370-12-2 $C_{16}H_{17}N_3O_5S$ F. wt. 363.39	1 gm	4004	CLINDAMYCIN HCL CAS 18323-44-9 $C_{18}H_{33}ClN_2O_5 \cdot HCl$ F. wt. 424.98 g/mole	5 gm
			4005	CLOXACILLIN CAS 61-72-3 $C_{19}H_{18}ClN_3O_5S$ F. wt. 435.88	1 gm

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2020	COLISTIN SULPHATE SODIUM (2,50,000 Units/vl) CAS 8068-28-8 $C_{58}H_{10}SN_4O_8S_2Na_5$ F. wt. 1351.59	1 vl	4210	MINOCYCLINE HCL CAS 10118-90-8 $C_{23}H_{27}N_3O_7$ F. wt. 457.47	100 mg 1 gm
573	CYCLOHEXIMIDE (Actidione), AR GRADE CAS 66-81-9 $C_{15}H_{23}NO_4$ F. wt. 281.36	1 gm 5 gm	3637	MOXALACTAM CAS 64952-97-2 $C_{20}H_{20}N_6O_9S$ F. wt. 520.47	500 mg
4207	D-CYCLOSERINE CAS 68-41-7 $C_3H_6N_2O_2$ F. wt. 102.09	1 gm	2463	MYCOSTATINE (Nystatin) 10,00,000 unit/vl CAS 1400-61-9 $C_{47}H_{73}NO_{17}$ F. wt. 926.09	1 vl
4208	DICAMBA CAS 1918-00-9 $C_8H_6Cl_2O_3$ F. wt. 221.04	100 mg 1 gm	1713	NALIDIXIC ACID CAS 389-08-2 $C_{12}H_{12}N_2O_3$ F. wt. 232.24	1 gm 5 gm
3539	DOXYCYCLINE HCl CAS 10592-13-9 $C_{22}H_{24}N_2O_8HCl$ F. wt. 480.89	1 gm	3528	NATAMYCIN (Pimaricin) CAS 7681-93-8 $C_{33}H_{47}NO_{13}$ F. wt. 665.73 CAS 7681-93-8	1 gm 5 gm
2023	ERYTHROMYCIN CAS 114-07-8 $C_{37}H_{67}N_{13}$ F. wt. 694.00	1 gm	2003	NEOMYCIN SULPHATE CAS 1405-10-3 $C_{23}H_{52}N_6O_{25}S_3$ F. wt. 908.88	5 gm
2024	ETHAMBUTOL Di-HCl CAS 1070-11-7 $C_{10}H_{24}N_2O_2 \cdot 2HCl$ F. wt. 277.23	1 gm	3384	NETILMICIN SULPHATE CAS 56391-57-2 $C_{42}H_{92}N_{10}O_{34}S_5$ F. wt. 1441.55	100 mg
4006	FLUCONAZOLE CAS 86386-73-4 $C_{13}H_{12}F_2N_6O$ F. wt. 306.2708	5 gm	3590	NISIN CAS 1414-45-5 $C_{143}H_{230}N_{37}O_{42}S_7$ F. wt. 3354.07	1 gm 5 gm 25 gm
3341	G-418-DISULPHATE (Geneticin Sulphate) CAS 108321-42-2 $C_{20}H_{40}N_4O_{10}$ F. wt. 692.70	500 mg 1 gm	2962	NORFLOXACIN CAS 70458-96-7 $C_{16}H_{18}FN_3O_3$ F. wt. 319.33	1 gm
2025	GENTAMYCIN SULPHATE CAS 1405-41-0 $C_{21}H_{43}N_5O_7 \cdot H_2SO_4$ F. wt. 575.67	1 gm 5 gm	3529	NOVOBIOCIN SODIUM CAS 1476-53-5 $C_{31}H_{35}N_2NaO_{11}$ F. wt. 634.62	1 gm
3357	HYGROMYCIN B CAS 31282-04-9 $C_{20}H_{37}N_3O_{13}$ F. wt. 527.60	100 mg 1 gm	063	OFLOXACIN CAS 82419-36-1 $C_{18}H_{20}FN_3O_4$ F. wt. 361.41	500 mg 5 gm
2948	ISONIAZIDE 99% CAS 54-85-3 $C_6H_7N_3O$ F. wt. 137.14	5 gm	3390	OXACILLIN SODIUM CAS 1173-88-2 $C_{19}H_{18}N_3NaO_5S$ F. wt. 423.42	5 gm
2035	KANAMYCIN SULPHATE CAS 25389-94-0 $C_{18}H_{36}N_4O_{11} \cdot H_2SO_4$ F. wt. 582.58	1 gm 5 gm	2004	OXYTETRACYCLINE HCl CAS 2058-46-0 $C_{22}H_{24}N_2O_9 \cdot HCl$ F. wt. 496.9 (Store at 2 ° 8 C)	1 gm
2026	LINCOMYCIN HCl (Mono) (10,00000 Unit/vl) CAS 7179-49-9 $C_{18}H_{37}N_2O_8S$ F. wt. 461.01 (Store at 2 ° 8 C)	1 vl	4229	PAROMOMYCIN SULPHATE CAS 1263-89-4 $C_{23}H_{47}N_5O_{18}S$ F. wt. 713.71	1 gm 5 gm
4168	LOMEFLOXACIN HCL CAS 98079-52-8 $C_{17}H_{20}ClF_2N_3O_3$ F. wt. 387.81	1 gm	3393	PENICILLIN BENZYL SODIUM (Pencillin-G) CAS 69-57-8 $C_{16}H_{17}N_2NaO_4S(1MU/vl)$ F. wt. 356.35	1 vl
4176	MEROPENEM CAS 96036-03-2 $C_{17}H_{23}N_3O_5S$ F. wt. 387.81	10 gm	3572	PENICILLIN V POTASSIUM CAS 132-98-9 $C_{16}H_{17}N_2O_5SK$ F. wt. 388.48	1 vl
4209	METRONIDAZOLE CAS 443-48-1 $C_6H_9N_3O_3$ F. wt. 171.2	1 gm			

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	PRICE	CODE	PRODUCT NAME	PACK SIZE	PRICE
3397	PHOSPHOMYCIN SODIUM CAS 26016-99-9 $C_3H_5O_4PNa_2$ F. wt. 182.02	1 gm 5 gm		3439	SULPHAMETHOXAZOLE CAS 723-46-6 $C_{10}H_{11}N_3O_3S$	5 gm 25 gm	
3398	PIPERACILLIN SODIUM CAS 59703-84-3 $C_{23}H_{26}N_5NaO_7S$ F. wt. 539.54	1 gm 5 gm		3443	SULPHAMETHAZIDE CAS 57-68-1 $C_{12}H_{14}N_4O_2S$ F. wt. 278.33	25 gm	
2005	POLYMYXIN B. SULPHATE (1 million units/vl) CAS 1405-20-5 $C_{55}H_{96}N_{16}O_{13} \cdot 2H_2SO_4$	1 vl 5 vl		070	TETRACYCLINE CAS 60-54-8 $C_{22}H_{24}N_2O_8$ F. wt. 444.43	5 gm	
3203	PYRAZINAMIDE CAS 98-96-4 $C_5H_5N_3O$	5 gm		478	THIOMERSAL, EXTRA PURE CAS 54-64-8 $C_9H_9HgNaO_2S$ F. wt. 404.81	25 gm 100 gm	
2200	RIFAMPICIN CAS 13292-46-1 $C_{43}H_{58}N_4O_{12}$	1 gm		3441	TICARCILLIN SODIUM CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	1 gm 5 gm 25 gm	
068	SPARFLOXACIN CAS 110871-86-8 $C_{19}H_{22}F_2N_4O_3$ F. wt. 392.40	1 mg		071	TICARCILLIN / CLAVULANIC ACID CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	500 mg	
3435	SPECTINOMYCIN HYDROCHLORIDE CAS 22189-32-8 $C_{14}H_{22}N_2O_7 \cdot 2HCl \cdot 5H_2O$ F. wt. 495.3	1 gm		072	TOBRAMYCIN SULPHATE CAS 49842-07-1 $C_{18}H_{37}N_5O_9$ F. wt. 567.51	100 mg	
2030	STREPTOMYCIN SULPHATE CAS 3810-74-0 $C_{21}H_{39}O_{12}O_7 \cdot (H_2SO_4)_3$	5 gm 25 gm		2031	TRIMETHOPRIM CAS 738-70-5 $C_{14}H_{18}N_4O_3$ F. wt. 290.32	5 gm	
2033	SULPHADIAZINE CAS 68-35-9 $C_{10}H_{10}N_4O_2S$	5 gm		4211	VALIDAMYCINE CAS 37248-47-8 $C_{20}H_{35}NO_{13}$ F. wt. 497.49	1 gm	
3244	SULPHACETAMIDE SODIUM CAS 127-56-0 $C_8H_9N_2NaO_3S \cdot aq$	5 gm		2032	VANCOMYCIN HYDROCHLORIDE CAS 1404-93-9 $C_{66}H_{75}ClN_9O_{24} \cdot HCl$ F. wt. 1485.72	500 mg	



+91-9999-1687-70



marketing@titanbiotechltd.com



www.tmmedia.in



Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TMB 001	ACES (N-[2-Acetamido]-2-Aminoethane -Sulfonic Acid) CAS 7365-82-4 C₄H₁₀N₂O₆S F. Wt. 182.20 Assay : ≥99%	5 gm 25 gm 100 gm	TMB 012	AMMONIUM PERSULPHATE CAS 7727-54-0 (NH₄)₂S₂O₈ F. Wt. 228.2 Assay : ≥98%	25 gm 100 gm 500 gm
TMB 002	ACETAMIDE (Amide C) CAS 60-35-5 C₈H₉NO F. Wt. 59.07 Assay : ≥99%	100 gm	TMB 013	AMMONIUM PHOSPHATE DIBASIC CAS 7783-28-0 (NH₄)₂HPO₄ F. Wt. 132.06 Assay : ≥98%	500 gm
TMB 003	ACRYLAMIDE CAS 79-06-1 C₃H₅NO F. Wt. 71.08 Assay : ≥99%	25 gm 100 gm 500 gm 1 Kg	TMB 014	AMMONIUM PHOSPHATE MONOBASIC CAS 7722-76-1 NH₄H₂PO₄ F. Wt. 115.03 Assay: ≥99%	500 gm
TMB 004	ADENOSINE DIPHOSPHATE DISODIUM SALT (Dihydrate) CAS 16178-48-6 C₁₀H₁₃N₅Na₂O₁₀P₂·H₂O F. Wt. 507.2 Assay : ≥95% Store below 2-8° C	1 gm 5 gm	TMB 015	AMMONIUM SULPHATE CAS 7783-20-2 (NH₄)₂SO₄ F. Wt. 132.14 Assay: ≥99%	250 gm 500 gm
TMB 090	AGAR AGAR CAS 9002-18-0	100 gm 500 gm 1 kg	TMB 016	BES-BUFFER CAS 10191-18-1 C₆H₁₅NO₅S F. Wt. 213.25 Assay : ≥99.5%	25 gm 100 gm
TMB 005	AGAROSE DNA Grade, Low Melting Point CAS 9012-36-6	10 gm 100 gm	TMB 017	BICINE CAS 150-25-4 C₈H₁₃NO₄ F. Wt. 163.17 Assay : ≥99%	25 gm 100 gm 500 gm
TMB 006	AGAROSE, LOW EEO (Nuclease and Protease Free) CAS 9012-36-6	10 gm 100 gm 500 gm 1 Kg	TMB 018	BIS-TRIS (Bis[2-hydroxyethyl] Amino-Trishydroxymethyl))Methane) CAS 6976-37-0 C₈H₁₉NO₅ F. Wt. 209.24 Assay : ≥98%	25 gm 100 gm
TMB 007	ALCIAN BLUE 8GX CAS 33864-99-2 C₅₆H₆₈Cl₄CuN₁₆S₄ F. Wt. 1298.86	25 gm 50 gm	TMB 019	BISACRYLAMIDE [(N-N'-Methylene-Bis(Acrylamide))] CAS 110-26-9 C₈H₁₀N₂O₂ F. Wt. 154.17 Assay : ≥99%	25 gm 100 gm 250 gm 500 gm
TMB 121	ALUMINIUM AMMONIUM SULPHATE CAS 7784-25-0 AlNH₄(SO₄)₂·12H₂O F. Wt. 453.32 Assay : ≥99.5%	500 gm	TMB 091	BORAX POWDER, (Deca) (Sodium Tetraborate) CAS 1303-96-4 Na₂B₄O₇·10H₂O F. Wt. 381.37 Assay : ≥99.5%	500 gm
TMB 008	AMMONIUM ACETATE CAS 631-61-8 C₂H₇NO₂ F. Wt. 77.08 Assay : ≥98%	100 gm 500 gm	TMB 092	BORIC ACID CAS 10043-35-3 H₃BO₃ F. Wt. 61.83 Assay : ≥99.5%	500 gm 1 Kg
TMB 009	AMMONIUM CHLORIDE CAS 12125-02-9 NH₄Cl F. Wt. 53.49 Assay : ≥99.5%	500 gm	TMB 020	BOVINE SERUM ALBUMIN CAS 9048-46-8 Assay : ≥98% Protein Store Below 2-8° C	5 gm 25 gm 100 gm 500 gm
TMB 010	DI-AMMONIUM HYDROGEN CITRATE CAS 3012-65-5 C₆H₁₄N₂O₇ F. Wt. 226.18 Assay: ≥99%	500 gm	TMB 021	BRILLIANT BLUE R-250 (Coomassie Brilliant Blue R-250) CAS 6104-59-2 C.I. No. 42660 C₄₅H₄₄N₃NaO₇S₂ F. Wt. 825.97	5 gm 25 gm 100 gm
TMB 011	AMMONIUM MOLYBDATE (Tetra) CAS 12054-85-2 (NH₄)₆Mo₇O₂₄·4H₂O F. Wt. 1235.86 Assay: ≥99%	100 gm 500 gm			

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TMB 022	CAPS (3-[Cyclohexylamino]-1-Propanesulphonic Acid) CAS 1135-40-6 C₉H₁₉NO₃S F. Wt. 221.32 Assay : ≥99%	25 gm 100 gm 250 gm 1 Kg	TMB 033	ETHIDIUM BROMIDE CAS 1239-45-8 C₂₁H₂₆BrN₃ F. Wt. 394.31 Assay : ≥95%	1 gm 5 gm
TMB 023	CHAPS CAS 75621-03-3 C₃₂H₅₈N₂O₇S F. Wt. 614.88 Assay : ≥98%	1 gm 5 gm 10 gm	TMB 094	D-FRUCTOSE , (Levulose) CAS 57-48-7 C₆H₁₂O₆ F. Wt. 180.16 Assay : ≥99%	100 gm 500 gm 1 Kg
TMB 024	CALCIUM CHLORIDE (Dihydrate) CAS 10035-04-8 CaCl₂·2H₂O F. Wt. 147.01 Assay : ≥99%	100 gm 500 gm	TMB 095	D-GALACTOSE CAS 59-23-4 C₆H₁₂O₄ F. Wt. 180.16 Assay : ≥99%	100 gm 500 gm 1 Kg
TMB 025	CITRIC ACID (ANH.) CAS 77-92-9 C₆H₈O₇ F. Wt. 192.12 Assay : ≥99.5%	500 gm	TMB 034	D(+)-GLUCOSE (ANH.) CAS 50-99-7 C₆H₁₂O₆ F. Wt. 180.16 Assay : ≥99.5%	100 gm 500 gm
TMB 093	CITRIC ACID , (Mono) CAS 5949-29-1 C₆H₈O₇·H₂O F. Wt. 210.14 Assay : ≥99.5%	500 gm	TMB 035	L-GLUTATHIONE REDUCED CAS 70-18-8 C₁₀H₁₇N₃O₆S F. Wt. 307.32 Assay : ≥98% Store Below 2-8° C	1 gm 5 gm 25 gm 100 gm
TMB 026	CITRIC ACID TRISODIUM SALT (Dihydrate) CAS 6132-04-3 C₆H₅O₇Na₃·2H₂O F. Wt. 294.1 Assay : ≥99%	500 gm	TMB 036	GLYCINE CAS 56-40-6 C₂H₅NO₂ F. Wt. 75.07 Assay : ≥99%	100 gm 500 gm 1 Kg 5 Kg
TMB 027	COOMASSIE BRILLIANT BLUE G 250 CAS 6104-58-1 C.I. 42655 C₄₇H₄₈N₃NaO₇S₂ F. Wt. 854.02	5 gm 25 gm	TMB 037	GUANIDINE HYDROCHLORIDE CAS 50-01-1 CH₅N₃·HCl F. Wt. 95.53 Assay : ≥99%	25 gm 100 gm 500 gm
TMB 028	COPPER (II) SULPHATE (Penta) CAS 7758-99-8 CuSO₄·5H₂O F. Wt. 249.69 Assay : ≥99.5%	100 gm 500 gm	TMB 038	GUANINE CAS 73-40-5 C₅H₄N₆O F. Wt. 151.13 ⁵⁵⁵⁰ Assay : ≥98% Store Below 2-8° C	50 gm
TMB 029	CTAB (N-Cetyl-N,N,N-Trimethylammonium Bromide) CAS 57-09-0 CH₁₉BrN₄ F. Wt. 364.45 Assay : ≥99%	100 gm 500 gm	TMB 039	HEPES [N-(2-Hydroxyethyl) Piperazine-N'-(2-Ethanesulphonic Acid)] CAS 7365-45-9 C₈H₁₈N₂O₄S F. Wt. 238.3 Assay : ≥99%	25 gm 100 gm 500 gm
TMB 030	DL-DTT (DL-Dithiothreitol) CAS 3483-12-3 C₄H₁₀O₂S₂ F. Wt. 154.25 Assay : ≥99% Store Below 2-8° C	5 gm 25 gm	TMB 040	HEPES SODIUM SALT CAS 75277-39-3 C₈H₁₇N₂NaO₄S F. Wt. 260.29 Assay : ≥99% Store Below 30° C	25 gm 100 gm 500 gm
TMB 031	1,4-Dithioerythritol (DTE) CAS 6892-68-8 C₄H₁₀O₂S₂ F. Wt. 154.25 Assay : ≥99% Store Below 2-8° C	1 gm 5 gm	TMB 041	ISOPROPYL-β-D-THIOGALACTOPYRANOSIDE CAS 367-93-1 C₉H₁₈O₅S F. Wt. 238.30 Assay : ≥99% Store Below 2-8° C	1 gm 5 gm 10 gm 25 gm
TMB 032	EDTA SODIUM SALT (Dihydrate) (Ethylenediaminetetraacetic Acid Disodium Salt Dehydrate) CAS 6381-92-6 C₁₀H₁₄N₂Na₂O₈·2H₂O F. Wt. 372.24 Assay : ≥99%	500 gm 1 Kg	TMB 042	LACTOSE (Monohydrate) CAS 64044-51-5 C₁₂H₂₂O₁₁·H₂O F. Wt. 360.31 Assay : ≥99.5%	500 gm 5 Kg

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TMB 043	LAURYL SULPHATE SODIUM SALT (Dodecyl Sulphate Sodium Salt, SDS) CAS 151-21-3 C₁₂H₂₅NaO₄S F. Wt. 288.38 ¹²²⁵⁴ Assay : ≥99%	25 gm 100 gm 500 gm 1 Kg	TMB 055	MTT 3-(4,5-Dimethyl-2-Thiazolyl)-2,5 Diphenyl -2H-Tetrazolium Bromide); Thiazolyl Blue CAS 298-93-1 C₁₈H₁₆BrN₅S F. Wt. 414.32 Assay : ≥98% Store Below 2-8° C	100 mg 500 mg 1 gm
TMB 096	LITHIUM CHLORIDE, (ANH.) CAS 7447-41-8 LiCl F. Wt. 42.39 Assay : ≥99%	100 gm 500 gm	TMB 056	NITROBLUE TETRAZOLIUM CHLORIDE (NBT) CAS 298-83-9 C₄₀H₃₀N₁₀O₆Cl₂ F. Wt. 817.64 Assay : ≥98% Store Below 2-8° C	100 mg 250 mg 1 gm
TMB 044	MAGNESIUM ACETATE (Tetra) CAS 16674-78-5 C₄H₆MgO₄·4H₂O F. Wt. 214.45 Assay : ≥99%	100 gm	TMB 057	p-NITROPHENYL PHOSPHATE DISODIUM (Hexa) CAS 333338-18-4 C₆H₄NNa₂O P.6H₂O F. Wt. 371.14 Assay : ≥98% Store Below 2-8° C	5 gm 25 gm
TMB 045	MAGNESIUM CHLORIDE (Hexa) CAS 7791-18-6 MgCl₂·6H₂O F. Wt. 203.30 Assay : ≥99.5%	100 gm 500 gm	TMB 058	PHENOL, CRYSTALS (Hydroxybenzene) CAS 108-95-2 C₆H₆O F. Wt. 94.11 Assay : ≥99% Store Below 2-8° C	100 gm 500 gm
TMB 046	MAGNESIUM SULPHATE (Hexa) CAS 10034-99-8 MgSO₄·7H₂O F. Wt. 246.47 Assay : ≥99.5%	500 gm	TMB 059	PIPES (Piperazine-N,N'-Bis (2-Ethanesulphonic Acid) CAS 5625-37-6 C₈H₁₈N₂O₆S₂ F. Wt. 302.37 Assay : ≥99.5%	100 gm 500 gm
TMB 047	DL-MALIC ACID CAS 6915-15-7 C₄H₆O₅ F. Wt. 134.09 Assay : ≥99%	500 gm	TMB 060	POTASSIUM ACETATE CAS 127-08-2 C₂H₃KO₂ F. Wt. 98.14 Assay : ≥99%	100 gm 500 gm
TMB 048	D-(+)-MALTOSE (Mono) CAS 6363-53-7 C₁₂H₂₂O₁₁·H₂O F. Wt. 360.31 Assay : ≥95%	100 gm 500 gm	TMB 061	POTASSIUM CHLORIDE CAS 7447-40-7 KCl F. Wt. 74.55 Assay : ≥99%	500 gm
TMB 049	MANGANESE (II) CHLORIDE (Tetra) CAS 13446-34-9 MnCl₂·4H₂O F. Wt. 197.91 Assay : ≥98%	100 gm 500 gm	TMB 097	POTASSIUM IODIDE CAS 7681-11-0 KI F. Wt. 166.00 Assay : ≥99.5%	100 gm 250 gm
TMB 050	D-MANNITOL CAS 69-65-8 C₆H₁₄O₆ F. Wt. 182.17 Assay : ≥99%	500 gm 1 Kg	TMB 062	POTASSIUM NITRATE CAS 7757-79-1 KNO₃ F. Wt. 101.1 Assay : ≥99%	500 gm
TMB 051	2-MERCAPTOETHANOL CAS 60-24-2 C₂H₆OS F. Wt. 78.13 Assay : ≥98%	100 ml 500 ml	TMB 063	POTASSIUM PHOSPHATE DIBASIC (ANH.) CAS 7758-11-4 K₂HPO₄ F. Wt. 174.18 Assay : ≥99%	100 gm 500 gm
TMB 052	MES (Monohydrate) [2-(N-Morpholino) Ethanesulphonic Acid Monohydrate] CAS 145224-94-8 C₆H₁₃NO₄S·H₂O F. Wt. 213.25 ⁶¹³⁴² Assay : ≥90%	25 gm 100 gm	TMB 064	POTASSIUM PHOSPHATE MONOBASIC (ANH.) CAS 7778-77-0 KH₂PO₄ F. Wt. 136.09 Assay : ≥99%	100 gm 500 gm
TMB 053	MOPS (3-(N-Morpholino) Propanesulphonic Acid) CAS 1132-61-2 C₇H₁₅NO₄S F. Wt. 209.26 Assay : ≥99.5%	25 gm 100 gm 500 gm	TMB 065	SILVER NITRATE CAS 7761-88-8 AgNO₃ F. Wt. 169.87 Assay : ≥99%	10 gm 25 gm 100 gm
TMB 054	MOPSO BUFFER CAS 68399-77-9 C₇H₁₅NO₅S F. Wt. 225.26 Assay : ≥99%	25 gm	TMB 066	SODIUM ACETATE (Trihydrate) CAS 6131-90-4 C₂H₃O₂Na·3H₂O F. Wt. 136.08 Assay : ≥99%	500 gm

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TMB 067	SODIUM BICARBONATE CAS 144-55-8 NaHCO₃ F. Wt. 84.01 Assay : ≥99.7%	100 gm 500 gm	TMB 079	TRIS, FREE BASE (Tris-[Hydroxymethyl] Aminomethane) CAS 77-86-1 C₄H₁₁NO₃ F. Wt. 121.14 Assay : ≥99%	100 gm 500 gm 1 Kg 5 Kg
TMB 068	SODIUM CARBONATE (ANH.) (Soda Ash) CAS 497-19-8 Na₂CO₃ F. Wt. 105.99 Assay : ≥99.9%	100 gm 500 gm 1 Kg	TMB 080	TRIS HYDROCHLORIDE CAS 1185-53-1 C₄H₁₁NO₃.HCl F. Wt. 157.6 Assay : ≥99%	100 gm 500 gm 1 Kg
TMB 069	SODIUM CHLORIDE CAS 7647-14-5 NaCl F. Wt. 58.44 Assay : ≥99.5%	500 gm 1 Kg 5 Kg	TMB 081	TRIS (HYDROXYMETHYL) AMINOMETHANE ACETATE CAS 6850-28-8 C₆H₁₅NO₅ F. Wt. 181.19 Assay : ≥99%	25 gm 100 gm
TMB 070	SODIUM HYDROXIDE PELLETS CAS 1310-73-2 NaOH F. Wt. 40.00 Assay : ≥98%	100 gm 500 gm 5 Kg	TMB 082	TWEEN 20 CAS 9005-64-5 C₃₈H₇₈O₆ F. Wt. 1226.5	100 ml
TMB 071	SODIUM PHOSPHATE DIBASIC (Dihydrate) CAS 10028-24-7 Na₂HPO₄ .2H₂O F. Wt. 177.99 Assay : ≥99%	500 gm 5 Kg	TMB 083	TWEEN 80 CAS 9005-65-6 C₃₂H₆₀O₁₀ F. Wt. 604.8	100 ml
TMB 072	SODIUM PHOSPHATE MONOBASIC (ANH.) CAS 7558-80-7 NaH₂PO₄ F. Wt. 119.98 Assay : ≥98%	500 gm	TMB 084	UREA CAS 57-13-6 CH₄N₂O F. Wt. 60.06 Assay : ≥99.5%	500 gm 1 Kg 5 Kg
TMB 073	SODIUM SULPHATE (ANH.) CAS 7757-82-6 Na₂SO₄ F. Wt. 142.04 Assay : ≥99%	1 Kg	TMB 085	X-GAL (5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside) CAS 7240-90-6 C₁₄H₁₆BrClN₂O₆ F. Wt. 408.63 Assay : ≥98% Store Below 2-8° C	100 mg 500 mg 1 gm
TMB 074	SUCROSE CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.3 Assay : ≥99.5%	500 gm 5 Kg	TMB 086	X-GLUCURONO CHA SALT (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt) CAS 114162-64-0 C₂₀H₂₆BrClN₂O₇ F. Wt. 521.79 Assay : ≥98% Store Below 2-8° C	100 mg 500 mg 1 gm
TMB 075	TEMED (N,N,N',N'-Tetramethylethylenediamine) CAS 110-18-9 C₆H₁₆N₂ F. Wt. 116.20 Assay : ≥99% Store Below 2-8° C	100 ml	TMB 087	X-GLUCURONO SODIUM SALT (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium) CAS 129541-41-9 C₁₄H₁₂BrClN₂O₇ F. Wt. 444.59 Assay : ≥98% Store Below 2-8° C	100 mg 500 mg 1 gm
TMB 076	TES (N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) CAS 7365-44-8 C₆H₁₅NO₆S F. Wt. 229.25 Assay : ≥99%	100 gm	TMB 088	X-GLUCOSIDE (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside) CAS 15548-60-4 C₁₄H₁₆BrClNO₆ F. Wt. 408.63 Assay : ≥97% Store Below 2-8° C	1 mg 5 gm 10 gm
TMB 077	TRICINE CAS 5704-04-1 C₆H₁₃NO₅ F. Wt. 179.17 Assay : ≥99%	100 gm	TMB 089	ZINC SULPHATE (Hepta) CAS 7446-20-0 ZnSO₄ .7H₂O F. Wt. 287.56 Assay : ≥99.5%	500 gm
TMB 078	2,3,5-TRIPHENYLTETRAZOLIUM CHLORIDE CAS 298-96-4 C₁₉H₁₅N₄Cl F. Wt. 334.8 Assay : ≥99%	10 gm 25 gm			

A Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
3051	ABSCISIC ACID (ABA, DORMIVE) CAS 21293-29-8 $C_{15}H_{20}O_4$ F. wt. 264.3 *	100 mg 500 mg 1 gm	573	ACTIDIONE (Cycloheximide), AR GRADE CAS 66-81-9 $C_{15}H_{23}NO_4$ F. wt. 281.36	1 gm 5 gm
3051A	ABSCISIC ACID (ABA) 10% CAS 21293-29-8 $C_{15}H_{20}O_4$ F. wt. 264.3 *	10 gm 25 gm 100 gm	561	ADENINE 99% (6 Aminopurine, Vitamin β) CAS 73-24-5 $C_5H_5N_5$ F. wt. 135.13	5 gm 25 gm 1 Kg
210	ACACIA GUM POWDER (Spray Dried) (PHARMA GRADE) CAS 9000-01-5	500 gm	562	ADENINE SULPHATE (Adenine Hemi Sulphate) CAS 321-30-2 $C_{10}H_{12}N_{10}O_4S$ F. wt. 368.34	10 gm 100 gm
3599	ACES BUFFER CAS 7365-82-4 $C_4H_{10}N_2O_4S$ F. wt. 182.20	5 gm 25 gm 100 gm	3509	ADENOSINE CAS 58-61-7 $C_{10}H_{13}N_5O_4$ F. wt. 267.25 *	5 gm 25 gm 100 gm
681	ACETAMIDE (for Synthesis) CAS 60-35-5 C_2H_5NO F. wt. 59.07	100 gm 500 gm	3061	ADENOSINE 5-MONOPHOSPHATE AMP Free Acid CAS 61-19-8 $C_{10}H_{14}N_5O_7P$ F. wt. 347.22 *	1 gm 5 gm 25 gm
002	ACETANILIDE (N-Phenylacetamide), AR GRADE CAS 103-84-4 C_8H_9NO F. wt. 135.17	500 gm	3287	ADENOSINE-5-MONO PHOSPHATE DISODIUM (5'-ADP-Na_2) CAS 4578-31-8 $C_{10}H_{13}N_5Na_2O_7P$ F. wt. 391.18 *	1 gm 5 gm 25 gm
982	ACETYL CHOLINE CHLORIDE, AR GRADE CAS 60-31-1 $C_7H_{16}ClNO_2$ F. wt. 181.68 *	5 gm 25 gm	3063	ADENOSINE 5-DIPHOSPHATE DISODIUM (5'-AMP-Na_2) CAS 16178-48-6 $C_{10}H_{13}N_5Na_2O_{10}P_2$ F. wt. 391.19 *	1 gm 5 gm
1143	N-ACETYL-L-CYSTEINE CAS 616-91-1 $C_5H_9NO_3S$ F. wt. 163.20 *	5 gm 25 gm 100 gm	3064	ADENOSINE-5-TRIPHOSPHATE DISODIUM (5'-ATP-Na_2) CAS 987-65-5 $C_{10}H_{14}N_5Na_2O_{13}P_3$ F. wt. 551.15 *	1 gm 5 gm 25 gm
3058	N-ACETYL-L-TYROSINE CAS 537-55-3 $C_{11}H_{13}NO_4$ F. wt. 223.23 *	5 gm	500	ADIPIC ACID, (Hexanedioic Acid) CAS 124-04-9 $C_6H_{10}O_4$ F. wt. 146.14	500 gm
3300	ACETYLSALICYLIC ACID (Aspirin) CAS 50-78-2 $C_9H_8O_4$ F. wt. 180.15	500 gm	2506	L-ADRENALINE, AR GRADE (Epinephrine) CAS 51-43-4 $C_9H_{13}NO_3$ F. wt. 183.204	5 gm
1681	ACID BLUE 9(Erioglaucine)(Brilliant Blue FCF) CAS 3844-45-9 $C_{37}H_{34}Na_2N_2O_9S_3$ F. wt. 792.86	10 gm	304	AESCULIN (Esculin) CAS 531-75-9 $C_{15}H_{16}O_9$ F. wt. 340.29	5 gm 25 gm
1640	ACID FUCHSIN CAS 3244-88-0 C.I. 42685 $C_{20}H_{17}N_3Na_2O_9S_3$ F. wt. 585.55	25 gm 100 gm	3500	AGAR AGAR Type I CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg
1610	ACRIDINE ORANGE CAS 65-61-2 C.I. 46005 $C_{17}H_{20}ClN_3$ F. wt. 301.81	10 gm 25 gm	3628	AGAR AGAR, FOOD GRADE CAS 9002-18-0	100 gm 500 gm
1695	ACRIFLAVINE (Eufflavine) (For Biochemistry) CAS 8048-52-0 C.I. 46000 $C_{14}H_{14}ClN_3$ F. wt. 259.73	5 gm 25 gm	1227	AGAROSE, HIGH EEO (0.23-0.26) CAS 9012-36-6 $C_{24}H_{48}O_{19}$ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm
646	ACRIFLAVINE HYDROCHLORIDE CAS 8063-24-9 $C_{14}H_{13}N_3.HCl$ F. wt. 259.73	5 gm 25 gm			
201	ACRYLAMIDE, EXTRA PURE CAS 79-06-1 C_3H_5NO F. wt. 71.08	500 gm			

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
1282	AGAROSE, MEDIUM EEO (0.16-0.19) CAS 9012-36-6 C₂₄H₄₈O₁₉ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm	024	ALUMINIUM METAL POWDER, AR GRADE CAS 7429-90-5 Al F. wt. 26.98	500 gm
1258	AGAROSE, LOW EEO (0.05-0.13) CAS 9012-36-6 C₂₄H₄₈O₁₉ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm	231	ALUMINIUM AMMONIUM SULPHATE, (Ammonium Alum), EXTRA PURE CAS 7784-26-1 AlNH₄(SO₄)₂ · 12H₂O F. wt. 453.33	500 gm 50 Kg
1270	AGAROSE, LOW EEO Spl. For immunoelectrophoresis, Counterelectrophoresis CAS 9012-36-6 C₂₄H₄₈O₁₉ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm	232	ALUMINIUM AMMONIUM SULPHATE, (Ammonium Alum), AR GRADE CAS 7784-26-1 AlNH₄(SO₄)₂ · 12H₂O F. wt. 453.33	500 gm 50 Kg
1283	AGAROSE, LOW EEO Spl. For Routine Use CAS 9012-36-6 C₂₄H₄₈O₁₉ F. wt. 630.547	25 gm 100 gm 500 gm	2598	ALUMINIUM NITRATE (Nonahydrate), EXTRA PURE CAS 7784-27-2 Al(NO₃)₃ · 9H₂O F. wt. 375.134	500 gm
1101	β-ALANINE, 99%+PURITY Crystalline (L-Aminopropionic Acid) CAS 107-95-9 C₃H₇NO₂ F. wt. 89.10	25 gm 100 gm 500 gm	753	ALUMINIUM POTASSIUM SULPHATE, (Potash-Alum), EXTRA PURE CAS 7784-24-9 AlK₂S₂ · 12H₂O F. wt. 474.39	500 gm 5 Kg 50 Kg
1102	DL-ALANINE, 99%+PURITY Crystalline CAS 302-72-7 C₃H₇NO₂ F. wt. 89.10	25 gm 1 Kg	230	ALUMINIUM POTASSIUM SULPHATE, (Potash-Alum) AR GRADE CAS 7784-24-9 AlK₂S₂ · 12H₂O F. wt. 474.39	500 gm 5 Kg 50 Kg
1103	L-ALANINE, 99%+PURITY Crystalline CAS 56-41-7 C₃H₇NO₂ F. wt. 89.10	25 gm 100 gm 500 gm	791	ALUMINIUM SULPHATE, EXTRA PURE CAS 7784-31-8 Al₂(SO₄)₃ · 18H₂O F. wt. 666.42	500 gm 5 Kg 50 Kg
322	ALBUMIN EGG POWDER (Egg Albumin Powder) CAS 9006-59-1	500 gm	1601	AMIDO BLACK 10 B, (Naphthol Blue Black) CAS 1064-48-8 C.I. 20470 (Acid Black-1) C₂₂H₁₄N₆O₉S₂ Na₂ F. wt. 616.50	25 gm 100 gm
3066	ALCIAN BLUE 8GX CAS 33864-99-2 C.I. 74240 C₅₆H₆₈Cl₄CuN₁₆S₄ F. wt. 1298.86	5 gm 25 gm	TCK 05	AMINO ACID KIT (Biochemistry) (20 Amino Acid 1 gm each & 4 Amino Acid 100 mg each) *	1 Kit
684	ALGINIC ACID (PHARMA GRADE) CAS 9005-32-7 (C₆H₈O₆)_n F. wt. 176.13	500 gm	TCK 06	AMINO ACID KIT (22 Essential Amino Acid 1gm each) *	1 Kit
019	ALIZARIN CYANINE GREEN (Acid Green 25) CAS 4403-90-1 C.I. 61570 C₂₈H₂₀N₂O₆S₂Na₂ F. wt. 622.57	25 gm	4020	1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID, EXTRA PURE CAS 116-63-2 C₁₀H₉NO₃S F. wt. 239.25	25 gm
020	ALIZARIN RED S, (Sodium Alizarin Sulphonate) CAS 130-22-3 C.I. 58005 C₁₄H₇NaO₇S F. wt. 342.26	25 gm 100 gm	036	4-AMINOANTIPYRINE (4-Amino Phenazone) CAS 83-07-8 C₁₁H₁₃N₃O F. wt. 203.25	25 gm 100 gm
3069	ALLOXAN (Mono) CAS 2244-11-3 C₄H₂N₂O₄ · HO₂ F. wt. 160.10	25 gm 100 gm			
3288	ALLYLTHIOUREA (Thiosinamine) CAS 109-57-9 C₄H₈N₂S F. wt. 116.18	25 gm 100 gm			

A Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
233	4-AMINO BENZOIC ACID (PABA) (Para Amino Benzoic Acid) CAS 150-13-0 C₇H₇NO₂ F. wt. 137.14	100 gm 500 gm	800	AMMONIUM CERIC SULPHATE (Dihydrate) EXTRA PURE CAS 10378-47-9 CeH₁₆N₄O₁₆S₄ · 2H₂O F. wt. 632.55	100 gm 500 gm
996	DL-2-AMINO BUTYRIC ACID CAS 2835-81-6 C₄H₉NO₂ F. wt. 103.12	25 gm 100 gm	241	AMMONIUM CHLORIDE, EXTRA PURE CAS 12125-02-9 NH₄Cl F. wt. 53.49	500 gm 5 Kg 50 Kg
796	p-AMINO-N, N-DIMETHYLANILINE OXALATE (N, N-Dimethyl-p-Phenylenediamine Oxalate) (for oxidase reagent) CAS 62778-12-5 C₁₀H₁₄N₂O₄ F. wt. 226.23	1 gm 5 gm	242	AMMONIUM CHLORIDE, AR GRADE CAS 12125-02-9 NH₄Cl F. wt. 53.49	500 gm 5 Kg 50 Kg
841	4-AMINO N,N-DIMETHYLANILINE SULPHATE (N, N-Dimethyl-p-Phenylenediamine Sulphate) CAS 536-47-0 C₈H₁₄N₂SO₄ F. wt. 234.87	5 gm 25 gm	2514	AMMONIUM CITRATE DIBASIC (di-Ammonium Hydrogen Citrate) CAS 3012-65-5 C₆H₁₄N₂O₇ F. wt. 226.19	500 gm
042	4-AMINOPHENOL (p-Aminophenol) CAS 123-30-8 C₆H₇NO F. wt. 109.13	100 gm 500 gm	802	tri-AMMONIUM CITRATE, EXTRA PURE CAS 3458-72-8 C₆H₁₇N₃O₇ F. wt. 243.22	500 gm 50 Kg
234	AMMONIUM ACETATE, EXTRA PURE CAS 631-61-8 C₂H₃O₂NH₄ F. wt. 77.08	500 gm 50 Kg	686	tri-AMMONIUM CITRATE, AR GRADE CAS 3458-72-8 C₆H₁₇N₃O₇ F. wt. 243.22	500 gm
235	AMMONIUM ACETATE, AR GRADE CAS 631-61-8 C₂H₃O₂NH₄ F. wt. 77.08	500 gm 50 Kg	551	AMMONIUM DICHROMATE, EXTRA PURE CAS 7789-09-5 (NH₄)₂Cr₂O₇ F. wt. 252.07	500 gm
236	AMMONIUM AMIDO SULPHONATE, EXTRA PURE (Ammonium Sulphamate) CAS 7773-06-0 H₆N₂O₃S F. wt. 114.125	500 gm	255	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE, EXTRA PURE (Ammonium Phosphate, Monobasic) CAS 7722-76-1 NH₄H₂PO₄ F. wt. 115.03	500 gm
237	AMMONIUM BICARBONATE, EXTRA PURE (Ammonium Hydrogen Carbonate) CAS 1066-33-7 CH₃NO₃ F. wt. 79.056	500 gm 5 Kg 50 Kg	256	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE, AR GRADE CAS 7722-76-1 NH₄H₂PO₄ F. wt. 115.03	500 gm
238	AMMONIUM BICARBONATE, AR GRADE (Ammonium Hydrogen Carbonate) CAS 1066-33-7 CH₃NO₃ F. wt. 79.056	500 gm	330	AMMONIUM FERRIC CITRATE, (Brown) CAS 1185-57-5 C₁₂H₂₂FeN₃O₁₄ F. Wt. 488.16	500 gm
4023	AMMONIUM BIFLUORIDE, EXTRA PURE CAS 1341-49-7 F₂H₅N F. wt. 57.04	500 gm	243	AMMONIUM FERROUS SULPHATE, HEXAHYDRATE (Mohr's Salt), EXTRA PURE CAS 7783-85-9 (NH₄)₂Fe(SO₄)₂ · 6H₂O F. wt. 392.16	500 gm 50 Kg
240	AMMONIUM CARBONATE, EXTRA PURE CAS 506-87-6 (NH₄)₂CO₃ F. wt. 96.09	500 gm	244	AMMONIUM FERROUS SULPHATE, HEXAHYDRATE (Mohr's Salt), AR GRADE CAS 7783-85-9 (NH₄)₂Fe(SO₄)₂ · 6H₂O F. wt. 392.16	500 gm 50 Kg
053	AMMONIUM CARBONATE, AR GRADE CAS 506-87-6 (NH₄)₂CO₃ F. wt. 96.09	500 gm	804	AMMONIUM FLUORIDE, EXTRA PURE CAS 12125-1-8 FH₄N F. wt. 37.04	500 gm
054	AMMONIUM CERIC NITRATE, EXTRA PURE CAS 16774-21-3 H₈N₈CeO₁₈ F. wt. 548.26	100 gm			
4025	AMMONIUM CERIC NITRATE, AR GRADE CAS 16774-21-3 CeH₈N₈O₁₈ F. wt. 548.22	100 gm			

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
055	AMMONIUM FORMATE, EXTRA PURE CAS 540-69-2 CH ₃ NO ₂ F. wt. 63.06	500 gm	251	AMMONIUM PERSULPHATE, EXTRA PURE CAS 7727-54-0 H ₈ N ₂ O ₈ S ₂ F. wt. 228.20	500 gm 25 Kg
056	AMMONIUM FORMATE, AR GRADE CAS 540-69-2 CH ₃ NO ₂ F. wt. 63.06	500 gm	252	AMMONIUM PERSULPHATE, AR GRADE CAS 7727-54-0 H ₈ N ₂ O ₈ S ₂ F. wt. 228.20	500 gm 25 Kg
2514	di-AMMONIUM HYDROGEN CITRATE, EXTRA PURE CAS 3012-65-5 C ₆ H ₁₄ N ₂ O ₇ F. wt. 226.19	500 gm	060	AMMONIUM PURPURATE, (Murexide) CAS 3051-09-0 C.I. 56085 C ₈ H ₈ N ₆ O ₆ F. wt. 284.19	5 gm 25 gm
253	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE, EXTRA PURE (DiAmmonium phosphate dibasic) CAS 7783-28-0 (NH ₄) ₂ HPO ₄ F. wt. 132.07	500 gm 50 Kg	236	AMMONIUM SULPHAMATE, EXTRA PURE (Ammonium Amido Sulphonate) CAS 7773-06-0 H ₆ N ₂ O ₃ S F. wt. 114.125	500 gm
254	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE, AR GRADE CAS 7783-28-0 (NH ₄) ₂ HPO ₄ F. wt. 132.07	500 gm	257	AMMONIUM SULPHATE, EXTRA PURE CAS 7783-20-2 (NH ₄) ₂ SO ₄ F. wt. 132.14	500 gm 5 Kg 50 Kg
806	AMMONIUM META VANADATE, (Ammonium Vanadate), EXTRA PURE CAS 7803-55-6 NH ₄ VO ₃ F. wt. 116.98	100 gm 500 gm	258	AMMONIUM SULPHATE, AR GRADE CAS 7783-20-2 (NH ₄) ₂ SO ₄ F. wt. 132.16	500 gm 5 Kg 50 Kg
807	AMMONIUM META VANADATE, AR GRADE CAS 7803-55-6 NH ₄ VO ₃ F. wt. 116.98	100 gm 500 gm	576	AMMONIUM(+)TARTRATE, AR GRADE CAS 3164-29-2 C ₄ H ₁₂ N ₂ O ₆ F. wt. 184.15	500 gm
245	AMMONIUM MOLYBDATE, (Tetra), EXTRA PURE CAS 12054-85-2 (NH ₄) ₆ MO ₇ O ₂₄ ·4H ₂ O F. wt. 1235.86	100 gm 500 gm 25 Kg	921	AMMONIUM THIOCYANATE, EXTRA PURE (Ammonium Sulphocyanate) (Amonium Rhodanide) CAS 1762-95-4 CH ₄ N ₂ S F. wt. 76.12	500 gm 50 Kg
246	AMMONIUM MOLYBDATE, (Tetra), AR GRADE CAS 12054-85-2 (NH ₄) ₆ MO ₇ O ₂₄ ·4H ₂ O F. wt. 1235.86	100 gm 500 gm 25 Kg	1417	α-AMYLASE (Diastase) 2000 Anson Unit/gm CAS 9000-90-2	100 gm 500 gm
057	AMMONIUM NICKEL SULPHATE, (Hexa), (Nickel Ammonium Sulphate), EXTRA PURE CAS 7785-20-8 H ₆ N ₂ NiO ₈ S ₂ ·6H ₂ O F. wt. 395.00	500 gm	1617	ANILINE BLUE, (Spirit Soluble) CAS 28631-66-5 C.I. 42775 C ₃₂ H ₂₅ N ₃ O ₃ Na ₂ S ₃ F. wt. 737.73	25 gm 100 gm
249	AMMONIUM OXALATE (Mono), EXTRA PURE CAS 6009-70-7 C ₂ H ₈ N ₂ O ₄ HO ₂ F. wt. 142.12	500 gm 5 Kg	1687	ANILINE BLUE (China Blue) (Water Soluble) CAS 28983-56-4 C.I. 42780 C ₃₇ H ₂₇ N ₃ Na ₂ O ₃ S ₃ F. wt. 799.80	25 gm 100 gm
250	AMMONIUM OXALATE, (Mono), AR GRADE CAS 6009-70-7 C ₂ H ₈ N ₂ O ₄ ·H ₂ O F. wt. 142.12	500 gm	3295	ANILINE HYDROCHLORIDE CAS 142-04-1 C ₆ H ₅ NH ₂ ·HCl F. wt. 129.59	500 gm
			3296	ANILINE SULPHATE CAS 542-16-5 C ₁₂ H ₁₄ N ₂ ·H ₂ SO ₄ F. wt. 284.33	500 gm

A Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
076	ANTHRACENE 99%, EXTRA PURE CAS 120-12-7 C.I. 10790 $C_{14}H_{10}$ F. wt. 178.23	100 gm	1105	L-ARGININE HYDROCHLORIDE (Mono) 99%+PURITY, CRYSTALLINE CAS 1119-34-2 $C_6H_{14}N_4O_2.HCl$ F. wt. 210.67	25 gm 100 gm 1 Kg
079	ANTHRAQUINONE CAS 84-65-1 $C_{14}H_8O_2$ F. wt. 208.22	500 gm	088	ARSENAZO I, (Neothorin) AR GRADE CAS 520-10-5 $C_{16}H_{10}AsN_2Na_3O_{11}S_2$ F. wt. 614.27	1 gm 5 gm
080	ANTHRONE (9,10, Dihydro-9-oxoanthracene) CAS 90-44-8 $C_{14}H_{10}O$ F. wt. 194.24	25 gm	090	ARSENIC TRIOXIDE, EXTRA PURE CAS 1327-53-3 As_2O_3 F. wt. 197.84	500 gm
2516	ANTIMONY METAL POWDER 99% CAS 7440-36-0 Sb F. wt. 121.76	500 gm	1706	L-ASCORBIC ACID (Vitamin C) CAS 50-81-7 $C_6H_8O_6$ F. wt. 176.12	100 gm 500 gm
2517	ANTIMONY POTASSIUM TARTRATE, EXTRA PURE CAS 28300-74-5 $C_8H_4K_2O_2Sb_2.3H_2O$ F. wt. 667.87	100 gm 500 gm 25 Kg	1715	L-ASCORBIC ACID (Vitamin C), AR GRADE CAS 50-81-7 $C_6H_8O_6$ F. wt. 176.13	25 gm 100 gm 500 gm
811	ANTIMONY POTASSIUM TARTRATE, (Potassium Antimony (iii) Oxide Tartrate), AR GRADE CAS 28300-74-5 $C_8H_4K_2O_{12}Sb_2.3H_2O$ F. wt. 667.87	100 gm 500 gm	1714	L-ASCORBIC ACID SODIUM (Sodium Ascorbate) CAS 134-03-2 $C_6H_7NaO_6$ F. wt. 198.11	100 gm 500 gm
809	ANTIMONY TRICHLORIDE, EXTRA PURE CAS 10025-91-9 $SbCl_3$ F. wt. 228.13	100 gm 500 gm	1148	DL-ASPARAGINE (Mono) 98.5%+Purity, Crystalline CAS 3130-87-8 $C_4H_8N_2O_3.H_2O$ F. wt. 150.14	25 gm 100 gm
810	ANTIMONY TRICHLORIDE, AR GRADE (Antimony (III) Chloride) CAS 1309-64-4 $SbCl_3$ F. wt. 228.13	100 gm 500 gm	1106	L- ASPARAGINE (Mono) 99%+Purity Crystalline CAS 5794-13-8 $C_4H_8N_2O_3.H_2O$ F. wt. 150.14	25 gm 100 gm 500 gm
085	ANTIMONY TRIOXIDE, EXTRA PURE CAS 1309-64-4 Sb_2O_3 F. wt. 291.52	500 gm	1107	DL-ASPARTIC ACID 99%+Purity, Crystalline CAS 617-45-8 $C_4H_7NO_4$ F. wt. 133.11	25 gm 100 gm 500 gm
086	ANTIMONY TRIOXIDE, AR GRADE CAS 1309-64-4 Sb_2O_3 F. wt. 291.52	100 gm 500 gm	1108	L- ASPARTIC ACID 99%+Purity, Crystalline CAS 56-84-8 $C_4H_7NO_4$ F. wt. 133.10	25 gm 100 gm 500 gm
2519	ANTIPYRINE, (Phenazone) CAS 60-80-0 $C_{11}H_{12}N_2O$ F. wt. 188.23	100 gm 500 gm	1638	AURAMINE CAS 2465-27-2 C.I. 41000 $C_{17}H_{21}N_3ClH$ F. wt. 303.84	25 gm 100 gm
087	D (-) ARABINOSE, AR GRADE CAS 10323-20-3 $C_5H_{10}O_5$ F. wt. 150.13	5 gm 25 gm	1022	AZOMETHIN-H-MONOSODIUM SALT CAS 206752-32-1 $C_{17}H_{12}NNaO_8S_2.xH_2O$ F. wt. 445.40	1 gm 5 gm
259	L (+) ARABINOSE CAS 87-72-9 $C_5H_{10}O_5$ F. wt. 150.13	25 gm 100 gm	1699	AZUR A CAS 531-53-3 C.I. 52005 $C_{14}H_{14}ClN_3S$ F. wt. 291.80	5 gm 25 gm 100 gm
1104	L- ARGININE 99%+PURITY (Free Base) CAS 74-79-3 $C_6H_{14}N_4O_2$ F. wt. 174.20	25 gm 100 gm 1 Kg	1689	AZUR I (AZUR B) CAS 531-55-5 $C_{15}H_{16}ClNS_3$ F. wt. 305.83	5 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
1697	AZUR II (Azur I and Methylene Blue) CAS 37247-10-2 C.I. 52010/52015 $C_{40}H_{52}Cl_2N_6S_2$ F. wt. 751.94	25 gm	273	BARIUM SULPHATE, EXTRA PURE CAS 7727-43-7 $BaSO_4$ F. Wt. 233.40	500 gm 5 kg
1694	AZUR II EOSIN CAS 53092-85-6	25 gm	274	BARIUM SULPHATE, AR GRADE CAS 7727-43-7 $BaSO_4$ F. Wt. 233.40	500 gm
094	BALSAM CANADA (Synthetic) CAS 8007-47-4	500 ml	1603	BASIC FUCHSIN (Fuchsin Basic, Margneta Basic) CAS 632-99-5 C.I. 42510 $C_{20}H_{20}ClN_3$ F. Wt. 337.86	25 gm 100 gm 1 Kg
3301	BARBITURIC ACID CAS 67-52-7 $C_4H_4N_2O_3$ F. Wt. 128.09	100 gm 500 gm	4028	BATHOPHENANTHROLINE, AR GRADE CAS 1662-01-7 $C_{24}H_{16}N_2$ F. wt. 332.4	250 mg
099	BARIUM ACETATE, EXTRA PURE CAS 543-80-6 $C_4H_6BaO_4$ F. Wt. 255.43	500 gm	3501	B. MEAT EXTRACT PASTE (For General Purpose, Bacteriological Grade)	500 gm 50 Kg
262	BARIUM ACETATE, AR GRADE CAS 543-80-6 $C_4H_6BaO_4$ F. Wt. 255.43	500 gm	3502	B. MEAT EXTRACT POWDER (For General Purpose, Bacteriological Grade)	500 gm 25 Kg
264	BARIUM CARBONATE, EXTRA PURE CAS 513-77-9 $BaCO_3$ F. Wt. 197.34	500 gm	4029	BENTONITE POWDER CAS 1302-78-9 $Al_2O_3 \cdot 4(SiO_2) \cdot H_2O$ F. wt. 360.31	500 gm
265	BARIUM CARBONATE, AR GRADE CAS 513-77-9 $BaCO_3$ F. Wt. 197.34	500 gm	108	BENZAMIDE CAS 55-21-0 C_7H_7NO F. Wt. 121.14	500 gm
266	BARIUM CHLORIDE, (Dihydrate), EXTRA PURE CAS 10326-27-9 $BaCl_2 \cdot 2H_2O$ F. Wt. 244.27	500 gm 5 Kg	109	BENZANILIDE CAS 93-98-1 $C_{13}H_{11}NO$ F. Wt. 197.24	100 gm 500 gm
267	BARIUM CHLORIDE, (Dihydrate), AR GRADE CAS 10326-27-9 $BaCl_2 \cdot 2H_2O$ F. Wt. 244.27	500 gm	4030	BENZENE SULPHONIC ACID, EXTRA PURE CAS 98-11-3 $C_6H_6O_3S$ F. wt. 158.18	500 gm
4026	BARIUM DIPHENYLAMINE SULPHONATE, AR GRADE CAS 6211-24-1 $C_{24}H_{20}BaN_2O_6S_2$ F. wt. 633.88	5 gm 25 gm	4031	BENZETHONIUM CHLORIDE (Hyamine 1622) CAS 121-54-0 $C_{27}H_{42}ClNO_2$ F. wt. 448.08	25 gm
268	BARIUM HYDROXIDE, (Octa), EXTRA PURE CAS 12230-71-6 $Ba(OH)_2 \cdot 8H_2O$ F. Wt. 315.48	500 gm 5 Kg	3085	BENZIL CAS 134-81-6 $C_{14}H_{10}O_2$ F. Wt. 210.24	500 gm
270	BARIUM NITRATE, EXTRA PURE CAS 10022-31-8 $Ba(NO_3)_2$ F. Wt. 261.37	500 gm 5 Kg	276	BENZOIC ACID, EXTRA PURE CAS 65-85-0 C_6H_5COOH F. wt. 122.12	500 gm 25 Kg
4027	BARIUM NITRATE, AR GRADE CAS 10022-31-8 $Ba(NO_3)_2$ F. Wt. 261.37	500 gm	4032	BENZOIC ACID, AR GRADE (Meets Analytical Standards of IP, BP, USP, Ph.Eur) CAS 65-85-0 $C_6H_5O_2$ F. wt. 122.12	500 gm 25 Kg
			2526	BENZONIN CAS 119-53-9 $C_{14}H_{12}O_2$ F. Wt. 212.25	100 gm 500 gm

B

B Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
817	BENZOIN-α-OXIME, (Cupron), AR GRADE CAS 441-38-3 $C_{14}H_{13}NO_2$ F. Wt. 227.27	25 gm 100 gm	4036	BISMUTH SUBNITRATE, EXTR APURE (Bismuth Oxynitrate) CAS 10361-46-3 $BiNO_4$ F. wt. 286.99	100 gm 500 gm
3469	BENZOPHENONE (Diphenylketene) CAS 119-61-9 $C_{13}H_{10}O$ F. Wt. 182.22	500 gm	4037	BISMUTH OXIDE, EXTRA PURE CAS 1304-76-3 Bi_2O_3 F. wt. 465.65	100 gm 500 gm
117	1,2,3, BENZOTRIAZOLE (Benzotriazole) CAS 95-14-7 $C_6H_5N_3$ F. Wt. 119.12	100 gm	682	BISMUTH SULPHATE CAS 7787-68-0 $Bi_2O_{12}S_3$ F. Wt. 706.15	100 gm 500 gm
816	6-BENZYLADENINE (6BAP) * (6-Benzylaminopurine) Plant Growth Regulator CAS 1214-39-7 $C_{12}H_{11}N_5$ F. Wt. 225.25	1 gm 5 gm 25 gm 1 Kg 50 Kg	2537	BISPHENOL A CAS 80-05-7 $C_{15}H_{16}O_2$ F. Wt. 228.29	500 gm
3086	BES, SODIUM, EXTRA PURE (N,N-Bis(2-hydroxyethyl)-2-amino ethane sulphonic acid sodium CAS 66992-27-6 $C_6H_{14}NNaO_5S$ F. Wt. 235.23	5 gm 25 gm	130	BIURET, AR GRADE (Allophanic Acid Amide) CAS 108-19-0 $C_2H_3N_3O_2$ F. Wt. 103.08	25 gm
2388	BETAINE HYDROCHLORIDE CAS 590-46-5 $C_5H_{12}ClNO_2$ F. Wt. 153.61	100 gm	821	BLUE TETRAZOLIUM CHLORIDE, AR GRADE CAS 1871-22-3 $C_{40}H_{36}Cl_2N_8O_2$ F. Wt. 731.67	1 gm 5 gm
121	BILIRUBIN, AR GRADE CAS 635-65-4 $C_{33}H_{36}N_4O_6$ F. Wt. 584.68	500 mg 1 gm	279	BORAX POWDER, (Deca) (Sodium Tetraborate), EXTRA PURE CAS 1303-96-4 $Na_2B_4O_7 \cdot 10H_2O$ F. Wt. 381.37	500 gm 5 kg 50 kg
1709	D-BIOTIN (Vitamin H) * CAS 58-85-5 $C_{10}H_{16}N_2O_3S$ F. Wt. 244.31	1 gm 10 gm 25 gm	280	BORAX POWDER, (Deca) (Sodium Tetraborate), AR GRADE CAS 1303-96-4 $Na_2B_4O_7 \cdot 10H_2O$ F. Wt. 381.37	500 gm 5 kg 50 kg
2533	BIPHENYL (Diphenyl) CAS 92-52-4 $C_6H_5C_6H_5$ F. Wt. 154.21	100 gm 500 gm	281	BORIC ACID, EXTRA PURE CAS 10043-35-3 H_3BO_3 F. Wt. 61.83	500 gm 5 Kg 50 Kg
2534	2-2 BIPYRIDYL (2,2-Dipyridyl), AR GRADE CAS 366-18-7 $C_{10}H_8N_2$ F. Wt. 156.18	5 gm 25 gm	282	BORIC ACID, AR GRADE CAS 10043-35-3 H_3BO_3 F. Wt. 61.83	500 gm 5 Kg 50 Kg
3088	BIS-TRIS, EXTRA PURE (Bis(2-hydroxyethyl)amino-trishydroxy methy methane) CAS 6976-37-0 $C_8H_{19}NO_5$ F. Wt. 209.24	25 gm 100 gm	4170	di-BORON TRIOXIDE, EXTRA PURE CAS 1303-86-2 B_2O_3 F. Wt. 69.62	250 gm 500 gm
371	BISACRYLAMIDE, AR GRADE (N-N-Mehtylene-bisacrylamide) for Electrophoresis CAS 110-26-9 $C_7H_{10}N_2O_2$ F. Wt. 154.17	25 gm 100 gm 500 gm	1226	BOVINE ALBUMIN FRACTION-V * (Albumin Bovine Fraction-V) CAS 9048-46-8	5 gm 25 gm 100 gm
4033	BISMUTH CARBONATE, EXTRA PURE CAS 5892-10-4 $(BiO)_2CO_3$ F. wt. 509.97	100 gm 500 gm	133	BRIJ 35 (Polyoxyethylene Lauryl ether) CAS 9002-92-0 $C_{12}H_{25}O \cdot C_2H_4O_n$	500 ml
4034	BISMUTH CHLORIDE, EXTRA PURE (Bismuth Trichloride) CAS 7787-60-2 $BiCl_3$ F. wt. 315.34	100 gm 500 gm	1681	BRILLIANT BLUE FCF (Erioglaucine A) CAS 3844-45-9 $C_{37}H_{34}N_2Na_2O_3S_3$ F. Wt. 792.86	10 gm
4035	BISMUTH NITRATE, EXTRA PURE CAS 10035-06-0 BiN_3O_9 F. wt. 394.99	100 gm 500 gm	1696	BRILLIANT BLUE G-250, (Coomasie Brilliant Blue G) for Electrophoresis CAS 6104-58-1 C.I. 42655 $C_{47}H_{48}N_3NaO_7S_2$ F. Wt. 854.02	5 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
1653	BRILLIANT CRESYL BLUE, AR GRADE CAS 81029-05-2 (C ₁₇ H ₂₀ ClN ₄) ₂ ZnCl ₂ F. Wt. 771.92	25 gm 100 gm	3327	BROMOTHYMOL BLUE SODIUM CAS 34722-90-2 C ₂₇ H ₂₇ Br ₂ O ₅ Na F. Wt. 646.35	5 gm 25 gm
1611	BRILLIANT GREEN CAS 633-03-4 C.I. 42040 C ₂₇ H ₃₃ N ₂ .HO ₄ S F. Wt. 482.65	25 gm 100 gm 1 Kg	3308	BRUCINE CAS 357-57-3 C ₂₃ H ₂₆ N ₂ O ₄ F. Wt. 394.46	25 gm
1630	BRILLIANT GREEN FCF CAS 2353-45-9 C.I. 42053 C ₃₇ H ₃₄ N ₂ O ₁₀ S ₃ Na ₂ F. Wt. 808.85	5 gm 25 gm	3309	BRUCINE SULPHATE (Hepta) CAS 5787-00-8 (C ₂₃ H ₂₆ N ₂ O ₄) ₂ .H ₂ SO ₄ .7H ₂ O F. Wt. 1013.13	25 gm
4256	5-BROMO-4-CHLORO-3-INDOLYL- α-D-GALACTOPYRANOSIDE * CAS 107021-38-5 C ₁₄ H ₁₅ BrClNO ₆ F. Wt. 408.63	100 mg	284	BUFFER CAPSULES pH 4.0	10 Cap. 10x10
3093	5-BROMO-4-CHLORO-3 INDOLYL- β-D-GALACTOPYRANOSIDE (X-Gal) * CAS 7240-90-6 C ₁₄ H ₁₄ BrClNO ₆ F. Wt. 408.63	100 mg 500 gm 1 gm	285	BUFFER CAPSULES pH 7.0	10 Cap. 10x10
4161	5-BROMO-4-CHLORO-3-INDOLYL-β-D- GLUCURONIDE CYCLOHEXYL AMMONIUM * SALT CAS 114162-64-0 C ₂₀ H ₂₆ BrClN ₂ O ₇ F. Wt. 521.79	1 gm	286	BUFFER CAPSULES pH 9.2	10 Cap. 10x10
3096	5-BROMO-4-CHLORO-3 INDOLYL- PHOSPHATE di-SODIUM (BCIP) * CAS 102185-33-1 C ₈ H ₈ BrClNO ₄ PNa ₂ F. Wt. 370.43	500 mg 1 gm	4041	1-BUTANE SULPHONIC ACID SODIUM SALT (Anhydrous), (For HPLC) CAS 2386-54-1 C ₄ H ₉ NaO ₃ S F. wt. 160.16	25 gm
275	BROMO CRESOL GREEN SODIUM, AR GRADE CAS 62625-32-5 C ₂₁ H ₁₄ Br ₄ NaO ₅ S F. Wt. 720.0	5 gm 25 gm	4042	1-BUTANE SULPHONIC ACID SODIUM SALT (Monohydrate), (For HPLC) CAS 2386-54-1 C ₄ H ₉ NaO ₃ S.H ₂ O F. wt. 178.16	25 gm
1612	BROMOCRESOL GREEN, AR GRADE (Bromo Cresol Blue) CAS 76-60-8 C ₂₁ H ₁₄ Br ₄ O ₅ S F. Wt. 698.01	5 gm 25 gm 100 gm	581	BUTYLATED HYDROXY ANISOLE, (B.H.A.) CAS 121-00-6 C ₁₁ H ₁₆ O ₂ F. Wt. 180.24 (Store at 25°C)	100 gm 500 gm 25 Kg
1614	BROMOCRESOL PURPLE, AR GRADE (pH 5.2-6.8, Yellow to Purple) CAS 115-40-2 C ₂₁ H ₁₆ Br ₂ O ₅ S F. Wt. 540.24	5 gm 25 gm 100 gm	582	BUTYLATED HYDROXY TOLUENE, (B.H.T.) (2,6-di-tert-butyl-p-cresol) CAS 128-37-0 C ₁₅ H ₂₄ O F. Wt. 220.35	500 gm 5 Kg 25 Kg
1656	BROMOPHENOL BLUE INDICATOR, AR GRADE CAS 115-39-9 C ₁₉ H ₁₀ Br ₄ O ₅ S F. Wt. 669.96	5 gm 25 gm	144	tert-BUTYL HYDROQUINONE (TBHQ) CAS 1948-33-0 C ₁₀ H ₁₄ O ₂ F. Wt. 166.22	100 gm 500 gm
4039	BROMOPYROGALLOL RED, AR GRADE CAS 16574-43-9 C ₁₉ H ₁₀ Br ₂ O ₈ S F. wt. 558.15	1 gm 5 gm	3109	CADMIUM SULPHATE (Octa), EXTRA PURE CAS 7790-84-3 3CdSO ₄ .8H ₂ O F. wt. 769.50	100 gm 500 gm
1657	BROMOTHYMOL BLUE (pH 5.8-7.6, Yellow to Blue) CAS 76-59-5 C ₂₇ H ₂₈ Br ₂ O ₅ S F. Wt. 624.38	5 gm 25 gm 100 gm	3110	CADMIUM SULPHATE (Octa), AR GRADE CAS 7790-84-3 3CdSO ₄ .8H ₂ O F. wt. 769.50	100 gm 500 gm
			3111	CAFFEINE (ANH) (as per IP) CAS 58-08-2 C ₈ H ₁₀ N ₄ O ₂ F. Wt. 194.19	100 gm 500 gm 25 Kg
			148	CALAMINE (as per IP) CAS 8011-96-9	500 gm 25 Kg
			149	CALCEIN, AR GRADE (Fluorescein Complexone) CAS 1461-15-0 C ₃₀ H ₂₆ N ₂ O ₁₃ Na ₂ F. Wt. 622.55	1 gm 5 gm

C Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE	PRICE
287	CALCIUM ACETATE, (PHARMA GRADE) (for soil test) CAS 62-54-4 $C_4H_6CaO_4$ F. Wt. 158.17	500 gm 25 Kg	298	CALCIUM HYDROXIDE (Purified) CAS 1305-62-0 $Ca(OH)_2$ F. Wt. 74.09	500 gm 5 Kg 50 Kg	
4043	CALCIUM ACETATE, AR GRADE CAS 62-54-4 $C_4H_6CaO_4$ F. Wt. 158.17	500 gm 25 Kg	299	CALCIUM HYDROXIDE, AR GRADE CAS 1305-62-0 $Ca(OH)_2$ F. Wt. 74.09	500 gm 50 Kg	
4007	CALCIUM BUTYRATE CAS 5743-36-2 $C_8H_{14}CaO_4$ F. Wt. 214.27	500 gm 25 Kg	2915	CALCIUM HYPOPHOSPHITE	500 gm	
288	CALCIUM CARBONATE (Precipitated), (ANH.) EXTRA PURE CAS 471-34-1 $CaCO_3$ F. Wt. 100.09	500 gm 5 Kg 50 Kg	157	CALCIUM LACTATE, EXTRA PURE CAS 814-80-2 $C_6H_{10}CaO_6$ F. Wt. 218.22	500 gm	
289	CALCIUM CARBONATE (Precipitated), (ANH.) AR GRADE CAS 471-34-1 $CaCO_3$ F. Wt. 100.09	500 gm 50 Kg	159	CALCIUM NITRATE (Tetra), EXTRA PURE CAS 13477-34-4 $Ca(NO_3)_2 \cdot H_2O$ F. Wt. 236.15	500 gm 5 Kg 50 Kg	
290	CALCIUM CHLORIDE (Fused), EXTRA PURE CAS 10043-52-4 $CaCl_2$ F. wt. 110.98	500 gm 5 kg 25 kg	160	CALCIUM NITRATE (Tetra), AR GRADE CAS 13477-34-4 $Ca(NO_3)_2 \cdot H_2O$ F. Wt. 236.15	500 gm 5 Kg	
291	CALCIUM CHLORIDE (Dihydrate), EXTRA PURE CAS 10035-04-8 $CaCl_2 \cdot 2H_2O$ F. Wt. 147.02	500 gm 5 Kg 50 Kg	695	CALCIUM OXIDE POWDER, EXTRA PURE CAS 1305-78-8 CaO F. Wt. 56.077	500 gm	
292	CALCIUM CHLORIDE (Dihydrate), AR GRADE CAS 10035-04-8 $CaCl_2 \cdot 2H_2O$ F. Wt. 147.02	500 gm 50 Kg	4046	di-CALCIUM PHOSPHATE (Dihydrate), EXTRA PURE CAS 7789-77-7 $CaHPO_4 \cdot 2H_2O$ F. wt. 172.1	500 gm 25 Kg	
587	CALCIUM CHLORIDE (ANH.), EXTRA PURE CAS 10043-52-4 $CaCl_2$ F. Wt. 110.98	500 gm	296	CALCIUM PHOSPHATE DIBASIC (ANH.), EXTRA PURE CAS 7757-93-9 $CaHPO_4$ F. Wt. 136.06	500 gm 5 Kg	
828	CALCIUM CITRATE (Tetra), EXTRA PURE CAS 5785-44-4 $Ca_3(C_6H_5O_7)_2 \cdot 4(H_2O)$ F. Wt. 570.50	500 gm 25 Kg	163	CALCIUM PHOSPHATE TRIBASIC (tri-Calcium Phosphate), EXTRA PURE CAS 7758-87-4 $Ca_3(PO_4)_2$ F. Wt. 310.20	500 gm 5 Kg 50 Kg	
1701	CALCIUM-D-PANTOTHENATE (VITAMIN B₅) CAS 137-08-6 $C_{18}H_{32}CaN_2O_{10}$ F. wt. 476.53 (Store at 2-8°C)	25 gm 100 gm 1 Kg	933	CALCIUM PROPIONATE, EXTRA PURE CAS 4075-81-4 $C_6H_{10}CaO_4$ F. Wt. 186.22	500 gm 5 Kg 25 Kg	
4044	CALCIUM FLUORIDE CAS 7789-75-5 CaF_2 F. wt. 78.07	500 gm	164	CALCIUM SULPHATE (Dihydrate), EXTRA PURE CAS 10101-41-4 $CaSO_4 \cdot 2H_2O$ F. Wt. 172.17	500 gm	
823	CALCIUM GLUCONATE (Mono) CAS 18016-24-5 $C_{12}H_{22}CaO_{14} \cdot H_2O$ F. Wt. 448.39	500 gm	165	CALCIUM SULPHATE (Dihydrate), AR GRADE CAS 10101-41-4 $CaSO_4 \cdot 2H_2O$ F. Wt. 172.17	500 gm	
3113	CALCIUM GLYCEROPHOSPHATE CAS 17603-42-8 $C_3H_8PO_6Na$ F. Wt. 194.06	500 gm	5086	CALCIUM SULPHATE (Dihydrate), (FOOD GRADE) CAS 7778-18-9 $CaSO_4 \cdot 2H_2O$ F. Wt. 172.17	500 gm 25 Kg	
			2995	CALCON (Solo Chrome Dark Blue / Eriochrome blue dark) CAS 2538-85-4 C.I. 15705 $C_{20}H_{13}N_2NaO_5 \cdot S$ F. Wt. 416.38	5 gm 25 gm 100 gm	

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
1025	CALCONCARBOXYLIC ACID, AR GRADE (Patton & Reeder's Reagent) CAS 3737-95-9 C₂₁H₁₄N₂O₇S F. Wt. 438.42	5 gm 25 gm	4139	CARRAGEENAN (Kappa Type) CAS 9000-07-1	100 gm 500 gm
4048	CALMAGITE, AR GRADE CAS 3147-14-6 C₁₇H₁₄N₂O₅S F. wt. 358.37	1 gm 5 gm	209	CASEIN (Soluble in Alkali) (Fat Free, Vitamin Free) CAS 9000-71-9	500 gm
094	CANADA BALSAM (Synthetic) CAS 8007-47-4	500 ml	510	CATALASE (2000-5000 Unit/Mg) (from Bovine Liver) CAS 9001-05-2 *	1 gm
TCK 002	CARBOHYDRATE KIT (21 items of 1 gm each) Adonitol, L-Arabinose, Cellobiose, Dextrose, Dulcitol, Galactose, Fructose, Inositol, Inulin, Lactose, Maltose, Mannitol, Mannose, Melibiose, Raffinose, Rhamnose, Salicin, Sorbitol, Sucrose Trehalose, Xylose	1 Kit 5 Kit	4231	CEDARWOOD OIL Optically clear, nonfluorescent for microscopy CAS 8000-27-9	25 ml 30 ml 100 ml 500 ml
TCK 003	CARBOHYDRATE KIT, TYPE A (4 Amino Sugars of 1 gm each) N-Acetylgalactosamine, N-Acetylglucosamine D-Galactosamine HCl, D-Glucosamine HCl	1 Kit	4232	CEDARWOOD OIL, AR GRADE Optically clear, nonfluorescent for microscopy CAS 8000-27-9	25 ml 30 ml 100 ml 500 ml
1658	CARBOL FUCHSIN (Para fuchsin and Phenol) CAS 4197-24-4 C₂₆H₂₆ClN₃O F. Wt. 431.96	25 gm 100 gm	939	D-CELLOBIOSE CAS 528-50-7 C₁₂H₂₂O₁₁ F. Wt. 342.29	5 gm 25 gm
293	CARBOLIC ACID, CRYSTAL (Phenol Crystal), EXTRA PURE CAS 108-95-2 C₆H₅OH F. Wt. 94.11	500 gm	3523	CELLULASE CAS 9012-54-8 * Activity 10,000 U/gm	1 gm
170	CARBOPOL® 934 CAS 9003-01-4	500 gm	TC 005	CELLULOSE POWDER CAS 9004-34-6 (C ₆ H ₁₀ O ₅) _n	500 gm 25 Kg
2546	CARBOPOL® 940 CAS 9003-01-4	500 gm	2550	CETOSTEARYL ALCOHOL, EXTRA PURE CAS 8005-44-5	500 gm
826	CARBOXYMETHYL CELLULOSE Sodium High Viscosity (CMC) (15 mpas) CAS 9000-11-7	500 gm 25 Kg	584	CETRIMIDE, (N-Cetyl N,N,N-Trimethylammonium Bromide), EXTRA PURE CAS 57-09-0 C₁₉H₄₂NBr F. Wt. 364.62	100 gm 500 gm 25 Kg
1659	CARMINE, (Carminic Acid) CAS 1390-65-4 C.I. 75470 C₂₂H₂₀O₁₃ F. Wt. 492.38	5 gm 25 gm	2556	CETRIMIDE, (N-Cetyl N,N,N-Trimethylammonium Bromide), AR GRADE CAS 57-09-0 C₁₉H₄₂NBr F. wt. 364.45	100 gm 500 gm
1721	L-CARNITINE (VITAMIN-B₇) CAS 541-15-1 C₇H₁₅NO₃ F. Wt. 161.2 *	5 gm 25 gm	2553	CETYL ALCOHOL, (1-Hexadecanol), EXTRA PURE CAS 36653-82-4 C₁₆H₃₄O F. Wt. 242.44	500 gm

C Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
3316	CHAPS BUFFER CAS 75621-03-3 $C_{32}H_{58}N_2O_7S$ F. wt. 614.9	1 gm 5 gm	305	CHOLESTEROL (as per USP), EXTRA PURE * CAS 57-88-5 $C_{27}H_{46}O$ F. Wt. 386.65	100 gm 500 gm
203	CHARCOAL ACTIVATED POWDER, EXTRA PURE CAS 7440-44-0 F. Wt. 12.01	500 gm 25 Kg	4053	CHOLESTEROL, AR GRADE CAS 57-88-5 $C_{27}H_{46}O$ F. wt. 386.65	5 gm 25 gm 100 gm
2903	CHARCOAL ACTIVATED, AR GRADE CAS 7440-44-0 F. Wt. 12.01	500 gm	307	CHOLIC ACID Purity 99%+ CAS 81-25-4 $C_{20}H_{40}O_5$ F. Wt. 408.57	25 gm 100 gm
2931	CHARCOAL ACTIVATED, GRANULAR SPECIAL GRADE 2.0 - 5.0 mm CAS 7440-44-0 F. Wt. 12.01	500 gm	4178	CHOLIC ACID SODIUM CAS 361-09-1 $C_{20}H_{39}NaO_5$ F. Wt. 430.56	25 gm 100 gm 5 Kg
4249	CHES BUFFERE CAS 103-47-9 $C_6H_7NO_5S$ F. wt. 207.29	25 gm 100 gm	3125	CHROMAZUROL S CAS 1667-99-8 $C_{23}H_{13}Cl_2Na_3O_9S$ F. Wt. 605.28	10 gm
074	CHINA BLUE (Aniline Blue W/S) CAS 28983-56-4 C.I. 42780 $C_{37}H_{27}N_3Na_2O_9S_3$ F. wt. 799.80	25 gm 100 gm	3126	CHROMIUM ACETATE, EXTRA PURE CAS 1066-30-4 $C_6H_{16}Cr_2O_{10}$ F. Wt. 376.2	500 gm
827	CHITIN [Poly (N-acetyl-1,4-D-glucopyranosamine)] CAS 1398-61-4 ($C_8H_{13}NO_5$) _n	100 gm 500 gm 25 Kg	185	CHROMIUM (III) CHLORIDE (Hexa) EXTRA PURE CAS 10060-12-5 $Cr_3Cl_6H_2O$ F. Wt. 266.45	500 gm 25 gm
4224	CHITOSAN CAS 9012-76-4 ($C_6H_{11}NO_4$) _n F. Wt. 309.54	25 gm 100 gm 1 Kg	187	CHROMIUM (III) NITRATE (Nona) EXTRA PURE CAS 7789-02-8 $CrN_3O_9 \cdot 9H_2O$ F. Wt. 400.15	500 gm
183	CHLORAMINE-T (Trihydrate), AR GRADE CAS 7080-50-4 $C_7H_{13}N_3ClNNaO_5S$ F. Wt. 281.69	500 gm	189	CHROMIUM PICOLINATE, EXTRA PURE CAS 14639-25-9 $C_{18}H_{12}N_3O_6Cr$ F. Wt. 418.33	25 gm 100 gm
2559	CHLOROACETIC ACID, EXTRA PURE (Monochloroacetic Acid) CAS 79-11-8 $C_2H_3ClO_2$ F. Wt. 94.50	500 gm	2570	CHROMIUM (III) SULPHATE BASIC, EXTRA PURE CAS 39380-78-4 $Cr_4(SO_4)_5(OH)_2$ F. Wt. 722.32	500 gm
2560	CHLOROauric ACID, min.49% Au (Gold chloride) CAS 16961-25-4 $HAuCl_4 \cdot 3H_2O$ F. wt. 339.79	1 gm	4054	CHROMIUM OXIDE GREEN, EXTRA PURE CAS 1308-38-9 Cr_2O_3 F. wt. 151.99	500 gm
182	CHLOROPHENOL RED, AR GRADE CAS 4430-20-0 $C_{19}H_{12}Cl_2O_5S$ F. Wt. 423.27	5 gm 25 gm	192	CHROMIUM TRIOXIDE, EXTRA PURE (Chromium (VI) Oxide/Chromic acid) CAS 1333-82-0 CrO_3 F. Wt. 99.99	500 gm
2565	p-CHLOROPHENOXY ACETIC ACID (4 CPA) CAS 122-88-3 $C_8H_7ClO_3$ F. Wt. 186.59	25 gm	196	CHROMOTROPIC ACID DISODIUM (Dihydrate), AR GRADE CAS 5808-22-0 $C_{10}H_6Na_2O_8S_2 \cdot 2H_2O$ F. Wt. 400.29	10 gm 25 gm
1707	CHOLECALCIFEROL (Vitamin D₃) * CAS 67-97-0 $C_{27}H_{44}O$ F. Wt. 384.64	1 gm	199	CINNAMIC ACID, (β phenyl acrylic acid) EXTRA PURE CAS 140-10-3 $C_9H_8O_2$ F. Wt.148.05	100 gm 500 gm

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
309	CITRIC ACID, (Mono), EXTRA PURE CAS 5949-29-1 $C_6H_8O_7 \cdot H_2O$ F. Wt. 210.14	500 gm 5 Kg 25 Kg	1616	COOMASSIE BRILLIANT BLUE R-250 (Brilliant Blue R-250) CAS 6104-59-2 C.I. 42660 $C_{45}H_{44}N_3NaO_7S_2$ F. Wt. 825.97	5 gm 25 gm
310	CITRIC ACID, (Mono), AR GRADE CAS 5949-29-1 $C_6H_{10}O_8$ F. Wt. 210.14	500 gm 5 Kg 25 Kg	2409	COPPER METAL POWDER 99.5% (325 mesh) Electrolytic Grade CAS 7440-50-8 Cu F. Wt. 63.55	500 gm
311	CITRIC ACID (ANH.), EXTRA PURE CAS 77-92-9 $C_6H_8O_7$ F. Wt. 192.12	500 gm 5 Kg 25 Kg	1687	COTTON BLUE, (Water Blue) CAS 28983-56-4 C.I. 42780 $C_{37}H_{27}N_3Na_2O_9S_3$ F. Wt. 799.82	25 gm 100 gm
312	CITRIC ACID (ANH.), AR GRADE CAS 77-92-9 $C_6H_8O_7$ F. Wt. 192.12	500 gm 5 Kg 25 Kg	2574	COUMARIN [1-Benzopyran-2-One] CAS 91-64-5 $C_9H_6O_2$ F. Wt. 146.143	100 gm 500 gm
975	COBALT (II) ACETATE (Tetra), EXTRA PURE CAS 6147-53-1 $Co(CH_3COO)_4 \cdot 4H_2O$ F. Wt. 249.08	100 gm 500 gm	1807	CREATINE (Mono) CAS 6020-87-7 $C_4H_9N_3O_2 \cdot H_2O$ F. Wt. 149.16	25 gm 100 gm
1801	COBALT (II) CARBONATE BASIC EXTRA PURE CAS 12602-23-2 $2CoCO_3 \cdot 3Co(OH)_6$ F. Wt. 516.73	100 gm 500 gm	1808	CREATININE, AR GRADE CAS 60-27-5 $C_4H_7N_3O$ F. Wt. 113.12	25 gm 100 gm 1 Kg
976	COBALT (II) CHLORIDE (Hexa), EXTRA PURE CAS 7791-13-1 $CoCl_2 \cdot 6(H_2O)$ F. Wt. 237.93	100 gm 500 gm	1811	o-CRESOLPHTHALEIN (pH Indicator) CAS 596-27-0 $C_{22}H_{18}O_4$ F. Wt. 346.38	5 gm 25 gm
977	COBALT (II) NITRATE (Hexa), EXTRA PURE CAS 10026-22-9 $Co(NO_3)_2 \cdot 6H_2O$ F. Wt. 291.03	100 gm 500 gm	4137	o-CRESOLPHTHALEIN COMPLEXONE CAS 2411-89-4 $C_{32}H_{32}N_2O_{12}$ F. wt. 636.6	1 gm 5 gm
1803	COBALT (II) NITRATE (Hexa), AR GRADE CAS 10026-22-9 $Co(NO_3)_2 \cdot 6H_2O$ F. Wt. 291.03	100 gm 500 gm	1618	m-CRESOL PURPLE CAS 2303-01-7 $C_{21}H_{18}O_5S$ F. Wt. 382.43	1 gm 5 gm
1804	COBALT (II) OXIDE, EXTRA PURE CAS 1308-06-1 Co_3O_4 F. Wt. 240.80	100 gm 500 gm	1619	CRESOL RED, AR GRADE CAS 1733-12-6 $C_{21}H_{18}O_5S$ F. Wt. 382.44	5 gm 25 gm
978	COBALT (II) SULPHATE (Hepta), EXTRA PURE CAS 10026-24-1 $Co_3SO_4 \cdot 7H_2O$ F. Wt. 281.10	100 gm 500 gm	1606	CRYSTAL VIOLET POWDER, EXTRA PURE (Gentian Violet or Methyl Violet) CAS 548-62-9 C.I. 42535 $C_{25}H_{30}ClN_3$ F. Wt. 407.99	25 gm 100 gm 1 Kg
1805	COLCHICINE CAS 64-86-8 $C_{22}H_{25}NO_6$ F. Wt. 399.44	1 gm 10 gm	1620	CRYSTAL VIOLET, AR GRADE (Gentian Violet or Methyl Violet) CAS 548-62-9 C.I. 42555 $C_{25}H_{30}ClN_3$ F. Wt. 407.98	25 gm 100 gm 1 Kg
1615	CONGO RED CAS 573-58-0 C.I. 22120 $C_{32}H_{22}N_6Na_2O_6S_2$ F. Wt. 696.67	25 gm 100 gm	314	CUPRIC ACETATE, (Mono) EXTRA PURE CAS 6046-93-1 $C_4H_6CuO_4 \cdot H_2O$ F. Wt. 199.64	100 gm 500 gm
1696	COOMASSIE BRILLIANT BLUE G 250 (Brilliant Blue G-250) For electrophoresis CAS 6104-58-1 C.I. 42655 $C_{47}H_{48}NaO_7S_2$ F. Wt. 854.02	5 gm 25 gm	1866	CUPRIC CARBONATE BASIC, EXTRA PURE CAS 12069-69-1 $CH_2Cu_2O_5$ F. Wt. 221.12	500 gm

C Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
315	CUPRIC CHLORIDE (Dihydrate), EXTRA PURE CAS 10125-13-0 CuCl₂·2H₂O F. Wt. 170.48	500 gm	1139	L-CYSTEINE HYDROCHLORIDE (Mono) 99%+ Crystalline CAS 7048-04-6 C₃H₈NO₂·SCL·H₂O F. Wt. 175.63	25 gm 100 gm 1 Kg 25 Kg
316	CUPRIC CHLORIDE (Dihydrate), AR GRADE CAS 10125-13-0 CuCl₂·2H₂O F. Wt. 170.48	500 gm	1140	L-CYSTINE, 99%+ CRYSTALLINE (Free Base) CAS 56-89-3 C₆H₁₂N₂O₄S₂ F. Wt. 240.3	25 gm 100 gm 1 Kg
317	CUPRIC NITRATE (Trihydrate), EXTRA PURE CAS 10031-43-3 Cu(NO₃)₂·3H₂O F. Wt. 241.60	500 gm	4056	CYTIDINE (For Biochemistry) CAS 65-46-3 C₉H₁₃N₃O₅ F. wt. 243.22	1 gm 5 gm 25 gm
1818	CUPRIC OXIDE, EXTRA PURE CAS 1317-38-0 CuO F. Wt. 79.55	100 gm 500 gm	4057	CYTOSINE (For Biochemistry) CAS 71-30-7 C₄H₅N₃O F. wt. 111.1	1 gm 5 gm 25 gm
319	CUPRIC SULPHATE (Penta), EXTRA PURE CAS 7758-99-8 CuSO₄·5H₂O F. Wt. 249.68	500 gm 25 Kg	4058	1-DECANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC) CAS 13419-61-9 CH₃(CH₂)₉ SO₃Na F. wt. 244.33	25 gm
320	CUPRIC SULPHATE (Penta), AR GARDE CAS 7758-99-8 CuSO₄·5H₂O F. Wt. 249.68	500 gm 25 Kg	4059	1-DECANE SULPHONIC ACID SODIUM SALT (Mono), (For HPLC) CAS 13419-61-9 C₄H₉NaO₃S·H₂O F. wt. 178.16	25 gm
1819	CUPRIC SULPHATE (ANH.), EXTRA PURE CAS 7758-98-7 CuSO₄ F. Wt. 159.61	500 gm 25 Kg	666	DETERGENT TABOLENE (Neutral pH, W/O. Phosphate) (For glass ware cleaning)	500 ml 5 Ltr
837	CUPRIC SULPHATE (ANH.), AR GRADE CAS 7758-98-7 CuSO₄ F. Wt. 159.61	500 gm 25 Kg	1823	DEVARDA'S ALLOY POWDER, EXTRA PURE CAS 8049-11-4	100 gm 500 gm
2893	CUPROUS CHLORIDE, EXTRA PURE CAS 7758-89-6 CuCl F. Wt. 98.999	500 gm	1313	DEXTRIN WHITE CAS 9004-53-9 (C₆H₁₀O₅)_n·xH₂O F. Wt. 414.55	500 gm
817	CUPRON, (Benzoin α-Oxime) AR GRADE CAS 441-38-3 C₁₄H₁₃NO₂ F. Wt. 227.27	25 gm 100 gm	1303	DEXTROSE (Mono), EXTRA PURE CAS 5996-10-1 C₆H₁₂O₆·H₂O F. Wt. 198.17	500 gm 5 Kg 25 Kg
2936	CURCUMINE (Turmeric) CAS 458-37-7 C₂₁H₂₀O₆ F. Wt. 368.39	5 gm 10 gm	1317	DEXTROSE (Mono), AR GRADE CAS 5996-10-1 C₆H₁₂O₆·H₂O F. Wt. 198.17	500 gm 5 Kg 25 Kg
1704	CYANOCOBALAMIN (Vitamin B₁₂) CAS 68-19-9 C₆₃H₈₈CON₁₄O₁₄P F. Wt. 1355.38	1 gm 10 gm	1304	DEXTROSE (ANH.), EXTRA PURE CAS 50-99-7 C₆H₁₂O₆ F. Wt. 180.16	500 gm 5 Kg 25 Kg
3625	β-CYCLODEXTRIN CAS 7585-39-9 C₄₂H₇₀O₃₅ F. Wt. 1134.98	500 gm	1314	DEXTROSE (ANH.), AR GRADE CAS 50-99-7 C₆H₁₂O₆ F. Wt. 180.16	500 gm 5 Kg 25 Kg
573	CYCLOHEXIMIDE (Actidione), AR GRADE CAS 66-81-9 C₁₅H₂₃NO₄ F. wt. 281.36	1 gm 5 gm	1825	DIACETYL MONOXIME, AR GRADE (2,3, Butanedione Monoxime) CAS 57-71-6 C₄H₇NO₂ F. Wt. 101.10	25 gm 100 gm
1138	L-CYSTEINE, (Free Base) 99%+ Crystalline CAS 52-90-4 C₃H₇NO₂S F. Wt. 121.17	5 gm 25 gm 100 gm			

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
1417	DIASTASE * (α -Amylase, Activity 2000 A U/g) CAS 9000-90-2	100 gm 500 gm 5 Kg	1836	DIMETHYL GLYOXIME, EXTRA PURE (2,3, butanedionedioxime) CAS 95-45-4 $C_6H_8N_2O_2$ F. Wt. 116.12	100 gm 500 gm
1827	trans-1,2-DIAMINO CYCLOHEXANE N,N,N',N'-TETRA ACETIC ACID (CDTA) EXTRA PURE CAS 13291-61-7 $C_{14}H_{22}N_2O_8 \cdot H_2O$ F. Wt. 364.36	25 gm 100 gm	1840	N,N-DIMETHYL p-PHENYLENEDIAMINE Di HCl, AR GRADE CAS 536-46-9 $C_8H_{14}Cl_2N_2$ F. Wt. 209.12	25 gm
3136	2,7 DICHLORO FLUORESCEIN, AR GRADE CAS 76-54-0 $C_{20}H_{10}Cl_2O_5$ F. Wt. 401.2	10 gm	796	N,N-DIMETHYL-p-PHENYLENE DIAMINE OXALATE (p-Amino-N,N dimethylaniline oxalate) CAS 62778-12-5 $C_{10}H_{14}N_2O_4$ F. wt. 226.23 (Store at 2-8°C)	1 gm 5 gm
2589	2,6-DICHLOROPHENOL INDOPHENOL SODIUM, AR GRADE CAS 620-45-1 $C_{12}H_6Cl_2NNaO_2$ F. Wt. 290.08	1 gm 5 gm 25 gm	841	N,N-DIMETHYL-p-PHENYLENE DIAMINE SULPHATE (4-Amino-N,N dimethylaniline sulphate) CAS 536-47-0 $C_8H_{14}N_2SO_4$ F. wt. 234.87	5 gm 25 gm
2590	2,4-DICHLOROPHOXY ACETIC ACID (2,4-D) CAS 94-75-7 $C_6H_6Cl_2O_3$ F. Wt. 221.04	500 gm	1842	DIMETHYL YELLOW (pH Indicator) CAS 60-11-7 C.I. 11020 $C_{14}H_{15}N_3$ F. Wt. 225.29	25 gm 100 gm
2591	2,6-DICHLOROQUINONE-4-CHLORIMIDE * (Gibbs Reagent) CAS 101-38-2 $C_6H_2Cl_3NO$ F. Wt. 210.45	5 gm 25 gm	4060	DIMIDIUM BROMIDE 98% (For Tenside Testing) CAS 518-67-2 $C_{20}H_{18}BrN_3$ F. wt. 380.28	100 mg 1 gm
2942	DIETHYLENE GLYCOL, EXTRA PURE CAS 111-46-6 $C_4H_{10}O_3$ F. Wt. 106.12	500 ml 25 Kg	2941	3,5 DINITROBENZOIC ACID, EXTRA PURE CAS 99-34-3 $C_7H_4N_2O_6$ F. Wt. 212.12	100 gm 500 gm
2944	DIETHYLENE GLYCOL, AR GRADE CAS 111-46-6 $C_4H_{10}O_3$ F. Wt. 106.12	500 ml	1844	3,5- DINITROBENZOIC ACID, AR GRADE CAS 99-34-3 $C_7H_4N_2O_6$ F. Wt. 212.12	100 gm 500 gm
754	DIGITONIN, AR GRADE CAS 11024-24-1 $C_{56}H_{92}O_{29}$ F. Wt. 1229.31	1 gm	1845	2,4-DINITROPHENYL HYDRAZINE, EXTRA PURE CAS 119-26-6 $C_6H_6N_4O_4$ F. Wt. 198.14	25 gm 100 gm
839	L-3, 4-DIHYDROXYPHENYL L-ALANINE (L-DOPA) CAS 59-92-7 $C_9H_{11}NO_4$ F. Wt. 197.19	5 gm 25 gm	2599	3,5-DINITROSALICYLIC ACID, AR GRADE CAS 609-99-4 $C_7H_4N_2O_7$ F. Wt. 228.12	25 gm 100 gm
596	p -DIMETHYLAMINO BENZALDEHYDE (Ehrlich Reagent), EXTRA PURE CAS 100-10-7 $C_9H_{11}NO$ F. Wt. 149.19	25 gm 100 gm 500 gm 25 Kg	4061	DIOCTYL SODIUM SULPHOSUCCINATE 98% (DOSS) (AEROSOL OT) CAS 577-11-7 $C_{20}H_{37}NaO_7S$ F. wt. 444.56	500 gm
795	p-DIMETHYL AMINO BENZALDEHYDE (Ehrlich Reagent), AR GRADE CAS 100-10-7 $C_9H_{11}NO$ F. Wt. 149.19	25 gm 100 gm 500 gm	3138	DIPHENYLAMINE, EXTRA PURE CAS 122-39-4 $C_{12}H_{11}N$ F. Wt. 169.22	100 gm 500 gm
			1849	DIPHENYLAMINE, AR GARDE CAS 122-39-4 $C_{12}H_{11}N$ F. Wt. 169.22	100 gm 500 gm

D Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE	PRICE
2601	N,N'-DIPHENYL BENZIDINE, AR GRADE CAS 531-91-9 C₂₄H₂₀N₂ F. Wt. 336.43	5 gm	1623	ERIOCHROME BLACK T, EXTRA PURE CAS 1787-61-7 C.I. 14645 C₂₀H₁₂N₃NaO₇ S F. Wt. 461.38	25 gm 100 gm	
2602	1,5-DIPHENYL CARBAZIDE, AR GRADE * CAS 140-22-7 C₁₃H₁₄N₄O F. Wt. 242.28	25 gm	1855	ERIOCHROME BLACK T, AR GRADE CAS 1787-61-7 C.I. 14645 C₂₀H₁₂N₃NaO₇ S F. Wt. 461.38	25 gm 100 gm	
4062	1,5-DIPHENYL CARBAZONE, AR GRADE (Reagent For Mercury) CAS 538-62-5 C₁₃H₁₂N₄O F. wt. 240.26	5 gm 25 gm	1856	ERIOCHROME CYANINE R, AR GRADE CAS 3564-18-9 C.I. 43820 C₂₃H₁₅Na₃O₅ S F. Wt. 536.39	5 gm 25 gm	
1850	1,4-DITHIOERYTHRITOL (D.T.E) * (Cleveland Reagent) CAS 6892-68-8 C₄H₁₀O₂S₂ F. Wt. 154.25	1 gm 5 gm	1681	ERIOGLAUCINE (Acid Blue 9) (Brilliant Blue FCF) CAS 3844-45-9 C.I. 42090 C₃₇H₃₄N₂Na₂O₅S₃ F. Wt. 792.86	10 gm	
1852	DL-DITHIOTHREITOL (D.T.T.) * CAS 3483-12-3 C₄H₁₀O₂S₂ F. Wt. 154.25	1 gm 5 gm	TC 009	ERYTHRITOL (Meso Erythritol) CAS 149-32-6 C₄H₁₀O₄ F. Wt. 122.12 (Store below 8°C)	5 gm 25 gm 100 gm	
2998	DITHIZONE (Diphenylthiocarbazone), EXTRA PURE CAS 60-10-6 C₁₃H₁₂N₄S F. Wt. 256.33	5 gm 25 gm	1859	ERYTHROSIN B SODIUM CAS 16423-68-0 C.I. 45430 C₂₀H₆Na₂O₅ F. Wt. 879.86	25 gm	
1853	DITHIZONE, AR GRADE CAS 60-10-6 C₁₃H₁₂N₄S F. Wt. 256.33	5 gm 25 gm	304	ESCULIN (Aesculin) CAS 531-75-9 C₁₅H₁₆O₉ F. Wt. 367.30	5 gm 25 gm	
755	DNA * (Deoxyribonucleic Acid) CAS 9007-49-2	5 gm 25 gm	3141	ETHIDIUM BROMIDE, EXTRA PURE CAS 1239-45-8 C₂₁H₂₀BrN₃ F. Wt. 394.31	1 gm 5 gm	
1023	DODECYL BENZENE SULPHONIC ACID SODIUM SALT CAS 121-65-3 C₁₈H₂₉NaO₃S F. Wt. 326.49	100 gm 500 gm	4067	ETHIDIUM BROMIDE, AR GRADE (For Electrophoresis)	1 gm 5 gm	
3522	DPX MOUNTANT for Histology	250 ml	324	ETHYLENEDIAMINE TETRAACETIC ACID, (EDTA), EXTRA PURE CAS 60-00-4 C₁₀H₁₆N₂O₈ F. Wt. 292.24	100 gm 500 gm	
TC 008	DULCITOL (Galactitol, Dulcitol) CAS 608-66-2 C₆H₁₄O₆ F. Wt. 182.17	25 gm 100 gm	325	ETHYLENE DIAMINE TETRA ACETIC ACID, (EDTA), AR GRADE CAS 60-00-4 C₁₀H₁₆N₂O₈ F. Wt. 292.24	100 gm 500 gm	
596	EHRlich'S REAGENT CAS 100-10-7 C₉H₁₁NO F. Wt. 149.19	25 gm 100 gm 500 gm	349	EDTA DIPOTASSIUM, EXTRA PURE CAS 25102-12-9 C₁₀H₁₄K₂N₂O₈·2H₂O F. Wt. 404.46	100 gm 500 gm	
1661	EOSINE (Spirit soluble) CAS 6359-05-3 C.I. 45386 C₂₂H₁₁Br₄KO₅ F. Wt. 714.03	25 gm 100 gm	326	EDTA DIPOTASSIUM, AR GRADE CAS 25102-12-9 C₁₀H₁₄K₂N₂O₈·2H₂O F. Wt. 404.46	100 gm 500 gm 25 Kg	
1669	EOSINE YELLOW, (Water soluble) CAS 548-26-5 C.I. 45380 C₂₀H₆Br₄Na₂O₅ F. Wt. 691.85	25 gm 100 gm 1 Kg	327	EDTA DISODIUM, EXTRA PURE CAS 6381-92-6 C₁₀H₁₄N₂Na₂O₈·2H₂O F. Wt. 372.24	100 gm 500 gm 5 Kg 25 Kg	

E

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
328	EDTA DISODIUM, AR GRADE CAS 6381-92-6 C ₁₀ H ₁₄ N ₂ Na ₂ O ₈ ·2H ₂ O F. Wt. 372.24	100 gm 500 gm 5 Kg 25 Kg	331	FERRIC CHLORIDE (ANH.), EXTRA PURE CAS 7705-08-0 FeCl ₃ F. Wt. 162.20	500 gm 5 Kg 50 Kg
973	EDTA FERRIC MONOSODIUM, EXTRA PURE CAS 15708-41-5 C ₁₀ H ₁₂ FeN ₂ NaO ₈ F. Wt. 367.05	100 gm 500 gm	332	FERRIC CHLORIDE (ANH.), AR GRADE CAS 7705-08-0 FeCl ₃ F. Wt. 162.20	500 gm 50 Kg
2608	EDTA MAGNESIUM DISODIUM (Tetra), EXTRA PURE CAS 14402-88-1 C ₁₀ H ₁₂ N ₂ O ₈ MgNa ₂ F. Wt. 358.50	500 gm	756	FERRIC CITRATE, (Mono), for Bacteriology CAS 2338-05-8 C ₆ H ₅ FeO ₇ F. Wt. 244.94	500 gm
2610	ETHYL-P-HYDROXY BENZOATE (Ethyl Paraben) CAS 120-47-8 C ₉ H ₁₀ O ₃ F. Wt. 166.17	500 gm 5 Kg	4068	FERRIC NITRATE, EXTRA PURE CAS 7782-61-8 FeN ₃ O ₉ F. wt. 241.86	500 gm
4065	EOSIN YELLOW (W/S) CAS 17372-87-1 C.I.45380 C ₂₀ H ₆ Br ₄ Na ₂ O ₅ F. wt. 691.88	25 gm 100 gm	228	FERRIC ORTHOPHOSPHATE (Tetra), EXTRA PURE CAS 10045-86-0 FePO ₄ F. Wt. 150.82	500 gm
2940	ETHYLENE GLYCOL, EXTRA PURE CAS 107-21-1 C ₂ H ₆ O ₂ F. Wt. 62.07	500 ml	990	FERRIC OXIDE RED (Iron Oxide Red), EXTRA PURE CAS 1309-37-1 Fe ₂ O ₃ F. Wt. 159.69	500 gm
2943	ETHYLENE GLYCOL, AR GRADE CAS 107-21-1 C ₂ H ₆ O ₂ F. Wt. 62.07	500 ml	845	FERRIC SULPHATE (Hydrate), EXTRA PURE CAS 10028-22-5 Fe ₂ (SO ₄) ₃ ·xH ₂ O F. Wt. 399.87	500 gm
1625	EVANS BLUE CAS 314-13-6 C.I. 23860 C ₃₄ H ₂₄ N ₆ Na ₄ O ₁₄ S ₄ F. Wt. 960.80	5 gm 25 gm	243	FERROUS AMMONIUM SULPHATE, EXTRA PURE CAS 7783-85-9 (NH ₄) ₂ Fe(SO ₄) ₂ ·6H ₂ O F. wt. 392.16	500 gm 50 Kg
2613	FAST BLUE B SALT, (For microscopy) CAS 14263-94-6 C.I. 37235 C ₁₄ H ₁₂ Cl ₂ N ₄ O ₂ ·ZnCl ₂ F. Wt. 475.49	25 gm 100 gm	244	FERROUS AMMONIUM SULPHATE, AR GRADE CAS 7783-85-9 FeH ₂₀ N ₂ O ₁₄ S ₂ F. Wt. 392.14	500 gm 50 Kg
1627	FAST BLUE BB SALT, AR GRADE CAS 5486-84-0 C.I. 37175 C ₃₄ H ₃₆ Cl ₄ N ₆ O ₆ Zn F. Wt. 831.89	25 gm	513	FERROUS SULPHATE (Hepta), EXTRA PURE CAS 7782-63-0 FeSO ₄ ·7H ₂ O F. Wt. 278.01	500 gm 5 Kg 50 Kg
1630	FAST GREEN FCF CAS 2353-45-9 C.I. 42053 C ₃₇ H ₃₄ N ₂ Na ₂ O ₁₀ S ₃ F. Wt. 808.85	5 gm 25 gm	514	FERROUS SULPHATE (Hepta), AR GRADE CAS 7782-63-0 FeSO ₄ ·7H ₂ O F. Wt. 278.01	500 gm 50 Kg
4223	FE-EDDHA (ETHYLENEDIAMINE-N,N'-BIS (2-HYDROXYPHENYLACETATE ACID) FERRIC-SODIUM COMPLEX CAS 84539-55-9 C ₁₈ H ₁₈ FeN ₂ NaO ₆ F. Wt. 437.19	25 gm 100 gm	1879	FERROUS SULPHIDE STICKS (Iron sulphide sticks) CAS 1317-37-9 FeS F. Wt. 87.91	1 Kg
TR 052	FEHLING SOLUTION A	500 ml	1682	FIELD'S STAIN A, POWDER	25 gm 1 Kg
TR 053	FEHLING SOLUTION B	500 ml	1683	FIELD'S STAIN B, POWDER	25 gm 1 Kg
330	FERRIC AMMONIUM CITRATE (BROWN), EXTRA PURE CAS 1185-57-5 C ₁₂ H ₂₂ FeN ₃ O ₁₄ F. Wt. 488.16	500 gm 5 Kg 25 Kg	1880	FLUORESCEIN CAS 2321-07-5 C.I. 45350 C ₂₀ H ₁₂ O ₅ F. Wt. 332.31	25 gm 100 gm

E Laboratory Chemicals (EP & AR Grade)


CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
149	FLUORESCHEIN COMPLEXONE, (Calcein) AR GRADE CAS 1461-15-0 C₃₀H₂₆N₂O₁₃ F. Wt. 622.55	1 gm 5 gm	3318	GELLAN GUM Plant Tissue Culture Grade CAS 71010-52-1	100 gm 500 gm 1 Kg
2616	FLUORESCHEIN SODIUM CAS 518-47-8 C₂₀H₁₀Na₂O₅ F. Wt. 376.27	25 gm 100 gm	3342	GELZAN-CM® (GELRITE®) For Tissue Culture (Regd. Trade mark of CP Kelco USA) CAS 7110-51-1	100 gm 1 Kg 5 Kg
3147	5-FLUOROURACIL CAS 51-21-8 C₄H₃FN₂O₂ F. Wt. 130.08	1 gm 5 gm	3526	GELATIN CRYSTAL, Bloom Type B (Bacteriological Grade) CAS 9000-70-8	500 gm 5 Kg 50 Kg
335	FOLIC ACID (Vitamin B₉) * CAS 59-30-3 C₁₉H₁₉N₇O₆ F. Wt. 441.40	5 gm 25 gm	4072	GELATIN POWDER (For Bacteriology) CAS 9000-70-8	500 gm
4212	FORCHLORFENURON (4-CPPU) N-(2-chloro-4-pyridinyl)-N'-phenyl CAS 68157-60-8 C₁₂H₁₀ClN₃O F. wt. 247.68	5 gm	1606	GENTIAN VIOLET, EXTRA PURE (Crystal violet or Methyl Violet) CAS 548-62-9 C.I. 42555 C₂₅H₃₀ClN₃ F. Wt. 407.99	25 gm 100 gm 1 Kg
1301	D-FRUCTOSE, (Levulose), EXTRA PURE CAS 57-48-7 C₆H₁₂O₆ F. Wt. 180.16	100 gm 500 gm 25 Kg	1620	GENTIAN VIOLET, AR GRADE (Crystal Violet or Methyl Violet) CAS 548-62-9 C.I. 42555 C₂₅H₃₀ClN₃ F. Wt. 407.98	25 gm 100 gm 1 Kg
1315	D-FRUCTOSE, (Levulose) (Bacteriological Grade) CAS 57-48-7 C₆H₁₂O₆ F. Wt. 180.16	100 gm 500 gm	849	GIBBERELIC ACID (GA₃) (Plant growth regulator) CAS 77-06-5 C₁₉H₂₂O₆ F. Wt. 346.37	1 gm 10 gm 100 gm 1 kg
1640	FUCHSIN ACID (Acid Fuchsin) CAS 3244-88-0 C.I. 42685 C₂₀H₁₇N₃Na₂O₉S₃ F. Wt. 585.55	25 gm 100 gm	3547	GIBBERELIC ACID (GA₄₊₇) CAS 202467-69-4 C₂₀H₁₉N₃O₇S F. wt. 445.45	1 gm 5 gm 100 gm
1603	FUCHSIN BASIC, (Rosaniline HCl) (Basic Fuchsin) CAS 632-99-5 C.I. 42510 C₂₀H₂₀N₃HCl F. Wt. 337.86	25 gm 100 gm 1 Kg	2591	GIBBS REAGENT * (2,6, Dichloroquinone-4-chlorimide) CAS 101-38-2 C₆H₂Cl₃NO F. Wt. 210.45	5 gm 25 gm
771	FUMARIC ACID, EXTRA PURE CAS 110-17-8 C₄H₄O₄ F. Wt. 116.07	500 gm	1672	GIEMSA'S STAIN (Azur Eosin Methylene Blue) CAS 51811-82-6	10 gm 25 gm 100 gm 1 Kg
4071	FUSION MIXTURE	500 gm	1303	D-GLUCOSE (Mono), (Dextrose) CAS 5996-10-1 C₆H₁₂O₆·H₂O F. Wt. 198.17	500 gm 5 Kg 25 Kg
TC 010	D-GALACTOSE CAS 59-23-4 C₆H₁₂O₄ F. Wt. 180.16	25 gm 100 gm 500 gm	1304	D-GLUCOSE (ANH.), (Dextrose) CAS 50-99-7 C₆H₁₂O₆ F. Wt. 180.15	500 gm 5 Kg 25 Kg
337	GALLIC ACID (Mono) (3,4,5, Trihydroxybenzoic Acid) CAS 5995-86-8 C₇H₆O₅·H₂O F. Wt. 188.14	100 gm 500 gm	1145	L-GLUTAMIC ACID 99%, EXTRA PURE (2- Amino Glutaric Acid) CAS 56-86-0 C₅H₉NO₄ F. Wt. 147.13	100 gm 500 gm

G

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE	PRICE
1111	L-GLUTAMIC ACID, 99%+ Crystalline AR GRADE CAS 56-86-0 C ₅ H ₉ NO ₄ F. Wt. 147.13	100 gm 500 gm 25 Kg	697	GUANINE (2-Amino 6-Hydroxypurine) CAS 73-40-5 C ₅ H ₅ N ₅ O F. Wt. 151.13	5 gm 25 gm	
1112	L-GLUTAMIC MONO SODIUM, AR GRADE (Sodium Glutamate) 99%+ Crystalline CAS 142-47-2 C ₅ H ₉ NNaO ₄ F. Wt. 169.11	100 gm 500 gm 25 Kg	600	GUANINE HCl * (2- Amino 6-Hydroxy Purine HCl) CAS 635-39-2 C ₅ H ₅ N ₅ O.HCl F. Wt. 187.59	5 gm 25 gm	
1114	L-GLUTAMINE, 99%+ Crystalline CAS 56-85-9 C ₅ H ₁₀ N ₂ O ₃ F. Wt. 146.14	25 gm 100 gm 500 gm	3346	GUANOSINE CAS 118-00-3 C ₁₀ H ₁₃ N ₅ O ₅ F. Wt. 283.241	10 gm 25 gm	
793	GLUTARIC ACID * CAS 110-94-1 C ₅ H ₈ O ₄ F. Wt. 132.12	100 gm 500 gm	210	GUM ACACIA, PHARMA GRADE Spray Dried Powder CAS 9000-01-5	500 gm 25 Kg	
850	GLUTATHIONE (Oxidized) * CAS 27025-41-8 C ₂₀ H ₃₂ N ₆ O ₁₂ S ₂ F. Wt. 612.60	500 mg	1890	GUM XANTHAN (Xanthan Gum), AR GRADE CAS 11138-66-2	100 gm 500 gm 25 Kg	
757	GLUTATHIONE (Reduced) * CAS 70-18-8 C ₁₀ H ₁₇ N ₃ O ₆ S F. Wt. 307.32	1 gm 5 gm 25 gm	1673	HAEMATOXYLIN CAS 517-28-2 C.I. 75290 C ₁₆ H ₁₄ O ₆ F. Wt. 302.28	5 gm 25 gm 1 Kg	
598	GLYCEROL, (Glycerine), EXTRA PURE CAS 56-81-5 C ₃ H ₈ O ₃ F. Wt. 92.09	500 ml 2.5 Ltr 5 Ltr 25 Ltr	603	HEMIN (From Bovine) CAS 16009-13-5 C ₃₄ H ₃₂ ClFeN ₄ O ₄ F. Wt. 651.95	1 gm	
597	GLYCEROL, (Glycerine), AR GRADE CAS 56-81-5 C ₃ H ₈ O ₃ F. Wt. 92.09	500 ml 2.5 Ltr 5 Ltr 25 Ltr	341	HEPARIN SODIUM SALT, 20,000 I.U./Vial CAS 9041-08-1	1 vial	
851	GLYCEROL TRIBUTYRATE (Tributyrin) CAS 60-01-5 C ₁₅ H ₂₆ O ₃ F. Wt. 302.36	100 ml 500 ml	1891	HEPARIN SODIUM SALT * 1,00,000 I.U./Vial CAS 9041-08-1	1 vial	
1110	GLYCINE, EXTRA PURE (Amino Acetic Acid) CAS 56-40-6 C ₂ H ₅ NO ₂ F. Wt. 75.07	100 gm 500 gm 5 Kg 25 Kg	503	HEPES, FREE ACID CAS 7365-45-9 C ₈ H ₁₈ N ₂ O ₄ S F. Wt. 238.30	25 gm 100 gm 500 gm 1 Kg	
1109	GLYCINE 99%+ CRYSTALLINE, AR GRADE CAS 56-40-6 C ₂ H ₅ NO ₂ F. Wt. 75.07	100 gm 500 gm 5 Kg 25 Kg	599	HEPES SODIUM (For Tissue Culture) CAS 75277-39-3 C ₈ H ₁₇ O ₄ N ₂ SNa F. Wt. 260.29	25 gm 100 gm 1 Kg	
2650	CHLOROAUIC ACID, min.49% Au (Gold chloride)	1 gm	1894	1-HEPTANE SULPHONIC ACID SODIUM (ANH.), (For HPLC) AR GRADE CAS 22767-50-6 C ₇ H ₁₅ NaO ₃ S F. Wt. 202.24	25 gm 100 gm	
4701	GOLD CHLORIDE, ACS GRADE CAS 16903-35-8 HAuCl ₄ ·3H ₂ O F. Wt. 339.79	1 gm	4073	1-HEPTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC) CAS 207300-90-1 C ₇ H ₁₅ NaO ₃ ·H ₂ O F. wt. 220.24	25 gm 100 gm	
1672 A	GRAM'S IODINE CAS 12298-68-9 I ₂ K F. Wt. 419.81	25 gm	3351	HEXAMINE CAS 100-97-0 C ₆ H ₁₂ N ₄ F. Wt. 140.19	500 gm 50 Kg	
TK 004	GRAM'S STAIN KIT I Crystal Violet Gram 15-125 ml II Decolourizer Gram 15-125 ml III Iodine Gram 15-125 ml IV Safranin 0.5% w/v OR Basic Fuchsin 0.1%-125 ml	1 Kit	4074	1-HEXANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC) CAS 2832-45-3 C ₆ H ₁₃ NaO ₃ S F. wt. 188.22	25 gm 100 gm	
227	GUANIDINE HYDROCHLORIDE, AR GRADE (2-Amino-6-hydroxypurine HCl) CAS 50-01-1 CH ₅ N ₃ ·HCl F. Wt. 95.33	25 gm 100 gm	4075	1-HEXANE SULPHONIC ACID SODIUM SALT (Monohydrate), (For HPLC) CAS 207300-91-2 C ₆ H ₁₃ NaO ₃ ·S F. wt. 188.22	25 gm 100 gm	

H Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
792	HIPPURIC ACID, 99%+ Crystalline CAS 495-69-2 C ₉ H ₉ NO ₃ F. Wt. 179.17	100 gm 500 gm	2632	8-HYDROXYQUINOLINE, AR GRADE, (Oxine) CAS 148-24-3 C ₉ H ₇ NO F. Wt. 145.16	100 gm 500 gm
4213	2, 8 HOMOBRASSINOLIDE CAS 80483-89-2 C ₂₉ H ₅₀ O ₆ F. wt. 494.70	10 mg 100 mg	1015	HYDROQUINONE, EXTRA PURE (Quinol) CAS 123-31-9 C ₆ H ₆ O ₂ F. wt.110.11	500 gm
1115	L-HISTIDINE, 99%+ Crystalline CAS 71-00-1 C ₆ H ₉ N ₃ O ₂ F. Wt. 155.15	25 gm 500 gm	1904	HYDROQUINONE, AR GRADE (Quinol) CAS 123-31-9 C ₆ H ₆ O ₂ F. wt.110.11	500 gm
1116	L-HISTIDINE HCl (Mono) 99%+ Crystalline CAS 5934-29-2 C ₆ H ₉ N ₃ O ₂ .HCl.H ₂ O F. Wt. 209.63	25 gm 100 gm 1 Kg 25 Kg	3151	HYPOXANTHINE CAS 68-94-0 C ₅ H ₂ N ₄ O F. Wt. 136.112	5 gm 100 gm
1899	HYDRAZINE SULPHATE, EXTRA PURE CAS 10034-93-2 H ₄ N ₂ .H ₂ SO ₄ F. Wt. 130.12	100 gm 500 gm 25 Kg	342	IMIDAZOLE, AR GRADE (Buffer Substance for pH 6.0-7.8) CAS 288-32-4 C ₃ H ₄ N ₂ F. Wt. 68.08	100 gm 500 gm
2631	HYDRAZINE SULPHATE, AR GRADE CAS 10034-93-2 H ₄ N ₂ .H ₂ SO ₄ F. Wt. 130.12	100 gm 500 gm 25 Kg	345	IMMERSION OIL Optically clear non fluoroscent for microscopy	25 ml 100 ml 500 ml
1907	HYDROXYLAMINE HYDROCHLORIDE, EXTRA PURE CAS 5470-11-01 NH ₂ OH.HCl F. Wt. 69.49	100 gm 500 gm 25 Kg	346	IMMERSION OIL, AR GRADE Optically clear non fluoroscent for microscopy	25 ml 100 ml 500 ml
1908	HYDROXYLAMINE HYDROCHLORIDE, AR GRADE CAS 5470-11-1 ClH ₄ NO F. wt. 69.49	100 gm 500 gm	1915	INDIGO CARMINE, AR GRADE CAS 860-22-0 C.I. 73015 C ₁₆ H ₈ N ₂ Na ₂ O ₈ S ₂ F. Wt. 466.36	25 gm 100 gm
4077	HYDROXYLAMINE SULPHATE, EXTRA PURE (Hydroxylammonium Sulphate) CAS 10039-54-0 H ₈ N ₂ O ₆ S F. wt. 164.14	500 gm	1916	INDOLE, AR GRADE (1-Benzo-Pyrrole) CAS 120-72-9 C ₈ H ₇ N F. Wt. 117.15	10 gm 100 gm
4078	HYDROXYLAMINE SULPHATE, AR GRADE (Hydroxylammonium Sulphate) CAS 10039-54-0 H ₈ N ₂ O ₆ S F. wt. 164.14	500 gm	606	INDOLE-3-ACETIC ACID (IAA) * (3-Indoleacetic acid) CAS 87-51-4 C ₁₀ H ₉ NO ₂ F. Wt. 175.18	5 gm 25 gm 100 gm 1 Kg
1911	HYDROXY NAPHTHOL BLUE, SODIUM, AR GRADE CAS 63451-35-4 C ₂₀ H ₁₂ N ₂ Na ₂ O ₁₁ S ₃ F. Wt. 598.50	5 gm 25 gm	606A	INDOLE-3-ACETIC ACID POTASSIUM SALT CAS 2338-19-4 C ₁₀ H ₈ KNO ₂ F. Wt. 213.27	25 gm 100 gm 1 Kg
1117	L-HYDROXY-L-PROLINE, 99%+ Crystalline CAS 51-35-4 C ₅ H ₉ NO ₃ F. Wt. 131.13	5 gm 25 gm	607	INDOLE-3-BUTYRIC ACID (IBA) * (3-Indolebutyric acid) CAS 133-32-4 C ₁₂ H ₁₃ NO ₂ F. Wt. 203.33	5 gm 25 gm 100 gm 1 Kg
1912	HYDROXY PROPYL METHYL CELLULOSE (HPMC) E 15 LV CAS 9004-65-3 C ₃₂ H ₆₀ O ₁₉ F. Wt. 748.81	500 gm	607A	INDOLE-3-BUTYRIC ACID POTASSIUM SALT CAS 60096-23-3 C ₁₂ H ₁₂ KNO ₂ F. Wt. 241.33	25 gm 100 gm 1 Kg

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
604	INOSITOL (Meso Inositol) CAS 87-89-8 $C_6H_{12}O_6$ F. Wt. 180.16	25 gm 100 gm 1 Kg	863	KINETIN (6-Furfurylaminopurine)AR GRADE * CAS 525-79-1 $C_{10}H_9N_5O$ F. Wt. 215.21	1 gm 5 gm
TC 014	INULIN, AR GRADE CAS 9005-80-5 $(C_6H_{10}O_5)_n$ F. Wt. Approx. 5,000	25 gm 100 gm	1938	KOJIC ACID CAS 501-30-4 $C_6H_8O_4$ F. Wt. 142.11	1 gm 25 gm
347	IODINE (Resublimed), EXTRA PURE CAS 7553-56-2 I_2 F. Wt. 253.81	100 gm 500 gm 25 Kg	TR 008	KOVAC'S INDOLE REAGENT Indole test for Microbiology	100 ml
348	IODINE (Resublimed), AR GRADE CAS 7553-56-2 I_2 F. wt. 253.81	100 gm 500 gm	1940	LACTIC ACID, (Hydroxy Propionic Acid), EXTRA PURE CAS 50-21-5 $C_3H_6O_3$ F. Wt. 90.08	500 ml ^(pb) 2.5 Ltr 25 Ltr
4079	2-IODOBENZOIC ACID, MIN.98% CAS 88-67-5 $C_7H_5IO_2$ F. wt. 248.02	100 gm	1305	LACTOSE (Mono) CAS 10039-26-6 $C_{12}H_{22}O_{11} \cdot H_2O$ F. Wt. 360.31	500 gm 25 Kg
1927	IRON METAL POWDER (300 Mesh) Electrolytic Grade CAS 7439-89-6 Fe F. Wt. 55.85	1 Kg	1316	LACTOSE (Mono) 99% + Crystalline Bacteriological Grade CAS 10039-26-6 $C_{12}H_{22}O_{11} \cdot H_2O$ F. Wt. 360.31	500 gm 25 Kg
3154	ISATIN (Indole-2,3-dione), AR GRADE CAS 91-56-5 $C_8H_5NO_2$ F. Wt. 147.13	25 gm 100 gm	3158	LAURIC ACID CAS 143-07-7 $C_{12}H_{24}O_2$ F. Wt. 200.32	500 gm
1119	L-ISOLEUCINE, 99% + Crystalline CAS 73-32-5 $C_6H_{13}NO_2$ F. Wt. 131.17	5 gm 25 gm	444	LAURYL SULPHATE SODIUM, EXTRA PURE (Sodium Dodecyl Sulphate) CAS 151-21-3 $C_{12}H_{25}NaO_4S$ F. Wt. 288.38	500 gm 25 Kg
4215	N6-(2-ISOPENTENYL)ADENINE; (2IP) [6-(g-g-Dimethylallylamino)purine] CAS 2365-40-4 $C_{10}H_{13}N_5$ F. wt. 203.24	1 gm 5 gm	445	LAURYL SULPHATE SODIUM, AR GRADE CAS 151-21-3 $C_{12}H_{25}NaO_4S$ F. Wt. 288.38	100 gm 500 gm
3156	ISOPROPYL β-D-THIOGALACTOPYRANOSIDE (IPTG Dioxan Free) CAS 367-93-1 $C_9H_{18}O_5S$ F. Wt. 238.30 (Store Below 8°C)	1 gm 5 gm 25 gm	1943	LEAD METAL POWDER CAS 7439-92-1 Pb F. Wt. 207.19	500 gm
1933	JACK BEAN MEAL (Uric Acid activator) CAS 9002-13-5	100 gm 500 gm	351	LEAD ACETATE (Trihydrate), EXTRA PURE CAS 6080-56-4 $C_6H_8O_4 \cdot Pb \cdot 3(H_2O)$ F. Wt. 379.33	500 gm
1934	JANUS GREEN B CAS 2869-83-2 $C_{30}H_{31}ClN_6$ F. Wt. 511.06	5 gm 25 gm	352	LEAD ACETATE BASIC (Lead Subacetate Basic) for Sugar Analysis by Horne CAS 51404-69-4 $C_2H_3O_3 \cdot Pb$ F. Wt. 283.25	500 gm 2.5 Kg
1935	JENNER'S STAIN (Eosin Methylene Blue) CAS 62851-42-7	25 gm 100 gm	1944	LEAD CARBONATE BASIC, MIN 98% CAS 1344-36-1 $C_2H_2O_6 \cdot Pb$ F. wt. 329.23	500 gm
4158	JASMONIC ACID  NEW CAS 77026-92-7 $C_{12}H_{18}O_3$ F. Wt. 210.27	100 mg 250 mg	2639	LEAD (II) CHLORIDE (ANH.), (for Synthesis) CAS 7758-95-4 $PbCl_2$ F. Wt. 278.11	500 gm
1937	KAOLIN LIGHT, EXTRA PURE (as per IP) CAS 1332-58-7 $H_2Al_2Si_2O_8 \cdot H_2O$ F. Wt. 258.16	500 gm			
1120	α-KETOGLUTARIC ACID * (2 Oxo Glutaric Acid) 99% + Purity, Crystalline CAS 328-50-7 $C_5H_6O_5$ F. Wt. 146.10	25 gm 100 gm			

L
J
K

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
1946	LEAD DIOXIDE, EXTRA PURE (Lead Peroxide) CAS 1309-60-0 O ₂ Pb F. wt. 239.19	500 gm	4087	di-LITHIUM TETRABORATE, AR GRADE CAS 12007-60-2 B ₄ Li ₂ O ₇ F. wt. 169.12	100 gm 500 gm
1947	LEAD MONOXIDE (Litharge, Lead Oxide Yellow) CAS 1317-36-8 PbO F. Wt. 223.20	500 gm	1634	LITMUS BLUE, Indicator paper (10 books of 20 Leaves in Box)	200 lvs
864	LEAD NITRATE, EXTRA PURE 10099-74-8 N ₂ O ₆ Pb F. wt. 331.2	500 gm	1636	LITMUS RED, Indicator paper (10 books of 20 leaves in box)	200 lvs
1674	LEISHMAN'S STAIN C.I. 881038 (Eosin Methylene Blue) CAS 12627-53-1	25 gm 100 gm 1 Kg	1688	LITMUS INDICATOR, EXTRA PURE CAS 1393-92-6	10 gm 25 gm 100 gm
1121	L-LEUCINE, 99% + Crystalline CAS 61-90-5 C ₆ H ₁₃ NO ₂ F. Wt. 131.17	25 gm 100 gm 500 gm	1122	L-LYSINE, MONO HCl, 99% + Crystalline CAS 657-27-2 C ₆ H ₁₄ N ₂ O ₂ .HCl F. Wt. 182.65	100 gm 500 gm 25 Kg
1950	LIGHT GREEN CAS 7114-03-06 C.I. 42040 C ₂₇ H ₃₄ N ₂ O ₄ S F. Wt. 482.63	25 gm 100 gm	4233	LYSOL (Cresol and Soap Solution) CAS 12772-68-8	500 ml 5 Ltr
1686	LIGHT GREEN SF CAS 5141-20-8 C.I. 42095 C ₃₇ H ₃₄ N ₂ Na ₂ O ₃ S ₃ F. Wt. 792.85	25 gm 100 gm	2951	LYSOZYME * CAS 12650-88-3	1 gm 5 gm
2640	LIPASE * CAS 9001-62-1	25 gm 100 gm	2950	LYSOZYME CHLORIDE * CAS 52219-07-5	1 gm 5 gm
4085	LITHIUM BROMIDE, (ANH.), EXTRA PURE CAS 7550-35-8 LiBr F. wt. 86.85	500 gm	4088	MAGNESIUM (Metal Turning) CAS 7439-95-4 Mg F. wt. 24.31	500 gm
668	LITHIUM CARBONATE, EXTRA PURE CAS 554-13-2 Li ₂ Co ₃ F. Wt. 73.89	100 gm 500 gm 25 Kg	1964	MAGNESIUM ACETATE, (Tetra), EXTRA PURE CAS 16674-78-5 C ₄ H ₁₄ MgO ₈ F. wt. 214.45	500 gm
4140	LITHIUM CARBONATE, AR GRADE CAS 554-13-2 Li ₂ CO ₃ F. wt. 73.89	100 gm 500 gm	355	MAGNESIUM CARBONATE BASIC (Light) EXTRA PURE CAS 546-93-0 MgCO ₃ F. Wt. 84.31	500 gm
3322	LITHIUM CHLORIDE, (ANH.), EXTRA PURE CAS 7447-41-8 LiCl F. Wt. 42.39	500 gm	2393	MAGNESIUM CARBONATE (Heavy), EXTRA PURE CAS 546-93-0 MgCO ₃ F. Wt. 84.31	500 gm
1955	LITHIUM HYDROXIDE, (Mono) EXTRA PURE CAS 1310-66-3 LiOH.H ₂ O F. Wt. 41.96	500 gm 25 Kg	2394	MAGNESIUM CHLORIDE, (ANH.), EXTRA PURE CAS 7786-30-3 MgCl ₂ F. Wt. 95.21	500 gm
4086	LITHIUM NITRATE, (ANH.), EXTRA PURE CAS 7790-69-4 LiNO ₃ F. wt. 68.95	500 gm	356	MAGNESIUM CHLORIDE (Hexa), EXTRA PURE CAS 7791-18-6 MgCl ₂ .6H ₂ O F. Wt. 203.30	500 gm 50 Kg
613	LITHIUM SULPHATE (Mono), EXTRA PURE CAS 10102-25-7 LiSO ₄ .H ₂ O F. Wt. 121.01	100 gm 500 gm	614	MAGNESIUM CHLORIDE (Hexa), AR GRADE CAS 7791-18-6 MgCl ₂ .6H ₂ O F. Wt. 203.30	500 gm 50 Kg

M

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
758	MAGNESIUM CITRATE (Nonahydrate) CAS 153531-96-5 Mg₃(C₆H₅O₇)₂·9H₂O F. Wt. 613.25	500 gm	363	DL-MALIC ACID (DL-Hydroxysuccinic Acid) CAS 6915-15-7 C₄H₆O₅ F. Wt. 134.09	500 gm 5 Kg
357	MAGNESIUM NITRATE, (Hexa), EXTRA PURE CAS 13446-18-9 Mg(NO₃)₂·6H₂O F. Wt. 256.41	500 gm	2955	MALONIC ACID, EXTRA PURE CAS 141-82-2 C₃H₄O₄ F. Wt. 104.06	100 gm 500 gm
1968	MAGNESIUM OXIDE (Light), EXTRA PURE CAS 1309-48-4 MgO F. wt. 40.30	500 gm	446	MALONIC ACID SODIUM CAS 141-95-7 C₃H₂Na₂O₄ F. Wt. 148.03	25 gm 100 gm
2953	PHOSPHATE DI-BASIC TRIHYDRATE CAS 7782-75-4 MgHPO₄·3H₂O F. Wt. 174.33	500 gm	3527	MALT EXTRACT PASTE (Food Grade) CAS 8002-48-0	500 gm 50 Kg
358	MAGNESIUM SULPHATE, (Hepta), EXTRA PURE CAS 10034-99-8 MgSO₄·7H₂O F. Wt. 246.48	500 gm 5 Kg 50 Kg	3506	MALT EXTRACT POWDER (Food Grade) CAS 8002-48-0	500 gm 5 Kg 25 Kg
359	MAGNESIUM SULPHATE, (Hepta), AR GRADE CAS 10034-99-8 MgSO₄·7H₂O F. Wt. 246.48	500 gm 5 Kg 50 Kg	4142	MALT EXTRACT POWDER Bacteriological Grade CAS 8002-48-0	500 gm 25 Kg
871	MAGNESIUM SULPHATE (ANH.), EXTRA PURE CAS 7487-88-9 MgSO₄ F. Wt. 120.37	500 gm 50 Kg	1321	MALTODEXTRINE POWDER, (D/E 20) (Maltodextrin) CAS 9050-36-6 C₄H₁₂O₆ F. Wt. 180.16	500 gm 5 Kg 25 Kg
1973	MAGNESIUM TRISILICATE (Hydrate) CAS 39365-87-2 2MgO·3SiO₂·xH₂O F. Wt. 260.86 + xH₂O	500 gm	1244	MALTOSE (Mono), EXTRA PURE (For Bacteriology) CAS 6363-53-7 C₁₂H₂₄O₁₂ F. Wt. 360.31	100 gm 500 gm 25 Kg
1974	MAGNESON I, AR GRADE (Reagent for Mg) CAS 74-39-5 C₁₂H₃N₃O₃ F. Wt. 259.22	25 gm 100 gm	766	MALTOSE (Mono), AR GRADE (For Bacteriology) CAS 6363-53-7 C₁₂H₁₂O₁₁·H₂O F. Wt. 360.31	100 gm 500 gm
1975	MAGNESON II, AR GRADE (Reagent for Mg) CAS 5290-62-0 C₁₆H₁₁N₃O₃ F. Wt. 293.28	25 gm 100 gm	1979	DL-MANDELIC ACID CAS 90-64-2 C₈H₈O₃ F. Wt. 152.15	100 gm 500 gm
1641	MALACHITE GREEN (Malachite Green Oxalate) CAS 2437-29-8 C.I. 42000 C₂₅H₂₆N₂O₄ F. Wt. 927.03	25 gm 100 gm 500 gm	2396	MANGANESE CARBONATE, EXTRA PURE CAS 598-62-9 MnCO₃ F. Wt. 114.95	500 gm 25 Kg
360	MALEIC ACID, EXTRA PURE CAS 110-16-7 C₄H₄O₄ F. Wt. 116.07	500 gm 25 Kg	704	MANGANESE (II) CHLORIDE, (Tetra), EXTRA PURE CAS 13446-34-9 MnCl₂·4H₂O F. Wt. 197.91	500 gm 50 Kg
362	MALEIC ANHYDRIDE [2,5-Furandione] CAS 108-31-6 C₄H₂O₄ F. Wt. 98.06	500 gm 5 Kg 25 Kg	705	MANGANESE (II) CHLORIDE, (Tetra), AR GRADE CAS 13446-34-9 MnCl₂·4H₂O F. Wt. 197.91	500 gm 50 Kg
3556	MALEIC HYDRAZIDE CAS 123-33-1 C₄H₄N₂O₂ F. Wt. 112.09	100 gm	1980	MANGANESE DIOXIDE, (Black), TECH. CAS 1313-13-9 MnO₂ F. Wt. 86.94	500 gm
			702	MANGANESE (II) SULPHATE, (Mono), EXTRA PURE CAS 10034-96-5 MnSO₄·H₂O F. Wt. 169.02	500 gm 5 Kg 50 Kg

M Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
703	MANGANESE (II) SULPHATE, (Mono), AR GRADE CAS 10034-96-5 MnSO ₄ ·H ₂ O F. Wt. 169.02	500 gm 50 Kg	789	MERCURIC IODIDE RED, EXTRA PURE CAS 7774-29-0 HgI ₂ F. Wt. 454.40	100 gm
1245	D-MANNITOL, EXTRA PURE CAS 69-65-8 C ₆ H ₁₄ O ₆ F. Wt. 182.17	100 gm 500 gm 5 Kg 25 Kg	880	MERCURIC NITRATE (Mono), EXTRA PURE CAS 7783-34-8 Hg(NO ₃) ₂ ·H ₂ O F. Wt. 342.62	100 gm 250 gm
1246	D-MANNITOL, AR GRADE CAS 69-65-8 C ₆ H ₁₄ O ₆ F. Wt. 182.17	100 gm 500 gm 25 Kg	616	MERCURIC OXIDE RED, EXTRA PURE CAS 21908-53-2 HgO F. Wt. 216.59	100 gm 500 gm
365	D+ MANNOSE CAS 3458-28-4 C ₆ H ₁₂ O ₆ F. Wt. 180.16	25 gm 100 gm	618	MERCURIC OXIDE YELLOW, EXTRA PURE CAS 21908-53-2 HgO F. Wt. 216.59	100 gm
1982	D-MELIBIOSE 99% (Mono) CAS 585-99-9 C ₁₂ H ₂₂ O ₁₁ F. Wt. 342.30	5 gm	882	MERCURIC SULPHATE, EXTRA PURE (Mercury (II) Sulphate) CAS 7783-35-9 HgSO ₄ F. Wt. 296.65	100 gm 250 gm 500 gm
1710	MENADIONE, * (2-Methyl-1-4-nepthoquinone) (VITAMIN K ₃) CAS 58-27-5 C ₁₁ H ₈ O ₂ F. Wt. 172.18	25 gm	883	MERCURIC SULPHATE, AR GRADE CAS 7783-35-9 HgO ₄ S F. wt. 296.65	250 gm
1716	MENADIONE SODIUM BISULPHITE * (Vitamin K ₃ Sodium Sulphate) CAS 130-37-0 C ₁₁ H ₉ NaO ₅ S F. Wt. 276.24	25 gm 100 gm	4090	MERCURIC THIOCYANATE, EXTRA PURE CAS 592-85-8 C ₂ HgN ₂ S ₂ F. wt. 316.75	100 gm
3513	MERCAPTOACETIC ACID SODIUM SALT (Sodium Thioglycollate) CAS 367-51-1 C ₂ H ₃ NaO ₂ S F. Wt. 114.10	100 gm 500 gm	4091	MERCUROUS CHLORIDE, AR GRADE CAS 10112-91-1 Cl ₂ Hg ₂ F. wt. 472.08	100 gm
1988	2-MERCAPTOETHANOL, AR GRADE CAS 60-24-2 C ₂ H ₆ OS F. Wt. 78.13	100 ml 500 ml	1996	MERCUROUS NITRATE, (Dihydrate), EXTRA PURE CAS 14836-60-3 Hg ₂ (NO ₃) ₂ ·2H ₂ O F. Wt. 561.22	100 gm
1989	MERCURIC ACETATE, EXTRA PURE CAS 1600-27-7 C ₆ H ₆ HgO ₄ F. Wt. 318.70	100 gm 500 gm	2414	MERCURY (Metal), EXTRA PURE CAS 7439-97-6 Hg F. Wt. 200.59	100 gm
1990	MERCURIC ACETATE, AR GRADE CAS 1600-27-7 C ₆ H ₆ HgO ₄ F. Wt. 318.70	100 gm	4214	META-TOPOLINE CAS 75737-38-1 C ₁₂ H ₁₀ N ₃ OH F. wt. 241.25	25 mg 100 mg
369	MERCURIC CHLORIDE, EXTRA PURE (Mercury (II) Chloride) CAS 7487-94-7 HgCl ₂ F. Wt. 271.52	100 gm 250 gm 500 gm	1124	DL-METHIONINE 99%+ Purity, Crystalline CAS 59-51-8 C ₅ H ₁₁ NO ₂ S F. Wt. 149.21	100 gm 500 gm 1 Kg 25 Kg
370	MERCURIC CHLORIDE, AR GRADE (Mercury (II) Chloride) CAS 7487-94-7 HgCl ₂ F. Wt. 271.52	100 gm 250 gm	1123	L-METHIONINE 99%+ Purity, Crystalline CAS 63-68-3 C ₅ H ₁₁ NO ₂ S F. Wt. 149.21	25 gm 100 gm 500 gm 25 Kg
			4260	4-METHYLUMBELLIFERYL-β- D-GALACTOPYRANOSIDE (MUGA: MU-GAL) CAS 6160-78-7 C ₁₆ H ₁₈ O ₆ F. Wt. 338.31	250 mg
			1687	METHYL BLUE, (Water Blue) CAS 28983-56-4 C.I. 42780 C ₃₇ H ₂₇ N ₃ Na ₂ O ₉ S ₃ F. Wt. 799.82	25 gm 100 gm
			2433	METHYL CELLULOSE (High Viscosity) 4000 CPS CAS 9004-67-5	500 gm

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
4257	METHYL-α-D-GALACTOPYRANOSIDE (METHYL-α-D-GALACTOSIDE) * CAS 3396-99-4 C₇H₁₄O₆ F. Wt. 194.18	1 gm 5 gm	4092	METHYL GREEN (For Microscopical) Staining (C.I.42590) CAS 22383-16-0 C₂₆H₃₃Cl₂N₃ F. wt. 458.47	10 gm 25 gm
4258	METHYL-β-D-GALACTOPYRANOSIDE (METHYL-β-D-GALACTOSIDE) * CAS 97-30-3 C₇H₁₄O₆ F. Wt. 194.18	1 gm	4093	MOLYBDENUM DISULPHIDE CAS 1317-33-5 MoS₂ F. wt. 160.09	100 gm
4259	METHYL-α-D-GLUCOPYRANOSIDE (METHYL-α-D-GLUCOSIDE) * CAS 1824-94-8 C₇H₁₄O₆ F. Wt. 194.18	100 gm	4094	MOLYBDENUM TRIOXIDE CAS 1313-27-5 MoO₃ F. wt. 143.95	100 gm 500 gm
4225	METHYL EUGENOL CAS 93-15-2 C₁₁H₁₄O₂ F. Wt. 178.23	500 ml	948	MOLYBDIC ACID (Mono), EXTRA PURE CAS 7782-91-4 MoO₃H₂O F. Wt. 1161.95	100 gm 25 Kg
2103	METHYL GREEN, AR GRADE CAS 7114-03-6 C.I. 42590 C₂₇H₃₅Cl₄N₃Zn F. Wt. 608.79	10 gm 25 gm	4095	MOLYBDIC ACID, (Hydrate), AR GRADE CAS 7782-91-4 H₂MoO₄ F. wt. 161.95	100 gm 500 gm
1604	METHYL ORANGE (ORANGE III) CAS 547-58-0 C.I. 13025 C₁₄H₁₄N₃NaO₃ S F. Wt. 327.33	25 gm 100 gm 1 Kg	1112	MONO SODIUM GLUTAMATE CAS 142-47-2 C₅H₉NNaO₄F. Wt. 169.11	100 gm 500 gm 25 Kg
884	METHYL PARABEN (Methyl 4-Hydroxy Benzoate) CAS 99-76-3 C₈H₈O₃ F. Wt. 152.15	500 gm	1542	MORIN DIHYDRATE, AR GRADE CAS 6472-38-4 C.I. 56660 C₁₅H₁₀O₇.2H₂O F. Wt. 338.27	1 gm 5 gm
619	METHYL PARABEN SODIUM (Methyl-P-Hydroxy Benzoate Sodium) CAS 5026-62-0 C₈H₇NaO₃ F. Wt. 174.13	500 gm 25 Kg	2110	2-MORPHOLINO ETHANE SULPHONIC ACID (MES) BUFFER CAS 4432-31-9 C₆H₁₃NO₄S F. Wt. 195.2	25 gm 100 gm 1 Kg
1605	METHYL RED CAS 493-52-7 C.I. 13020 C₁₅H₁₅N₃O₂ F. Wt. 269.30	25 gm 100 gm	3596	3-MORPHOLINOPROPANE SULPHONIC ACID (MOPS-BUFFER) CAS 1132-61-2 C₇H₁₅NO₄S F. wt. 209.26	25 gm 1 Kg
1633	METHYL THYMOL BLUE SODIUM (Methyl Red Thymol Blue) CAS 1945-77-3 C₃₇H₄₃N₂O₁₃NaS F. Wt. 778.82	5 gm 25 gm	3564	MTT * (Methyl Thiazolyl Diphenyl Tetrazolium Bromide) CAS 298-93-1 C₁₈H₁₆N₅SBr F. Wt. 414.32	1 gm
1606	METHYL VIOLET, EXTRA PURE (Crystal Violet or Gentian Violet) CAS 548-62-9 C.I. 42555 C₂₅H₃₀ClN₃ F. Wt. 407.99	25 gm 100 gm 1 Kg	060	MUREXIDE, (Ammonium Purpurate) CAS 3051-09-0 C.I. 56085 C₈H₈N₆O₆ F. Wt. 284.19	5 gm 25 gm
1620	METHYL VIOLET (Crystal Violet or Gentian Violet10B) CAS 548-62-9 C.I. 42555 C₂₅H₃₀ClN₃ F. Wt. 407.98	25 gm 100 gm 1 Kg	1602	MUREXIDE, (Ammonium Purpurate), AR GRADE CAS 3051-09-0 C.I. 56085 C₈H₈N₆O₆ F. Wt. 284.19	5 gm 25 gm
371	N,N-METHYLENE BISACRYLAMIDE, For Electrophoresis, AR GRADE CAS 110-26-9 C₇H₁₀N₂O₂ F. Wt.154.17	25 gm 100 gm 500 gm	2379	NAPHTHALENE CAS 91-20-3 C₁₀H₈ F. Wt. 128.17	500 gm
1607	METHYLENE BLUE, EXTRA PURE CAS 61-73-4 C₁₆H₁₈N₃SCI F. Wt. 319.85	25 gm 100 gm 1 Kg	2122	α-NAPHTHALENE ACETIC ACID CAS 86-87-3 C₁₂H₁₀O₂ F. Wt. 128.17	25 gm 100 gm 500 gm 25 kg
2651	METHYLENE BLUE, AR GRADE CAS 61-73-4 C₁₆H₁₈N₃SCI F. Wt. 319.85	25 gm 100 gm 1 Kg	2122A	α-NAPHTHALENE ACETIC ACID POTASSIUM SALT CAS 15165-79-4 C₁₂H₉O₂K F. Wt. 224.30	25 gm 100 gm 1 Kg

N Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
893	1-NAPHTHOL (1-Hydroxynaphthalene) CAS 90-15-3 C₁₀H₈O F. Wt. 144.17	100 gm 500 gm	3178	NEW METHYLENE BLUE (Basic Blue 24) CAS 6586-05-0 C.I.52030 C₁₈H₂₂Cl N₃S. ZnCl₂ F. Wt. 416.05	5 gm	
2381	2-NAPHTHOL (β-Naphthol) CAS 135-19-3 C₁₀H₈O F. Wt. 144.17	500 gm	759	NIACIN (Nicotinic Acid) CAS 59-67-6 C₆H₅NO₂ F. Wt. 123.11	25 gm 100 gm 1 Kg	
2465	1-NAPHTHOLBENZEIN (pH Indicator) CAS 145-50-6 C₂₇H₁₈O₂ F. Wt. 374.43	5 gm 25 gm	685	NIACINAMIDE (Nicotinamide) CAS 98-92-0 C₆H₆N₂O F. Wt. 122.12	25 gm 100 gm 1 Kg	
1632	α-NAPHTHOLPHTHALEIN CAS 596-01-0 C₂₇H₁₈O₂ F. Wt. 418.44	1 gm 5 gm	2130	NICKEL CARBONATE BASIC PURIFIED CAS 12607-70-4 CH₄Ni₃O₇ F. Wt. 304.18	500 gm	
2656	1,2-NAPHTHOLQUINONE-4 SULPHONIC ACID SODIUM SALT CAS 521-24-4 C₁₀H₅NaO₅S F. Wt. 260.19	5 gm 25 gm	2131	NICKEL CHLORIDE, (Hexa), EXTRA PURE CAS 7791-20-0 NiCl₂.6H₂O F. wt. 237.69	500 gm	
3565	β-NAPHTHOXY ACETIC ACID CAS 120-23-0 C₁₂H₁₀O₃ F. Wt. 202.21	25 gm 100 gm	3323	NICKEL (II) NITRATE (Hexa), EXTRA PURE CAS 13478-00-7 N₂NiO₆.6H₂O F. Wt. 290.79	500 gm	
2121	1-NAPHTHYLACETATE, AR GRADE (Naphthol free) CAS 830-81-9 C₁₂H₁₀O₂ F. Wt. 186.21	5 gm 25 gm	2135	NICKEL OXIDE BLACK, EXTRA PURE CAS 1314-06-3 NiO F. wt. 74.69	100 gm 500 gm	
2122	1-NAPHTHYLACETIC ACID (α-Naphthalene Acetic Acid) CAS 86-87-3 C₁₂H₁₀O₂ F. Wt.186.21	25 gm 100 gm 500 gm 25 Kg	3324	NICKEL SULPHATE (Hexa) CAS 10101-97-0 NiSO₄.6H₂O F. Wt. 262.85	500 gm	
2124	1-NAPHTHYLAMINE, AR GRADE CAS 134-32-7 C₁₀H₉N F. Wt. 143.19	100 gm 500 gm	3179	NICOTINAMIDE ADENINE DINUCLEOTIDE * (DPN;NAD) CAS 53-84-9 C₂₁H₂₇N₇O₁₄P₂ F. Wt. 663.43	1 gm 5 gm	
TR 028	α-NAPHTHYLAMINE SOLN. CAS 134-32-7 C₁₀H₉N F. Wt. 143.19	100 ml	3180	NICOTINAMIDE ADENINE DINUCLEOTIDE * REDUCED SODIUM (NADH Disodium) CAS 606-68-8 C₂₁H₂₇N₇Na₂O₁₄P₂ F. Wt. 709.41	1 gm 5 gm	
1913	N-(1-NAPHTHYL) ETHYLENE DIAMINE DIHYDROCHLORIDE (2-NEDA) CAS 1465-25-4 C₁₂H₁₄N₂ F. Wt. 259	5 gm 25 gm	3181	NICOTINAMIDE ADENINE DINUCLEOTIDE * PHOSPHATE DISODIUM (NADP Disodium) CAS 24292-60-2 C₂₁H₂₆N₇Na₂O₁₇P₃ F. Wt. 787.37	100 mg 1 gm	
2126	NEOCUPROINE, AR GRADE (2,9, Dimethyl-1-10 Phenanthroline) CAS 484-11-7 C₁₄H₁₂N₂ F. Wt. 208.26	1 gm 5 gm	1678	NIGROSINE B (A/S) CAS 8005-02-5 C.I. 50415	25 gm 100 gm 1 Kg	
2127	NEOCUPROINE HYDROCHLORIDE (Mono) (2,9, Dimethyl-1-10 Phenanthroline HCl) AR GRADE CAS 7296-20-0 C₁₄H₁₂N₂.HCl.H₂O F. Wt. 262.72	1 gm 5 gm	1645	NIGROSINE, (W/S) CAS 8005-02-5 C.I. 50420	25 gm 100 gm	
1643	NEUTRAL RED (pH Indicator) CAS 553-24-2 C.I.50040 C₁₅H₁₇ClN₄ F. Wt. 288.78	5 gm 25 gm 100 gm	2143	NILE BLUE CHLORIDE CAS 2381-85-3 C.I. 51180 C₂₀H₂₀ClN₃O F. Wt. 353.85	25 gm	
1643 A	NEUTRAL RED, AR GRADE CAS 553-24-2 C₁₅H₁₇ClN₄ F. Wt. 288.78	5 gm 25 gm 100 gm				

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2144	NILE BLUE SULPHATE (Nile Blue A), AR GRADE CAS 3625-57-8 C.I. 51180 C₄₀H₄₀N₆O₆S F. Wt. 732.84	25 gm	2159	1-NITROSO-2-NAPHTHOL, AR GRADE CAS 131-91-9 C₁₀H₇NO₂ F. Wt. 173.17	25 gm 100 gm
2145	NINHYDRIN, 99%, EXTRA PURE CAS 485-47-2 C₉H₄O₃.H₂O F. Wt. 178.14	10 gm 25 gm 100 gm	2161	NITROSO-R-SALT, AR GRADE CAS 525-05-3 C₁₀H₅NNa₂O₈S₂ F. Wt. 377.26	25 gm 100 gm
1608	NINHYDRIN, AR GRADE for detection and assay of Amino Acid CAS 485-47-2 C₉H₄O₃.H₂O F. Wt. 178.14	10 gm 25 gm 100 gm	2463	NYSTATIN (10,00,000 Units/vl) * CAS 1400-61-9 C₄₇H₇₅NO₁₇ F. Wt. 926.10	1 vl
2146	NIOBIUM PENTOXIDE 99.9%, AR GRADE CAS 1313-96-8 Nb₂O₅ F. Wt. 265.81	25 gm	3386	1-OCTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC) CAS 207596-29-0 C₈H₁₇NaO₃S.H₂O F. wt. 234.29	25 gm
2892	2-NITROBENZALDEHYDE, AR GRADE CAS 552-89-6 C₇H₅NO₃ F. Wt. 151.11	10 gm 25 gm	3387	1-OCTANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC) CAS 5324-84-5 C₈H₁₇NaO₃S F. wt. 216.28	25 gm
2702	4-(4-NITROBENZYL) PYRIDINE, AR GRADE CAS 1083-48-3 C₁₂H₁₀N₂O₂ F. Wt. 214.22	5 gm 25 gm	4098	OCTYL SULPHATE SODIUM SALT, AR GRADE, (For HPLC) CAS 142-31-4 C₈H₁₇NaO₄S F. wt. 232.3	5 gm
3385	4-NITROBENZOIC ACID CAS 62-23-7 C₇H₅NO₄ F. Wt. 167.12	500 gm	1693	OIL RED IV (Sudan IV) (Seavlet-R) CAS 85-83-6 C.I. 26105 C₂₄H₂₀N₄O F. Wt. 380.44	25 gm 100 gm
2153	NITRO B.T., AR GRADE * (Nitro Blue Tetrazolium Chloride) CAS 298-83-9 C₄₀H₃₀Cl₂N₁₀O₆ F. Wt. 817.64	100 mg 250 mg 1 gm	2163	OLEIC ACID, (Elainic Acid), EXTRA PURE (For Biochemistry) CAS 112-80-1 C₁₈H₃₄O₂ F. Wt. 282.46 (Store at 2-8°C)	500 ml
2155	P-NITROPHENOL, EXTRA PURE CAS 100-02-7 C₆H₅NO₃ F. Wt. 139.12	500 gm 5 Kg 25 Kg	3520	OLIVE OIL CAS 8001-25-0	100 ml 500 ml
3184	O-NITROPHENYL-β-D GALACOPYRANOSIDE * (ONPG) CAS 369-07-3 C₁₂H₁₅NO₈ F. Wt. 301.25	500 mg 1 gm 5 gm	1639	ORANGE G (Acid Orange 10) CAS 1936-15-8 C.I. 16230 C₁₆H₁₀N₂O₇S₂Na₂ F. Wt. 452.38	25 gm 100 gm 1 Kg
1974	4-(4-NITRO PHENYL AZO)-1-NAPHTHOL, (Magneson- I), AR GRADE CAS 74-39-5 C₁₂H₉N₃O₄ F. Wt. 259.22	25 gm 100 gm	2165	ORCEIN (For Microscopy) 1400-62-0 C₂₈H₂₄N₂O₇ F. wt. 500.49	5 gm 10 gm
1975	4-(4-NITROPHENYL AZO) RESORCINOL, (Magneson-II), AR GRADE CAS 5290-62-0 C₁₆H₁₁N₃O₃ F. Wt. 293.28	25 gm 100 gm	1125	L-ORNITHINE MONOHYDROCHLORIDE 99%+ PURITY, CRYSTALLINE CAS 3184-13-2 C₅H₁₂N₂O₂.HCl F. Wt. 168.62	25 gm 100 gm 500 gm
2158	4-NITROPHENYL PHOSPHATE DISODIUM, HEXAHYDRATE, AR GRADE CAS 333338-18-4 C₆H₄NO₆PNa₂.6H₂O F. Wt. 371.14	5 gm 25 gm	2166	ORCINOL (Mono) (3,5-Dihydroxytoluence Mono) CAS 6153-39-5 C₇H₈O₂.H₂O F. Wt. 142.15	10 gm 25 gm

O Laboratory Chemicals (EP & AR Grade)

P

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
372	OXALIC ACID , (Dihydrate), EXTRA PURE CAS 6153-56-6 C₂H₂O₄·2H₂O F. Wt. 126.07	500 gm 5 Kg 50 Kg	4175	PARAFFIN WAX (With Ceresin) (Block Form) Congealing point about 60°-62°C (Packed in stainless Steel Box) CAS 8002-74-2	1 Kg
TR 020	OXIDASE REAGENT (Gorden - Mcleod Reagent)	100 ml	376	PARAFFIN WAX (With Ceresin) (Solid) Congealing point about 60°-62°C (Packed in stainless Steel Box) CAS 8002-74-2	500 gm 1 Kg 2 Kg
3570	PACLOBUTRAZOL CAS 76738-62-0 C₁₅H₂₀ClN₃O F. Wt. 293.80	5 gm 25 gm	623	PARAFORMALDEHYDE 96% (For Synthesis) CAS 30525-89-4 (CH₂O)₄ F. wt. 90.08	500 gm
3186	PAN, INDICATOR 1-(2-Pyridylazo)-2-Naphthol CAS 85-85-8 C₁₅H₁₁N₃O F. Wt. 249	1 gm 5 gm	2178	PARAROSANILINE (BASE) (Para Fuchsin) CAS 25620-78-4 C.I. 42500 C₁₉H₁₉N₃O F. Wt. 305.37	25 gm
4100	PAR INDICATOR, AR GRADE CAS 16593-81-0 C₁₁H₈N₃NaO₂·H₂O F. wt. 255.21	1 gm 5 gm	2179	PARAROSANILINE HYDROCHLORIDE (Para Fuchsin HCl) CAS 569-61-9 C.I. 42500 C₁₉H₁₇N₃·HCl F. Wt. 323.82	25 gm 100 gm
1401	PANCREATIN 1NF CAS 8049-47-6	100 gm 500 gm	1025	PATTON & REEDER'S REAGENT, AR GRADE (Calcon Carboxylic Acid) CAS 3737-95-9 C₂₁H₁₄N₂O₇S F. Wt. 438.42	5 gm 25 gm
1403	PANCREATIN 4 NF * CAS 8049-47-6	100 gm	1405	PECTIN, PURE (Poly-D-galaeturonic acid methyl ester) CAS 9000-69-5	100 gm 500 gm
1404	PAPAIN (SPRAY DRIED) (Activity 100 T.U./gm or 6,000 usp/gm) CAS 9001-73-4	100 gm 500 gm	3392	PECTINASE * CAS 9032-75-1	25 gm
609	PARAFFIN LIQUID, (HEAVY) CAS 8012-95-1	500 ml 2.5 Ltr 25 Ltr	3188	1-PENTANE SULPHONIC ACID SODIUM SALT (ANH.), (For HPLC) CAS 22767-49-3 C₅H₁₁NaO₃S F. wt. 192.21	25 gm
622	PARAFFIN LIQUID (LIGHT) CAS 8012-95-1	500 ml 2.5 Ltr 25 Ltr	3395	1-PENTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC) CAS 207605-40-1 C₅H₁₁NaO₃·S·H₂O F. wt. 192.2	25 gm
375	PARAFFIN WAX (Block Form) Congealing point about 58-60°C (Packed in stainless Steel Box) CAS 8002-74-2	1 Kg	1406	PEPSIN 1:3,000 * CAS 9001-75-6	100 gm 500 gm 5 Kg
4173	PARAFFIN WAX (Solid) Congealing point about 58-60°C (Packed in stainless Steel Box) CAS 8002-74-2	1 Kg	2185	PEPSIN 1:10,000 * CAS 9001-75-6	25 gm 100 gm
4174	PARAFFIN WAX (Block Form) Congealing point about 60-62°C (Packed in SS Box) CAS 8002-74-2	1 Kg	1266	PEPTONE, PHARMA GRADE (See more Peptones in Biological Media Base)	500 gm 25 Kg
2175	PARAFFIN WAX, (Solid) Congealing point about 60-62°C (Packed in SS Box) CAS 8002-74-2	1 Kg 2 Kg	3518	PEPTONE, BACTO GRADE (See more Peptones in Biological Media Base)	500 gm 5 Kg 25 Kg
			3521	PEPTONE PASTE Bacteriological Grade	500 gm 50 Kg

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
3519	PEPTONE GR (Granular), BACTO GRADE	500 gm 5 Kg 25 Kg	904	PHENYLMERCURIC NITRATE, AR GRADE CAS 8003-05-02 C ₅ H ₅ HgNO ₃ F. Wt. 634.40	25 gm 100 gm
2197	1,10, PHENANTHROLINE (Mono), AR GRADE CAS 5144-89-8 C ₁₂ H ₈ N ₂ ·H ₂ O F. Wt. 198.22	5 gm 25 gm	2457	PHLOROGLUCINOL, AR GRADE (1,3,5, Trihydroxybenzene) CAS 108-73-6 C ₆ H ₆ O ₃ F. Wt. 126.11	25 gm 100 gm
2198	1,10, PHENANTHROLINE HYDROCHLORIDE, AR GRADE CAS 3829-86-5 C ₁₂ H ₈ N ₂ ·H ₂ O F. Wt. 234.69	5 gm 25 gm	2211	PHLOXIN B (Cyanosine, Eosin 10 B) CAS 18472-87-2 C ₂₀ H ₂ Br ₄ Cl ₄ Na ₂ O ₅ F. Wt. 829.64	25 gm 100 gm
2519	PHENAZONE (Antipyrine) CAS 60-80-0 C ₁₁ H ₁₂ N ₂ O F. Wt. 188.23	100 gm 500 gm	2972	PHOSPHOMOLYBDIC ACID, EXTRA PURE CAS 51429-74-4 H ₃ PO ₄ ·12MoO ₃ ·xOH ₂ O F. Wt. 1825.25	25 gm
293	PHENOL CRYSTAL, EXTRA PURE CAS 108-95-2 C ₆ H ₆ O F. Wt. 94.11	500 gm	773	PHOSPHOMOLYBDIC ACID, AR GRADE CAS 51429-74-4 H ₃ PO ₄ ·12MoO ₃ ·xOH ₂ O F. Wt. 1825.25	25 gm
1670	PHENOLPHTHALEIN (White) (pH 8.2-10.0) CAS 77-09-8 C ₂₀ H ₁₄ O ₄ F. Wt. 318.32	25 gm 100 gm 500 gm 25 Kg	2000	PHOSPHOROUS PENTOXIDE, AR GRADE CAS 1314-56-3 P ₂ O ₅ F. wt. 283.89	500 gm
TBL 070	PHENOLPHTHALEIN, 1% W/V CAS 77-09-8 C ₂₀ H ₁₄ O ₄ F. Wt. 318.32	125 ml 500 ml	981	PHOSPHOTUNGSTIC ACID, EXTRA PURE CAS 12501-23-4 H ₃ PO ₄ ·12WO ₃ ·XH ₂ O F. Wt. 2880.05	100 gm 500 gm
1671	PHENOL RED (pH Indicator) CAS 143-74-8 C ₁₉ H ₁₄ O ₅ S F. Wt. 354.38	5 gm 25 gm 100 gm	2673	PHTHALIC ACID, EXTRA PURE CAS 88-99-3 C ₈ H ₆ O ₄ F. wt. 166.13	500 gm
1671A	PHENOL RED SODIUM, (w/s) AR GRADE CAS 34487-61-1 C ₁₉ H ₁₃ NaO ₅ S F. Wt. 376.36	25 gm	907	PHTHALIC ANHYDRIDE, EXTRA PURE CAS 85-44-9 C ₈ H ₄ O ₃ F. Wt. 148.1	500 gm 25 Kg
906	PHENYLACETIC ACID (α-Tolylic Acid) CAS 103-82-2 C ₈ H ₈ O ₂ F. Wt. 136.15	500 gm	2450	PHTHALIMIDE CAS 85-41-6 C ₈ H ₅ NO ₂ F. Wt. 147.13	500 gm
1126	DL-PHENYLALANINE 99%+ Crystalline CAS 150-30-1 C ₉ H ₉ NO ₂ F. Wt. 165.19	25 gm 100 gm	3576	PICLORAM CAS 1918-02-1 C ₆ H ₃ Cl ₃ N ₂ O ₂ F. Wt. 241.46	1 gm 5 gm
1127	L-PHENYLALANINE 99%+ Crystalline CAS 63-91-2 C ₉ H ₉ NO ₂ F. Wt. 165.19	25 gm 100 gm 500 gm	4101	PICRIC ACID, EXTRA PURE (Moistened With Water) CAS 88-89-1 C ₆ H ₃ N ₃ O ₇ F. wt. 229.10	500 gm
2669	N-PHENYLANTHRANILIC ACID, AR GRADE (Redox Indicator) CAS 91-40-7 C ₁₃ H ₁₁ NO ₂ F. Wt. 213.23	25 gm 100 gm	770	PIPERAZINE (ANH) CAS 110-85-0 C ₄ H ₁₀ N ₂ F. Wt. 86.14	100 gm 500 gm 25 Kg
2208	PHENYLHYDRAZINE HYDROCHLORIDE, EXTRA PURE CAS 59-88-1 C ₆ H ₈ N ₂ ·HCl F. Wt. 144.60	100 gm 250 gm	2219	PIPES (Buffer) (Piperazine-N,N-bis (2 ethane sulphonic acid)) CAS 5625-37-6 C ₈ H ₁₈ N ₂ O ₆ S ₂ F. Wt. 302.4	5 gm 25 gm
903	PHENYLMERCURIC ACETATE CAS 62-38-4 C ₈ H ₈ HgO ₂ F. wt. 336.74	25 gm 100 gm			

P Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
908	POLYETHYLENE GLYCOL-4000 (PEG-4000) CAS 25322-68-3	500 gm 25 Kg	2686	POTASSIUM BISULPHATE, EXTRA PURE (Potassium Hydrogen Sulphate) CAS 7646-93-7 KHSO₄ F. Wt. 136.17	500 gm
1013	POLYETHYLENE GLYCOL-6000 (PEG-6000) CAS 25322-68-3	500 gm 25 Kg	3128	POTASSIUM BISULPHITE, EXTRA PURE (Potassium Hydrogen Sulphite) CAS 7773-03-7 KHSO₃ F. Wt. 120.16	500 gm 5 Kg
2224	POLYVINYL ALCOHOL M.W. 125,000 CAS 9002-89-5 (C₂H₄O)_n F. Wt. 165.19	500 gm	919	POTASSIUM BITARTRATE (Potassium Hydrogen Tartrate) CAS 868-14-4 Kc₄H₅O₆ F. Wt. 188.18	500 gm
2115	POLYVINYL PYRROLIDINE K-30 (PVP) CAS 9003-39-8 (C₆H₉O)_n F. Wt. 165.19	100 gm 500 gm 25 Kg	711	POTASSIUM BROMATE, EXTRA PURE CAS 7758-01-2 KBrO₃ F. Wt. 167.00	500 gm 50 Kg
1675	PONCEAU S, Sodium Salt CAS 6226-79-5 C.I 27195 C₂₂H₁₂N₄Na₄O₁₃S₄ F. Wt. 760.57	25 gm	628	POTASSIUM BROMIDE, EXTRA PURE CAS 7758-02-03 KBr F. Wt. 119.002	500 gm 50 Kg
380	POTASSIUM ACETATE, EXTRA PURE CAS 127-08-2 C₂H₃KO₂ F. Wt. 98.15	500 gm 50 Kg	2680	POTASSIUM BROMIDE, AR GRADE CAS 7758-02-03 KBr F. Wt. 119.002	500 gm
381	POTASSIUM ACETATE, AR GRADE CAS 127-08-2 C₂H₃KO₂ F. Wt. 98.15	500 gm 50 Kg	4102	POTASSIUM BROMIDE IR FOR SPECTROSCOPY CAS 7758-02-3 Kbr F. wt. 119.00	100 gm
753	POTASSIUM ALUM, EXTRA PURE CAS 7784-24-9 ALKO₆S₂.12H₂O F. Wt. 474.39	500 gm 5 Kg 50 Kg	383	POTASSIUM CARBONATE (ANH.), EXTRA PURE CAS 584-08-7 K₂CO₃ F. Wt. 138.21	500 gm 50 Kg
230	POTASSIUM ALUM, AR GARDE CAS 7784-24-9 ALKO₆S₂.12H₂O F. Wt. 74.39	500 gm 5 Kg 50 Kg	384	POTASSIUM CARBONATE (ANH.), AR GRADE CAS 584-08-7 K₂CO₃ F. Wt. 138.21	500 gm 50 Kg
2517	POTASSIUM ANTIMONY TARTRATE, (Trihydrate), EXTRA PURE CAS 28300-74-5 C₈H₄K₂O₁₂Sb₂.3H₂O F. Wt. 667.87	100 gm 500 gm	385	POTASSIUM CHLORIDE, EXTRA PURE CAS 7447-40-7 KCl F. Wt. 74.55	500 gm 5 Kg 50 Kg
811	POTASSIUM ANTIMONY TARTRATE, (Trihydrate), AR GRADE CAS 28300-74-5 C₈H₄K₂O₁₂Sb₂.3H₂O F. Wt. 667.87	100 gm 500 gm	386	POTASSIUM CHLORIDE, AR GRADE CAS 7447-40-7 KCl F. Wt. 74.55	500 gm 5 Kg 50 Kg
382	POTASSIUM BICARBONATE, EXTRA PURE (Potassium Hydrogen Carbonate) CAS 298-14-6 KHCO₃ F. Wt. 100.115	500 gm 50 Kg	2226	POTASSIUM CHLOROPLATINATE (Hexa) (40% Platinum) CAS 16921-30-5 K₂PtCl₆ F. Wt. 485.98	1 gm
4226	POTASSIUM BICARBONATE, AR GRADE CAS 298-14-6 KHCO₃ F. Wt. 100.12	500 gm	911	POTASSIUM CHROMATE, EXTRA PURE CAS 7789-00-6 K₂CrO₄ F. Wt. 194.19	500 gm 50 Kg
3511	POTASSIUM BICARBONATE (R.O. SPL) For R.O. Water CAS 298-14-6 KHCO₃ F. Wt. 100.12	500 gm 5 Kg 50 Kg	912	POTASSIUM CHROMATE, AR GRADE CAS 7789-00-6 K₂CrO₄ F. wt. 194.19	500 gm
			913	tri-POTASSIUM CITRATE (Mono) CAS 6100-05-6 C₆H₅K₃O₇.H₂O F. Wt. 324.41	500 gm 50 Kg

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
387	POTASSIUM DICHROMATE, EXTRA PURE CAS 7778-50-9 $K_2Cr_2O_7$ F. Wt. 294.18	500 gm 5 Kg 50 Kg	919	POTASSIUM HYDROGEN TARTRATE, (Potassium Bitartrate) CAS 868-14-4 $C_4H_5KO_6$ F. Wt. 188.18	500 gm 50 Kg
388	POTASSIUM DICHROMATE, AR GRADE CAS 7778-50-9 $K_2Cr_2O_7$ F. Wt. 294.18	500 gm 50 Kg	2230	POTASSIUM HYDROXIDE FLAKES, EXTRA PURE CAS 1310-58-3 KOH F. Wt. 56.11	500 gm 5 Kg 50 Kg
389	POTASSIUM DIHYDROGENORTHOPH POSPHATE (Mono Potassium Phosphate), (ANH.), EXTRA PURE CAS 7778-77-0 KH_2PO_4 F. Wt. 136.09	500 gm 5 Kg 50 Kg	504	POTASSIUM HYDROXIDE PELLETS, EXTRA PURE CAS 1310-58-3 KOH F. Wt. 56.11	500 gm 5 Kg 50 Kg
220	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Potassium Phosphate), (ANH), AR GRADE CAS 7778-77-0 KH_2PO_4 F. Wt. 329.25	500 gm 5 Kg 50 Kg	511	POTASSIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-58-3 KOH F. Wt. 56.11	500 gm 5 Kg 50 Kg
737	POTASSIUM FERRICYANIDE, EXTRA PURE CAS 13746-66-2 $K_3Fe(CN)_6$ F. Wt. 329.25	100 gm 500 gm 50 Kg	393	POTASSIUM IODATE, EXTRA PURE CAS 7758-05-6 KIO_3 F. Wt. 214.001	100 gm 500 gm 25 Kg
631	POTASSIUM FERROCYANIDE, EXTRA PURE CAS 13943-58-3 $K_4Fe(CN)_6$ F. Wt. 368.35	500 gm 50 Kg	2231	POTASSIUM IODATE, AR GRADE CAS 7758-05-06 KIO_3 F. Wt. 214.001	100 gm 500 gm 25 Kg
916	POTASSIUM FLUORIDE (ANH.), EXTRA PURE CAS 7789-23-3 KF F. Wt. 58.10	500 gm	394	POTASSIUM IODIDE (Confirming IP), EXTRA PURE CAS 7681-11-0 KI F. Wt. 166.00	100 gm 500 gm 25 Kg
2229	POTASSIUM FORMATE, EXTRA PURE CAS 590-29-4 $CHKO_2$ F. Wt. 84.12	100 gm 500 gm	634	POTASSIUM IODIDE, AR GRADE CAS 7681-11-0 KI F. Wt. 166.00	100 gm 500 gm 25 Kg
636	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH), EXTRA PURE CAS 7758-11-4 K_2HPO_4 F. Wt. 174.17	500 gm 5 Kg 50 Kg	3200	POTASSIUM LACTATE 50% CAS 996-31-6 $C_3H_5KO_3$ F. Wt. 128.17	500 ml
218	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7758-11-14 K_2HPO_4 F. Wt. 174.17	500 gm 5 Kg 50 Kg	3128	POTASSIUM METABISULPHITE, (Potassium Pyrosulphite), EXTRA PURE CAS 16731-55-8 $K_2S_2O_5$ F. Wt. 222.32	500 gm 5 Kg 50 Kg
509	POTASSIUM HYDROGEN PHTHALATE (Potassium Biphthalate), EXTRA PURE CAS 877-24-7 $C_8H_5KO_4$ F. Wt. 204.22	500 gm 50 Kg	397	POTASSIUM METAPERIODATE, AR GRADE CAS 7790-21-8 KIO_4 F. Wt. 230	100 gm 500 gm
877	POTASSIUM HYDROGEN PHTHALATE, AR GRADE CAS 877-24-7 $C_8H_5KO_4$ F. Wt. 204.22	500 gm 50 Kg	761	POTASSIUM NITRATE, EXTRA PURE CAS 7757-79-1 KNO_3 F. Wt. 101.10	500 gm 5 Kg 50 Kg
2686	POTASSIUM HYDROGEN SULPHATE, EXTRA PURE CAS 7646-93-7 $KHSO_4$ F. Wt. 136.17	500 gm 50 Kg	399	POTASSIUM NITRATE, AR GRADE CAS 7757-79-1 KNO_3 F. wt. 101.1	500 gm 50 Kg
392	POTASSIUM HYDROGEN SULPHATE, AR GRADE CAS 7646-93-7 $KHSO_4$ F. Wt. 136.17	500 gm 50 Kg	2687	POTASSIUM NITRITE, EXTRA PURE CAS 7758-09-0 KNO_2 F. Wt. 85.10	500 gm 50 Kg

P Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
505	POTASSIUM OXALATE (Mono), (Dipotassium Oxalate), EXTRA PURE CAS 6487-48-5 $C_2K_2O_4 \cdot H_2O$ F. Wt. 85.10	500 gm 50 Kg	4018	POTASSIUM STEARATE CAS 593-29-3 $C_{18}H_{35}KO_2$ F. Wt. 322.57	500 gm
920	POTASSIUM OXALATE, AR GRADE CAS 6487-48-5 $C_2K_2O_4 \cdot H_2O$ F. Wt. 85.10	500 gm 50 Kg	406	POTASSIUM SULPHATE, EXTRA PURE CAS 7778-80-5 K_2SO_4 F. Wt. 174.26	500 gm 50 Kg
400	POTASSIUM PERMANGANATE, EXTRA PURE CAS 7722-64-7 $KMnO_4$ F. Wt. 158.03	500 gm 5 Kg 50 Kg	407	POTASSIUM SULPHATE, AR GRADE CAS 7778-80-5 K_2SO_4 F. wt. 101.1	500 gm 50 Kg
2236	POTASSIUM PERMANGANATE, AR GRADE CAS 7722-64-7 $KMnO_4$ F. Wt. 158.03	500 gm	408	POTASSIUM TELLURITE, EXTRA PURE (for bacteriology) CAS 7790-58-1 K_2TeO_3 F. Wt. 253.81	25 gm 100 gm
2237	POTASSIUM PERSULPHATE, EXTRA PURE (Potassium Peroxodisulphate) CAS 7727-21-1 $K_2S_2O_8$ F. Wt. 270.32	500 gm 50 Kg	2225	POTASSIUM TERT-BUTOXIDE (For Synthesis) CAS 865-47-4 C_4H_9KO F. wt. 112.21	100 gm 500 gm 25 kg
2238	POTASSIUM PERSULPHATE, AR GRADE CAS 7727-21-1 $K_2O_8S_2$ F. wt. 270.32	500 gm	699	POTASSIUM TETRAOXALATE (Dihydrate) CAS 6100-20-5 $C_4H_3KO_8 \cdot 2H_2O$ F. Wt. 254.19	500 gm
636	POTASSIUM PHOSPHATE DIBASIC (ANH.), (Dipotassium Hydrogen Orthophosphate), EXTRA PURE CAS 7758-11-4 K_2HPO_4 F. Wt. 174.18	500 gm 5 Kg 50 Kg	409	POTASSIUM THIOCYANATE, EXTRA PURE (Potassium Sulphocyanide) CAS 333-20-0 $KSCN$ F. Wt. 97.18	500 gm 50 Kg
218	POTASSIUM PHOSPHATE DIBASIC (ANH.), (Dipotassium Hydrogen Orthophosphate), AR GRADE CAS 7758-11-4 K_2HPO_4 F. Wt. 174.18	500 gm 5 Kg 50 Kg	410	POTASSIUM THIOCYANATE, AR GRADE CAS 333-20-0 $KSCN$ F. Wt. 97.18	500 gm
389	POTASSIUM PHOSPHATE MONOBASIC, EXTRA PURE CAS 7778-77-0 KH_2PO_4 F. Wt. 174.18	500 gm 5 Kg 50 Kg	2694	POTASSIUM TITANIUM OXALATE, AR GRADE CAS 14402-67-6 $C_4K_2O_9Ti \cdot 2H_2O$ F. Wt. 354.13	100 gm 500 gm
3259	tri-POTASSIUM PHOSPHATE CAS 7778-53-2 K_3PO_4 F. Wt. 212.27	500 gm	1309	POTATO STARCH (Invaluable) CAS 9005-84-9	500 gm
3258	POTASSIUM SILICATE POWDER CAS 1312-76-1 K_2O_3Si F. Wt. 154.28	500 gm 50 Kg	1128	L-PROLINE, 99%+ Purity, Crystalline CAS 147-85-3 $C_5H_9NO_2$ F. Wt. 115.13	5 gm 25 gm 500 gm
403	POTASSIUM SODIUM TARTRATE (Tetra), EXTRA PURE CAS 6381-59-5 $C_4H_4KNaO_6 \cdot 4H_2O$ F. Wt. 282.22	100 gm 500 gm 25 Kg	211	n-PROPYL GALLATE (Antioxidant & Preservative) CAS 121-79-9 $C_{10}H_{12}O_5$ F. Wt. 212.20	100 gm 500 gm
404	POTASSIUM SODIUM TARTRATE (Tetra), AR GRADE CAS 6381-59-5 $C_4H_4KNaO_6 \cdot 4H_2O$ F. Wt. 282.22	100 gm 500 gm 25 Kg	922	PROPYL PARABEN (Propyl-P-Hydroxybenzoate) CAS 94-13-3 $C_{10}H_{12}O_3$ F. Wt. 180.2	500 gm
405	POTASSIUM SORBATE (Granular) AR GRADE CAS 24634-61-5 $C_6H_7KO_2$ F. Wt. 150.22	500 gm 25 Kg	637	PROPYL PARABEN SODIUM (Propyl-P-Hydroxy Benzoate Sodium) CAS 35285-69-9 $C_{10}H_{11}NaO_3$ F. Wt. 202.00	500 gm
			648	PROPYLENE GLYCOL (1,2-Propanediol) CAS 57-55-6 $C_3H_8O_2$ F. Wt. 76.09	500 ml 5 Ltr 50 Ltr

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
639	PYRIDOXAL HYDROCHLORIDE CAS 65-22-5 C ₈ H ₉ NO ₃ .HCl F. Wt. 203.62	1 gm 5 gm	411	L-RHAMNOSE 99% PURITY CAS 10030-85-0 C ₆ H ₁₂ O ₅ .H ₂ O F. Wt. 182.17	5 gm 25 gm 1 Kg
1705	PYRIDOXINE HYDROCHLORIDE (VITAMIN B₆) CAS 58-56-0 C ₈ H ₁₁ NO ₃ .HCl F. Wt. 205.64	10 gm 25 gm 100 gm	1609	RHODAMINE B CAS 81-88-9 C.I. 45170 C ₂₈ H ₃₁ ClN ₂ O ₃ F. Wt. 479.02	25 gm 100 gm
171	PYROCATECHOL (1, 2 Dihydroxybenzene) CAS 120-80-9 C ₆ H ₆ O ₃ F. Wt. 110.10	100 gm 500 gm	1703	RIBOFLAVIN (Vitamin B₂), Vitamin G CAS 83-88-5 C ₁₇ H ₂₀ N ₄ O ₆ F. Wt. 376.36	10 gm 25 gm 100 gm
2148	PYROGALLOL, EXTRA PURE CAS 87-66-1 C ₆ H ₆ O ₃ F. Wt. 126.11	100 gm 500 gm	929	RIBOFLAVIN-5-PHOSPHATE, EXTRA PURE * CAS 130-40-5 C ₁₇ H ₂₀ N ₄ NaO ₉ P ₂ H ₂ O F. Wt. 514.36	5 gm 25 gm
925	PYROGALLOL, AR GRADE (Pyrogallol Acid, 1,2,3, Trihydroxybenzene) CAS 87-66-1 C ₆ H ₆ O ₃ F. Wt. 126.11	100 gm 500 gm	1306	D-RIBOSE CAS 50-69-1 C ₅ H ₁₀ O ₅ F. Wt. 150.13	10 gm 25 gm 100 gm
3204	PYRONINE G (PYRONINE) CAS 92-32-0 C.I. 45005 C ₁₇ H ₁₉ ClN ₂ O F. Wt. 302.8	5 gm	1603	ROSANILINE HCl CAS 632-99-5 C ₂₀ H ₂₀ N ₃ .HCl F. Wt. 337.86	25 gm 100 gm 1 Kg
659	PYRUVIC ACID SODIUM, AR GRADE (Sodium Pyruvate) CAS 113-24-6 C ₃ H ₃ NaO ₃ F. Wt. 110.0	100 gm 500 gm	1677	ROSE BENGAL (Acid red 94) CAS 632-69-9 C.I. 45440 C ₂₀ H ₂ Cl ₄ Na ₂ O ₅ F. Wt. 1017.64	25 gm 100 gm
3207	QUININE HYDROCHLORIDE (Dihydrate) CAS 6119-47-7 C ₂₀ H ₂₄ N ₂ O ₂ .HCl.2H ₂ O F. Wt. 396.92	25 gm	1664	p-ROSOLIC ACID (Aurin) CAS 603-45-2 C.I. 43800 C ₁₉ H ₁₄ O ₃ F. Wt. 290.32	25 gm
2632	8-QUINOLINOL (8-Hydroxyquinoline), (Oxine) CAS 148-24-3 C ₉ H ₇ NO F. Wt. 145.16	100 gm 500 gm	2435	RUTIN (Trihydrate) (Vitamin P) (for Biochemistry) CAS 153-18-4 C ₂₇ H ₃₀ O ₁₆ .3H ₂ O F. Wt. 628.50	25 gm 100 gm 1 Kg
2252	QUINOLINE YELLOW (Water Soluble) CAS 8004-92-0 C.I. 47005 C ₁₈ H ₉ NNa ₂ O ₈ S ₂ F. Wt. 477.38	5 gm 25 gm	1646	SAFRANINE-T (Safranin-O) CAS 477-73-6 C.I. 50240 C ₂₀ H ₁₉ ClN ₄ F. Wt. 350.85	25 gm 100 gm 500 gm
698	RNA (From Torula Yeast) CAS 63231-63-0	25 gm 100 gm 500 gm	TC 019	D-SALICIN CAS 4138-52-3 C ₁₃ H ₁₈ O ₇ F. Wt. 286.28	5 gm 10 gm 25 gm
TC 018	D-RAFFINOSE (Penta) CAS 17629-30-0 C ₁₈ H ₃₂ O ₁₆ .5H ₂ O F. Wt. 594.52	10 gm 25 gm	691	SALICYLIC ACID, EXTRA PURE (2-Hydroxy Benzoic Acid) CAS 69-72-7 C ₇ H ₆ O ₃ F. Wt. 138.12	500 gm 25 Kg
507	RESAZURIN SODIUM CAS 62758-13-8 C ₁₂ H ₆ NO ₄ Na F. Wt. 251.18	1 gm 5 gm	680	SALICYCLIC ACID, AR GRADE (2-Hydroxy Benzoic Acid) CAS 69-72-7 C ₇ H ₆ O ₃ F. Wt. 138.12	500 gm
2981	RESORCINOL, (1,3 Dihydroxybenzene), EXTRA PURE CAS 108-46-3 C ₆ H ₆ O ₂ F. Wt. 110.1	250 gm 500 gm	4227	SAPONIN CAS 8047-15-2	100 gm 500 gm
			553	SELENIUM DIOXIDE CAS 7446-08-4 SeO ₂ F. Wt. 110.96	100 gm 500 gm

Q

S

R

S Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
3620	L-SELENOMETHIONINE CAS 3211-76-5 $C_6H_{11}NO_2Se$ F. Wt. 196.11	1 gm	2708	SILICOTUNGSTIC ACID, 99.5%, AR GRADE CAS 12027-38-2 $H_4O_{40}SiW_{12}$ F. wt. 2878.17	25 gm 100 gm
1130	L-SERINE 99%+Purity, Crystalline CAS 56-45-1 $C_3H_7NO_3$ F. Wt. 105.09	10 gm 25 gm 1 Kg	2709	SILVER ACETATE, (Acetic Acid Silver Salt), EXTRA PURE CAS 563-63-3 $C_2H_3AgO_2$ F. Wt. 166.91	25 gm
412	SILICA GEL (Self Indicating Blue) 5-8 mm CAS 63231-67-4	500 gm 5 Kg 50 Kg	954	SILVER CARBONATE, EXTRA PURE CAS 534-16-7 CAg_2O_3 F. wt. 275.75	25 gm
2257	SILICA GEL (Self Indicating White) 5-8 mm CAS 63231-67-4	500 gm 5 Kg	512	SILVER CHLORIDE, EXTRA PURE CAS 7783-90-6 $AgCl$ F. Wt. 143.32	25 gm
414	SILICA GEL, 60- 120 mesh (for column chromatography) For CC CAS 63231-67-4	500 gm	2982	SILVER IODIDE CAS 7783-96-2 AgI F. Wt. 234.77	25 gm
2258	SILICA GEL, 100-200 mesh CAS 63231-67-4	500 gm	419	SILVER NITRATE, EXTRA PURE CAS 7761-88-8 $AgNO_3$ F. Wt. 169.87	10 gm 25 gm
2259	SILICA GEL, 60-200 mesh CAS 63231-67-4	500 gm	649	SILVER NITRATE, AR GRADE CAS 7761-88-8 $AgNO_3$ F. Wt. 169.87	10 gm 25 gm
2260	SILICA GEL, 200-400 mesh For TLC CAS 63231-67-4	500 gm	2266	SILVER OXIDE, EXTRA PURE CAS 20667-12-3 Ag_2O F. wt. 123.87	25 gm
415	SILICA GEL G For TLC CAS 112926-00-8	500 gm	2267	SILVER SULPHATE, EXTRA PURE CAS 10294-26-5 Ag_2SO_4 F. Wt. 311.80	25 gm 5 Kg
416	SILICA GEL HF 254 For TLC CAS 112926-00-8	500 gm	650	SILVER SULPHATE, AR GRADE CAS 10294-26-5 Ag_2SO_4 F. Wt. 311.80	25 gm
417	SILICA GEL, H for TLC w/o Binder CAS 63231-67-4	500 gm	651	SKIM MILK POWDER (Fat Free)	500 gm
418	SILICA GEL, GF 254 for TLC w/o Binder CAS 63231-67-4	500 gm	422	SODIUM ACETATE (ANH.), EXTRA PURE CAS 127-09-3 $C_2H_3NaO_2$ F. Wt. 82.03	500 gm 5 Kg 50 Kg
642	SILICONE, High Vacuum GREASE (Vacuum Grease)	500 gm	221	SODIUM ACETATE (ANH.), AR GRADE CAS 127-09-3 $C_2H_3NaO_2$ F. Wt. 82.03	500 gm 5 Kg 50 Kg
932	SILICONE ANTIFOAMING AGENT (NON IONIC)	100 ml 500 ml	420	SODIUM ACETATE (Trihydrate), EXTRA PURE CAS 6131-90-4 $C_2H_3NaO_2.3H_2O$ F. Wt. 100.04	500 gm 5 Kg 50 Kg
644	SILICONE OIL (for Oil Bath, upto 250°C) CAS 63148-62-9 $C_6H_{18}OSi_2$ F. Wt. 162.38	100 ml 500 ml	2270	SODIUM ACETATE (Trihydrate), AR GRADE CAS 6131-90-4 $C_2H_3NaO_2.3H_2O$ F. Wt. 136.08	500 gm 5 Kg 50 Kg
645	SILICOTUNGSTIC ACID, EXTRA PURE CAS 12027-38-2 $H_4O_{40}SiW_{12}$ F. wt. 2878.17	25 gm 100 gm			

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
435	SODIUM ACID PHOSPHATE (Sodium dihydrogen orthophosphate) CAS 13472-35-0 NaH₂PO₄·2H₂O F. Wt. 156.01	500 gm 50 Kg	2984	SODIUM BICARBONATE 'SPL' (for R.O. Water) CAS 144-55-8 NaHCO₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg
3623	SODIUM ACID PYROPHOSPHATE, (SAPP) (Food Grade) CAS 7758-16-9 Na₂H₂P₂O₇ F. Wt. 221.94	500 gm 5 Kg	428	SODIUM BIASELENITE (Sodium Hydrogen Selenite) CAS 7782-82-3 NaHSeO₃ F. Wt. 150.95	100 gm 1 Kg
423	SODIUM ALGINATE, EXTRA PURE (Sodium Polymannuronate) CAS 9005-38-3	500 gm 5 Kg 25 Kg	780	SODIUM BISULPHATE, EXTRA PURE (Sodium Hydrogen Sulphate) CAS 10034-88-5 NaHSO₄·H₂O F. Wt. 138.07	500 gm
2983	SODIUM ALGINATE (Alginic Acid Sodium Salt), AR GRADE CAS 9005-38-3 C₁₄H₂₂O₁₃ F. wt. 101.1	500 gm	2292	SODIUM BISULPHATE, AR GRADE (Sodium Hydrogen Sulphate) CAS 10034-88-5 NaHSO₄·H₂O F. Wt. 138.07	500 gm
3424	SODIUM ARSENATE (Hepta), EXTRA PURE CAS 10048-95-0 Na₂HAsO₄·7H₂O F. Wt. 312.01	25 gm 100 gm	946	SODIUM BISULPHITE, EXTRA PURE (Sodium Hydrogen Sulphite) CAS 7631-90-5 NaHSO₃ F. Wt. 104.06	500 gm
4104	SODIUM ARSENATE (Hepta), AR GRADE CAS 10048-95-0 Na₂HAsO₄·7H₂O F. Wt. 312.01	25 gm 100 gm	655	SODIUM BISULPHITE, AR GRADE (Sodium Hydrogen Sulphite) CAS 7631-90-5 NaHSO₃ F. Wt. 104.06	500 gm
2273	SODIUM ARSENITE, AR GRADE CAS 7784-46-5 NaAsO₂ F. Wt. 129.91	100 gm 500 gm	2275	SODIUM BROMATE, EXTRA PURE CAS 7789-38-0 NaBrO₃ F. Wt. 150.89	500 gm 50 Kg
1714	SODIUM ASCORBATE (Ascorbic Acid Sodium) CAS 134-03-2 C₂H₃NaO₆ F. Wt. 198.11	100 gm 500 gm	936	SODIUM BROMIDE, EXTRA PURE CAS 7647-15-6 NaBr F. Wt. 102.89	500 gm 50 Kg
424	SODIUM AZIDE, EXTRA PURE CAS 26628-22-8 NaN₃ F. Wt. 65.01	100 gm 500 gm	2276	SODIUM BROMIDE, AR GRADE CAS 7647-15-6 NaBr F. Wt. 102.89	500 gm 50 Kg
425	SODIUM AZIDE, AR GRADE CAS 26628-22-8 NaN₃ F. Wt. 65.01	100 gm 500 gm	4008	SODIUM BUTYRATE CAS 156-54-7 C₄H₇NaO₂ F. Wt. 110.09	100 gm 500 gm 25 Kg
426	SODIUM BENZOATE, EXTRA PURE CAS 532-32-1 C₇H₅NaO₂ F. Wt. 144.11	500 gm 25 Kg	2278	SODIUM CACODYLATE (Trihydrate) CAS 6131-99-3 C₂H₅AsNaO₂·3H₂O F. Wt. 214.03	25 gm 100 gm
427	SODIUM BENZOATE, AR GRADE CAS 532-32-1 C₇H₅NaO₂ F. Wt. 144.11	500 gm 25 Kg	431	SODIUM CARBONATE (ANH.), EXTRA PURE CAS 497-19-8 Na₂CO₃ F. Wt. 105.99	500 gm 5 Kg 50 Kg
429	SODIUM BICARBONATE, EXTRA PURE (Sodium Hydrogen Carbonate) CAS 144-55-8 NaHCO₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg	432	SODIUM CARBONATE (ANH.), AR GRADE CAS 497-19-8 Na₂CO₃ F. Wt. 105.99	500 gm 5 Kg 50 Kg
430	SODIUM BICARBONATE, AR GRADE CAS 144-55-8 NaHCO₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg	938	SODIUM CARBONATE (Mono), EXTRA PURE CAS 5968-11-6 Na₃CO₃·H₂O F. Wt. 124.00	500 gm 50 Kg
			2280	SODIUM CARBONATE (Mono), AR GRADE CAS 5968-11-6 Na₃CO₃·H₂O F. Wt. 124.00	500 gm 50 Kg

S Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
215	SODIUM CHLORIDE, EXTRA PURE CAS 7647-14-5 NaCl F. Wt. 58.44	500 gm 5 Kg 50 Kg	763	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate), AR GRADE CAS 13472-35-0 NaH ₂ PO ₄ ·2H ₂ O F. Wt. 156.01	500 gm 5 Kg 50 Kg
216	SODIUM CHLORIDE, AR GRADE CAS 7647-14-5 NaCl F. Wt. 58.44	500 gm 5 Kg 50 Kg	688	SODIUM DIPHENYLAMINE SULPHONATE, AR GRADE CAS 6152-67-6 C ₁₂ H ₁₀ NNaO ₃ S F. Wt. 271.27	5 gm 25 gm
924	SODIUM CHLORIDE for Tissue Culture, Molecular Biology Grade CAS 7647-14-5 NaCl F. Wt. 58.44	500 gm 5 Kg 50 Kg	436	SODIUM DITHIONITE, EXTRA PURE CAS 7775-14-6 Na ₂ S ₂ O ₄ F. Wt. 174.11	500 gm
4178	SODIUM CHOLATE (Cholic Acid Sodium) CAS 361-09-1 C ₂₄ H ₃₉ NaO ₅ F. Wt. 430.56	25 gm 100 gm 25 Kg	444	SODIUM DODECYL SULPHATE, (Sodium Lauryl Sulphate), EXTRA PURE CAS 151-21-3 C ₁₂ H ₂₅ NaO ₄ S F. Wt. 288.38	500 gm 10 Kg
2281	SODIUM CHROMATE (Tetra) EXTRA PURE CAS 10034-82-9 Na ₂ CrO ₄ ·4H ₂ O F. Wt. 234.03	500 gm 25 Kg	445	SODIUM DODECYL SULPHATE, AR GRADE CAS 151-21-3 C ₁₂ H ₂₅ NaO ₄ S F. wt. 298.38	100 gm 500 gm
2882	SODIUM CHROMATE (Tetra) AR GRADE CAS 10034-82-9 Na ₂ CrO ₄ ·4H ₂ O F. Wt. 234.03	500 gm	777	SODIUM FLUORIDE, EXTRA PURE CAS 7681-49-4 NaF F. Wt. 41.99	500 gm 50 Kg
541	tri-SODIUM CITRATE, (Dihydrate), EXTRA PURE CAS 6132-04-3 C ₆ H ₅ Na ₃ O ₇ ·2H ₂ O F. Wt. 294.10	500 gm 5 Kg 25 Kg	706	SODIUM FLUORIDE, AR GRADE CAS 7681-49-4 NaF F. Wt. 41.99	500 gm
542	tri-SODIUM CITRATE, (Dihydrate), AR GRADE CAS 6132-04-3 C ₆ H ₅ Na ₃ O ₇ ·2H ₂ O F. Wt. 294.10	500 gm 5 Kg 25 Kg	2289	SODIUM FORMATE, EXTRA PURE CAS 141-53-7 CHNaO ₂ F. Wt. 68.01	500 gm
653	tri-SODIUM CITRATE, (ANH.), EXTRA PURE CAS 68-04-2 C ₆ H ₅ Na ₃ O ₇ F. Wt. 258.07	500 gm 5 Kg 25 Kg	4105	SODIUM FORMATE, AR GRADE CAS 141-53-7 CHNaO ₂ F. Wt. 68.01	500 gm
2291	SODIUM CITRATE DIBASIC, EXTRA PURE (Di Sodium Hydrogen Citrate) CAS 6132-05-4 C ₆ H ₆ Na ₂ O ₇ F. Wt. 236.09	500 gm 50 Kg	941	SODIUM GLUCONATE CAS 527-07-1 (D-Gluconic Acid Sodium Salt) C ₆ H ₁₁ NaO ₇ F. Wt. 218.14	500 gm 50 Kg
2283	SODIUM COBALTINITRIDE, EXTRA PURE CAS 13600-98-1 Na ₃ Co(NO ₂) ₆ F. wt. 403.94	100 gm	943	SODIUM β-GLYCEROPHOSPHATE, AR GRADE CAS 819-83-0 C ₃ H ₅ O ₆ P ₂ Na F. Wt. 306.11	25 gm 100 gm 500 gm
434	SODIUM DICHROMATE, (Dihydrate), EXTRA PURE CAS 7789-12-0 Na ₂ Cr ₂ O ₇ ·2H ₂ O F. Wt. 298.00	500 gm 50 Kg	944	SODIUM HEXAMETAPHOSPHATE, 62% (Sodium Polyphosphate, Graham's Salts), EXTRA PURE CAS 68915-31-1 (NaPO ₃) ₁₂₋₁₃ ·NaO ₂ F. Wt. 611.78	500 gm 5 Kg 50 Kg
2286	SODIUM DIETHYLDITHIOCARBAMATE, AR GRADE CAS 20624-25-3 (C ₂ H ₅) ₂ NCS ₂ Na·3H ₂ O F. Wt. 225.31	100 gm 500 gm	429	SODIUM HYDROGEN CARBONATE, EXTRA PURE CAS 144-55-8 NaHCO ₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg
435	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate), EXTRA PURE CAS 13472-35-0 NaH ₂ PO ₄ ·2H ₂ O F. Wt. 156.01	500 gm 5 Kg 50 Kg	430	SODIUM HYDROGEN CARBONATE, AR GRADE CAS 144-55-8 NaHCO ₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg
			2984	SODIUM HYDROGEN CARBONATE 'SPL' For R.O Water CAS 144-55-8 NaHCO ₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2291	di-SODIUM HYDROGEN CITRATE, EXTRA PURE CAS 6132-05-4 C ₆ H ₆ Na ₂ O ₇ F. Wt. 236.09	500 gm 25 Kg	779	SODIUM HYDROXIDE FLAKES CAS 1310-73-2 NaOH F. Wt. 40.00	500 gm 5 Kg 50 Kg
460	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate), EXTRA PURE CAS 10028-24-7 Na ₂ HPO ₄ ·2H ₂ O F. Wt. 177.99	500 gm 5 Kg 50 Kg	439	SODIUM HYDROXIDE PELLETS, EXTRA PURE CAS 1310-73-2 NaOH F. Wt. 40.00	500 gm 5 Kg 50 Kg
658	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate), AR GRADE CAS 10028-24-7 Na ₂ HPO ₄ ·2H ₂ O F. Wt. 177.99	500 gm 5 Kg 50 Kg	440	SODIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-73-2 NaOH F. Wt. 40.00	500 gm 5 Kg 50 Kg
459	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH), EXTRA PURE CAS 7558-79-4 Na ₂ HPO ₄ F. Wt. 141.96	500 gm 5 Kg 50 Kg	2718	SODIUM HYPOPHOSPHITE (Mono), CAS 10039-56-2 NaH ₂ PO ₂ ·H ₂ O F. Wt. 105.99	500 gm
217	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH), AR GRADE CAS 7558-79-4 Na ₂ HPO ₄ F. Wt. 141.96	500 gm 5 Kg 50 Kg	544	SODIUM IODIDE, EXTRA PURE CAS 7681-82-5 NaI F. Wt. 149.89	100 gm 250 gm
446	SODIUM MALONATE CAS 141-95-7 C ₃ H ₂ Na ₂ O ₄ F. Wt. 148.03	25 gm 100 gm	2294	SODIUM LACTATE 60% CAS 72-17-3 C ₃ H ₅ NaO ₃ F. Wt. 112.06	500 ml
4221	di-SODIUM OCTABORATE TETRAHYDRATE CAS 12280-03-4 Na ₂ B ₈ O ₁₃ ·4H ₂ O F. Wt. 412.53	500 gm	444	SODIUM LAURYL SULPHATE, EXTRA PURE (Sodium Dodecyl Sulphate) CAS 151-21-3 C ₁₂ H ₂₅ NaO ₄ S F. Wt. 288.38	500 gm
2309	di-SODIUM TARTRATE (Dihydrate) CAS 6106-24-7 C ₄ H ₄ Na ₂ O ₆ ·2H ₂ O F. Wt. 230.08	500 gm	445	SODIUM LAURYL SULPHATE 99%+ AR GRADE CAS 151-21-3 NaC ₁₂ H ₂₅ SO ₄ F. Wt. 288.38	100 gm 500 gm
428	SODIUM HYDROGEN SELENITE for Bacteriology CAS 7782-82-3 NaHSeO ₃ F. Wt. 150.95	100 gm 1 Kg	447	SODIUM METABISULPHITE, EXTRA PURE CAS 7681-57-4 (Sodium Pyrosulfite) Na ₂ S ₂ O ₅ F. Wt. 190.11	500 gm 5 Kg 50 Kg
780	SODIUM HYDROGEN SULPHATE (Mono), EXTRA PURE CAS 10034-88-5 NaHSO ₄ ·H ₂ O F. Wt. 138.07	500 gm	448	SODIUM METABISULPHITE, AR GRADE CAS 7681-57-4 Na ₂ S ₂ O ₅ F. Wt. 190.11	500 gm 5 Kg 50 Kg
2292	SODIUM HYDROGEN SULPHATE, (Mono), AR GRADE CAS 10034-88-5 NaHSO ₄ ·H ₂ O F. Wt. 138.07	500 gm	2296	SODIUM METABORATE (Tetra) CAS 10555-76-7 BNaO ₂ ·4H ₂ O F. Wt. 137.86	500 gm
946	SODIUM HYDROGEN SULPHITE, EXTRA PURE (SODIUM BISULPHITE) CAS 7631-90-5 NaHSO ₃ F. Wt. 104.061	500 gm	2722	SODIUM METAPERIODATE, EXTRA PURE CAS 7790-28-5 NaIO ₄ F. Wt. 213.89	100 gm 500 gm 25 Kg
655	SODIUM HYDROGEN SULPHITE, AR GRADE (SODIUM BISULPHITE) CAS 7631-90-5 NaHSO ₃ F. Wt. 104.061	500 gm	4106	SODIUM METAPERIODATE, AR GRADE (Sodium Periodate) CAS 7790-28-5 INaO ₄ F. wt. 213.89	100 gm 500 gm
			2298	SODIUM METAVANADATE (ANH.), AR GRADE CAS 13718-26-8 NaVO ₃ F. Wt. 121.93	100 gm 500 gm
			2299	SODIUM METHOXIDE, EXTRA PURE CAS 124-41-4 NaOCH ₃ F. Wt. 54.02	500 gm 5 Kg 25 Kg
			449	SODIUM MOLYBDATE, (Dihydrate), EXTRA PURE CAS 10102-40-6 Na ₂ MoO ₄ ·2H ₂ O F. Wt. 241.95	100 gm 500 gm 25 Kg

S Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
656	SODIUM MOLYBDATE (Dihydrate), AR GRADE CAS 10102-40-6 $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ F. wt. 241.9	100 gm 500 gm 25 Kg	4154	SODIUM PERCARBONATE (Granules) CAS 15630-89-4 $\text{Na}_2\text{CO}_3 \cdot 1.5\text{H}_2\text{O}$ F. wt. 156.98	1 Kg
450	SODIUM NITRATE, EXTRA PURE CAS 7631-99-4 NaNO_3 F. Wt. 84.99	500 gm 5 Kg 50 Kg	4097	SODIUM PERCARBONATE (Tablet) CAS 15630-89-4 $\text{Na}_2\text{CO}_3 \cdot 1.5\text{H}_2\text{O}$ F. Wt. 157.01	1 Kg
3430	SODIUM NITRATE (Food Grade) CAS 7631-99-4 NaNO_3 F. Wt. 84.99	500 gm 5 Kg 50 Kg	2304	SODIUM PERSULPHATE, EXTRA PURE CAS 7775-27-1 $\text{Na}_2\text{S}_2\text{O}_8$ F. Wt. 238.03	500 gm 50 Kg
451	SODIUM NITRATE, AR GRADE CAS 7631-99-4 NaNO_3 F. wt. 85.0	500 gm 50 Kg	459	SODIUM PHOSPHATE DIBASIC, (ANH.) (Disodium Hydrogen Orthophosphate), EXTRA PURE CAS 7558-79-4 Na_2HPO_4 F. Wt. 141.96	500 gm 5 Kg 50 Kg
452	SODIUM NITRITE, EXTRA PURE CAS 7632-00-0 NaNO_2 F. Wt. 68.99	500 gm 5 Kg	217	SODIUM PHOSPHATE DIBASIC, (ANH.) (Disodium Hydrogen Orthophosphate), AR GRADE CAS 7558-79-4 Na_2HPO_4 F. Wt. 141.96	500 gm 5 Kg 50 Kg
772	SODIUM NITROPRUSSIDE, EXTRA PURE (Sodium Nitroferrocyanide dihydrate) CAS 13755-38-9 $\text{Na}_2[\text{Fe}(\text{CN})_5\text{NO}] \cdot 2\text{H}_2\text{O}$ F. Wt. 297.95	100 gm 500 gm 10 Kg	460	SODIUM PHOSPHATE DIBASIC, (Dihydrate) (Disodium Hydrogen Orthophosphate), EXTRA PURE CAS 10028-24-7 $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$ F. Wt. 177.99	500 gm 5 Kg 50 Kg
2720	SODIUM OLEATE (Pure), EXTRA PURE CAS 143-19-1 $\text{C}_{18}\text{H}_{33}\text{NaO}_2$ F. Wt. 304.44	500 gm 50 Kg	658	SODIUM PHOSPHATE DIBASIC, (Dihydrate) (Disodium Hydrogen Orthophosphate), AR GRADE CAS 10028-24-7 $\text{NaHPO}_4 \cdot 2\text{H}_2\text{O}$ F. Wt. 177.99	500 gm 5 Kg 50 Kg
2300	tri-SODIUM ORTHOPHOSPHATE (ANH.), EXTRA PURE CAS 7601-54-9 Na_3PO_4 F. Wt. 163.94	500 gm 50 Kg	692	SODIUM POLYANETHOL SULPHONATE, (SPS), AR GRADE CAS 55963-78-5	1 gm 5 gm
4107	tri-SODIUM ORTHO-PHOSPHATE, (Dodecahydrate), EXTRA PURE CAS 10101-89-0 $\text{H}_{24}\text{Na}_3\text{O}_{16}\text{P}$ F. wt. 380.12	500 gm 5 kg 50 kg	403	SODIUM POTASSIUM TARTRATE, (Tetra), EXTRA PURE CAS 6381-59-5 $\text{C}_4\text{H}_4\text{KNaO}_6 \cdot 4\text{H}_2\text{O}$ F. Wt. 282.22	100 gm 500 gm 25 Kg
4108	tri-SODIUM ORTHO-PHOSPHATE (Dodecahydrate), AR GRADE CAS 10101-89-0 $\text{H}_{24}\text{Na}_3\text{O}_{16}\text{P}$ F. wt. 380.12	500 gm 5 kg 50 kg	404	SODIUM POTASSIUM TARTRATE, (Tetra), AR GRADE CAS 6381-59-5 $\text{C}_4\text{H}_4\text{KNaO}_6 \cdot 4\text{H}_2\text{O}$ F. Wt. 282.22	100 gm 500 gm 25 kg
455	SODIUM OXALATE, (di Sodium Oxalate), EXTRA PURE CAS 62-76-0 $\text{Na}_2\text{C}_2\text{O}_4$ F. Wt. 133.999	500 gm	955	SODIUM PROPIONATE, EXTRA PURE CAS 137-40-6 $\text{C}_3\text{H}_5\text{NaO}_2$ F. Wt. 96.07	500 gm 50 Kg
456	SODIUM OXALATE, AR GRADE CAS 62-76-0 $\text{C}_2\text{Na}_2\text{O}_4$ F. Wt. 133.999	500 gm	2724	tetra-SODIUM PYROPHOSPHATE (ANH.), (TSPP), EXTRA PURE CAS 7722-88-5 $\text{Na}_4\text{P}_2\text{O}_7$ F. Wt. 265.90	500 gm 50 Kg
2721	SODIUM PENTACHLOROPHENATE CAS 131-52-2 $\text{C}_6\text{Cl}_5\text{NaO}$ F. Wt. 288.32	500 gm 50 Kg	659	SODIUM PYRUVATE, AR GRADE CAS 113-24-6 $\text{C}_3\text{H}_3\text{NaO}_3$ F. Wt. 110.0	100 gm 500 gm
2301	SODIUM PERBORATE (Tetra), EXTRA PURE CAS 10486-00-7 $\text{NaBO}_3 \cdot 4\text{H}_2\text{O}$ F. Wt. 153.86	500 gm 50 Kg	4110	SODIUM RHODIZONATE, AR GRADE (Sensitivity To BA 1:200000)	1gm 5gm

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2727	SODIUM SALICYLATE, EXTRA PURE CAS 54-21-7 $C_7H_5NaO_3$ F. Wt. 160.11	500 gm 25 Kg	464	SODIUM THIOCYANATE, EXTRA PURE CAS 540-72-7 $NaSCN$ F. Wt. 81.07	500 gm 50 Kg
2728	SODIUM SELENATE, (ANH.), AR GRADE CAS 13410-01-0 Na_2SeO_4 F. Wt. 188.94	100 gm	2730	SODIUM THIOCYANATE, AR GRADE CAS 540-72-7 $NaSCN$ F. Wt. 81.07	500 gm 50 Kg
683	SODIUM SELENITE, (ANH.) (Culture Media Ingredient) CAS 10102-18-8 Na_2SeO_3 F. Wt. 172.96	25 gm 100 gm 500 gm	3513	SODIUM THIOGLYCOLLATE (for Bacteriology) * CAS 367-51-1 $C_2H_3NaO_2S$ F. Wt. 114.10	100 gm 500 gm 10 Kg
2240	SODIUM SUCCINATE, (Hexa), EXTRA PURE CAS 6106-21-4 $C_4H_4Na_2O_4 \cdot 6H_2O$ F. Wt. 270.15	100 gm 500 gm	469	SODIUM THIOSULPHATE (Penta), EXTRA PURE CAS 10102-17-7 $Na_2S_2O_3 \cdot 5H_2O$ F. Wt. 248.18	500 gm 5 Kg 50 Kg
701	SODIUM SULPHATE (ANH.), EXTRA PURE CAS 7757-82-6 Na_2SO_4 F. Wt. 142.04	500 gm 5 Kg 50 Kg	4111	SODIUM THIOSULPHATE, (Penta), AR GRADE CAS 10102-17-7 $Na_2S_2O_3 \cdot 5H_2O$ F. wt. 248.18	500 gm
543	SODIUM SULPHATE (ANH.), AR GRADE CAS 7757-82-6 Na_2SO_4 F. Wt. 142.04	500 gm 5 Kg 50 Kg	2235	SODIUM THIOSULPHATE (ANH.), EXTRA PURE CAS 7772-98-2 $Na_2S_2O_3$ F. Wt. 158.11	500 gm 50 Kg
661	SODIUM SULPHIDE FLAKES (Iron Free) CAS 1313-84-4 Na_2S F. Wt. 78.05	500 gm	663	SODIUM THIOSULPHATE (ANH.), AR GRADE CAS 7772-98-2 $Na_2S_2O_3$ F. Wt. 158.11	500 gm 50 Kg
952	SODIUM SULPHITE (ANH.), EXTRA PURE CAS 7757-83-7 Na_2SO_3 F. Wt. 126.04	500 gm 5 Kg 50 Kg	2895	SODIUM TRIPOLYPHOSPHATE (STPP) (ANH.) CAS 7758-29-4 $Na_2S_2O_3$ F. Wt. 367.86	500 gm 50 Kg
662	SODIUM SULPHITE (ANH.), AR GRADE CAS 7757-83-7 Na_2SO_3 F. Wt. 126.04	500 gm 5 Kg 50 Kg	953	SODIUM TUNGSTATE (Dihydrate), EXTRA PURE CAS 10213-10-2 $Na_2O_4W \cdot 2H_2O$ F. Wt. 329.86	100 gm 500 gm 10 Kg
3260	SODIUM STEARATE (Stearic Acid Sodium Salt) CAS 822-16-2 $C_{18}H_{35}NaO_2$ F. Wt. 306.46	500 gm	2298	SODIUM (META) VANADATE (ANH.), AR GRADE CAS 13718-26-8 $NaVO_3$ F. Wt. 121.93	100 gm 500 gm
2309	di-SODIUM TARTRATE (Dihydrate) CAS 6106-24-7 $C_4H_4Na_2O_6 \cdot 2H_2O$ F. Wt. 230.08	500 gm 50 Kg	1623	SOLOCHROME BLACK T (ERICHROME BLACK T) CAS 1787-61-7 $C_{20}H_{12}N_3NaO_7S$ F. Wt. 461.38	25 gm 100 gm
279	SODIUM TETRABORATE, (Decahydrate) (BORAX), EXTRA PURE CAS 1303-96-4 $Na_2B_4O_7 \cdot 10H_2O$ F. Wt. 381.37	500 gm 5 kg 50 kg	1855	SOLOCHROME CYANINE R, AR GRADE CAS 1787-61-7 C.I. 14645 $C_{20}H_{12}N_3NaO_7S$ F. Wt. 461.38	25 gm 100 gm
280	SODIUM TETRABORATE, (Decahydrate) (BORAX), AR GRADE CAS 1303-96-4 $Na_2B_4O_7 \cdot 10H_2O$ F. Wt. 381.37	500 gm 5 kg 50 kg	1856	SOLOCHROME CYANINE R, AR GRADE CAS 3564-18-9 C.I. 43820 $C_{23}H_{15}Na_3O_5S$ F. Wt. 536.40	5 gm 25 gm
4083	SODIUM TETRAPHENYL BORON, AR GRADE (Kalignost) CAS 143-66-8 $C_{24}H_{20}BNa$ F. wt. 342.22	10 gm 25 gm	2995	SOLOCHROME DARK BLUE, (Calcon) CAS 2538-85-4 C.I. 15705 $C_{20}H_{13}N_2NaO_5S$ F. Wt. 416.38	5 gm 25 gm 100 gm
			2732	SORBIC ACID, EXTRA PURE * CAS 110-44-1 $C_6H_8O_2$ F. Wt. 112.12	500 gm
			465	D-SORBITOL POWDER (D-Glucitol) CAS 50-70-4 $C_6H_{14}O_6$ F. Wt. 182.17	100 gm 500 gm 25 Kg

S Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
3065	L-SORBOSE CAS 87-79-6 C₆H₁₂O₆ F. Wt. 180.16	25 gm 100 gm	2323	STRONTIUM CHLORIDE, (Hexa), EXTRA PURE CAS 10025-70-4 SrCl₂·6H₂O F. Wt. 266.61	500 gm 50 Kg
466	SOYABEAN MEAL (Defatted) (Non GMO Powder)	500 gm 25 Kg	2325	STRONTIUM NITRATE, (ANH.), EXTRA PURE CAS 10042-76-9 Sr(NO₃)₂ F. Wt. 211.63	500 gm 50 Kg
467	SOYA LECITHIN POWDER * (L-α-phosphatidyl choline 22%) CAS 8002-43-5 C₃₆H₇₂NO₈P F. Wt. 677.93	100 gm 500 gm	2735	STRONTIUM SULPHATE (ANH.) CAS 7759-02-6 SrSO₄ F. Wt. 183.68	500 gm
4205	SOYA PEPTONE (REGULAR GRADE) (For General Purpose For Bactriological Work) CAS 91079-38-8	500 gm 50 Kg	1016	SUCCINIC ACID, EXTRA PURE CAS 110-15-6 C₄H₆O₄ F. Wt. 118.09	500 gm 25 Kg
2733	SPADNS, AR GRADE CAS 23647-14-5 C₁₆H₉N₂O₁₁S₃Na₃ F. Wt. 570.41	1 gm 5 gm	2328	SUCCINIC ANHYDRIDE CAS 108-30-5 C₄H₄O₃ F. Wt.100.07	100 gm 500 gm 25 Kg
3436	SPERMIDINE * CAS 124-20-9 C₇H₁₉N₃ F. Wt. 145.25	1 gm 5 gm	4702	SUCROSE, ACS GRADE CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.30	500 gm
2317	STANNOUS CHLORIDE (Dihydrate), EXTRA PURE CAS 10025-69-1 SnCl₂·2H₂O F. wt. 225.63	100 gm 250 gm	1307	SUCROSE, EXTRA PURE CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.30	500 gm 5 Kg 50 Kg
2318	STANNOUS CHLORIDE (Dihydrate), AR GRADE CAS 10025-69-1 SnCl₂·2H₂O F. wt. 225.63	100 gm 250 gm	1308	SUCROSE, AR GRADE (Bacto Grade, Reducing Sugar absent.) CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.30	500 gm 5 Kg 50 Kg
3006	STANNOUS FLOURIDE (ANH.) CAS 7783-47-3 SnF₂ F. Wt.156.69	500 gm	TC 023	SUCROSE, for Tissue Culture and Molecular Biology CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.30	500 gm 5 Kg
2734	STANNOUS OXIDE, EXTRA PURE CAS 21651-19-4 SnO F. Wt. 134.71	500 gm	3503	SUCRALOSE (600 Times Sweeter Than Sugar) CAS 56038-13-2 C₁₂H₂₂O₁₁ F. Wt. 397.64	25 gm 100 gm
1310	STARCH CORN (Maize) (Insoluble) CAS 9005-84-9 (C₆H₁₀O₅)_n F. Wt. 162.14	500 gm 25 Kg	2737	SUDAN (I) CAS 842-07-9 C₁₆H₁₂N₂O F. Wt. 248.28	25 gm 100 gm
1309	STARCH POTATO (Insoluble) CAS 9005-84-9 (C₆H₁₀O₅)_n F. Wt. 162.14	500 gm	1692	SUDAN (III) CAS 85-86-9 C.I. 26100 C₂₂H₁₆N₄O F. Wt. 352.39	25 gm 100 gm
1311	STARCH SOLUBLE, EXTRA PURE CAS 9000-84-9 (C₆H₁₀O₅)_n	500 gm 25 Kg	1693	SUDAN (IV) (Oil Red IV) (Seavlet-R) CAS 85-83-6 C.I. 26105 C₂₄H₂₀N₄O F. Wt. 380.44	25 gm 100 gm
1318	STARCH SOLUBLE, AR GRADE CAS 9004-84-9 (C₆H₁₀O₅)_n	500 gm	1647	SUDAN BLACK B, (for Microscopy) CAS 4197-25-5 C.I. 26150 C₂₉H₂₄N₆ F. Wt. 456.54	10 gm 25 gm
2321	STEARIC ACID, FLAKES (Carboxylic Acid) CAS 57-11-4 C₁₈H₃₆O₂ F. Wt. 284.48	500 gm 25 Kg	2333	SULPHAMIC ACID, (Amido Sulfonic Acid), EXTRA PURE CAS 5329-14-6 NH₂SO₃H F. Wt. 97.10	500 gm 50 Kg
2322	STRONTIUM CARBONATE CAS 1633-05-2 SrCO₃ F. Wt. 147.63	500 gm 50 Kg			

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2407	SULPHANILAMIDE, EXTRA PURE CAS 63-74-1 C₆H₈N₂O₂S F. Wt. 172.20	500 gm	4262	L-(+)-TARTARIC ACID, AR GRADE CAS 87-69-4 C₄H₆O₆ F. Wt. 150.09	500 gm
2741	SULPHANILAMIDE, AR GRADE CAS 63-74-1 C₆H₈N₂O₂S F. Wt. 172.20	100 gm 500 gm	474	DL-TARTARIC ACID (SYNTHETIC) CAS 133-37-9 C₄H₆O₆ F. Wt. 150.09	500 gm 50 Kg
468	SULPHANILIC ACID, EXTRA PURE CAS 121-57-3 C₆H₇NO₃S F. Wt. 173.19	100 gm 500 gm 50 Kg	474	DL-TARTARIC ACID (SYNTHETIC) CAS 133-37-9 C₄H₆O₆ F. Wt. 150.09	500 gm 50 Kg
470	SULPHANILIC ACID, AR GRADE (4-Aminobenzene Sulphonic Acid) CAS 121-57-3 C₆H₇NO₃S F. Wt.173.19	100 gm 500 gm 50 Kg	1648	TARTRAZINE, (for Microcopy) CAS 1934-21-0 C.I. 19140 C₁₆H₆N₄Na₃O₉S₂ F. Wt. 534.3	25 gm 100 gm
776	5-SULPHOSALICYLIC ACID DIHYDRATE, EXTRA PURE CAS 5965-83-3 C₇H₆O₆S.2H₂O F. Wt. 254.22	100 gm 500 gm 50 Kg	956	TAURINE (2-Aminoethanesulphonic Acid) CAS 107-35-7 C₂H₇NO₃S F. Wt. 125.15	25 gm 100 gm
2412	SULPHUR POWDER, EXTRA PURE CAS 7704-34-9 S F. Wt. 32.07	500 gm	4113	TBTU (2-(1H-Benzotriazole-1-yl)-1,1,3,3-Tetramethyluronium Tetrafluoroborate) CAS 125700-67-6 C₁₁H₁₆N₅O.BF₄ F. wt. 321.08	5 gm 25 gm
665	TABOLENE GL (With Dispenser) For Glass & Computer Equipment Cleaning	500 ml 5 Ltr 50 Ltr	4263	TEICOPLANIN * CAS 61036-62-2	1 gm
666	TABOLENE GLW (DETERGENT TABOLENE) (With Neutral pH Phosphate Free Detergent) For Glassware Cleaning	500 ml 5 Ltr 50 Ltr	4264	TELLURIUM DIOXIDE CAS 7446-07-3 TeO₂ F. Wt. 159.60	50 gm
667	TABOLENE GP General Purpose Detergent Lab Floor Cleaning, Like Teepol	500 ml 5 Ltr 50 Ltr	4265	TELLURIUM (IV) CHLORIDE CAS 10026-07-0 TeCl₄ F. Wt. 269.41	25 gm
2742	TALCUM POWDER (400 mesh) (Magnesium Silicate) CAS 14807-96-6 3MgO.4SiO₂.H₂O F. Wt. 379.29	500 gm	775	TEMED, AR GRADE (N,N,N,N-Tetra-Methylethylene Diamine) CAS 110-18-9 C₆H₁₆N₂ F. Wt. 116.21	100 ml 500 ml
3226	TALCUM POWDER (700 mesh) CAS 14807-96-6 3MgO.4SiO₂.H₂O F. Wt. 379.29	500 gm	4266	TERGITOL-7 CAS 68131-40-8	100gm 500gm
2782	TANNIC ACID, (Gallotannin), EXTRA PURE CAS 1401-55-4 C₇₆H₅₂O₄₆ F. Wt. 1701.20	100 gm 500 gm 25 Kg	2743	TERPINEOL (Mixture of Isomers) (PHARMA GRADE) CAS 8006-39-1 C₁₀H₁₈O F. Wt. 154.25	500 ml 2.5 Ltr
4112	TANNIC ACID, AR GRADE CAS 1401-55-4 C₇₆H₅₂O₄₆ F. wt. 1701.2	100 gm 250 gm	4114	TETRABUTYL AMMONIUM BROMIDE, AR GRADE CAS 1643-19-2 C₁₆H₃₆BrN F. wt. 322.37	500 gm
4261	TAPS BUFFER (N-[TRIS(HYDROXYMETHYL) METHYL]-3-AMINOPROPANESULPHONIC ACID) CAS 29915-38-6 C₇H₁₇NO₆S F. Wt. 243.28	25 gm 100 gm	4117	TETRABUTYL AMMONIUM FLUORIDE CAS 87749-50-6 C₁₆H₃₆FN F. wt. 261.46	25 gm 100 gm
472	L (+) TARTARIC ACID, EXTRA PURE CAS 87-69-4 C₄H₆O₆ F. Wt. 150.09	100 gm 500 gm 25 Kg	4118	TETRABUTYL AMMONIUM IODIDE, AR GRADE CAS 311-28-4 C₁₆H₃₆IN F. wt. 369.37	25 gm 100 gm
			4119	TETRABUTYL R (For HPLC) CAS 32503-27-8 (CH₃CH₂CH₂CH₂)₄N(HSO₄) F. wt. 339.53	100 gm
			144	Tert-BUTYL HYDROQUINONE (TBHQ) CAS 1948-33-0 C₁₀H₁₄O₂ F. Wt. 166.22	100 gm 500 gm 25 Kg

T

T Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
775	N,N,N,N-TETRA METHYLETHYLENEDIAMINE (TEMED), AR GRADE CAS 110-18-9 $C_6H_{16}N_2$ F. Wt. 116.21	100 ml 500 ml	2341	1-THIOGLYCEROL 98% (Mono Thioglycerol) CAS 96-27-5 $C_3H_8O_2S$ F. Wt. 108.15	100 ml 500 ml
4267	N,N,N',N'-TETRAACETYLETHYLENEDIAMINE CAS 10543-57-4 F. Wt. 228.25	50 gm 100 gm	4275	2-THIOURACIL (4-HYDROXY-2-MERCAPTOPYRIMIDINE) CAS 141-90-2 $C_4H_4N_2OS$ F. Wt.128.15	25 gm 100 gm
654	N,N,N,N-TETRAMETHYL-p-PHENYLENEDIAMINE DIHYDROCHLORIDE, AR GRADE CAS 637-01-4 $C_{10}H_{16}N_2 \cdot 2HCl$ F. Wt. 237.17	5 gm 25 gm	3513	THIOGLYCOLLIC ACID SODIUM SALT (For Bacteriology) CAS 367-51-1 $C_2H_3NaO_2S$ F. Wt. 114.1	100 gm 500 gm 10 Kg
4268	TETRABUTYL AMMONIUM CHLORIDE CAS 1112-67-0 $C_{16}H_{36}ClN$ F. Wt. 261.46	25 gm	478	THIOMERSAL, EXTRA PURE CAS 54-64-8 $C_9H_5HgNaO_2S$ F. wt. 404.81	25 gm 100 gm
821	TETRAZOLIUM BLUE CHLORIDE, AR GRADE CAS 1871-22-3 $C_{40}H_{32}Cl_2N_8O_8$ F. Wt. 731.67	1 gm 5 gm	2751	THIOSEMICARBAZIDE, AR GRADE CAS 79-19-6 CH_5N_3S F. Wt. 91.14	25 gm 100 gm
475	TETRAZOLIUM RED SALT (TTC), AR GRADE (2,3,5-Triphenyl Tetrazolium Chloride) CAS 298-96-4 $C_{19}H_{15}ClN_4$ F. Wt. 334.81	10 gm 25 gm	479	THIOUREA, EXTRA PURE CAS 62-56-6 CH_4N_2S F. Wt. 76.12	500 gm 50 Kg
4269	TETRAZOLIUM VIOLET CAS 1719-71-7 $C_{23}H_{17}ClN_4$ F. Wt. 384.86	1 gm	4120	THIOUREA, AR GRADE CAS 62-56-6 $C_7H_7ClN_2S$ F. wt. 186.66	500 gm
2906	THALLIUM ACETATE CAS 563-68-8 $C_2H_3O_2Tl$ F. Wt. 263.43	1 gm 10 gm	4276	THORIN INDICATOR OCTAHYDRATE, AR GRADE CAS 3688-92-4 $C_{16}H_{11}AsN_2Na_2O_{10}S_2$ F. Wt.576.3	5 gm 10 gm
4270	THIABENDAZOLE CAS : 148-79-8 $C_{10}H_9N_3S$ F.Wt : 201.25	50 gm 100 gm	1131	L-THREONINE, 99%+ Crystalline CAS 72-19-5 $C_4H_9NO_3$ F. Wt. 119.12	5 gm 25 gm 500 gm
1702	THIAMINE HYDROCHLORIDE * (Vitamin B ₁ Hydrochloride) CAS 67-03-8 $C_{12}H_{17}ClN_4OS \cdot HCl$ F. Wt. 337.27	25 gm 100 gm 500 gm	4277	THROMBIN From Bovine plasma CAS 9002-04-4	1 gm
3584	THIDIAZURON * CAS 51707-55-2 $C_9H_8N_4OS$ F. Wt.220.25	250 mg 1 gm	961	THYMIDINE (2-Deoxyriboside Thymidine) CAS 50-89-5 $C_{10}H_{14}N_2O_5$ F. Wt. 242.22	1 gm 5 gm
4272	THIOACETAMIDE (Ethanethioamide), AR GRADE CAS 62-55-5 C_2H_5NS F. Wt.75.13	100gm	963	THYMINE, (5-Methyluracil) CAS 65-71-4 $C_5H_6N_2O_2$ F. Wt. 126.11	5 gm 25 gm
959	THIOACETAMIDE (Ethanethioamide), * EXTRA PURE CAS 62-55-5 C_2H_5NS F. Wt.75.13	100 gm	1668	THYMOL BLUE CAS 76-61-9 $C_{27}H_{30}O_5S$ F. Wt. 466.59	5 gm 25 gm
4273	THIOACETIC ACID CAS 507-09-5 C_2H_3OS F. Wt. 76.12	100gm	4278	THYMOL BLUE SODIUM SALT CAS 62625-21-2 $C_{27}H_{29}NaO_5S$ F. Wt.488.57	5 gm
2750	2-THIOBARBITURIC ACID, AR GRADE CAS 504-17-6 $C_4H_4N_2O_2S$ F. Wt.144.15	25 gm 100 gm	2343	THYMOL, CRYSTAL, EXTRA PURE CAS 89-83-8 $C_{10}H_{14}O$ F. Wt. 150.22	100 gm 500 gm 50 Kg
4274	THIOGLYCOLIC ACID, 80% SOLUTION IN WATER CAS 68-11-1 $C_2H_3O_2S$ F. Wt.92.12	100 ml 500 ml	4123	THYMOLPHTHALEIN, AR GRADE CAS 125-20-2 $C_{28}H_{30}O_4$ F. wt. 430.53	5 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
964	THYMOLPHTHALEIN COMPLEXONE for E.D.T.A. Titration CAS 1913-93-5 C₃₈H₃₈N₂Na₄O₁₂ F. Wt. 808.71	1 gm 5 gm	4286	TOLUENE-3,4-DITHIOL, AR GRADE CAS 496-74-2 C₇H₆S₂ F. Wt. 156.27	5 gm
1667	THYMOLPHTHALEIN (pH Indicator) CAS 125-20-2 C₂₈H₃₀O₄ F. Wt. 430.53	5 gm 25 gm	4287	p-TOLUENESULPHONIC ACID MONOHYDRATE, AR GRADE CAS 6192-52-5 C₇H₇SO₃·H₂O F. Wt. 190.22	100 gm 500 gm
2752	THYMOL VIOLET (Indicator) CAS 7512-38-1 C₄₀H₃₉N₂NaO₉S F. Wt. 746.8	5 gm 25 gm	TR 009	O-TOLIDINE REAGENT (Free Chloride)	500 ml
2988	TIN (METAL) GRANULATED CAS 7440-31-5 Sn F. Wt. 118.71	100 gm 500 gm	4288	p-TOLUIDINE, EXTRA PURE CAS 106-49-0 C₇H₇N F. Wt. 107.15	500 gm
760	TIN (METAL) POWDER CAS 7440-31-5 Sn F. Wt. 118.71	100 gm 500 gm	4290	TOMATO POWDER	250 gm
2318	TIN (II) CHLORIDE DIHYDRATE, AR GRADE CAS 10025-69-1 SnCl₂·2H₂O F. Wt. 225.65	100 gm 500 gm	1676	TOLIDINE BLUE CAS 92-31-9 C.I. 52040 (C₁₅H₆C₁N₃S)ZnCl₂ F. Wt. 305.83	25 gm 100 gm
4281	TIN (IV) CHLORIDE PENTAHYDRATE CAS 10026-06-9 SnCl₄·5H₂O	500 gm	TC 024	D-TREHALOSE DIHYDRATE CAS 6138-23-4 C₁₂H₂₂O₁₁·2H₂O F. Wt. 378.33	5 gm 25 gm
4282	TIN(IV) OXIDE, AR GRADE CAS 18282-10-5 SnO₂ F. Wt. 150.71	250 gm	4703	D-TREHALOSE DIHYDRATE, ACS GRADE CAS 6138-23-4 C₁₂H₂₂O₁₁·2H₂O F. Wt. 378.33	5 gm 25 gm
4283	TIRON, AR GRADE (4,5-Dihydroxy-1,3-benzenedisulfonic acid disodium salt) CAS 149-45-1 C₆H₄O₆S₂Na₂ F. Wt. 314.2	10 gm 25 gm	4124	1,2,4-TRIAZOLE (For Synthesis) CAS 288-88-0 C₂H₃N₃ F. wt. 69.07	100 gm 500 gm
4284	TITANIUM (IV) BUTOXIDE CAS 5593-70-4 C₁₆H₃₆O₄Ti F. Wt. 340.30	500 gm	851	TRIBUTYRIN (Glycerol Tributyrate) CAS 60-01-5 C₁₅H₂₆O₆ F. Wt. 302.36	100 ml 500 ml
482	TITANIUM DIOXIDE, EXTRA PURE CAS 13463-67-7 TiO₂ F. Wt. 79.87	500 gm 5 Kg 25 Kg	484	TRICHLORO ACETIC ACID, EXTRA PURE CAS 76-03-9 C₂HCl₃O₂ F. Wt. 163.39	100 gm 500 gm 25 Kg
4285	TITANIUM METAL POWDER CAS 7440-32-6 Ti F. Wt. 47.87	100 gm	4292	2,4,6-TRICHLOROPHENOL CAS 88-06-2 C₆H₃Cl₃O F. Wt. 197.45	500 gm
483	TITANIUM DIOXIDE, AR GRADE CAS 13463-67-7 TiO₂ F. wt. 79.87	100 gm	3587	2,4,5 TRICHLOROPHENOXY ACETIC ACID CAS 93-76-5 C₈H₅Cl₃O₃ F. Wt. 255.49	5 gm 25 gm
1650	TITAN YELLOW CAS 1829-00-1 C.I. 19540 C₂₈H₁₉N₅Na₂O₆S₄ F. Wt. 695.71	10 gm 25 gm	966	TRICINE (N-[Tris(Hydroxymethyl Methyl) Glycine]) CAS 5704-04-1 C₆H₁₃NO₅ F. Wt. 179.17	25 gm 100 gm
1666	O-TOLIDINE, AR GRADE (Reagent for Halogen and gold) CAS 119-93-7 C₁₄H₁₆N₂ F. Wt. 212.29	25 gm 100 gm	4293	TRICLOSAN CAS 3380-34-5 C₁₂H₇Cl₃O₂ F. Wt. 289.54	100 gm
2345	O-TOLIDINE DIHYDROCHLORIDE, AR GRADE CAS 612-82-8 C₁₄H₁₆N₂·2HCl F. Wt. 285.22	25 gm 100 gm	2354	TRIETHANOLAMINE 85% CAS 102-71-6 C₆H₁₅NO₃ F. Wt. 149.19	500 ml 5 Ltr 50 Ltr

T Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2356	TRIETHYLAMINE 99% CAS 121-44-8 $C_6H_{15}NO_3$ F. Wt. 101.19	500 ml 2.5 Ltr 25 Ltr	669	TRITON X 100® CAS 9002-93-1 $C_{34}H_{62}O_{11}$ F. Wt. 646.86	100 ml 500 ml
4294	2,3,5-TRIIODOBENZOIC ACID (TIBA)	5 gm	4298	TROPAEOLIN-0 CAS 547-57-9 $C_{12}H_9N_2NaO_3S$ F. Wt. 316.27	25 gm
4125	TRIETHYLBENZYLAMMONIUM CHLORIDE, EXTRA PURE 56-37-1 $C_{13}H_{22}ClN$ F. wt. 227.77	500 gm	1651	TRYPAN BLUE, CAS 72-57-1 C.I. 23850 $C_{34}H_{28}N_6O_{14}S_4$ F. Wt. 872.88	25 gm 100 gm
2031	TRIMETHOPRIM CAS 738-70-5 $C_{14}H_{18}N_4O_3$ F. Wt. 290.30	5 gm	4300	TRYPSIN INHIBITOR (From Soyabean) * CAS 9035-81-8	500 mg
4101	2,4,6-TRINITROPHENOL CAS 88-89-1 $C_6H_3N_3O_7$ F. Wt. 229.1	500 gm	489	TRYPSIN 2000 U/G (0.2 anson U/G) * CAS 9002-07-7 $C_6H_{15}O_{12}P_3$ F. Wt. 372.10	100 gm 500 gm
4129	TRIMETHYL SULPHOXONIUM IODIDE, MIN 99% (For Synthesis) CAS 1774-47-6 C_3H_9IOS F. wt. 220.07	100 gm 500 gm	490	TRYPSIN 1: 250 * CAS 9002-07-7 $C_6H_{15}O_{12}P_3$ F. Wt. 372.10	25 gm 100 gm
486	TRIS, EXTRA PURE (Tris Hydroxymethyl Aminomethane) CAS 77-86-1 $C_4H_{11}N_3O_3$ F. Wt. 121.14	100 gm 500 gm 25 Kg	4301	TRYPSIN 1: 250 (Gamma-irradiated) * CAS 9002-07-7 $C_6H_{15}O_{12}P_3$ F. Wt. 372.10	25 gm 100gm 500 gm
487	TRIS, 99.9%+ PURITY (Biological Buffer), AR GRADE CAS 77-86-1 $C_4H_{11}NO_3$ F. Wt. 121.14	100 gm 500 gm 25 Kg	3514	TRYPTONE (Regular Grade) General Purpose For Bactriology	500 gm
4130	TRIS ULTRAPURE (For HPLC) CAS 77-86-1 $C_4H_{11}NO_3$ F. wt. 121.14	500 gm	1133	DL-TRYPTOPHAN, 99%+ PURITY, CRYSTALLINE CAS 54-12-6 $C_{11}H_{12}N_2O_2$ F. Wt. 204.22	5 gm 25 gm
672	TRIS-HYDROCHLORIDE, EXTRA PURE (Tris Hydroxymethyl Aninomethane HCl) CAS 1185-53-1 $C_4H_{11}NO_3.HCl$ F. Wt. 157.60	100 gm 500 gm 25 Kg	1134	L-TRYPTOPHAN, 99% + PURITY, CRYSTALLINE CAS 73-22-3 $C_{11}H_{12}N_2O_2$ F. Wt. 204.23	5 gm 25 gm 500 gm
488	TRIS-HYDROCHLORIDE, AR GRADE CAS 1185-53-1 $C_4H_{17}NO_3.HCl$ F. Wt. 157.60	100 gm 500 gm 25 Kg	4131	TUNGSTIC ACID 99%, AR GRADE CAS 7783-03-1 H_2O_4W F. wt. 249.85	100 gm
4297	TRIS(HYDROXYMETHYL) AMINOMETHANE SULPHATE CAS 6992-38-7 $C_4H_{11}NO_3.0.5H_2SO_4$ F. Wt. 170.17	25 gm 100 gm	4302	DODECA-TUNGSTOPHOSPHORIC ACID HYDRATE, AR GRADE CAS 12501-23-4 $H_3PO_4.12WO_3.XH_2O$ F. Wt. 2880.05	100 gm 500 gm
4261	N-[TRIS(HYDROXYMETHYL) METHYL] -3-AMINOPROPANESULPHONIC ACID (TAPS BUFFER) CAS 29915-38-6 $C_7H_{17}NO_6S$ F. Wt. 243.28	25 gm 100 gm	981	TUNGSTOPHOSPHORIC ACID, EXTRA PURE CAS 12501-23-4 $H_3PO_4.12WO_3.XH_2O$ F. Wt. 2880.05	100 gm 500 gm

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
4156	TWEEN 20, EXTRA PURE CAS 9005-64-5 C₅₈H₁₁₃O₂₆ F. Wt. 1226.5	500 ml 25 Ltr	4307	L-VALINE (From non-animal source) CAS 72-18-4 C₅H₁₁NO₂ F. Wt. 117.15	25 gm 100 gm 1 kg
670	TWEEN 20® (Regd. Trademark ICI UK) CAS 9005-64-5 C₅₈H₁₁₃O₂₆ F. Wt. 1226.5	500 ml 25 Ltr	1136	DL-VALINE CAS 516-06-3 C₅H₁₁NO₂ F. Wt. 117.15	25 gm 100 gm
4155	TWEEN 80, EXTRA PURE CAS 9005-65-6 C₃₂H₆₀O₁₀ F. Wt. 604.8	100 ml 500 ml	1137	L-VALINE, 99%+Purity, Crystalline CAS 72-18-4 C₅H₁₁NO₂ F. Wt. 117.15	25 gm 100 gm
673	TWEEN 80® (Regd. Trademark ICI UK), CAS 9005-65-6 C₃₂H₆₀O₁₀ F. Wt. 604.8	100 ml 500 ml 25 Ltr	4308	VANADIUM (III) CHLORIDE CAS 7718-98-1 VCl₃ F. Wt. 157.3	10 gm
3234	DL-TYROSINE CAS 556-03-6 C₅H₁₁NO₃ F. Wt. 181.19	5 gm	2769	VANADIUM PENTOXIDE, EXTRA PURE CAS 1314-62-1 V₂O₅ F. wt. 181.88	100 gm 500 gm
1135	L-TYROSINE, 99%+Crystalline CAS 60-18-4 C₅H₁₁NO₃ F. Wt. 181.19	25 gm 100 gm 500 gm	4309	VANADYL SULPHATE HYDRATE CAS 27774-13-6 VOSO_x.xH₂O F. Wt. 163.00	100 gm
4303	UNIVERSAL INDICATOR	100 ml 500 ml	2770	VANILLIN (4-Hydroxy-3-Methoxy Benzaldehyde) CAS 121-33-5 C₈H₈O₃ F. Wt. 152.15	100 gm 500 gm
1663	UNIVERSAL INDICATOR POWDER * (pH 2 to 10)	25 gm 100 gm	1711	VITAMIN A ACETATE, (Retinol acetate) * CAS 127-47-9 C₂₂H₃₂O₂ F. Wt. 328.5	25 gm 100 gm
674	URACIL CAS 66-22-8 C₄H₄N₂O₂ F. Wt. 112.09	5 gm 25 gm	1702	VITAMIN B₁ (Thiamine hydrochloride) * CAS 67-03-8 C₁₂H₁₇ClN₄OS.HCl₂ F. Wt. 337.27	25 gm 100 gm 500 gm
4304	UREA (Meets USP/EP/JP/BP Testing specifications) CAS 57-13-6 N₂H₄CO F. Wt. 60.06	500 gm 1 Kg 5 Kg	1703	VITAMIN B₂ (Riboflavin), Vitamin G CAS 83-88-5 C₁₇H₂₀N₄O₆ F. Wt. 376.36	10 gm 25 gm 100 gm
491	UREA, EXTRA PURE CAS 57-13-6 CH₄N₂O F. Wt. 60.06	500 gm 5 Kg 50 Kg	759	VITAMIN B₃ (Nicotinic Acid) CAS 59-67-6 C₆H₅NO₂ F. Wt. 123.11	25 gm 100 gm 1 Kg
492	UREA, AR GRADE CAS 57-13-6 CH₄N₂O F. Wt. 60.06	500 gm 5 Kg 50 Kg	561	VITAMIN B₄ (Adenine 99%) (6-Aminopurine) CAS 73-24-5 C₅H₅N₅ F. Wt. 135.13	5 gm 25 gm 1 Kg
4305	UREA PHOSPHATE CAS 4861-19-12 CN₂H₃PO₃ F. Wt. 158.05	500 gm	1701	VITAMIN B₅ (Calcium-D-Pantothenate) * CAS 137-08-6 C₁₈H₃₂CaN₂O₁₀ F. wt. 476.53	25 gm 100 gm
1933	UREASE (Jackbean Meal) CAS 9002-13-5	100 gm 500 gm 25 kg	1705	VITAMIN B₆ (Pyridoxine Hydrochloride) * CAS 58-56-0 C₈H₁₁NO₃.HCl F. Wt. 205.64	10 gm 25 gm 100 gm
2768	URIC ACID, AR GRADE CAS 69-93-2 C₅H₄N₄O₃ F. Wt. 168.0	25 gm 100 gm	1709	VITAMIN B₇ Coenzyme (D-Biotin) * CAS 58-85-5 C₁₀H₁₆N₂O₃S F. Wt. 244.31	1 gm 10 gm 25 gm
3451	URIDINE 99% (For Biochemistry) CAS 58-96-8 C₉H₁₂N₂O₆ F. wt. 244.2	1 gm 5 gm 25 gm	604	VITAMIN B₈ (Inositol) * CAS 61-19-8 C₆H₁₂O₆ F. Wt. 180.16	25 gm 100 gm 1 Kg
642	VACCU GREASE SILICONE (High Vacuum Grease)	500 gm	335	VITAMIN B₉ (Folic Acid) * CAS 59-30-3 C₁₉H₁₉N₇O₆ F. Wt. 441.40	5 gm 25 gm
4306	D-VALINE CAS 640-68-6 C₅H₁₁NO₂ F. Wt. 117.15	1 gm 5 gm 25 gm			

U

V

V Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
233	VITAMIN B ₁₀ (PABA) CAS 150-13-0 C ₇ H ₇ NO ₂ F. Wt. 137.14	100 gm 500 gm	3095	X-GLUCOSIDE * CAS 15548-60-4 C ₁₄ H ₁₅ BrClNO ₆ F. Wt. 408.63	100 mg
1704	VITAMIN B ₁₂ (Cyanocobalamin) * CAS 68-19-9 C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P F. Wt. 1355.38	1 gm 10 gm	4146	XANTHAN GUM, EXTRA PURE CAS 11138-66-2	100 gm 500 gm 25 Kg
1721	VITAMIN B ₇ (L-Carnitine) * CAS 541-15-1 C ₇ H ₁₅ NO ₃ F. Wt. 161.20	5 gm 25 gm	1890	XANTHAN GUM, AR GRADE CAS 11138-66-2	100 gm 500 gm 25 Kg
1706	VITAMIN C (Ascorbic Acid) CAS 50-81-7 C ₆ H ₈ O ₆ F. Wt.176.12	100 gm 500 gm	3237	XANTHINE (2,4 Dihydroxypentane) CAS 69-89-6 C ₅ H ₅ N ₄ O ₂ F. Wt. 152.11	5 gm 25 gm
1715	VITAMIN C, AR GRADE CAS 50-81-7 C ₆ H ₈ O ₆ F. Wt. 176.13	25 gm 100 gm 500 gm	2772	XYLENOL ORANGE, AR GRADE CAS 1611-35-4 C ₃₁ H ₃₂ N ₂ O ₁₃ S F. Wt. 672.67	5 gm 10 gm
1707	VITAMIN D ₃ (Cholecalciferol) * CAS 67-97-0 C ₂₇ H ₄₄ O F. Wt. 384.64	1 gm	1312	D(+)XYLOSE CAS 58-86-6 C ₅ H ₁₀ O ₅ F. Wt. 150.13	25 gm 100 gm 500 gm
1708	VITAMIN E, POWDER * (DL-Tocopherol Acetate) 50% Powder CAS 10191-41-0 C ₂₉ H ₅₀ O ₂ F. Wt. 430.71	50 gm	3515	YEAST EXTRACT PASTE For Bactriology	500 gm
1709	VITAMIN H (D-Biotin) * CAS 58-85-5 C ₁₀ H ₁₆ N ₂ O ₃ S F. Wt. 244.31	1 gm 10 gm 25 gm	4204	YEAST EXTRACT POWDER (Bacto Grade) For General Purpose For Bacteriology	500 gm
1710	VITAMIN K ₃ (Menadione) CAS 58-27-5 C ₁₁ H ₈ O ₂ F. Wt. 172.18	25 gm	4132	YTTRIUM OXIDE 99.9% AR CAS 1314-36-9 Y ₂ O ₃ F. wt. 225.81	10 gm 25 gm
1716	VITAMIN K ₃ SODIUM BISULPHITE * Water Soluble CAS 130-37-0 C ₁₁ H ₉ NaO ₅ S F. Wt. 276.24	25 gm 100 gm	516	ZEATIN (Plant Growth Regulator) * CAS 1637-39-4 C ₁₀ H ₁₃ N ₅ O F. Wt. 219.25	100 mg 500 mg 1 gm
1665	WRIGHT'S STAIN (Wright's Eosin Methylene Blue) CAS 68988-92-1	25 gm 100 gm	4313	TRANS-ZEATIN RIBOSIDE CAS 6025-53-2 C ₁₅ H ₂₁ N ₅ O ₅ F.Wt. 351.36	10 gm
3004	XYLENE CYANOL FF (ACID BLUE 147) CAS 2650-17-1 C ₂₅ H ₂₇ N ₂ NaO ₆ S ₂ F. Wt. 538.61	5 gm 25 gm	493	ZINC ACETATE (Dihydrate), EXTRA PURE CAS 5970-45-6 C ₄ H ₆ O ₄ Zn.2H ₂ O F. Wt. 219.51	500 gm 50 Kg
4310	XYLENOL ORANGE TETRASODIUM SALT, PRACTICAL GRADE CAS 3618-43-7 C ₃₁ H ₂₈ N ₂ O ₁₃ SNa F. Wt. 760.58	5 gm 10 gm	494	ZINC ACETATE (Dihydrate), AR GRADE CAS 5970-45-6 C ₄ H ₆ O ₄ Zn.2H ₂ O F. Wt. 219.51	500 gm 50 Kg
4311	XYLIDINE PONCEAU CAS 3761-53-3 C ₁₈ H ₁₄ N ₂ Na ₂ O ₂ S ₂	25 gm	4314	ZINC BORATE, EXTRA PURE CAS 1332-07-6 2ZnO.3B ₂ O ₃ .3.5H ₂ O F.Wt. 434.62	1 kg
4312	XYLIDYL BLUE I SODIUM SALT, EXTRA PURE CAS 14936-97-1 C ₂₅ H ₂₀ N ₃ NaO ₆ S F.Wt. 513.50	1 gm	677	ZINC CARBONATE BASIC CAS 5970-47-8 3Zn(OH) ₂ .2ZnCO ₃ F. Wt. 549.01	500 gm
3093	X-GAL (5-BROMO-4-CHLORO-3 INDOLYL-β-D-GALACTOPYRANOSIDE) * CAS 7240-90-6 C ₁₄ H ₁₅ BrClNO ₆ F. Wt. 408.63	100 mg 500 mg 1 gm	2369	ZINC CHLORIDE (ANH.), EXTRA PURE CAS 7646-85-7 ZnCl ₂ F. Wt. 136.30	500 gm 50 Kg
			4315	ZINC CHLORIDE (ANH) Meets USP/EP/JP/BP CAS 7646-85-7 ZnCl ₂ F.Wt. 136.30	100 gm 500 gm 1 kg
			2371	ZINC METAL, (Granules) CAS 7440-66-6 Zn F. Wt. 65.37	500 gm 50 Kg

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
700	ZINC METAL (Powder) (325 mesh) CAS 7440-66-6 Zn F. Wt. 65.38	500 gm 50 Kg	495	ZINC OXIDE, EXTRA PURE CAS 1314-13-2 ZnO F. Wt. 81.38	500 gm 5 Kg 50 Kg
4133	ZINC (METAL) DUST 325 MESH, EXTRA PURE CAS 7440-66-6 Zn F. wt. 65.38	500 gm	496	ZINC OXIDE, AR GRADE CAS 1314-13-2 ZnO F. wt. 81.38	500 gm
4134	ZINC (METAL) DUST 325 MESH, AR GRADE CAS 7440-66-6 (Pharma Grade) Zn F. wt. 65.38	500 gm	2785	ZINC PICOLINATE CAS 17949-65-4 C ₁₂ H ₈ N ₂ O ₄ Zn ₂ F. Wt. 309.61	100 gm
3507	ZINC CHLORIDE DRY, AR GRADE CAS 7646-85-7 ZnCl ₂ F. wt. 136.28	500 gm	2445	ZINCON SODIUM, AR GRADE CAS 62625-22-3 C ₂₀ H ₁₅ N ₄ NaO ₆ S F. wt. 480.43	1 gm 5 gm
4316	ZINC CITRATE TRIBASIC DIHYDRATE CAS 5990-32-9 C ₁₂ H ₁₀ O ₁₄ Zn ₃ ·2H ₂ O F. Wt. 610.4	500 gm	2777	ZINC STEARATE, Pharma Grade CAS 557-05-1 2(C ₁₈ H ₃₅ O ₂) ₂ .Zn F. Wt. 632.33	500 gm
4317	ZINC DIBENZYLDTIHOICARBAMATE, AR GRADE CAS 14726-36-4 C ₃₀ H ₂₈ N ₂ S ₂ Zn F. Wt. 610.19	25 gm	497	ZINC SULPHATE (HEPTA), EXTRA PURE CAS 7446-20-0 ZnSO ₄ ·7H ₂ O F. Wt. 287.55	500 gm 5 Kg 50 Kg
4318	ZINC GLUCONATE CAS 4468-02-4 C ₁₂ H ₂₂ O ₁₄ Zn F. Wt. 455.68	500 gm	3508	ZINC SULPHATE (HEPTA), AR GRADE CAS 7446-20-0 ZnSO ₄ ·7H ₂ O F. Wt. 287.55	500 gm 5 Kg 50 Kg
4136	ZINC NITRATE (Hexahydrate), EXTRA PURE CAS 10196-18-6 Zn(NO ₃) ₂ ·6H ₂ O F. wt. 297.49	500 gm	499	ZINC SULPHATE (Monohydrate), Pharma Grade CAS 7446-19-7 ZnSO ₄ ·H ₂ O F. Wt. 179.48	500 gm 5 Kg 50 Kg
4319	ZINC OXALATE HYDRATE, EXTRA PURE CAS 547-68-2 ZnC ₂ O ₄ ·xH ₂ O F. Wt. 153.41	500 gm	4001	ZINC SULPHATE (Monohydrate), AR GRADE CAS 7446-19-7 ZnSO ₄ ·H ₂ O F. Wt. 179.48	500 gm 5 Kg

pH Indicator Paper Strips

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TBL 031	pH INDICATOR PAPER 1.0 - 14.0	200 lvs	TBL 057	pH INDICATOR PAPER 6.5 - 9.0	200 lvs
TBL 036	pH INDICATOR PAPER 2.0 - 10.5	200 lvs	TBL 061	pH INDICATOR PAPER 8.0 - 10.5	200 lvs
TBL 037	pH INDICATOR PAPER 2.0 - 4.5	200 lvs	1634	LITMUS PAPER - BLUE	200 lvs
TBL 044	pH INDICATOR PAPER 3.8 - 5.3	200 lvs	1636	LITMUS PAPER - RED	200 lvs
TBL 047	pH INDICATOR PAPER 3.5 - 6.0	200 lvs	1635	STARCH IODIDE PAPERS	200 lvs
TBL 048	pH INDICATOR PAPER 5.0 - 7.5	200 lvs			

pH Buffer Capsules

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
284	BUFFER CAPSULES pH 4.0	10 Cap. 10x10	284	BUFFER CAPSULES pH 9.2	10 Cap. 10x10
285	BUFFER CAPSULES pH 7.0	10 Cap. 10x10			

Acids & Solvents

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
569	ACETIC ACID, Glacial CAS 64-19-7 CH₃COOH F. wt. 60.05	500 ml 2.5 ltr 5 ltr 25 ltr	3200	POTASSIUM LACTATE 50% CAS 996-31-6 C₃H₅KO₃ F. Wt. 128.17	500 ml
568	ACETONE CAS 67-64-1 (CH₃)₂CO F. wt. 58.08	500 ml 2.5 ltr 25 ltr	4143	PROPIONIC ACID CAS 79-09-4 C₃H₆O₂ F. wt. 74.08	500 ml 2.5 ltr 25 ltr
049	AMMONIA SOLUTION 25% CAS 1336-21-6 NH₃ F. wt. 17.03	500 ml 2.5 ltr 5 ltr 25 ltr	2401	SODIUM HYPOCHLORITE 4% CAS 7681-52-9 NaClO F. wt. 74.44	500 ml 1 ltr 5 ltr 25 ltr
133	BRIJ 35 (Polyoxyethylene Lauryl ether) CAS 9002-92-0 C₁₂H₂₅O.(C₂H₄O)_n	500 ml	2294	SODIUM LACTATE 60% CAS 72-17-3 C₃H₅NaO₃ F. Wt. 112.06	500 ml
023	BENZALKONIUM CHLORIDE 50% CAS 63449-41-2	500 ml 5 ltr 25 ltr	696	SOLUTION FOR LEISHMAN STAIN (S.F.L) CAS 67-56-1 CH₄O F. wt. 32.04	500 ml 2.5 ltr 25 ltr
4169	BENZALKONIUM CHLORIDE 80% CAS 63449-41-2	25 ltr 50 ltr	665	TABOLENE GL (With Dispenser) For Glass & Computer Equipment Cleaning	500 ml 5 Ltr
1861	ETHYL ACETATE CAS 141-78-6 CH₃COO₂H₅ F. wt. 88.11	500 ml 2.5 ltr 25 ltr	666	TABOLENE GLW (DETERGENT TABOLENE) (With Neutral pH Phosphate Free Detergent) For Glassware Cleaning	500 ml 5 Ltr
1940	LACTIC ACID, (Hydroxy Propionic Acid), EXTRA PURE CAS 50-21-5 C₃H₆O₃ F. Wt. 90.08	500 ml 2.5 ltr 25 ltr	667	TABOLENE GP General Purpose Detergent Lab Floor Cleaning, Like Teepol	500 ml 5 Ltr 50 Ltr
718	FORMALDEHYDE SOLUTION 37-41% CAS 50-00-0 CH₂O F. wt. 30.03	500 ml 2.5 ltr 5 ltr 30 ltr	2743	TERPINEOL (Mixture of Isomers) (PHARMA GRADE) CAS 8006-39-1 C₁₀H₁₈O F. Wt. 154.25	500 ml 2.5 Ltr
353	ISO PROPYL ALCOHOL CAS 67-63-0 C₃H₈O F. wt. 60.10	500 ml 25 ltr 5 ltr	2354	TRIETHANOLAMINE 85% CAS 102-71-6 C₆H₁₅NO₃ F. Wt. 149.19	500 ml 5 ltr 50 Ltr
2163	OLEIC ACID, (Elainic Acid), EXTRA PURE (For Biochemistry) CAS 112-80-1 C₁₈H₃₄O₂ F. Wt. 282.46 (Store at 2-8°C)	500 ml	2356	TRIETHYLAMINE 99% CAS 121-44-8 C₆H₁₅NO₃ F. Wt. 101.19	500 ml 2.5 Ltr 25 Ltr
876	ORTHO-PHOSPHORIC ACID CAS 7664-38-2 H₃PO₄ F. wt. 98.00	500 ml 2.5 ltr 5 ltr 25 ltr	670	TWEEN 20® (Regd. Trademark ICI UK) CAS 9005-64-5 C₅₈H₁₁₃O₂₆ F. Wt. 1226.5	500 ml 25 Ltr
			673	TWEEN 80® (Regd. Trademark ICI UK) CAS 9005-65-6 C₃₂H₆₀O₁₀ F. Wt. 604.8	100 ml 500 ml 25 Ltr

Food Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE
5000	ACETIC ACID	25 Kg
5100	ACETIC ACID GLACIAL	25 Kg
5122	ACETIC ACID (9000)	25 Kg
5001	ACETONE	25 Ltr
TBF 095	AGAR AGAR (TYPE-I)	25 Kg
TBF 104	AGAR AGAR (TYPE-II)	25 Kg
5002	AMMONIUM BICARBONATE, (Ammonium Hydrogen Carbonate)	50 Kg
5003	AMMONIUM CHLORIDE	50 Kg
5132	tri-AMMONIUM CITRATE	25 Kg
5123	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE	50 Kg
5021	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE (DAP)	50 Kg
5095	AMMONIUM HYDROXIDE (Ammonia Solution)	25 Ltr
5004	AMMONIUM PERSULPHATE (For Distillery)	50 Kg
5139	L-ARABINOSE	25 Kg
5113	L-ASCORBIC ACID	25 Kg
5005	BENZOIC ACID	25 Kg
5006	BUTYLATED HYDROXY ANISOLE, (B.H.A.)	25 Kg
5007	BUTYLATED HYDROXY TOLUENE, (B.H.T.)	25 Kg
5008	CAFFEINE (ANH) (Food Grade)	25 Kg
5009	CALCIUM ACETATE, (Dried) (For Atorvastatin)	25 Kg
5112	CALCIUM BUTYRATE	25 Kg
5010	CALCIUM CARBONATE (Precipitated)	50 Kg
5011	CALCIUM CHLORIDE (ANH.)	50 Kg
5096	CALCIUM CHLORIDE (Dihydrate)	50 Kg
5012	CALCIUM CITRATE (Tetrahydrate)	50 Kg
TBF 155	CALCIUM DIACETATE	25 Kg
5124	CALCIUM GLUCONATE (Mono)	50 Kg
5013	CALCIUM HYDROXIDE (Purified)	50 Kg
5014	CALCIUM LACTATE POWDER (Penta)	25 Kg
5088	CALCIUM PEROXIDE	25 Kg
5118	MONO CALCIUM PHOSPHATE (Monobasic) (MCP)	25 Kg
5022	di-CALCIUM PHOSPHATE (Dihydrate) (DCP)	25 Kg
5015	tri-CALCIUM PHOSPHATE (ANH.)	25 Kg
5016	CALCIUM PHOSPHATE (TCP)	25 Kg
5017	CALCIUM PROPIONATE	25 Kg
5109	CALCIUM SULPHATE (ANH.)	50 Kg
5086	CALCIUM SULPHATE (Dihydrate)	50 Kg
TBF 206	CARRAGEENAN (Kappa)	25 Kg

CODE	PRODUCT NAME	PACK SIZE
5019	CITRIC ACID (ANH.)	25 Kg
5020	CITRIC ACID, (Mono)	25 Kg
5098	COPPER SULPHATE (Penta)	50 Kg
5125	DEGREASER	25 Kg
5024	EDTA DISODIUM	25 Kg
5025	FERRIC CHLORIDE (ANH.)	50 Kg
5026	FERROUS SULPHATE (Hepta)	50 Kg
5027	FOLIC ACID (Vitamin B)	25 Kg
5137	GALACTOSE	25 Kg
5028	GLYCEROL, (Glycerine)	35 Kg
TBF 158	GLYCINE (Amino Acetic Acid)	25 Kg
5126	GLUCO DELTA LACTONE, (For Cheese)	25 Kg
5133	HYDROGEN PEROXIDE 35%	25 Kg
5099	ISOPROPYL ALCOHOL	25 Ltr
5030	LACTIC ACID, (Hydroxy Propionic Acid)	25 Ltr
5031	MAGNESIUM CHLORIDE (Hexa)	50 Kg
5032	MAGNESIUM SULPHATE, (Hepta)	50 Kg
5134	MANGANESE CHLORIDE	25 Kg
5033	DL-MALEIC ACID	25 Kg
5034	MANGANESE (II) SULPHATE, (Mono)	50 Kg
5138	MANNOSE	25 Kg
5127	METHYL PARABEN	10 Kg 25 Kg
5035	METHYL PARABEN SODIUM	10 Kg 25 Kg
5128	MICROSIL (Food Grade Sterilizer)	25 Ltr
5036	NIACIN (Nicotinic Acid) (Vitamin B)	25 Kg
5037	NIACINAMIDE (Nicotinamide) (Vitamin PP)	25 Kg
5038	n-PROPYL GALLATE	25 Kg
5039	ortho PHOSPHORIC ACID	25 Kg
5040	POLYVINYL PYRROLIDINE K-25 (PVP)	25 Kg
5041	POLYVINYL PYRROLIDINE K-30 (PVP)	25 Kg
5042	POTASSIUM ACETATE	25 Kg
5101	POTASSIUM BENZOATE	25 Ltr
5043	POTASSIUM BICARBONATE	50 Kg
5090	POTASSIUM BROMATE	50 Kg
5044	POTASSIUM CARBONATE (ANH.)	50 Kg
5045	POTASSIUM CHLORIDE	50 Kg

Food Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE	PRICE
5079	tri-POTASSIUM CITRATE (Mono)	25 Kg	5080	tri-SODIUM CITRATE, (ANH.)	50 Kg	
5046	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Potassium Phosphate), (ANH.)	50 Kg	5115	tri-SODIUM CITRATE, (Dihyrate)	50 Kg	
5063	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.)	50 Kg	TBF 006	SODIUM DIACETATE, (Dry Vinegar)	25 Kg	
5047	POTASSIUM HYDROXIDE, FLAKES	50 Kg	5069	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate)	50 Kg	
5048	POTASSIUM HYDROXIDE, PELLETS	50 Kg	5023	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate)	50 Kg	
5135	POTASSIUM HYDROXIDE POWDER	25 Kg	5119	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH.)	50 Kg	
5049	POTASSIUM IODATE	25 Kg	5085	SODIUM HYDROSULPHITE	50 Kg	
5050	POTASSIUM IODIDE	25 Kg	5104	SODIUM HYPOCHLORITE 4%	25 Ltr	
5051	POTASSIUM METABISULPHITE	50 Kg	5070	SODIUM HYDROXIDE FLAKES	50 Kg	
5052	POTASSIUM NITRATE	50 Kg	5071	SODIUM HYDROXIDE PELLETS	50 Kg	
5091	POTASSIUM PERSULPHATE	50 Kg	5117	SODIUM LAURYL SULPHATE	25 Kg	
5107	POTASSIUM PROPIONATE	25 Kg	5072	SODIUM METABISULPHITE	50 Kg	
5092	POTASSIUM SODIUM TARTRATE	25 Kg	5073	SODIUM NITRATE	50 Kg	
TBF 197	POTASSIUM SORBATE (GRANULAR)	25 Kg	5074	SODIUM NITRITE	50 Kg	
5054	POTASSIUM SULPHATE	50 Kg	5121	SODIUM OLEATE	25 Kg	
5055	PROPYLENE GLYCOL (1,2-Propanediol)	25 Ltr	5075	SODIUM POTASSIUM TARTRATE, (Tetra)	25 Kg	
5103	PROPYLENE GLYCOL ALGINATE (PGA)	25 Kg	TBF 127	SODIUM PROPIONATE	50 Kg	
5056	PROPYL PARABEN	25 Kg	5120	SODIUM SULPHATE (ANH.)	50 Kg	
5057	PROPYL PARABEN SODIUM	25 Kg	5076	SODIUM SULPHITE (ANH.)	50 Kg	
5058	SODIUM ACETATE (ANH.)	50 Kg	5136	SODIUM TRIPOLYPHOSPHATE	25 Kg	
5059	SODIUM ACETATE (Trihydrate)	50 Kg	TBF 2732	SORBIC ACID POWDER	25 Kg	
5060	SODIUM ACID PYROPHOSPHATE (SAPP)	50 Kg	5110	SORBITOL LIQUID	25 Kg	
5114	SODIUM ALGINATE	50 Kg	5093	SORBITOL POWDER	25 Kg	
5102	SODIUM ASCORBATE	25 Kg	5078	TITANIUM DIOXIDE	25 Kg	
5061	SODIUM BENZOATE	25 Kg	5082	POLYSORBATE 20	50 Kg	
5062	SODIUM BICARBONATE	50 Kg	5083	POLYSORBATE 80	50 Kg	
5064	SODIUM BUTYRATE	25 Kg	5108	UREA	50 Kg	
5065	SODIUM CARBONATE (ANH.)	50 Kg	5094	XANTHAM GUM	25 Kg	
5066	SODIUM CARBONATE (Mono)	50 Kg	5129	YEAST EXTRACT	25 Kg	
5067	SODIUM CHLORIDE	50 Kg	5130	ZINC CARBOANTE	50 Kg	
5068	SODIUM CITRATE DIBASIC (Di Sodium Hydrogen Citrate)	50 Kg	5131	ZINC CHLORIDE	50 Kg	
			5084	ZINC SULPHATE (Hepta)	50 Kg	
			5105	ZINC SULPHATE (Mono)	50 Kg	

Our all Food Products are Produced under FSSC and FSSAI Approved facilities.

Food Additives

CODE PRODUCT NAME

Food Preservative

TBF 218	BUFFERED LACTIC ACID
TBF 226	POTASSIUM LACTATE (Liquid)
TBF 227	SODIUM LACTATE (Liquid)
TBF 128	CALCIUM PROPIONATE POWDER (VICTORY CAP)
TBF 127	SODIUM PROPIONATE POWDER (VICTORY NAP)
TBF 137	CALCIUM LIQUID (VICTORY NA)
TBF 223	NATAMYCIN
TBF 224	NISIN
TBF 197	POTASSIUM SORBATE (VIMULX SORBATE)
TBF 2732	SORBIC ACID POWDER (VIMULX SORBIC)

Seasoning / Flavoring Purpose

TBF 205	DI SODIUM SUCCINATE (Hexa)
TBF 006	SODIUM DIACETATE (Dry Vinegar)
TBF 082	HYDROLYSED VEGETABLE PROTEIN (Soya) (High/Low Salt)
TBF 083	HYDROLYSED VEGETABLE PROTEIN (Yeast) (High/Low Salt)
TBF 134	YEAST EXTRACT PASTE
TBF 100	YEAST EXTRACT POWDER (Chicken Flavor)
TBF 098 A	YEAST EXTRACT POWDER - R (High Salt)
TBF 098	YEAST EXTRACT POWDER - R (Low Salt)
TBF 108	YEAST EXTRACT POWDER - R PLUS (Savoury Taste)
TBF 109	YEAST EXTRACT POWDER - R EXTRA PLUS (Savoury Taste)

CODE PRODUCT NAME

Disinfectants For Food Industry

TBF 222	MICROSIL (Nano Silver Disinfectant)
TBF 159	STREPTO SOLENE (Disinfectant)

Gumming/thickening Agents

TBF 095	AGAR AGAR POWDER (TYPE-I)
TBF 104	AGAR AGAR POWDER (TYPE-II)
TBF 206	CARRAGEENAN (Kappa) Refined
TBF 156	CARRAGEENAN (Kappa) Semi Refined
TBF 157	GELLAN GUM (Uses Milk, Juice Thicker & Smoother)
1890	XANTHAN GUM

Nutritional Products

TBF 010	BREWER YEAST PROTEIN
TBF 219	COLLAGEN PEPTIDE (Bovine)
TBF 220	COLLAGEN PEPTIDE (Fish/Marine)
TBF 016	DRIED YEAST INACTIVE (for Biscuits)
TBF 005	DARK MALT EXTRACT POWDER (Caramel Colour Replacer)
TBF 129	MALT EXTRACT PASTE
TBF 037	MALT EXTRACT POWDER
TBF 114	MALT EXTRACT POWDER (Chocolate Flavor)
TBF 221	METHYL SULFONYL METHANE (MSM)
TBF 225	PEA PROTEIN ISOLATE
TBF 105	SODIUM CASEINATE (PROTEIN 90%)
TBF 207	SOYA LECITHIN LIQUID
TBF 066	SOYA LECITHIN POWDER
TBF 107	SOYA PROTEIN ISOLATE
TBF 148	WHEY PROTEIN CONCENTRATE 35%
TBF 149	WHEY PROTEIN CONCENTRATE 70%
TBF 150	WHEY PROTEIN CONCENTRATE 80%

Agro Products

PRODUCT NAME

FORMULATED BIO-STIMULATORS

Nano AMINOFERT GOLD

AMINOFERT GOLD

Brassinolides 0.01% (PEP BASSIL DOUBLE)

Potassium Humate 20% (ECO GOLD LIQUID 20%)

Root Development Base (RDB BASE)

Seaweed Liquid 20% (SEA-PEP)

BASIC BIO-STIMULATORS

Amino Acid Mixture 40% (AMINOFERT- 400)

Amino Acid Mixture 50% (AMINOFERT- 500)

Amino Acid Mixture 70% (AMINOFERT- 700)

Amino Acid Mixture 80% (AMINOFERT- 800)

AMINO ACID CHELATED MINERALS

Boron Amino Acid Chelate-B 12% (AMINOFERT- B)

Calcium Amino Acid Chelate-Ca 12% (AMINOFERT- Ca)

Calcium Boron Amino Acid Chelate-CB 6:1 (AMINOFERT- CB)

Copper Amino Acid Chelate-Cu 12% (AMINOFERT- Cu)

Ferrous Amino Acid Chelate-Fe 12% (AMINOFERT- Fe)

Magnesium Amino Acid Chelate-Mg 6% (AMINOFERT- Mg)

Manganese Amino Acid Chelate-Mn 12% (AMINOFERT- Mn)

Molybdenum Amino Acid Chelate - Mo 2% (AMINOFERT- Mo)

Zinc Amino Acid Chelate-Zn 12% (AMINOFERT- Zn)

BIO-FUNGICIDES/ BIO-NEMATICIDES/ BIOPESTICIDES

Trichoderma Viride 1.5% W.P. (TRICHO PEP-V)

Trichoderma Harzianum 1.0% W.P. (TRICHO PEP-H)

Pseudomonas Fluorescens 1.0% W.P. (PSEUDO PEP)

Paecilomyces Lilacinus 1.0% W.P. (PAECILO PEP)

BEAUVERIA BASSIANA

BACILLUS SUBTILIS

METARHIZIUM ANISOPLIAE

BIO-FERTILIZERS

Mycorrhiza (Endo & Ecto 60 Spores/1200 IP/gm) (MYCO-PEP)

Mycorrhiza, Concentrated (3500 ip/gm) (MYCO KING)

Acetobacter (ACETO-PEP)

Azospirillum (AZOS-PEP)

PRODUCT NAME

Azotobacter (AZOTO-PEP)

Rhizobium (RHIZO-PEP)

Phosphate Solubilizing Bacteria (PSB PEP)

Potassium Solubilizing Bacteria (KSB PEP)

Zinc Solubilizing Bacteria (ZSB PEP)

Sulphur Solubilizing Bacteria (SSB PEP)

BIO-NPK (Consortium Of Nitrogen, Potassium & Phosphate Solubilising Bacteria)

ADJUVANTS & SPREADERS

SIL-ONE

PEP APSA 80

WATER SOLUBLE FERTILIZERS

SOLUBLE SULPHUR WITH CALCIUM

SOLUBLE SILICA WITH POTASSIUM

CROP TIGER

PLANT GROWTH REGULATORS (TECHNICAL)

POTASSIUM HUMATE 98%

SEAWEED EXTRACT

PLANT GROWTH REGULATORS (FORMULATIONS) (AS PER CIB & RC)

ANA 4.5% Cl-Naphthyl Acetic Acid 4.5%) (PEP FRUIT FIX)

Forchlorfenuron (CPPU) 0.1% W/W

Gibberellic Acid (GA) 0.001% (PEP GIBB)

Gibberellic Acid (GA) 0.186% (PEP GIBB)

Paclobotrazol 23% SC (PEP STAR)

FUNGICIDES

COPPER OXYCHLORIDE 50% WP

COPPER OXYCHLORIDE 50% WG

COPPER OXYCHLORIDE 56% OP

TEBUCONAZOLE 2% D.S.

TEBUCONAZOLE 5.36% FS

INSECTICIDES

ACETAMIPRID 20% SP

CYPERMETHRIN 1.0% CHALK

CYPERMETHRIN 10% E.C.

CYPERMETHRIN 25% E.C.

PRODUCT NAME

INSECTICIDES

CARTAP HYDROCHLORIDE 4% GR

EMAMECTIN BENZOATE 5% SG

EMAMECTIN BENZOATE 1.9% EC

FIPRONIL 5% SC

FIPRONIL 80% WG

IMIDACLOPRID 0.3% GR

IMIDACLOPRID 2.15% GEL

IMIDACLOPRID 17.8% SL

IMIDACLOPRID 70% WS

IMIDACLOPRID 70% WG

IMIDACLOPRID 30.5% SC

LAMBDA CYHALOTHRIN 2.5% EC

LAMBDA CYHALOTHRIN 5% EC.

LAMBDA CYHALOTHRIN 10% WP

LAMBDA-CYHALOTHRIN 4.9% (Capsule Suspension)

PRODUCT NAME

PROFENOPHOS 50% EC

THIAMETHOXAM 25% WG

PESTICIDES

CHLORPYRIPHOS 2% RTU

CHLORPYRIPHOS 20% EC

CHLORPYRIFOS 50% EC

LIME SULPHUR 22% SC

HERBICIDES

CLODINAFOP PROPARGYL 15% WP

METRIBUZIN 70% W.P.

ACARICIDES

FENPYROXIMATE 5% EC

FENPYROXIMATE 5% SC

TRIAZOPHOS 20% E.C.

TRIAZOPHOS 40% E.C.



Customized & formulations packagings are also available for our B 2 B Customers



For more Formulations/Technicals, Please Contact Us

mail@peptechbio.com



PEPTECH BIOSCIENCES LIMITED

www.peptechbio.com

Biotechnology & Fermentation Products

(Bacteriological Grade)

CODE	PRODUCT NAME
242 M	AGAR AGAR TYPE-I For General Purpose, Bacteriological Grade
1201	AGAR AGAR POWDER Bacteriological Grade
1202	AGAR AGAR POWDER Highly Purified
1243	AGAR AGAR POWDER (HIGH GEL) At low temp. like NMT 38°C
1228	AGAR SPECIAL Equivalent to Agar Noble
1203	AGAR AGAR POWDER(as per IP) Bacteriological Grade
3540	AGAR AGAR For Molecular Biology
1525	B. MEAT EXTRACT PASTE For General Purpose, Bacteriological Grade
1204	B. MEAT EXTRACT POWDER (TYPE-I) For General Purpose, Bacteriological Grade
1205 V	VEG. BE EXTRACT POWDER Equivalent to Beef Extract Powder
1205	B. MEAT EXTRACT POWDER Bacteriological Grade
1206	B. MEAT EXTRACT (STD) TBL POWDER Bacteriological Grade
1207	BILE SALT POWDER Bacteriological Grade
1234	BILE SALT (STD) TBL POWDER Bacteriological Grade
1208	BILE SALT MIXTURE Equivalent to Bile Salt No.3, Bacteriological Grade
1235	BILE SALT MIXTURE (STD) TBL POWDER Bacteriological Grade
1236 V	VEG. BIOPEPTONE Equivalent to Biopeptone
1236	BIOPEPTONE (MIXTURE OF CASEIN & MEAT PEPTONE) Used as Additional Enrichment of Microorganisms
1240 V	VEG. BH INFUSION POWDER Equivalent to Brain Heart Infusion Powder
1240	BRAIN HEART INFUSION POWDER Bacteriological Grade
1262 V	VEG. CA HYDROLYSATE Equivalent to Casein Acid Hydrolysate

CODE	PRODUCT NAME
1262	CASEIN ACID HYDROLYSATE (Technical) Bacteriological Grade
1230	CASEIN ACID HYDROLYSATE (STD) TBL POWDER Bacteriological Grade
1231	CASEIN ACID HYDROLYSATE Less than 3% NaCl
1232	CASEIN ACID HYDROLYSATE Special for Pertussis Vaccine production
1233	CASEIN ACID HYDROLYSATE (Vitamin Free) Bacteriological Grade
1501	CASITONE Peptic Digest Casein With Dipeptides and Tripeptides
1512 V	VEG. CEH ENZYMATIC HYDROLYSATE (TYPE I) Equivalent to Casein Enzymatic Hydrolysate
1512	CASEIN ENZYMATIC HYDROLYSATE (TYPE I) Tryptic Digest Casein With Dipeptides (Tryptone Type I)
1513	CASEIN ENZYMATIC HYDROLYSATE (STD) TBL POWDER Bacteriological Grade
1216	CORN MEAL EXTRACT POWDER Culture Media Ingredient
3531	CORN STEEP LIQUOR Bacteriological Grade
3533	DRIED YEAST POWDER (ACTIVE) Bacteriological Grade
1210	GELATIN CRYSTAL, Bloom Type B Bacteriological Grade
1502 V	VEG. GEL PEPTONE Equivalent to Gelatin Peptone
1502	GELATONE (Gelatin Peptone) Bacteriological Grade
3534	GELATONE (STD.) TBL POWDER Bacteriological Grade
1251 V	VEG. H. INFUSION POWDER Equivalent to Heart Infusion Powder
1251	HEART INFUSION POWDER Bacteriological Grade
1242 V	VEG. LB HYDROLYSATE Equivalent to Lactalbumin Hydrolysate
1242	LACTALBUMIN HYDROLYSATE Rich in All Essential Amino Acids and Suitable for Vaccine Production

Biotechnology & Fermentation Products

(Bacteriological Grade)

CODE	PRODUCT NAME
3535	LACTOSE (Mono) (Gamma Irradiated) Bacteriological Grade
4509	LACTOSE (MONO) , Sterile (Gamma Irradiated) (Triple Pack) Culture Media Ingredient
1297	LIVER EXTRACT PASTE Bacteriological Grade
1212 V	VEG. Liv. EXTRACT POWDER Equivalent to Liver Extract Powder
1212	LIVER EXTRACT POWDER Bacteriological Grade
1241	LIVER EXTRACT POWDER (Protolysed) For Cultivation of Fastidious Anaerobes and Bulk Production Vaccines, Steroids and Enzymes
1239 V	VEG. LIVER HYDROLYSATE POWDER Hydrolysis of Liver by Enzyme, Bacteriological Grade
1239	LIVER HYDROLYSATE POWDER Hydrolysis of Liver by Enzyme, Bacteriological Grade
1213 V	VEG. Liv INFUSION POWDER Equivalent to Liver Infusion Powder
1213	LIVER INFUSION POWDER Suitable for Vaccine Production
3537	D-MANNITOL (Gamma Irradiated) Bacteriological Grade
1298	MALT EXTRACT PASTE Bacteriological Grade
1214	MALT EXTRACT POWDER Bacteriological Grade
1215	MALT EXTRACT (STD) TBL POWDER Bacteriological Grade
1299	MEAT EXTRACT PASTE Bacteriological Grade
1217 V	VEG. M. EXTRACT POWDER Equivalent to Meat Extract Powder
1217	MEAT EXTRACT POWDER Bacteriological Grade
1218	MEAT EXTRACT (STD) TBL POWDER Bacteriological Grade
1219 V	VEG. M. INFUSION POWDER Equivalent to Meat Infusion Powder

CODE	PRODUCT NAME
1219	MEAT INFUSION POWDER For Vaccine Production
1504 V	VEG. MP PEPTONE Equivalent to Meat Peptone
1504	MEAT PEPTONE Bacteriological Grade
1259	MEAT PEPTONE - P Peptic Digest Animal Meat Tissue (Bacteriological Grade)
1260	MEAT PEPTONE - T Tryptic Digest Animal Meat Tissue (Bacteriological Grade)
1507 V	VEG. MYCO PEPTONE Equivalent to Mycological Peptone
1507	MYCOLOGICAL PEPTONE Bacteriological Grade
1518	MYCOLOGICAL PEPTONE (STD) TBL POWDER Bacteriological Grade
1524	OAT MEAL POWDER Bacteriological Grade
1220	OX BILE POWDER General Purpose (Bacteriological Grade)
4506	PEA PROTEIN HYDROLYSATE (PEA PEPTONE) Bacteriological Grade
1527	PEPTONE PASTE Bacteriological Grade
3542	PEPTONE - F Bacteriological Grade
1506	PEPTONE - R Bacteriological Grade
1578	PEPTONE - RG (Granular) Bacteriological Grade
1505 V	VEG. PEPTONE-TBL Equivalent to Peptone TBL
1505	PEPTONE - TBL Bacteriological Grade
1519	PEPTONE (STD) TBL POWDER Bacteriological Grade
1508	PEPTONE SPECIAL Equivalent to Neopeptone
1581	PEPTONE TYPE-III Bacteriological Grade

Biotechnology & Fermentation Products

(Bacteriological Grade)

CODE	PRODUCT NAME
1221 V	VEG. PM HYDROLYSATE Equivalent to Peptonized Milk
1221	PEPTONIZED MILK Suitable for Lactobacilli, Yeast & Molds
1509 V	VEG. PP PEPTONE Equivalent to Proteose Peptone
1509	PROTEOSE PEPTONE (Tryptic Digest Animal Tissue) Rich in Proteose's Peptides
1523	PROTEOSE PEPTONE (STD) TBL POWDER Bacteriological Grade
221 M	SODIUM CHOLATE (Cholic Acid Sodium) Bacteriological Grade
220 M	SODIUM DEOXYCHOLATE Bacteriological Grade
212 M	SODIUM TAUROCHOLATE Bacteriological Grade
1261	SODIUM TAUROGLYCOCHOLATE Bacteriological Grade
3543	SOLUBLE STARCH Bacteriological Grade
3548	SOYATONE (HN) (Soya Peptone HN) Bacteriological Grade
1510	SOYATONE (SOYA PEPTONE) Peptic Digest of Soyabean Meal, Bacteriological Grade
1511	SOYATONE (STD) TBL POWDER (Soya Peptone) Bacteriological Grade
3544	SOYATONE PASTE (Soya Peptone Paste) Bacteriological Grade
1528	SOYATONE - R (Soya Peptone - R) Bacteriological Grade
3546	SOYATONE TYPE-I (Soya Peptone TYPE-I) Bacteriological Grade
1522	TRYPTONE - D Tryptic Digest Casein for Vaccine Production
1529	TRYPTONE - R General purpose for Bacteriology
1520	TRYPTONE - T For tetanus Toxin

CODE	PRODUCT NAME
1512 V	VEG. TRYPTONE (TYPE-I) Veg. Enzymatic Digestive with Dippeptides
1512	TRYPTONE (TYPE-I) Tryptic enzymatic digest of casein with dipeptides
1513	TRYPTONE (STD) TBL POWDER Bacteriological Grade
1521 V	VEG. TRYP HYDROLYSATE Enzymatic Hydrolysate of Protein, that replace Meat Infusion
1521	TRYPTOSE Enzymatic hydrolysate of Protein that Replace Meat Infusion
1265	TRYPTOSE (STD) TBL POWDER To promote excellent growth of highly fastidious microorganisms
1629	WHEAT PEPTONE Bacteriological Grade
1631	WHEAT EXTRACT TYPE-I Bacteriological Grade
1637	WHEAT EXTRACT TBL POWDER Bacteriological Grade
1300	YEAST AUTOLYSATE POWDER Autolysate of Fresh Yeast For Bacteriology
1531	YEAST EXTRACT PASTE For Bacteriology
3550	YEAST EXTRACT POWDER - F Bacteriological Grade
1532	YEAST EXTRACT POWDER - R Bacteriological Grade
1224	YEAST EXTRACT POWDER TYPE-I Bacteriological Grade
1225	YEAST EXTRACT TBL POWDER Low salt content refined rich in B-group of Vitamins
1264	YEAST EXTRACT (STD) TBL POWDER Bacteriological Grade
4141	YEAST EXTRACT (ULTRA PURIFIED) Cell Culture Media Ingredients
1628	YEAST PEPTONE Bacteriological Grade

Pharmaceuticals, Healthcare & Nutraceutical Products

CODE PRODUCT NAME

TBF 007	BILE EXTRACT POWDER (Ox Bile Desiccated)
TBF 010	BREWER YEAST PROTEIN
TBF 128	CALCIUM PROPIONATE POWDER (VICTORY CAP)
TBF 211	CEREBROPROTEIN HYDROLYSATE POWDER (Tablet/Capsule Grade)
TBF 089	COLLAGEN PEPTIDE (TYPE - I)
TBF 202	COLLAGEN PEPTIDE (TYPE - I) (Instant)
TBF 200	COLLAGEN PEPTIDE (TYPE - I) (Super)
TBF 216	COLLAGEN PEPTIDE (TYPE-I & III)
TBF 090	COLLAGEN PEPTIDE (TYPE - II)
TBF 185	DRIED YEAST POWDER (Active)
TBF 016	DRIED YEAST POWDER (Inactive)
TBF 092	ESSENTIAL PHOSPHOLIPIDS
TBF 213	HEPATOHYDROLYSATE (Liver Protein Hydrolysate)
TBF 077	IRON PROTEIN SUCCINYLA TE (Syrup / Tablet Form)
TBF 187	LIVER EXTRACT PASTE
TBF 188	LIVER EXTRACT POWDER
TBF 129	MALT EXTRACT PASTE
TBF 037	MALT EXTRACT POWDER
TBF 208	MARINE COLLAGEN PEPTIDE (Fish Collagen)
TBF 130	MEAT EXTRACT POWDER
TBF 003	MEDICINAL YEAST
TBF 094	METHYL SULFONYL METHANE (MSM)
TBF 001	Di SODIUM GLYCINE CARBONATE (For Effervscent Tablet)
TBF 002	MONO SODIUM GLYCINE CARBONATE (For Effervscent Tablet)
TBF 040	PANCREATIN 1NF
TBF 041	PANCREATIN 4NF
TBF 106	PANCREATIN 8NF
TBF 047	PEPTONE (Pharma Grade)
TBF 215	PEPTONE PASTE
TBF 054	PROTEIN HYDROLYSATE LIQUID 20% (Casein)
TBF 056	PROTEIN HYDROLYSATE LIQUID 30% (Casein)
TBF 058	PROTEIN HYDROLYSATE LIQUID 40% (Casein)
TBF 053	PROTEIN HYDROLYSATE POWDER 55-60% (Casein)
TBF 052	PROTEIN HYDROLYSATE POWDER 75-80% (Casein)
TBF 051	PROTEIN HYDROLYSATE POWDER 90% (Casein)
TBF 163	PROTEIN HYDROLYSATE LIQUID 20% (Soya)
TBF 164	PROTEIN HYDROLYSATE LIQUID 30% (Soya)
TBF 165	PROTEIN HYDROLYSATE LIQUID 40% (Soya)
TBF 166	PROTEIN HYDROLYSATE POWDER 55-60% (Soya)
TBF 167	PROTEIN HYDROLYSATE POWDER 75-80% (Soya)

CODE PRODUCT NAME

TBF 171	PH PROTEIN CASITONE 20% (Liquid)
TBF 172	PH PROTEIN CASITONE 30% (Liquid)
TBF 173	PH PROTEIN CASITONE 40% (Liquid)
TBF 168	PH PROTEIN CASITONE 55-60% (Powder)
TBF 169	PH PROTEIN CASITONE 75-80% (Powder)
TBF 170	PH PROTEIN CASITONE 90% (Powder)
TBF 176	PH PROTEIN SOYATONE 20% (Liquid)
TBF 177	PH PROTEIN SOYATONE 30% (Liquid)
TBF 179	PH PROTEIN SOYATONE 40% (Liquid)
TBF 174	PH PROTEIN SOYATONE 55-60% (Powder)
TBF 175	PH PROTEIN SOYATONE-75-80% (Powder)
TBF 127	SODIUM PROPIONATE POWDER (VICTORY NAP)
TBF 178	SODIUM CASEINATE (Protein 90%)
TBF 066	SOYA LECITHIN POWDER
TBF 148	WHEY PROTEIN CONCENTRATE 35%
TBF 149	WHEY PROTEIN CONCENTRATE 70%
TBF 150	WHEY PROTEIN CONCENTRATE 80%
TBF 134	YEAST EXTRACT PASTE
TBF 136	YEAST EXTRACT POWDER - F
TBF 098	YEAST EXTRACT POWDER - R
TBF 186	YEAST EXTRACT POWDER (Type-1)

CHELATED MINERALS

TBF 138	CALCIUM AMINO ACID CHELATE 12%
TBF 214	CALCIUM MAGNESIUM CHELATE 6:1 %
TBF 139	CHROMIUM AMINO ACID CHELATE 5%
TBF 140	COBALT AMINO ACID CHELATE 2%
TBF 141	COPPER AMINO ACID CHELATE 12%
TBF 204	FERROUS BISGLYCINATE
TBF 153	IODINE AMINO ACID CHELATE 1%
TBF 142	IRON AMINO ACID CHELATE 12%
TBF 143	MAGNESIUM AMINO ACID CHELATE 6%
TBF 144	MANGANESE AMINO ACID CHELATE 12%
TBF 145	POTASSIUM AMINO ACID CHELATE 20%
TBF 146	SELENIUM AMINO ACID CHELATE 2%
TBF 147	ZINC AMINO ACID CHELATE 12%
TBF 201	ZINC ASCORBATE
TBF 203	ZINC BISGLYCINATE

Veterinary & Animal Feed Ingredients

CODE PRODUCT NAME

CONTRIBUTING NUTRITION TO FEED

TVA 001	NUTRIVET - 2000 Protein Hydrolysate Liquid-20% (Casein / Soya)
TVA 002	NUTRIVET - 3000 Protein Hydrolysate Liquid-30% (Casein / Soya)
TVA 003	NUTRIVET - 4000 Protein Hydrolysate Liquid-40% (Casein / Soya)
TVA 004	NUTRIVET - 5560 Protein Hydrolysate Powder 55-60% (Casein / Soya)
TVA 005	NUTRIVET - 7580 Protein Hydrolysate Powder 75-80% (Casein / Soya)
TVA 006	NUTRIVET - 9000 Protein Hydrolysate Powder 90% (Casein)
TVA 007	NUTRIVET - BEP Meat Extract Powder
TVA 008	NUTRIVET - BP Meat Extract Paste
TVA 009	NUTRIVET - BY Brewer Yeast Protein
TVA 010	NUTRIVET - DYI Dried Yeast Inactive
TVA 011	NUTRIVET - LC 2 mcg Liver Crude (1:15) (Injectible)
TVA 012	NUTRIVET - LC 8 mcg Liver Crude (1:50) (Injectible)
TVA 013	NUTRIVET - LYC-20 Live Yeast Culture
TVA 014	NUTRIVET - LEP Liver Extract Powder
TVA 015	NUTRIVET - LP Liver Extract Paste
TVA 016	NUTRIVET - MOS (Mannan Oligosaccharides)
TVA 017	NUTRIVET - OBP Ox Bile Extract Powder (Ox-Bile Desiccated)
TVA 018	PANCREATIN 1NF
TVA 019	NUTRIVET - PEP Peptone Powder
TVA 020	NUTRIVET - PP Peptone Paste
TVA 021	NUTRIVET - ST Stomach Extract Powder
TVA 022	NUTRIVET - YCW Yeast Cell Wall
TVA 023	NUTRIVET - YEP Yeast Extract Powder
TVA 024	NUTRIVET - YP Yeast Extract Paste
TVA 025	NUTRIVET - CA Calcium Amino Acid Chelate 12%
TVA 026	NUTRIVET - CH Chromium Amino Acid Chelate 5%
TVA 027	NUTRIVET - CO Cobalt Amino Acid Chelate 0.2% & 2%

CODE PRODUCT NAME

TVA 028	NUTRIVET - CU Copper Amino Acid Chelate 12%
TVA 029	NUTRIVET - FE Iron Amino Acid Chelate 12%
TVA 030	NUTRIVET - I Iodine Amino Acid Chelate 1%
TVA 031	NUTRIVET - MG Magnesium Amino Acid Chelate 6%
TVA 032	NUTRIVET - MN Manganese Amino Acid Chelate 12%
TVA 033	NUTRIVET - SE Selenium Amino Acid Chelate 0.02%/ 0.05%
TVA 034	NUTRIVET - ZN Zinc Amino Acid Chelate 12%
TVA 035	NUTRIVET - CAP Calcium Propionate Powder
TVA 037	NUTRIVET - NAP Sodium Propionate Powder
TVA 036	NUTRIVET - CBT Calcium Butyrate Powder
TVA 038	NUTRIVET - SBT Sodium Butyrate Powder
TVA 039	NUTRIVET - CAGL Calcium Glycinate
TVA 040	NUTRIVET - CUGL Copper Glycinate
TVA 041	NUTRIVET - FEGL Ferrous Glycinate
TVA 042	NUTRIVET - MGGL Magnesium Glycinate
TVA 043	NUTRIVET - MNGL Manganese Glycinate
TVA 044	NUTRIVET - ZNGL Zinc Glycinate
TVA 045	NUTRIVET-DYA Dried Yeast Active
TVA 046	AQUATIC PROTEIN 40% Protein 40% (for Aquatic Animals like Fish & Shrimps)
1110	GLYCINE
AMINO ACID CHELATED MINERALS	
TVA 025	CALCIUM AMINO ACID CHELATE 12%
TVA 026	CHROMIUM AMINO ACID CHELATE 5%
TVA 027	COBALT AMINO ACID CHELATE 0.2% & 2%
TVA 028	COPPER AMINO ACID CHELATE 12%
TVA 030	IODINE AMINO ACID CHELATE 1%
TVA 029	IRON AMINO ACID CHELATE 12%
TVA 031	MAGNESIUM AMINO ACID CHELATE 6%
TVA 032	MANGANESE AMINO ACID CHELATE 12%
TVA 033	SELENIUM AMINO ACID CHELATE 0.02%/ 0.05%
TVA 034	ZINC AMINO ACID CHELATE 12%



REMARKABLE PRESENCE IN MORE THAN 77 COUNTRIES



13485:2016



9001:2015



11133:2014



Certified



Marking



Certified



Approved



TITAN BIOTECH LIMITED

Manufacturer & Exporter



www.tmmedia.in



marketing@titanbiotechltd.com

For Online Shopping



mymicrolab.com